Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2015-2016

Gender and age	Sample size		ergy	Pro	otein		rbo- lrate		otal gars		etary ber		otal fat		urated at	unsat	ono- urated at	unsat	oly- curated at
(years)		kcal	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)
Males:																			
2 - 5	336	1545	(27.4)	54.7	(1.62)	205	(3.4)	96	(2.2)	12.1	(0.45)	58.6	(1.48)	20.6	(0.46)	20.0	(0.66)	12.9	(0.49)
6 - 11 12 - 19	517 609	1973 2247	(31.2) (69.7)	69.2 84.5	(1.85) (3.24)	258 282	(6.6) (8.9)	117 124	(3.7) (5.0)	14.7 16.0	(0.54) (0.56)	76.3 88.5	(1.77) (3.00)	27.0 31.0	(0.86) (1.18)	25.7 30.1	(0.68) (1.14)	16.7 19.1	(0.40) (0.54)
		1	, ,		(3.24)		(6.9)		(3.0)		, ,		(3.00)		(1.16)		(1.14)		(0.54)
20 - 29	392	2570	(71.3)	107.3	(5.40)	293	(9.6)	121	(5.4)	18.9	(0.97)	100.0	(3.86)	33.4	(1.41)	35.2	(1.47)	21.8	(0.89)
30 - 39 40 - 49	418 370	2687 2519	(73.8) (53.4)	104.4 98.1	(4.02) (3.37)	307 283	(6.2) (8.8)	130 120	(5.2) (6.7)	19.4 19.2	(0.66) (1.21)	104.8 98.6	(4.86) (2.67)	35.4 31.7	(1.92) (1.20)	36.5 35.1	(1.80) (0.90)	23.2 22.5	(1.02) (0.71)
		i	, ,		, ,		, ,		, ,		, ,		, ,		, ,		, ,		, ,
50 - 59	397	2487	(72.1)	97.5	(3.87)	284	(10.7)	125	(8.6)	18.8	(0.88)	98.3	(3.78)	32.1	(1.30)	34.8	(1.44)	22.5	(1.10)
60 - 69 70 and over	420 418	2166 2014	(56.7) (51.0)	87.0 76.0	(2.52) (2.45)	253 232	(9.8) (7.4)	106 99	(5.5) (4.8)	19.5 17.6	(1.31) (0.74)	86.5 83.9	(2.62) (2.94)	27.6 27.9	(0.81) (0.94)	31.0 29.6	(1.04) (1.12)	20.2 19.1	(1.03) (1.04)
		i	, ,		(2.43)				, ,		` ′		, ,		(0.94)		, ,		, ,
2 - 19	1462	2009	(37.0)	73.1	(1.79)	258	(4.3)	116	(2.5)	14.8	(0.34)	78.2	(1.92)	27.5	(0.80)	26.5	(0.73)	17.0	(0.32)
20 and over	2415 3877	2439 2332	(27.5)	96.6 90.7	(1.85)	279 274	(3.1)	118 118	(2.8)	18.9 17.9	(0.43)	96.3 91.8	(1.71)	31.7 30.7	(0.69)	34.0 32.2	(0.60)	21.7 20.5	(0.44)
2 and over	3611	2332	(27.6)	90.7	(1.67)	2/4	(2.8)	110	(2.4)	17.9	(0.40)	91.0	(1.68)	30.7	(0.65)	32.2	(0.60)	20.3	(0.39)
Females:	220	1207		710		100		0.0		44.0		700		40.0		40.4			
2 - 5	329 523	1395	(35.6)	51.2	(0.98)	183 237	(6.2)	88	(3.8)	11.0	(0.37)	53.3 72.3	(1.29)	19.2	(0.42)	18.1 24.3	(0.50)	11.2	(0.46)
6 - 11 12 - 19	523 587	1813	(37.2) (44.7)	64.5 63.4	(1.85) (1.88)	237	(5.5) (5.3)	105 104	(3.9) (3.7)	14.0 13.9	(0.47) (0.25)	72.3	(1.64) (2.21)	25.9 24.8	(0.79) (1.00)	24.3	(0.70) (0.69)	15.6 16.5	(0.40) (0.55)
		İ	` ′		` ′		` ′		` /		` ′		` ′		, ,		` ′		, ,
20 - 29	442	1917	(33.2)	72.6	(2.20)	231	(5.0)	101	(3.6)	15.3	(0.66)	76.7	(1.57)	24.5	(0.62)	26.6	(0.63)	18.6	(0.54)
30 - 39 40 - 49	435 460	1869 1845	(53.3) (40.0)	74.1 72.7	(2.39) (2.39)	215 218	(8.9) (6.0)	91 97	(4.2) (4.5)	17.0 15.2	(1.07) (0.69)	74.0 73.7	(2.16) (2.41)	24.0 23.7	(0.82) (0.90)	25.7 26.0	(0.78) (0.95)	17.6 17.5	(0.76) (0.63)
		İ	, ,				, ,		, ,		, ,				, ,		, ,		, ,
50 - 59	419	1807	(32.1)	69.6	(1.74)	207	(6.7)	93	(3.6)	16.2	(0.81)	75.1	(3.23)	23.7	(0.83)	26.8	(1.79)	17.9	(0.85)
60 - 69 70 and over	432 414	1686 1598	(39.0) (55.2)	65.0 60.7	(2.12) (2.33)	200 196	(6.0) (6.9)	91 87	(4.4) (3.7)	15.7 14.9	(0.56) (0.61)	70.4 64.3	(2.16) (2.54)	23.8 21.3	(0.70) (0.92)	24.3 22.3	(0.83) (0.93)	16.1 14.9	(0.76) (0.70)
		İ	, ,		(2.33)		, ,		(3.7)		, ,		(2.34)		, ,		, ,		, ,
2 - 19	1439	1725	(21.3)	61.0	(0.86)	223	(2.7)	101	(2.1)	13.3	(0.21)	67.9	(1.10)	23.9	(0.55)	22.9	(0.39)	15.0	(0.25)
20 and over 2 and over	2602 4041	1795 1779	(16.7) (12.1)	69.4 67.5	(0.81) (0.71)	212 214	(3.4) (2.6)	94 95	(1.9) (1.7)	15.7 15.2	(0.44) (0.36)	72.7 71.6	(1.12) (0.79)	23.6 23.6	(0.38) (0.26)	25.4 24.8	(0.52) (0.38)	17.2 16.7	(0.35) (0.29)
	4041	1119	(12.1)	07.3	(0.71)	<i>L</i> 14	(2.0)	73	(1.7)	13.2	(0.30)	/1.0	(0.79)	23.0	(0.20)	24.0	(0.38)	10.7	(0.29)
Males and females:	2001	10.60		 1		241		100		1.1.0		70.1		25.5		245		1.6.0	
2 - 19	2901 5017	1868 2105	(25.2)	67.1 82.5	(1.14)	241	(3.0)	108	(2.1)	14.0	(0.22)	73.1 84.1	(1.29)	25.7 27.5	(0.57)	24.7 29.6	(0.48)	16.0	(0.22)
20 and over 2 and over	7918	2048	(20.6) (18.3)	82.3 78.8	(1.20) (1.09)	244 243	(2.4) (1.9)	106 106	(1.6) (1.5)	17.3 16.5	(0.39) (0.35)	81.4	(1.12) (1.03)	27.3	(0.47) (0.42)	29.6	(0.39) (0.37)	19.4 18.6	(0.30) (0.26)
Z and Ovel	, , 10	1 20-0	(10.5)	, 0.0	(1.07)	273	(1.7)	100	(1.5)	10.5	(0.55)	01.7	(1.03)	27.1	(U.T2)	20.7	(0.51)	10.0	(0.20)

Table 1. Nutrient Intakes from Food and Beverages:Mean Amounts Consumed per Individual,
by Gender and Age, in the United States, 2015-2016 (continued)

Gender and age		oles- rol	Re	tinol		min A AE)		pha- otene		seta- otene		crypto- thin	Lyc	copene		tein + anthin	Th	iamin
(years)	mg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	mg	(SE)
Males:																		
2 - 5	188	(14.1)	443	(19.6)	556	(28.8)	271*		1182	(231.0)	82	(10.1)	3689	(351.2)	780	(75.6)	1.29	(0.031)
6 - 11 12 - 19	228 276	(11.4) (12.4)	503 532	(24.4) (36.8)	638 653	(34.2) (38.9)	365 252	(72.9) (32.3)	1409 1300	(203.0) (112.9)	62 64	(6.8) (5.1)	4354 5607	(510.4) (444.7)	793 901	(94.1) (46.3)	1.59 1.83	(0.046) (0.069)
20 - 29	377	(21.7)	523	(43.2)	677	(43.4)	291	(64.9)	1673	(186.9)	77	(11.2)	5850	(686.5)	1564	(121.5)	1.91	(0.060)
30 - 39	383	(24.2)	493	(28.7)	640	(29.5)	259	(33.2)	1610	(88.8)	77	(7.0)	6472	(599.4)	1441	(160.0)	1.93	(0.046)
40 - 49	359	(15.8)	478	(47.7)	693	(62.2)	540	(134.7)	2271	(327.1)	87	(13.0)	5952	(1145.4)	1528	(118.0)	1.81	(0.072)
50 - 59	353	(29.9)	445	(42.0)	661	(69.6)		(102.5)	2313	(486.6)	89	(11.7)	6533	(711.9)	1266	(107.5)	1.79	(0.072)
60 - 69	306	(16.7)	386	(17.6)	618	(34.2)	499	(81.5)	2503	(319.1)	91	(11.3)	4809	(588.5)	1557	(159.5)	1.79	(0.104)
70 and over	275	(15.3)	501	(26.7)	689	(36.7)	333	(39.2)	2034	(194.7)	109	(16.3)	5761	(551.1)	1600	(218.8)	1.73	(0.081)
2 - 19	242	(7.6)	504	(19.6)	628	(23.1)	295	(29.9)		(106.8)	67	(4.9)	4780	(337.9)	839	(46.8)	1.64	(0.031)
20 and over	348	(11.1)	474	(17.3)	663	(19.2)	397	(35.4)	2042	(124.3)	87	(5.7)	5952	(298.0)	1483	(72.4)	1.83	(0.023)
2 and over	321	(8.6)	481	(14.2)	654	(16.0)	372	(30.3)	1860	(109.3)	82	(4.7)	5659	(262.2)	1322	(61.1)	1.78	(0.021)
Females:																		
2 - 5	177	(9.5)	417	(23.4)	530	(23.1)		(102.1)		(237.3)	61	(5.4)	2924	(409.4)	661	(61.5)	1.14	(0.046)
6 - 11 12 - 19	222 214	(14.2) (11.2)	479 405	(18.3) (25.5)	605 506	(26.7) (29.6)	309 205	(68.0) (40.4)	1316	(217.4) (128.9)	84 55	(10.6) (4.1)	4253 3768	(546.8) (247.8)	776 920	(39.5) (136.4)	1.50 1.46	(0.045) (0.052)
		(11.2)						, ,		,		, ,		, ,		, ,		,
20 - 29	283	(13.1)	380	(19.0)	565	(28.3)	398	(90.7)	1990	(257.8)	67	(8.8)	4444	(656.5)	1635	(202.1)	1.39	(0.037)
30 - 39 40 - 49	267 263	(14.7) (13.1)	384 377	(23.7) (30.1)	681 564	(93.3)	332	(350.6)	3172	(827.5) (214.3)	85 83	(12.7) (11.7)	4254 3846	(552.6) (358.5)	1819 1665	(256.4) (158.7)	1.43 1.35	(0.073) (0.045)
	203	(13.1)		(30.1)		(37.7)		(61.7)		(214.3)		(11.7)		(336.3)		(136.7)	1.33	(0.043)
50 - 59	256	(13.4)	398	(22.6)	612	(39.1)	403	(87.9)	2309	(251.8)	120	(26.9)	5442	(833.5)	1872	(268.3)	1.37	(0.035)
60 - 69	240	(14.7)	346	(17.5)	566	(36.3)	416	(96.4)	2396	(285.2)	77	(9.1)	3310	(373.7)	1605	(141.3)	1.27	(0.032)
70 and over	219	(9.6)	358	(15.0)	599	(26.5)	389	(56.1)	2642	(277.6)	114	(19.3)	4101	(296.0)	1593	(372.3)	1.23	(0.047)
2 - 19	208	(6.4)	432	(13.7)	543	(19.3)	258	(41.8)	1182	(136.5)	65	(3.5)	3731	(277.4)	815	(59.6)	1.40	(0.030)
20 and over	256	(4.8)	376	(9.6)	598	(20.0)	440	(68.5)	2410	(164.8)	91	(7.2)	4294	(295.7)	1706	(120.7)	1.35	(0.020)
2 and over	245	(4.8)	389	(9.1)	585	(16.5)	398	(54.9)	2125	(142.5)	85	(5.7)	4164	(261.6)	1500	(103.0)	1.36	(0.017)
Males and females:																		
2 - 19	225	(5.4)	468	(15.8)	586	(18.6)	277	(25.9)	1249	(95.1)	66	(3.2)	4261	(230.4)	827	(40.2)	1.52	(0.025)
20 and over 2 and over	300 282	(6.3) (5.2)	423 434	(10.6) (9.5)	629 619	(13.0) (11.1)	420 385	(41.2) (33.5)	2233 1996	(110.0) (98.7)	89 84	(5.8) (4.8)	5092 4892	(233.4) (215.4)	1599 1413	(83.4) (73.2)	1.58 1.57	(0.020) (0.018)
Z and over	202	(3.2)	434	(3.3)	019	(11.1)	363	(33.3)	1990	(90.7)	04	(4.0)	4072	(213.4)	1413	(13.4)	1.57	(0.016)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2015-2016 (continued)

Gender and age	Ribo- flavin	Niacin	Vitamin B6	Folic acid	Food folate	Folate (DFE)	Choline	Vitamin B12	Added Vitamin B12
(years)	mg (SE)	mg (SE)	mg (SE)	μg (SE)	μg (SE)	μg (SE)	mg (SE)	μg (SE)	μg (SE)
Males:	1.71 (0.010)	15.0 (0.50)	1.44 (0.040)	106	122 (7.0)	440 (45.5)	221	2.04 (0.470)	0.01 (0.442)
2 - 5 6 - 11	1.74 (0.043) 2.00 (0.069)	17.0 (0.59) 21.4 (0.58)	1.44 (0.040) 1.68 (0.067)	186 (10.1) 203 (6.5)	133 (5.8) 157 (5.6)	448 (15.7) 501 (14.3)	221 (11.7) 252 (8.8)	3.94 (0.173) 4.54 (0.235)	0.91 (0.113) 1.13 (0.136)
12 - 19	2.26 (0.099)	27.8 (0.89)	2.11 (0.086)	243 (11.3)	186 (5.7)	599 (23.1)	303 (14.5)	5.94 (0.299)	1.61 (0.187)
20 - 29	2.60 (0.130)	36.3 (1.01)	2.98 (0.194)	222 (16.9)	249 (11.6)	627 (29.7)	406 (18.2)	6.36 (0.298)	1.85 (0.280)
30 - 39 40 - 49	2.64 (0.090) 2.50 (0.117)	35.2 (1.38) 32.0 (1.61)	2.83 (0.113) 2.49 (0.137)	214 (20.2) 201 (19.7)	264 (11.0) 258 (9.0)	628 (35.0) 598 (40.0)	419 (15.5) 406 (11.8)	6.77 (0.534) 6.19 (0.423)	1.81 (0.341) 1.33 (0.223)
	, ,	, ,	,	, ,	, ,	, ,	` ,	, ,	, ,
50 - 59 60 - 69	2.62 (0.130) 2.36 (0.090)	29.8 (1.53) 27.6 (1.37)	2.41 (0.158) 2.14 (0.103)	171 (10.3) 171 (15.6)	250 (9.3) 245 (17.6)	541 (22.2) 536 (33.4)	421 (27.6) 367 (13.8)	6.23 (0.997) 4.65 (0.265)	1.06* (0.332) 0.89 (0.207)
70 and over	2.27 (0.083)	24.2 (0.92)	2.03 (0.096)	215 (18.8)	211 (6.7)	577 (32.5)	324 (12.0)	5.02 (0.319)	1.22 (0.241)
2 - 19	2.06 (0.051)	23.4 (0.53)	1.82 (0.050)	217 (5.7)	165 (3.7)	534 (11.8)	269 (7.9)	5.04 (0.171)	1.30 (0.105)
20 and over	2.52 (0.049)	31.4 (0.76)	2.53 (0.081)	200 (7.0)	248 (4.2)	587 (13.1)	395 (8.0)	5.97 (0.213)	1.39 (0.132)
2 and over	2.40 (0.045)	29.4 (0.65)	2.35 (0.065)	204 (5.4)	227 (3.6)	574 (10.4)	364 (6.7)	5.74 (0.173)	1.37 (0.104)
Females:									
2 - 5	1.61 (0.072)	15.2 (0.62)	1.32 (0.063)	147 (12.7)	123 (4.0)	372 (23.3)	203 (9.2)	3.69 (0.212)	0.91 (0.131)
6 - 11 12 - 19	1.87 (0.065) 1.70 (0.069)	19.9 (0.60) 20.9 (0.63)	1.56 (0.056) 1.63 (0.055)	205 (10.2) 198 (13.0)	148 (5.1) 152 (4.8)	497 (17.8) 489 (23.3)	242 (12.2) 232 (8.8)	4.29 (0.167) 3.96 (0.174)	1.00 (0.096) 1.07 (0.096)
20 - 29	1.88 (0.065)	24.2 (0.87)	2.07 (0.114)	171 (7.4)	195 (8.2)	486 (10.4)	297 (11.9)	4.37 (0.259)	1.32 (0.295)
30 - 39	1.97 (0.088)	24.1 (0.79)	2.06 (0.114)	149 (10.9)	215 (17.0)	469 (25.0)	303 (12.0)	4.23 (0.242)	1.02 (0.162)
40 - 49	1.89 (0.065)	21.8 (0.73)	1.83 (0.106)	157 (11.7)	195 (7.9)	463 (24.1)	292 (8.3)	4.36 (0.247)	0.90 (0.148)
50 - 59	1.89 (0.065)	20.8 (0.64)	1.73 (0.072)	145 (8.6)	209 (9.6)	456 (18.6)	290 (11.6)	3.85 (0.204)	0.85 (0.138)
60 - 69	1.72 (0.062) 1.66 (0.055)	18.2 (0.94) 17.9 (0.81)	1.52 (0.091) 1.47 (0.065)	113 (9.1) 135 (10.1)	200 (10.9) 170 (6.3)	393 (21.0) 400 (16.0)	280 (9.9) 251 (9.1)	3.84 (0.282)	0.49 (0.127) 0.68 (0.100)
70 and over	` ,	, ,	, ,	` ,	` ,	` ,	` '	3.56 (0.215)	, ,
2 - 19	1.73 (0.037) 1.84 (0.039)	19.3 (0.38)	1.54 (0.032) 1.79 (0.046)	189 (7.6)	144 (3.2)	465 (13.2)	228 (5.5) 287 (4.1)	4.00 (0.098)	1.01 (0.051) 0.89 (0.082)
20 and over 2 and over	1.84 (0.039) 1.82 (0.034)	21.3 (0.36) 20.9 (0.28)	1.79 (0.046) 1.73 (0.033)	147 (4.0) 156 (3.6)	198 (6.0) 186 (5.2)	447 (10.6) 451 (8.4)	287 (4.1) 273 (4.2)	4.05 (0.087) 4.04 (0.063)	0.89 (0.082) 0.92 (0.062)
Males and females:	, ,	,		,	. ,	, ,	, ,	. ,	,
2 - 19	1.90 (0.042)	21.4 (0.40)	1.68 (0.038)	203 (5.6)	155 (2.3)	500 (10.1)	249 (5.6)	4.53 (0.125)	1.16 (0.069)
20 and over	2.17 (0.040)	26.2 (0.53)	2.15 (0.051)	172 (4.2)	222 (4.4)	514 (10.0)	339 (4.6)	4.97 (0.123)	1.13 (0.088)
2 and over	2.10 (0.037)	25.0 (0.43)	2.03 (0.040)	180 (3.6)	206 (4.1)	511 (8.3)	317 (4.2)	4.86 (0.105)	1.14 (0.068)

Table 1. Nutrient Intakes from Food and Beverages:Mean Amounts Consumed per Individual,
by Gender and Age, in the United States, 2015-2016 (continued)

Gender and age	Vita	min C	Vita	min D	(al	min E pha- herol)		lded nin E	Vita	ımin K	Cal	cium	Phos	phorus	Mag	nesium
(years)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)
Males:																
2 - 5	79.1	(5.60)	6.0	(0.31)	6.4	(0.32)	0.8	(0.24)	55.4	(2.84)	959	(29.7)	1100	(32.3)	203	(6.7)
6 - 11	67.2	(6.90)	5.6	(0.34)	7.3	(0.16)	0.5	(0.09)	62.9	(4.13)	1040	(42.5)	1308	(40.9)	239	(5.5)
12 - 19	67.9	(3.77)	5.7	(0.44)	8.5	(0.39)	0.8*	(0.26)	78.6	(3.63)	1128	(54.2)	1471	(56.9)	276	(12.7)
20 - 29	91.9	(6.09)	5.2	(0.41)	10.6	(0.67)	1.3	(0.35)	115.8	(7.28)	1150	(58.0)	1719	(71.8)	360	(15.7)
30 - 39	89.1	(6.05)	5.6	(1.01)	10.0	(0.31)	0.9*	(0.35)	121.3	(9.38)	1151	(41.4)	1721	(58.8)	352	(9.4)
40 - 49	80.1	(8.77)	5.1	(0.35)	11.3	(0.80)	1.7*	(0.52)	121.5	(7.46)	1067	(51.7)	1629	(46.6)	348	(14.0)
50 - 59	72.9	(3.00)	5.1	(0.57)	9.8	(0.55)	0.7*	(0.22)	110.9	(9.45)	1068	(58.6)	1622	(60.9)	354	(12.7)
60 - 69	89.8	(7.57)	4.3	(0.35)	9.2	(0.48)	0.6*	(0.27)	121.0	(12.49)	920	(51.2)	1427	(49.3)	343	(18.9)
70 and over	91.3	(7.13)	5.4	(0.36)	8.9	(0.55)	1.1*	(0.36)	121.5	(12.97)	935	(38.0)	1334	(40.0)	294	(10.5)
2 - 19	69.9	(4.16)	5.8	(0.27)	7.7	(0.19)	0.7	(0.12)	68.4	(2.44)	1063	(34.5)	1339	(33.9)	248	(6.0)
20 and over	85.5	(2.91)	5.1	(0.21)	10.0	(0.28)	1.0	(0.17)	118.2	(4.37)	1062	(21.3)	1596	(25.7)	345	(6.7)
2 and over	81.6	(2.74)	5.3	(0.18)	9.4	(0.26)	1.0	(0.15)	105.8	(3.95)	1062	(19.9)	1532	(25.0)	320	(6.4)
Females: 2 - 5 6 - 11 12 - 19	65.8	(7.07)	5.5	(0.36)	5.3	(0.20)	0.5	(0.13)	48.2	(4.33)	863	(31.4)	1001	(27.4)	183	(3.8)
	64.4	(2.78)	5.4	(0.31)	7.1	(0.29)	0.5*	(0.18)	62.8	(2.71)	965	(31.4)	1206	(34.0)	223	(7.5)
	63.5	(4.26)	4.2	(0.29)	7.2	(0.29)	0.4	(0.13)	73.9	(6.94)	857	(46.7)	1147	(42.1)	224	(5.4)
20 - 29	74.2	(5.40)	4.1	(0.39)	8.8	(0.42)	1.2	(0.24)	122.7	(14.69)	870	(28.3)	1214	(30.5)	266	(7.9)
30 - 39	78.0	(7.47)	4.5	(0.40)	8.9	(0.33)	1.1	(0.22)	131.4	(15.80)	891	(40.1)	1278	(46.4)	297	(11.9)
40 - 49	68.3	(4.35)	4.5	(0.51)	8.7	(0.51)	1.3	(0.30)	114.6	(7.13)	868	(37.7)	1236	(36.0)	280	(10.1)
50 - 59	81.6	(5.86)	4.1	(0.41)	9.4	(1.03)	1.0	(0.23)	136.7	(14.82)	880	(32.8)	1214	(29.6)	285	(12.7)
60 - 69	66.5	(6.11)	4.1	(0.39)	7.3	(0.55)	0.6*	(0.23)	122.1	(9.16)	771	(29.6)	1106	(35.6)	255	(6.6)
70 and over	74.3	(5.24)	4.2	(0.38)	7.5	(0.45)	0.8	(0.17)	109.5	(17.11)	761	(29.5)	1053	(39.9)	238	(7.0)
2 - 19	64.3	(2.75)	4.9	(0.20)	6.7	(0.11)	0.5	(0.06)	64.5	(3.53)	893	(27.5)	1133	(20.8)	214	(3.2)
20 and over	74.2	(3.53)	4.3	(0.15)	8.5	(0.34)	1.0	(0.12)	123.5	(7.09)	845	(18.6)	1189	(17.9)	272	(5.1)
2 and over	71.9	(2.97)	4.4	(0.14)	8.1	(0.27)	0.9	(0.10)	109.8	(6.09)	856	(18.4)	1176	(16.0)	258	(4.6)
Males and females: 2 - 19 20 and over 2 and over	67.1 79.6 76.6	(3.15) (2.56) (2.41)	5.3 4.7 4.8	(0.22) (0.15) (0.15)	7.2 9.2 8.8	(0.10) (0.26) (0.23)	0.6 1.0 0.9	(0.07) (0.12) (0.10)	66.5 120.9 107.8	(2.33) (4.68) (4.23)	979 949 956	(28.5) (19.0) (19.1)	1237 1385 1349	(24.6) (21.2) (20.4)	231 307 289	(3.8) (5.3) (5.0)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2015-2016 (continued)

Gender and age	I	ron	Z	inc	Co	pper	Sele	enium	Pota	ssium	So	dium	Ca	ffeine	Theob	romine	Alc	cohol
(years)	mg	(SE)	mg	(SE)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	g	(SE
Males:																		
2 - 5	11.5	(0.33)	8.4	(0.27)	0.8	(0.03)	78.8	(3.11)	1950	(45.7)	2347	(67.0)	7.1	(0.92)	32.7	(4.62)		
6 - 11	14.3	(0.40)	10.1	(0.30)	0.9	(0.03)	100.7	(3.28)	2156	(49.2)	3153	(51.0)	16.1	(1.89)	55.9	(5.71)		
12 - 19	16.7	(0.71)	12.6	(0.59)	1.1	(0.05)	122.8	(4.98)	2408	(84.7)	3783	(113.2)	50.0	(9.95)	54.6	(8.16)		
20 - 29	16.9	(0.67)	13.9	(0.55)	1.4	(0.07)	155.1	(9.13)	2885	(96.2)	4421	(140.6)	122.0	(13.84)	28.7	(3.57)		
30 - 39	16.6	(0.56)	14.1	(0.57)	1.4	(0.02)	147.2	(4.10)	3077	(109.3)	4583	(168.7)	165.6	(15.14)	35.0	(4.63)		
40 - 49	16.4	(1.01)	13.5	(0.84)	1.4	(0.08)	135.0	(4.34)	2930	(98.6)	4090	(103.1)	204.5	(16.00)	32.3	(5.61)		
50 - 59	15.2	(0.84)	13.3	(0.63)	1.4	(0.07)	135.7	(7.84)	3136	(97.4)	4202	(153.7)	284.2	(18.67)	33.1	(4.56)		
60 - 69	15.0	(1.01)	11.9	(0.43)	1.3	(0.06)	120.1	(4.52)	2948	(86.5)	3627	(107.6)	285.9	(37.99)	31.3	(4.14)		
70 and over	16.2	(0.97)	11.7	(0.57)	1.2	(0.05)	107.9	(5.13)	2758	(76.1)	3351	(122.4)	185.5	(11.09)	30.9	(3.63)		
2 - 19	14.8	(0.33)	10.9	(0.32)	1.0	(0.02)	106.1	(2.85)	2227	(42.5)	3272	(59.6)	29.4	(5.04)	50.6	(5.46)		
20 and over	16.1	(0.26)	13.2	(0.23)	1.4	(0.03)	135.9	(3.29)	2967	(38.4)	4107	(64.1)	205.1	(9.18)	31.9	(1.47)	14.1	(0.8)
2 and over	15.8	(0.24)	12.6	(0.24)	1.3	(0.02)	128.4	(2.85)	2782	(39.2)	3899	(56.6)	161.2	(7.65)	36.5	(1.89)		
emales:																		
2 - 5	10.2	(0.66)	7.3	(0.24)	0.7	(0.02)	70.7	(0.94)	1790	(53.8)	2089	(59.8)	5.3	(0.99)	27.9	(3.71)		
6 - 11	13.8	(0.56)	9.8	(0.35)	0.9	(0.03)	94.1	(2.99)	2024	(66.0)	2936	(55.8)	11.5	(1.34)	53.8	(5.98)		
12 - 19	13.2	(0.51)	9.1	(0.34)	0.9	(0.02)	91.9	(2.33)	1962	(49.0)	2946	(80.8)	39.7	(3.96)	49.3	(5.07)		
20 - 29	12.4	(0.29)	9.7	(0.22)	1.1	(0.04)	104.7	(3.56)	2256	(68.1)	3189	(83.8)	97.4	(6.80)	33.2	(2.81)		
30 - 39	12.6	(0.57)	9.9	(0.43)	1.2	(0.06)	104.0	(4.82)	2389	(108.8)	3309	(119.0)	135.4	(18.85)	31.1	(4.65)		
40 - 49	12.0	(0.50)	9.6	(0.35)	1.2	(0.05)	100.6	(2.71)	2345	(69.5)	3073	(70.7)	155.2	(8.65)	30.9	(3.43)		
50 - 59	12.3	(0.32)	9.6	(0.31)	1.1	(0.05)	94.8	(2.60)	2423	(66.1)	2997	(114.5)	171.4	(9.02)	29.2	(2.91)		
60 - 69	11.5	(0.50)	9.3	(0.32)	1.1	(0.04)	87.9	(3.54)	2326	(78.2)	2870	(107.9)	150.6	(14.15)	46.5	(7.88)		
70 and over	11.5	(0.55)	8.2	(0.41)	1.0	(0.04)	84.5	(2.81)	2171	(68.1)	2517	(88.5)	130.0	(8.47)	30.4	(3.36)		
2 - 19	12.7	(0.36)	8.9	(0.18)	0.9	(0.02)	87.8	(1.22)	1943	(25.3)	2748	(45.3)	22.9	(1.64)	45.9	(3.53)		
20 and over	12.1	(0.17)	9.4	(0.18)	1.1	(0.02)	96.6	(1.09)	2323	(46.1)	3007	(38.5)	140.4	(5.55)	33.2	(1.32)	6.1	(0.5)
2 and over	12.2	(0.14)	9.3	(0.16)	1.1	(0.02)	94.5	(1.00)	2235	(39.5)	2947	(31.5)	113.1	(4.30)	36.1	(1.56)		,
Tales and females:																		
2 - 19	13.8	(0.30)	9.9	(0.22)	0.9	(0.02)	97.1	(1.48)	2086	(30.2)	3013	(36.4)	26.2	(2.97)	48.3	(3.48)		
20 and over	14.0	(0.18)	11.2	(0.18)	1.2	(0.02)	115.5	(1.95)	2633	(38.6)	3536	(40.0)	171.5	(6.17)	32.5	(0.88)	9.9	(0.0)
2 and over	14.0	(0.17)	10.9	(0.18)	1.2	(0.02)	111.0	(1.71)	2502	(35.7)	3410	(33.6)	136.6	(5.03)	36.3	(1.28)		

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2015-2016 (continued)

Gender and age	SFA 4:0	SFA 6:0	SFA 8:0	SFA 10:0	SFA 12:0	SFA 14:0	SFA 16:0	SFA 18:0
(years)	g (SI	E) g (S	E) g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)
Males:								
2 - 5	0.46 (0.014			0.46 (0.017)	0.63 (0.030)	1.86 (0.057)	11.13 (0.262)	4.73 (0.120)
6 - 11	0.52 (0.030			0.56 (0.027)	1.05 (0.141)	2.36 (0.101)	14.60 (0.520)	6.36 (0.232)
12 - 19	0.60 (0.034	4) 0.39 (0.02	2) 0.34 (0.021)	0.63 (0.033)	1.14 (0.119)	2.75 (0.132)	16.81 (0.590)	7.30 (0.324)
20 - 29	0.61 (0.04)	3) 0.39 (0.02	9) 0.32 (0.019)	0.65 (0.043)	1.06 (0.070)	2.91 (0.163)	18.29 (0.778)	7.87 (0.328)
30 - 39	0.66 (0.054)	,		0.66 (0.048)	1.00 (0.070)	3.02 (0.201)	19.42 (1.000)	8.65 (0.444)
40 - 49	0.55 (0.04	4) 0.36 (0.02	9) 0.31 (0.023)	0.59 (0.039)	1.04 (0.119)	2.61 (0.149)	17.41 (0.596)	7.60 (0.309)
50 - 59	0.59 (0.039	9) 0.38 (0.02	1) 0.34 (0.021)	0.63 (0.034)	1.16 (0.107)	2.75 (0.138)	17.38 (0.757)	7.81 (0.364)
60 - 69	0.49 (0.03)	5) 0.31 (0.01	9) 0.27 (0.016)	0.51 (0.028)	0.93 (0.068)	2.26 (0.109)	15.05 (0.428)	6.68 (0.218)
70 and over	0.56 (0.04	0.36 (0.02	4) 0.34 (0.038)	0.61 (0.034)	1.27 (0.263)	2.49 (0.128)	14.69 (0.467)	6.59 (0.263)
2 - 19	0.54 (0.01)	9) 0.36 (0.01	3) 0.31 (0.014)	0.57 (0.020)	1.01 (0.079)	2.43 (0.087)	14.89 (0.403)	6.45 (0.218)
20 and over	0.58 (0.024	,		0.61 (0.022)	1.07 (0.053)	2.71 (0.079)	17.26 (0.360)	7.62 (0.161)
2 and over	0.57 (0.02		, , ,	0.60 (0.020)	1.06 (0.048)	2.64 (0.073)	16.67 (0.327)	7.33 (0.154)
Females:								
2 - 5	0.47 (0.01)	7) 0.32 (0.01	1) 0.27 (0.018)	0.47 (0.018)	0.72 (0.056)	1.87 (0.064)	10.10 (0.233)	4.35 (0.110)
6 - 11	0.54 (0.03	,		0.56 (0.027)	0.96 (0.069)	2.36 (0.104)	13.91 (0.405)	5.98 (0.163)
12 - 19	0.51 (0.03)	0.33 (0.01	9) 0.28 (0.021)	0.53 (0.032)	0.97 (0.145)	2.21 (0.116)	13.31 (0.515)	5.76 (0.228)
20 - 29	0.45 (0.01)	3) 0.29 (0.00	9) 0.27 (0.011)	0.49 (0.014)	0.90 (0.060)	2.03 (0.060)	13.44 (0.378)	5.71 (0.180)
30 - 39	0.46 (0.02)			0.50 (0.033)	0.93 (0.072)	2.05 (0.113)	12.94 (0.398)	5.72 (0.215)
40 - 49	0.42 (0.019	9) 0.28 (0.01	0) 0.26 (0.022)	0.48 (0.023)	0.95 (0.132)	2.04 (0.111)	12.79 (0.432)	5.65 (0.227)
50 - 59	0.50 (0.03)	2) 0.31 (0.02	0.26 (0.018)	0.51 (0.031)	0.85 (0.080)	2.05 (0.090)	12.82 (0.464)	5.45 (0.193)
60 - 69	0.47 (0.02)		7) 0.32 (0.027)	0.53 (0.028)	1.22 (0.164)	2.14 (0.078)	12.44 (0.389)	5.63 (0.201)
70 and over	0.46 (0.03)	0.29 (0.01	6) 0.24 (0.015)	0.47 (0.027)	0.81 (0.097)	1.89 (0.117)	11.41 (0.438)	5.05 (0.228)
2 - 19	0.51 (0.020	0.34 (0.01	2) 0.29 (0.010)	0.52 (0.018)	0.91 (0.066)	2.18 (0.070)	12.77 (0.267)	5.51 (0.131)
20 and over	0.46 (0.014	4) 0.30 (0.00	7) 0.27 (0.006)	0.50 (0.011)	0.94 (0.034)	2.03 (0.045)	12.68 (0.197)	5.54 (0.110)
2 and over	0.47 (0.01)	3) 0.30 (0.00	6) 0.27 (0.005)	0.50 (0.010)	0.93 (0.033)	2.07 (0.038)	12.70 (0.128)	5.54 (0.081)
Males and females:								
2 - 19	0.52 (0.01)			0.55 (0.017)	0.96 (0.055)	2.31 (0.069)	13.84 (0.280)	5.99 (0.151)
20 and over	0.52 (0.01)			0.55 (0.014)	1.00 (0.031)	2.36 (0.055)	14.89 (0.237)	6.54 (0.124)
2 and over	0.52 (0.01)	6) 0.34 (0.00	9) 0.30 (0.006)	0.55 (0.013)	0.99 (0.030)	2.35 (0.052)	14.63 (0.204)	6.41 (0.110)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2015-2016 (continued)

Gender and age		IFA 6:1		IFA 8:1		IFA 0:1		IFA 2:1		PFA 8:2		FA 8:3		FA 3:4
(years)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)
Males:														
2 - 5	0.73	(0.037)	18.65	(0.621)	0.21	(0.010)	0.02	(0.002)	11.51	(0.440)	1.11	(0.045)	0.01	(0.001)
6 - 11	0.98	(0.043)	23.86	(0.623)	0.27	(0.012)	0.02	(0.002)	15.06	(0.383)	1.36	(0.031)	0.01	(0.001)
12 - 19	1.24	(0.063)	27.97	(1.056)	0.35	(0.032)	0.03	(0.004)	17.10	(0.477)	1.65	(0.068)	0.01	(0.001)
20 - 29	1.52	(0.077)	32.60	(1.376)	0.39	(0.025)	0.03	(0.003)	19.24	(0.796)	1.93	(0.102)	0.01	(0.001)
30 - 39	1.58	(0.094)	33.75	(1.660)	0.41	(0.044)	0.04	(0.005)	20.47	(0.958)	2.18	(0.085)	0.03*	` '
40 - 49	1.45	(0.050)	32.65	(0.828)	0.38	(0.012)	0.04	(0.007)	19.97	(0.639)	1.99	(0.083)	0.01	(0.002)
50 - 59	1.42	(0.080)	32.26	(1.342)	0.37	(0.017)	0.04	(0.010)	19.80	(0.940)	2.17	(0.142)	0.01	(0.003)
60 - 69	1.16	(0.033)	28.94	(1.001)	0.32	(0.016)	0.04	(0.005)	17.87	(0.905)	1.94	(0.136)	0.01	(0.003)
70 and over	1.10	(0.046)	27.69	(1.081)	0.29	(0.010)	0.04	(0.011)	16.84	(0.926)	1.86	(0.121)	0.01	(0.002)
2 - 19	1.05	(0.037)	24.64	(0.674)	0.29	(0.018)	0.03	(0.002)	15.26	(0.286)	1.44	(0.035)	0.01	(0.001)
20 and over	1.40	(0.027)	31.61	(0.565)	0.37	(0.010)	0.04	(0.003)	19.18	(0.386)	2.02	(0.052)	0.01	(0.001
2 and over	1.31	(0.024)	29.87	(0.557)	0.35	(0.009)	0.04	(0.002)	18.20	(0.346)	1.87	(0.044)	0.01	(0.001)
Females:														
2 - 5	0.68	(0.030)	16.85	(0.473)	0.17	(0.010)	0.01	(0.001)	9.99	(0.413)	1.00	(0.048)	#	
6 - 11	0.93	(0.033)	22.63	(0.654)	0.25	(0.012)	0.02	(0.001)	13.96	(0.356)	1.37	(0.042)	#	
12 - 19	0.90	(0.030)	22.71	(0.648)	0.25	(0.012)	0.02	(0.002)	14.73	(0.486)	1.42	(0.064)	0.01	(0.001)
20 - 29	1.01	(0.026)	24.89	(0.594)	0.28	(0.014)	0.02	(0.001)	16.51	(0.476)	1.75	(0.072)	0.01	(0.001)
30 - 39	0.95	(0.029)	23.98	(0.752)	0.28	(0.017)	0.03	(0.003)	15.56	(0.677)	1.61	(0.082)	0.01	(0.002)
40 - 49	1.00	(0.040)	24.26	(0.887)	0.28	(0.017)	0.02	(0.003)	15.45	(0.546)	1.64	(0.087)	0.01*	(0.004)
50 - 59	0.99	(0.069)	24.96	(1.681)	0.28	(0.022)	0.02	(0.004)	15.75	(0.775)	1.71	(0.100)	0.01	(0.001
60 - 69	0.94	(0.038)	22.62	(0.770)	0.25	(0.016)	0.03	(0.008)	14.05	(0.668)	1.72	(0.113)	0.01*	(0.004)
70 and over	0.79	(0.042)	20.87	(0.874)	0.23	(0.017)	0.02*	(0.008)	13.04	(0.599)	1.52	(0.115)	0.01*	(0.003)
2 - 19	0.86	(0.018)	21.35	(0.364)	0.23	(0.006)	0.02	(0.001)	13.40	(0.215)	1.31	(0.037)	0.01	(0.001)
20 and over	0.95	(0.018)	23.73	(0.488)	0.27	(0.009)	0.02	(0.002)	15.16	(0.311)	1.66	(0.036)	0.01	(0.001
2 and over	0.93	(0.014)	23.18	(0.360)	0.26	(0.007)	0.02	(0.002)	14.75	(0.257)	1.58	(0.031)	0.01	(0.001)
Males and females:														
2 - 19	0.95	(0.024)	23.02	(0.449)	0.26	(0.009)	0.02	(0.001)	14.34	(0.189)	1.37	(0.030)	0.01	(0.001
20 and over	1.17	(0.019)	27.52	(0.364)	0.32	(0.006)	0.03	(0.002)	17.10	(0.261)	1.84	(0.036)	0.01	(0.001
2 and over	1.11	(0.016)	26.44	(0.344)	0.30	(0.005)	0.03	(0.001)	16.43	(0.226)	1.72	(0.031)	0.01	(0.001)

Table 1. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2015-2016 (continued)

_							-	
Gender	PFA			FA		FA		FA
and age	20:4		20):5	22	2:5	22	2:6
(years)	g	(SE)	g	(SE)	g	(SE)	g	(SE)
Males:								
2 - 5		.008)	0.01	(0.002)	0.01	(0.001)	0.02	(0.005)
6 - 11		.008)	0.02	(0.004)	0.02	(0.002)	0.03	(0.006)
12 - 19	0.15 (0	.007)	0.02	(0.003)	0.02	(0.001)	0.04	(0.005)
20 - 29		.012)	0.02	(0.002)	0.03	(0.003)	0.06	(0.012)
30 - 39		.013)	0.04*	(0.017)	0.03	(0.005)	0.08*	(0.030)
40 - 49	0.18 (0	.006)	0.04	(0.006)	0.03	(0.002)	0.07	(0.009)
50 - 59	0.19 (0	.016)	0.03*	(0.015)	0.03	(0.003)	0.07*	(0.022)
60 - 69	0.17 (0	.012)	0.03	(0.004)	0.02	(0.001)	0.06	(0.007)
70 and over		.009)	0.02	(0.006)	0.02	(0.001)	0.06	(0.009)
2 - 19	0.13 (0	.005)	0.02	(0.002)	0.02	(0.001)	0.03	(0.004)
20 and over		.006)	0.03	(0.005)	0.03	(0.002)	0.07	(0.008)
2 and over	,	.005)	0.03	(0.004)	0.02	(0.001)	0.06	(0.007)
Females:								
2 - 5	0.08 (0	.005)	0.01	(0.001)	0.01	(#)	0.02	(0.003)
6 - 11	`	.003)	0.01	(0.001) (0.002)	0.01	(0.001)	0.02	(0.003) (0.004)
12 - 19	,	.005)	0.01	(0.002)	0.02	(0.001)	0.03	(0.005)
20 - 29	· ·		0.02	,	0.02		0.05	,
20 - 29 30 - 39	,	.007) .008)	0.02	(0.003) (0.006)	0.02	(0.002) (0.003)	0.03	(0.007)
40 - 49	,	.008)	0.03	(0.006)	0.02	(0.003) (0.002)	0.06	(0.013) (0.013)
				,				
50 - 59		.010)	0.03	(0.005)	0.02	(0.006)	0.06	(0.010)
60 - 69		.009)	0.03	(0.006)	0.02	(0.003)	0.06	(0.010)
70 and over	0.11 (0	.005)	0.03	(0.006)	0.02	(0.002)	0.06	(0.010)
2 - 19	0.11 (0	.003)	0.01	(0.001)	0.01	(0.001)	0.02	(0.003)
20 and over	0.13 (0	.003)	0.03	(0.003)	0.02	(0.001)	0.06	(0.005)
2 and over	0.13 (0	.003)	0.02	(0.002)	0.02	(0.001)	0.05	(0.004)
Males and females:								
2 - 19	0.12 (0	.003)	0.01	(0.002)	0.02	(0.001)	0.03	(0.003)
20 and over		.003)	0.03	(0.003)	0.02	(0.001)	0.06	(0.005)
2 and over		.003)	0.02	(0.003)	0.02	(0.001)	0.05	(0.005)

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means are as follows:

Mean: An estimated mean is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. The VIF used in this table is 2.41.

Indicates a non-zero value too small to report.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents. SFA = saturated fatty acid; MFA = monounsaturated fatty acid; PFA = polyunsaturated fatty acid.

Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2015-2016

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2015-2016. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2015-2016 www.ars.usda.gov/nea/bhnrc/fsrg.

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alcohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2018. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, What We Eat in America, NHANES 2015-2016.