**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2011-2012

Gender and age	Sample size	Energy	Protein	Carbo- hydrate	Total sugars	Dietary fiber	Total fat	Saturated fat	Mono- unsaturated fat	Poly- unsaturated fat
(years)		kcal (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)
Males:	I									
2 - 5	411	1648 (32.7)	57.8 (1.77)	227 (5.5)	118 (3.8)	12.0 (0.43)	59.0 (2.33)	21.5 (1.40)	20.2 (0.88)	12.4 (0.31)
6 - 11	590	2087 (38.6)	71.4 (1.39)	285 (5.4)	139 (3.5)	15.4 (0.55)	76.4 (1.78)	26.8 (0.60)	26.5 (0.63)	16.8 (0.61)
12 - 19	585	2531 (58.7)	95.1 (2.64)	329 (6.3)	152 (5.4)	18.1 (0.43)	94.1 (3.76)	31.6 (1.16)	33.2 (1.35)	21.7 (1.44)
20 - 29	457	2764 (74.5)	102.9 (3.08)	332 (11.1)	146 (7.0)	19.7 (0.83)	102.3 (2.63)	33.1 (1.40)	36.8 (0.97)	23.8 (0.90)
30 - 39	425	2772 (73.2)	110.0 (3.81)	332 (9.8)	147 (6.3)	22.1 (0.73)	100.4 (2.68)	32.4 (1.11)	35.9 (1.05)	23.8 (0.73)
40 - 49	374	2734 (94.0)	104.8 (3.26)	317 (11.3)	137 (8.4)	20.2 (1.01)	106.8 (4.69)	34.8 (1.60)	37.9 (1.82)	25.3 (1.23)
50 - 59	382	2500 (104.8)	95.2 (4.56)	294 (12.3)	127 (7.1)	20.0 (0.89)	92.9 (3.67)	29.5 (1.55)	34.0 (1.45)	22.0 (0.98)
60 - 69	397	2302 (51.7)	89.7 (1.97)	278 (7.6)	116 (5.3)	20.8 (0.91)	87.9 (3.20)	27.9 (1.02)	32.6 (1.44)	20.5 (0.91)
70 and over	359	2023 (51.4)	80.0 (1.83)	248 (7.2)	108 (3.9)	18.2 (0.70)	75.7 (2.62)	23.7 (0.88)	27.8 (1.10)	18.2 (0.68)
2 - 19	1586	2190 (30.5)	79.1 (1.31)	292 (3.2)	140 (2.7)	15.9 (0.31)	80.5 (1.96)	27.8 (0.65)	28.1 (0.74)	18.0 (0.79)
20 and over	2394	2567 (26.7)	98.8 (0.89)	305 (3.2)	133 (2.3)	20.3 (0.41)	96.2 (1.36)	30.9 (0.54)	34.8 (0.54)	22.7 (0.39)
2 and over	3980	2469 (21.8)	93.7 (0.82)	302 (2.8)	135 (2.2)	19.1 (0.33)	92.1 (1.06)	30.1 (0.50)	33.0 (0.41)	21.5 (0.35)
Females:										
2 - 5	423	1520 (32.0)	53.3 (1.38)	208 (4.0)	105 (3.2)	12.1 (0.34)	55.3 (1.61)	20.0 (0.74)	18.8 (0.67)	12.1 (0.46)
6 - 11	556	1878 (43.4)	65.0 (1.87)	253 (5.4)	120 (2.4)	13.9 (0.46)	69.9 (1.99)	24.5 (0.87)	24.2 (0.69)	15.6 (0.58)
12 - 19	567	1809 (38.8)	63.2 (1.96)	241 (4.7)	117 (3.5)	12.5 (0.28)	67.7 (2.48)	23.1 (0.75)	23.0 (0.90)	16.0 (0.76)
20 - 29	428	2019 (41.6)	72.1 (1.38)	255 (6.4)	114 (4.3)	15.8 (0.47)	75.5 (1.84)	24.6 (0.60)	26.6 (0.70)	18.0 (0.57)
30 - 39	404	2010 (50.4)	75.5 (1.63)	253 (7.1)	114 (4.2)	17.5 (0.64)	74.8 (1.97)	24.7 (0.91)	26.1 (0.69)	17.7 (0.50)
40 - 49	407	1841 (52.9)	66.4 (2.52)	231 (6.3)	108 (4.6)	15.3 (0.59)	68.9 (2.16)	22.3 (0.82)	24.5 (0.94)	16.4 (0.54)
50 - 59	423	1820 (49.8)	68.0 (1.85)	219 (6.4)	97 (3.8)	16.2 (0.66)	68.8 (2.24)	22.1 (1.14)	24.2 (0.68)	16.9 (0.59)
60 - 69	380	1663 (57.9)	65.2 (1.90)	200 (7.2)	85 (2.6)	16.5 (0.86)	65.5 (3.13)	20.1 (1.21)	23.8 (1.22)	16.5 (1.03)
70 and over	365	1555 (28.3)	58.8 (1.26)	202 (4.0)	93 (3.8)	15.2 (0.48)	57.1 (1.78)	18.4 (0.73)	19.7 (0.66)	14.5 (0.50)
2 - 19	1546	1767 (19.1)	61.6 (1.08)	237 (2.0)	115 (1.6)	12.9 (0.20)	65.6 (1.20)	22.8 (0.32)	22.5 (0.49)	15.0 (0.40)
20 and over	2407	1834 (17.8)	68.1 (0.60)	228 (2.6)	103 (1.5)	16.1 (0.34)	69.0 (0.87)	22.3 (0.48)	24.3 (0.31)	16.8 (0.22)
2 and over	3953	1817 (15.3)	66.5 (0.50)	231 (2.0)	106 (1.1)	15.3 (0.28)	68.2 (0.87)	22.4 (0.39)	23.9 (0.32)	16.4 (0.19)
Males and females:										
2 - 19	3132	1983 (22.8)	70.6 (0.94)	265 (2.3)	128 (1.8)	14.4 (0.18)	73.3 (1.42)	25.4 (0.49)	25.4 (0.53)	16.6 (0.48)
20 and over	4801	2191 (15.6)	83.0 (0.75)	266 (2.4)	117 (1.4)	18.1 (0.35)	82.2 (0.77)	26.5 (0.36)	29.4 (0.30)	19.7 (0.20)
2 and over	7933	2139 (12.3)	79.9 (0.52)	266 (1.9)	120 (1.3)	17.2 (0.28)	80.0 (0.75)	26.2 (0.35)	28.4 (0.27)	18.9 (0.21)

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2011-2012 (continued)

Gender and age	Choles- terol	Retinol	Vitamin A (RAE)	Alpha- carotene	Beta- carotene	Beta-crypto- xanthin	Lycopene	Lutein + zeaxanthin	Thiamin
(years)	mg (SE)	μg (SE)	μg (SE)	μg (SE)	μg (SE)	μg (SE)	μg (SE)	μg (SE)	mg (SE)
Males:									
2 - 5	180 (10.3)	478 (21.0)	594 (24.9)	257 (52.1)	1224 (182.4)	74 (11.3)	2941 (373.7)	592 (37.3)	1.27 (0.038)
6 - 11	219 (8.3)	543 (14.9)	673 (24.2)	284 (66.5)	1377 (188.8)	86 (11.5)	5931 (631.4)	843 (96.8)	1.67 (0.045)
12 - 19	306 (18.5)	580 (30.0)	696 (27.4)	240 (56.5)	1236 (141.0)	76 (12.5)	7783 (736.3)	943 (66.6)	2.02 (0.045)
20 - 29	341 (11.4)	458 (41.5)	612 (52.4)	273 (36.6)	1678 (191.4)	68 (3.8)	6014 (580.4)	1433 (201.9)	1.95 (0.082)
30 - 39	344 (11.6)	460 (18.8)	647 (24.7)	380 (72.8)	2008 (181.4)	94 (14.5)	6438 (418.0)	1630 (190.6)	2.03 (0.068)
40 - 49	371 (26.1)	506 (33.2)	764 (67.7)	504 (135.9)	2818 (685.1)	76 (4.8)	6638 (740.3)	1555 (207.2)	2.05 (0.069)
50 - 59	336 (17.3)	441 (45.6)	695 (67.6)	541 (126.1)	2736 (324.1)	95 (10.0)	5834 (554.0)	1749 (174.0)	1.77 (0.080)
60 - 69	329 (13.0)	786*(310.0)	1174*(428.5)	870*(417.3)	4185*1307.6)	80 (10.3)	5276 (868.4)	2363 (636.9)	1.79 (0.060)
70 and over	281 (14.7)	516 (41.2)	710 (49.9)	397 (67.8)	2099 (324.9)	82 (6.5)	4920 (656.1)	1526 (267.7)	1.67 (0.046)
2 10	250 (9.3)	546 (19.2)	666 (19.0)	259 (26.6)	1001 (77.7)	70 (9.7)	6106 (510.4)	833 (37.0)	1.74 (0.024)
2 - 19	` ,	546 (18.2) 514 (47.8)	666 (18.0) 749 (71.1)	258 (36.6) 481 (75.6)	1281 (77.7) 2538 (274.5)	79 (8.7) 83 (4.0)	6106 (510.4) 5953 (287.5)	1689 (144.2)	1.74 (0.024) 1.90 (0.020)
20 and over 2 and over	338 (7.2) 315 (5.5)	523 (37.1)	749 (71.1) 728 (54.3)	423 (59.3)	2211 (210.4)	82 (4.7)	5993 (261.0)	1466 (111.7)	1.85 (0.017)
2 and over	313 (3.3)	323 (37.1)	720 (34.3)	423 (37.3)	2211 (210.4)	02 (4.7)	3773 (201.0)	1400 (111.7)	1.03 (0.017)
Females:	170	440	<b>5 6</b> 0 1 1 1 1	202	1220	05	2520	601	1.22
2 - 5	170 (8.5)	449 (16.3)	569 (21.4)	302 (65.3)	1239 (200.1)	95 (23.4)	3728 (716.0)	681 (58.2)	1.23 (0.018)
6 - 11 12 - 19	196 (7.8) 211 (12.7)	461 (19.5) 385 (16.3)	560 (21.8) 480 (24.2)	207 (30.1) 200 (49.1)	1048 (89.6) 1012 (173.3)	86 (14.4) 64 (7.3)	4649 (569.2) 4332 (543.1)	779 (50.4) 747 (77.7)	1.51 (0.074)
12 - 19	211 (12.7)	385 (16.3)	480 (24.2)	200 (49.1)	1012 (1/3.3)	64 (7.3)	4552 (545.1)	747 (77.7)	1.32 (0.061)
20 - 29	237 (12.1)	389 (22.8)	593 (36.3)	435 (84.8)	2192 (254.1)	80 (10.1)	5753 (622.7)	1818 (279.0)	1.61 (0.071)
30 - 39	238 (9.7)	399 (27.4)	599 (32.8)	380 (37.2)	2165 (194.0)	89 (13.4)	5035 (650.6)	1522 (210.8)	1.48 (0.064)
40 - 49	232 (14.4)	348 (21.6)	574 (39.9)	397 (56.5)	2476 (338.3)	79 (6.0)	4112 (230.5)	1888 (224.1)	1.32 (0.042)
50 - 59	221 (15.3)	381 (25.8)	655 (47.5)	484 (75.7)	3009 (541.2)	79 (7.6)	4979 (472.7)	1888 (346.8)	1.37 (0.050)
60 - 69	243 (20.8)	339 (20.1)	563 (34.3)	445 (85.7)	2432 (270.3)	63 (8.9)	4540(1006.1)	1855 (246.2)	1.31 (0.062)
70 and over	196 (9.7)	407 (19.3)	626 (23.0)	381 (61.6)	2391 (254.6)	99 (17.8)	2941 (342.5)	1640 (234.1)	1.26 (0.029)
2 - 19	197 (6.0)	424 (6.6)	526 (10.5)	225 (27.2)	1074 (95.2)	78 (7.1)	4300 (347.2)	743 (42.5)	1.36 (0.039)
20 and over	229 (5.9)	377 (9.8)	603 (23.3)	423 (29.2)	2464 (201.8)	81 (4.7)	4639 (244.6)	1777 (169.2)	1.40 (0.022)
2 and over	221 (4.7)	388 (7.7)	585 (19.3)	375 (23.6)	2128 (159.1)	81 (4.9)	4557 (205.5)	1527 (129.0)	1.39 (0.021)
Males and females:									
2 - 19	224 (5.9)	486 (8.7)	597 (10.2)	242 (23.0)	1180 (71.6)	79 (5.8)	5225 (350.7)	789 (33.6)	1.55 (0.024)
20 and over	282 (3.6)	444 (24.6)	674 (38.0)	451 (41.1)	2500 (181.7)	82 (3.3)	5279 (171.5)	1734 (120.7)	1.64 (0.018)
2 and over	267 (3.3)	455 (19.3)	655 (29.8)	399 (32.5)	2169 (146.2)	81 (3.6)	5265 (169.4)	1497 (95.4)	1.62 (0.015)

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2011-2012 (continued)

Gender and age	Ribo- flavin	Niacin	Vitamin B6	Folic acid	Food folate	Folate (DFE)	Choline	Vitamin B12	Added Vitamin B12
(years)	mg (SE)	mg (SE)	mg (SE)	μg (SE)	μg (SE)	μg (SE)	mg (SE)	μg (SE)	μg (SE)
Males:									
2 - 5	1.87 (0.062)	16.1 (0.40)	1.44 (0.049)	164 (6.9)	139 (6.8)	419 (13.9)	230 (7.8)	4.55 (0.210)	0.96 (0.111)
6 - 11	2.08 (0.044)	22.1 (0.58)	1.76 (0.050)	227 (10.7)	171 (8.8)	557 (21.9)	262 (5.9)	5.28 (0.167)	1.12 (0.105)
12 - 19	2.54 (0.137)	31.8 (1.43)	2.51 (0.148)	280 (11.2)	212 (6.7)	687 (21.4)	353 (14.7)	7.24 (0.542)	1.53 (0.273)
20 - 29	2.42 (0.097)	34.8 (1.19)	2.73 (0.082)	236 (14.1)	259 (8.6)	661 (28.4)	391 (12.5)	6.56 (0.398)	1.48 (0.308)
30 - 39	2.62 (0.078)	35.1 (0.83)	2.93 (0.091)	253 (14.5)	278 (13.0)	708 (24.6)	410 (9.2)	6.72 (0.245)	1.44 (0.155)
40 - 49	2.67 (0.110)	32.0 (1.09)	2.72 (0.177)	245 (20.5)	267 (9.0)	684 (38.1)	430 (21.4)	6.29 (0.442)	1.28 (0.362)
50 - 59	2.41 (0.124)	30.2 (1.45)	2.59 (0.162)	192 (19.7)	271 (17.6)	598 (41.9)	410 (21.1)	5.92 (0.418)	1.29 (0.214)
60 - 69	2.68 (0.233)	28.2 (1.29)	2.30 (0.102)	208 (19.9)	290 (24.1)	643 (52.9)	404 (15.4)	9.44*(3.281)	1.30 (0.280)
70 and over	2.29 (0.064)	26.1 (0.67)	2.30 (0.096)	214 (12.9)	218 (8.1)	582 (22.8)	344 (11.6)	6.03 (0.454)	1.45 (0.200)
2 - 19	2.24 (0.066)	25.1 (0.79)	2.02 (0.060)	237 (6.7)	182 (5.2)	585 (12.8)	296 (6.2)	6.00 (0.263)	1.27 (0.117)
2 - 19 20 and over	2.52 (0.054)	31.6 (0.46)	2.63 (0.053)	237 (6.7) 226 (4.8)	182 (5.2) 266 (5.7)	585 (12.8) 651 (9.6)	296 (6.2) 402 (7.0)	6.75 (0.486)	1.37 (0.117)
20 and over	2.45 (0.045)	29.9 (0.45)	2.47 (0.043)	229 (4.1)	244 (4.9)	633 (8.5)	374 (5.8)	6.56 (0.395)	1.34 (0.092)
	2.13 (0.043)	25.5 (0.43)	2.17 (0.043)	22) (4.1)	211 (4.5)	055 (0.5)	371 (3.0)	0.50 (0.575)	1.51 (0.072)
Females:	1.74 (0.026)	15.7 (0.40)	1.20 (0.051)	167 (67)	121 (4.0)	415 (10.7)	211 (7.0)	4.12 (0.160)	0.02 (0.112)
2 - 5 6 - 11	1.74 (0.026) 1.84 (0.066)	15.7 (0.48) 20.5 (1.06)	1.39 (0.051) 1.64 (0.090)	167 (6.7) 216 (14.6)	131 (4.0) 153 (6.6)	415 (12.7) 520 (28.1)	211 (7.6) 232 (7.0)	4.13 (0.169) 4.40 (0.175)	0.93 (0.112) 1.04 (0.145)
12 - 19	1.67 (0.064)	19.3 (0.83)	1.53 (0.060)	180 (12.5)	147 (8.0)	453 (26.6)	234 (12.5)	4.11 (0.153)	0.89 (0.147)
	, ,	17.5 (0.65)	1.55 (0.000)	160 (12.3)	147 (8.0)	433 (20.0)	` ,	4.11 (0.133)	0.67 (0.147)
20 - 29	1.83 (0.049)	23.6 (0.86)	1.98 (0.092)	207 (17.1)	191 (7.1)	543 (29.2)	272 (9.3)	4.56 (0.229)	1.15 (0.182)
30 - 39	1.96 (0.069)	23.1 (0.56)	1.94 (0.068)	175 (9.3)	213 (8.4)	511 (19.4)	288 (7.3)	4.63 (0.244)	0.91 (0.123)
40 - 49	1.81 (0.061)	20.0 (0.73)	1.65 (0.074)	154 (10.2)	198 (9.0)	460 (21.8)	273 (12.9)	3.94 (0.279)	0.55 (0.109)
50 - 59	1.84 (0.068)	20.4 (0.51)	1.68 (0.060)	174 (11.4)	212 (9.2)	507 (21.9)	265 (9.9)	3.99 (0.255)	0.88 (0.135)
60 - 69	1.81 (0.075)	19.4 (0.66)	1.67 (0.090)	153 (12.3)	217 (9.7)	477 (25.5)	279 (12.8)	3.87 (0.196)	0.74 (0.152)
70 and over	1.74 (0.045)	18.0 (0.50)	1.63 (0.050)	153 (9.8)	183 (7.1)	444 (17.4)	250 (7.2)	4.14 (0.279)	0.87 (0.126)
2 - 19	1.74 (0.026)	18.9 (0.60)	1.53 (0.038)	189 (6.2)	145 (3.6)	466 (12.0)	228 (5.1)	4.21 (0.094)	0.95 (0.091)
20 and over	1.84 (0.024)	20.9 (0.28)	1.76 (0.038)	171 (5.0)	203 (4.0)	493 (10.9)	272 (4.0)	4.19 (0.100)	0.85 (0.054)
2 and over	1.81 (0.022)	20.4 (0.26)	1.71 (0.032)	175 (4.6)	189 (3.5)	487 (9.7)	261 (3.3)	4.20 (0.087)	0.88 (0.058)
Malag and famalage									
<b>Males and females:</b> 2 - 19	2.00 (0.032)	22.1 (0.51)	1.79 (0.032)	213 (4.0)	164 (3.3)	527 (8.4)	263 (3.8)	5.12 (0.154)	1.11 (0.089)
20 and over	2.17 (0.029)	26.1 (0.31)	2.19 (0.040)	198 (3.9)	234 (4.2)	570 (8.7)	335 (3.7)	5.44 (0.212)	1.11 (0.059)
2 and over	2.17 (0.025)	25.1 (0.29)	2.09 (0.030)	202 (3.1)	216 (3.4)	559 (7.2)	317 (2.8)	5.36 (0.177)	1.11 (0.053)
	(0.020)	=2.1 (0.2)	=707 (0.020)	=0= (8.1)	=== (0.1)	(1.2)	21, (2.0)		-111 (0.000)

Table 1. Nutrient Intakes from Food and Beverages:Mean Amounts Consumed per Individual,by Gender and Age, in the United States, 2011-2012 (continued)

Gender and age	Vitamin C	Vitamin D	Vitamin E (alpha- tocopherol)	Added Vitamin E	Vitamin K	Calcium	Phosphorus	Magnesium
(years)	mg (SE)	μg (SE)	mg (SE)	mg (SE)	μg (SE)	mg (SE)	mg (SE)	mg (SE)
Males:								
2 - 5	93.1 (9.23)	7.0 (0.43)	5.6 (0.18)	0.5 (0.13)	48.5 (2.65)	1062 (58.7)	1172 (49.5)	211 (5.2)
6 - 11	87.7 (4.76)	6.6 (0.22)	7.5 (0.29)	0.5 (0.09)	70.3 (5.46)	1137 (29.0)	1347 (25.9)	249 (6.9)
12 - 19	88.4 (12.74)	6.9 (0.46)	9.4 (0.42)	0.5 (0.12)	81.3 (6.55)	1311 (48.3)	1700 (55.7)	309 (9.4)
20 - 29	98.3 (10.72)	4.9 (0.41)	10.2 (0.35)	0.8 (0.24)	117.0 (11.00)	1194 (58.9)	1692 (43.3)	346 (11.0)
30 - 39	97.9 (9.87)	5.5 (0.38)	11.8 (0.51)	0.8 (0.23)	120.0 (10.01)	1227 (78.8)	1822 (69.1)	388 (10.9)
40 - 49	77.2 (6.90)	6.2 (0.64)	10.7 (0.56)	0.6 (0.18)	128.4 (11.66)	1238 (42.3)	1805 (60.9)	375 (15.6)
50 - 59	94.7 (5.64)	5.3 (0.55)	9.6 (0.45)	0.7* (0.27)	128.9 (7.34)	989 (61.5)	1544 (82.1)	348 (17.1)
60 - 69	99.2 (11.99)	5.3 (0.27)	9.8 (0.60)	0.5* (0.24)	239.9(103.10)	1053 (45.8)	1561 (38.6)	360 (13.0)
70 and over	82.2 (6.27)	5.6 (0.35)	9.2 (0.44)	1.2 (0.26)	113.9 (14.71)	881 (20.7)	1350 (35.6)	301 (10.2)
2 - 19	89.2 (7.20)	6.8 (0.29)	7.9 (0.25)	0.5 (0.05)	70.4 (2.67)	1198 (29.1)	1467 (28.1)	268 (5.1)
20 and over	92.1 (6.38)	5.5 (0.20)	10.3 (0.23)	0.7 (0.09)	138.4 (16.29)	1116 (20.9)	1653 (20.5)	356 (6.5)
2 and over	91.3 (5.32)	5.8 (0.18)	9.7 (0.21)	0.7 (0.07)	120.7 (11.99)	1137 (21.2)	1605 (18.8)	333 (5.5)
Females:								
2 - 5	79.6 (4.90)	6.2 (0.20)	5.4 (0.18)	0.4 (0.09)	51.9 (3.34)	949 (26.3)	1072 (19.6)	204 (3.4)
6 - 11	75.4 (5.14)	5.4 (0.25)	6.5 (0.23)	0.3* (0.10)	63.1 (3.07)	1004 (37.5)	1225 (26.0)	223 (6.1)
12 - 19	61.3 (3.35)	4.3 (0.26)	6.7 (0.38)	0.5 (0.09)	65.9 (6.14)	937 (28.8)	1162 (31.6)	222 (5.7)
20 - 29	83.0 (6.77)	3.7 (0.24)	8.0 (0.38)	0.7 (0.12)	121.0 (11.86)	908 (27.1)	1226 (20.2)	266 (5.9)
30 - 39	77.6 (5.51)	4.2 (0.27)	8.0 (0.28)	0.4 (0.10)	104.5 (9.44)	938 (44.4)	1330 (39.6)	299 (10.9)
40 - 49	78.0 (5.68)	3.8 (0.38)	7.6 (0.38)	0.4* (0.16)	129.7 (11.50)	856 (30.1)	1193 (39.5)	275 (10.8)
50 - 59	71.6 (4.61)	3.6 (0.20)	7.8 (0.29)	0.4 (0.10)	129.0 (15.59)	866 (38.2)	1183 (36.3)	278 (7.7)
60 - 69	77.2 (5.16)	3.9 (0.22)	8.2 (0.41)	0.7 (0.18)	132.1 (13.00)	808 (46.4)	1137 (40.8)	272 (8.7)
70 and over	80.8 (4.52)	4.7 (0.38)	6.6 (0.32)	0.6 (0.16)	111.4 (10.67)	809 (31.5)	1060 (25.9)	249 (6.0)
2 - 19	69.9 (2.80)	5.1 (0.09)	6.4 (0.17)	0.4 (0.05)	61.9 (3.20)	961 (17.0)	1162 (11.1)	218 (3.2)
20 and over	77.8 (3.08)	3.9 (0.12)	7.7 (0.18)	0.5 (0.07)	121.7 (7.26)	868 (16.5)	1194 (13.3)	274 (4.0)
2 and over	75.9 (2.63)	4.2 (0.10)	7.4 (0.13)	0.5 (0.06)	107.3 (5.66)	890 (12.9)	1186 (11.1)	261 (3.6)
Males and females:								
2 - 19	79.8 (4.35)	6.0 (0.15)	7.2 (0.15)	0.5 (0.04)	66.3 (2.54)	1082 (20.5)	1318 (17.3)	244 (2.8)
20 and over	84.8 (4.10)	4.7 (0.14)	9.0 (0.16)	0.6 (0.05)	129.8 (8.47)	989 (14.3)	1418 (13.0)	314 (5.0)
2 and over	83.5 (3.36)	5.0 (0.12)	8.5 (0.14)	0.6 (0.04)	113.9 (6.61)	1012 (13.8)	1393 (10.4)	297 (4.1)

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2011-2012 (continued)

Gender	Inon	7in a	Common	Calaminum	Dotoosium	Sodium	Caffeine	The characters	Alashal
and age	Iron	Zinc	Copper	Selenium	Potassium			Theobromine	Alcohol
(years)	mg (SE	) mg (SE)	mg (SE)	μg (SE)	mg (SE)	mg (SE)	mg (SE)	mg (SE)	g (SE)
Males:									
2 - 5	11.4 (0.38		0.8 (0.02)	75.8 (1.73)	2129 (61.2)	2361 (90.5)	7.3 (1.07)	44.4 (4.45)	<b></b>
6 - 11	15.5 (0.48		1.1 (0.03)	100.0 (1.34)	2364 (57.3)	3196 (80.3)	21.8 (3.61)	65.8 (5.36)	
12 - 19	18.8 (0.51	) 13.8 (0.54)	1.3 (0.05)	132.9 (3.46)	2844 (82.9)	4220 (113.3)	53.8 (6.89)	46.2 (4.99)	<b></b>
20 - 29	18.0 (0.57	) 14.0 (0.38)	1.4 (0.05)	142.1 (4.31)	2983 (68.8)	4477 (131.3)	114.4 (14.85)	30.6 (4.48)	
30 - 39	19.3 (0.74	14.6 (0.46)	1.6 (0.06)	151.6 (4.69)	3288 (107.0)	4559 (139.1)	155.5 (9.60)	47.7 (10.63)	
40 - 49	18.5 (0.84	) 14.4 (0.65)	1.5 (0.06)	141.9 (4.11)	3329 (117.6)	4646 (183.6)	229.2 (25.05)	43.5 (4.02)	
50 - 59	17.2 (0.90	) 13.2 (0.93)	1.5 (0.05)	132.5 (4.71)	3302 (153.7)	3996 (117.6)	233.2 (30.52)	48.0 (4.61)	
60 - 69	17.9 (1.09	, , ,	2.1 (0.56)	122.3 (3.15)	3349 (114.3)	3824 (77.3)	285.4 (36.21)	43.0 (9.19)	
70 and over	17.3 (0.64	, , ,	1.4 (0.10)	110.7 (3.22)	2810 (71.8)	3328 (108.3)	174.5 (15.38)	34.2 (4.72)	
	`	. , ,							
2 - 19	16.1 (0.31		1.1 (0.03)	109.5 (2.00)	2527 (39.2)	3472 (59.9)	32.9 (2.52)	52.3 (3.97)	
20 and over	18.1 (0.23		1.6 (0.09)	135.9 (1.87)	3195 (54.3)	4218 (52.0)	195.6 (14.62)	41.5 (3.28)	16.6 (1.52)
2 and over	17.6 (0.17	) 13.1 (0.24)	1.5 (0.07)	129.0 (1.44)	3021 (47.8)	4024 (45.4)	153.3 (11.12)	44.3 (2.42)	
Females:									
2 - 5	11.5 (0.35	7.9 (0.29)	0.8 (0.03)	74.0 (1.69)	1957 (57.0)	2206 (53.2)	7.3 (0.95)	45.1 (5.79)	
6 - 11	13.9 (0.66	9.5 (0.37)	0.9 (0.03)	89.8 (3.13)	2093 (56.2)	2954 (92.1)	17.2 (2.68)	66.0 (5.20)	
12 - 19	12.0 (0.47	8.9 (0.37)	0.9 (0.05)	89.7 (3.54)	1998 (58.6)	2949 (71.9)	51.5 (5.84)	49.9 (7.99)	
20 - 29	14.4 (0.26	) 10.0 (0.26)	1.1 (0.04)	101.6 (2.45)	2334 (56.1)	3294 (93.6)	93.7 (8.54)	33.2 (4.51)	
30 - 39	14.5 (0.45	, , ,	1.2 (0.04)	102.3 (2.67)	2464 (67.6)	3179 (70.2)	148.6 (12.96)	42.9 (4.63)	
40 - 49	12.8 (0.47	, , ,	1.2 (0.05)	91.3 (3.21)	2397 (84.4)	3089 (92.4)	185.9 (14.82)	39.9 (6.00)	
50 - 59	14.0 (0.75	9.5 (0.30)	1.2 (0.03)	92.3 (2.92)	2450 (64.3)	2972 (100.6)	183.9 (11.35)	51.5 (7.38)	
60 - 69	12.5 (0.56	, , ,	1.2 (0.03)	93.8 (4.38)	2476 (83.3)	2769 (112.1)	166.8 (12.19)	29.9 (3.82)	 
70 and over	12.5 (0.30		1.1 (0.04)	80.9 (1.72)	2345 (58.9)	2526 (67.1)	118.9 (9.19)	33.6 (3.71)	
70 and over	12.0 (0.43	. , ,	1.1 (0.03)	00.7 (1.72)			110.5 (5.15)	33.0 (3.71)	
2 - 19	12.5 (0.26	, ,	0.9 (0.02)	86.2 (2.11)	2019 (29.3)	2786 (50.3)	30.7 (2.72)	54.0 (2.97)	
20 and over	13.6 (0.22		1.2 (0.02)	94.1 (1.19)	2412 (37.2)	2997 (36.8)	151.3 (6.20)	39.3 (2.87)	7.8 (0.66)
2 and over	13.3 (0.20	9.3 (0.11)	1.1 (0.02)	92.2 (0.99)	2317 (35.2)	2946 (31.8)	122.2 (5.06)	42.9 (2.25)	
Males and females:									
2 - 19	14.3 (0.21	) 10.2 (0.20)	1.0 (0.02)	98.1 (1.59)	2279 (21.5)	3137 (47.8)	31.8 (1.77)	53.2 (2.98)	
20 and over	15.8 (0.17	, , ,	1.4 (0.05)	114.5 (1.46)	2793 (38.4)	3592 (29.1)	172.9 (8.97)	40.4 (2.69)	12.1 (0.88)
2 and over	15.4 (0.13	11.2 (0.13)	1.3 (0.04)	110.4 (1.05)	2665 (32.6)	3478 (24.4)	137.5 (7.03)	43.6 (2.09)	` - <u>-</u>
				,	,	. ,		,	

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2011-2012 (continued)

Gender and age	SFA 4:0	SFA 6:0	SFA 8:0	SFA 10:0	SFA 12:0	SFA 14:0	SFA 16:0	SFA 18:0
(years)	g (SE)	g (SE)						
Males:								
2 - 5	0.54 (0.056)	0.34 (0.035)	0.27 (0.026)	0.46 (0.040)	0.66 (0.064)	2.04 (0.202)	11.22 (0.612)	5.11 (0.331)
6 - 11	0.60 (0.028)	0.34 (0.014)	0.27 (0.012)	0.51 (0.018)	0.80 (0.036)	2.36 (0.079)	14.41 (0.343)	6.48 (0.158)
12 - 19	0.64 (0.034)	0.37 (0.018)	0.28 (0.015)	0.55 (0.026)	0.83 (0.058)	2.64 (0.123)	17.24 (0.668)	7.81 (0.284)
20 - 29	0.65 (0.052)	0.36 (0.032)	0.28 (0.023)	0.56 (0.048)	0.82 (0.079)	2.78 (0.170)	18.24 (0.682)	8.15 (0.307)
30 - 39	0.62 (0.029)	0.34 (0.017)	0.31 (0.026)	0.58 (0.029)	1.12 (0.166)	2.73 (0.117)	17.47 (0.574)	7.90 (0.264)
40 - 49	0.70 (0.044)	0.39 (0.024)	0.32 (0.015)	0.60 (0.032)	0.94 (0.067)	2.93 (0.159)	18.85 (0.844)	8.79 (0.401)
50 - 59	0.58 (0.044)	0.31 (0.028)	0.26 (0.026)	0.49 (0.036)	0.81 (0.076)	2.38 (0.176)	16.10 (0.831)	7.53 (0.370)
60 - 69	0.58 (0.042)	0.32 (0.026)	0.25 (0.020)	0.48 (0.034)	0.84 (0.058)	2.20 (0.123)	15.21 (0.552)	7.01 (0.261)
70 and over	0.44 (0.024)	0.25 (0.013)	0.22 (0.012)	0.40 (0.018)	0.73 (0.053)	1.84 (0.077)	12.85 (0.497)	6.11 (0.277)
2 - 19	0.61 (0.020)	0.35 (0.012)	0.28 (0.009)	0.51 (0.016)	0.78 (0.039)	2.42 (0.083)	14.98 (0.334)	6.78 (0.158)
20 and over	0.61 (0.022)	0.33 (0.011)	0.28 (0.007)	0.53 (0.015)	0.89 (0.041)	2.54 (0.065)	16.81 (0.261)	7.73 (0.149)
2 and over	0.61 (0.019)	0.34 (0.010)	0.28 (0.007)	0.52 (0.014)	0.86 (0.035)	2.51 (0.065)	16.33 (0.225)	7.48 (0.129)
Females:								
2 - 5	0.51 (0.032)	0.31 (0.018)	0.25 (0.016)	0.43 (0.025)	0.63 (0.054)	1.85 (0.113)	10.55 (0.366)	4.76 (0.172)
6 - 11	0.56 (0.043)	0.31 (0.025)	0.25 (0.017)	0.46 (0.034)	0.78 (0.062)	2.15 (0.117)	13.02 (0.482)	5.99 (0.217)
12 - 19	0.52 (0.022)	0.29 (0.009)	0.23 (0.007)	0.44 (0.013)	0.69 (0.026)	2.03 (0.077)	12.42 (0.408)	5.57 (0.234)
20 - 29	0.53 (0.033)	0.28 (0.015)	0.23 (0.013)	0.45 (0.029)	0.71 (0.078)	2.12 (0.084)	13.27 (0.352)	6.05 (0.150)
30 - 39	0.55 (0.041)	0.31 (0.020)	0.25 (0.016)	0.48 (0.028)	0.90 (0.070)	2.20 (0.121)	13.07 (0.432)	6.05 (0.205)
40 - 49	0.49 (0.025)	0.28 (0.016)	0.22 (0.012)	0.42 (0.021)	0.73 (0.052)	1.89 (0.094)	11.96 (0.414)	5.52 (0.202)
50 - 59	0.53 (0.057)	0.28 (0.026)	0.22 (0.019)	0.42 (0.039)	0.67 (0.063)	1.93 (0.165)	11.82 (0.506)	5.48 (0.264)
60 - 69	0.44 (0.044)	0.25 (0.025)	0.20 (0.015)	0.39 (0.035)	0.62 (0.054)	1.65 (0.137)	10.94 (0.606)	4.92 (0.311)
70 and over	0.44 (0.032)	0.25 (0.018)	0.19 (0.011)	0.38 (0.025)	0.58 (0.043)	1.59 (0.088)	9.80 (0.339)	4.54 (0.196)
2 - 19	0.53 (0.017)	0.30 (0.009)	0.24 (0.007)	0.44 (0.013)	0.71 (0.023)	2.03 (0.044)	12.20 (0.186)	5.53 (0.109)
20 and over	0.50 (0.026)	0.28 (0.013)	0.22 (0.008)	0.43 (0.018)	0.71 (0.026)	1.92 (0.068)	11.92 (0.216)	5.48 (0.120)
2 and over	0.51 (0.021)	0.28 (0.011)	0.23 (0.006)	0.43 (0.015)	0.71 (0.021)	1.95 (0.052)	11.99 (0.187)	5.49 (0.105)
Males and females:								
2 - 19	0.57 (0.016)	0.33 (0.009)	0.26 (0.007)	0.48 (0.013)	0.75 (0.028)	2.23 (0.060)	13.62 (0.250)	6.17 (0.131)
20 and over	0.55 (0.020)	0.30 (0.010)	0.25 (0.006)	0.48 (0.014)	0.79 (0.027)	2.22 (0.050)	14.30 (0.169)	6.57 (0.093)
2 and over	0.56 (0.017)	0.31 (0.009)	0.25 (0.005)	0.48 (0.012)	0.78 (0.024)	2.22 (0.048)	14.13 (0.160)	6.47 (0.088)

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2011-2012 (continued)

Gender and age	MFA	MFA	MFA	MFA	PFA	PFA	PFA
	16:1	18:1	20:1	22:1	18:2	18:3	18:4
(years)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)	g (SE)
Males: 2 - 5 6 - 11 12 - 19	0.76 (0.070)	18.90 (0.801)	0.18 (0.007)	0.01 (0.002)	11.02 (0.292)	1.14 (0.040)	0.01 (0.001)
	1.00 (0.030)	24.84 (0.601)	0.25 (0.010)	0.02 (0.002)	15.05 (0.565)	1.42 (0.052)	0.01 (0.001)
	1.27 (0.055)	30.98 (1.256)	0.38 (0.016)	0.02 (0.002)	19.34 (1.311)	1.85 (0.122)	0.02 (0.002)
20 - 29	1.52 (0.043)	34.20 (0.916)	0.40 (0.020)	0.03 (0.004)	21.08 (0.799)	2.17 (0.100)	0.02 (0.002)
30 - 39	1.41 (0.071)	33.49 (0.998)	0.37 (0.017)	0.04 (0.007)	21.10 (0.673)	2.08 (0.062)	0.01 (0.002)
40 - 49	1.50 (0.076)	35.37 (1.724)	0.38 (0.024)	0.03 (0.009)	22.50 (1.113)	2.26 (0.117)	0.01 (0.002)
50 - 59	1.34 (0.084)	31.71 (1.369)	0.33 (0.015)	0.04 (0.007)	19.41 (0.899)	2.04 (0.095)	0.02 (0.004)
60 - 69	1.17 (0.053)	30.56 (1.384)	0.34 (0.029)	0.05* (0.026)	18.02 (0.804)	1.88 (0.130)	0.01 (0.003)
70 and over	0.99 (0.045)	26.14 (1.051)	0.27 (0.014)	0.04 (0.006)	15.99 (0.601)	1.73 (0.064)	0.01 (0.002)
2 - 19	1.07 (0.032)	26.29 (0.694)	0.29 (0.011)	0.02 (0.002)	16.09 (0.725)	1.55 (0.057)	0.01 (0.001)
20 and over	1.36 (0.026)	32.45 (0.510)	0.36 (0.008)	0.04 (0.005)	20.06 (0.349)	2.06 (0.046)	0.01 (0.001)
2 and over	1.28 (0.022)	30.85 (0.388)	0.34 (0.008)	0.03 (0.003)	19.03 (0.316)	1.93 (0.039)	0.01 (0.001)
Females: 2 - 5 6 - 11 12 - 19	0.65 (0.039)	17.68 (0.634)	0.19 (0.013)	0.01 (0.001)	10.72 (0.431)	1.08 (0.030)	#
	0.92 (0.029)	22.72 (0.657)	0.23 (0.010)	0.01 (0.002)	13.95 (0.508)	1.33 (0.064)	0.01 (0.001)
	0.87 (0.034)	21.50 (0.865)	0.23 (0.012)	0.01 (0.002)	14.29 (0.661)	1.42 (0.088)	0.01 (0.001)
20 - 29	1.03 (0.036)	24.81 (0.666)	0.26 (0.013)	0.02 (0.003)	15.96 (0.489)	1.68 (0.077)	0.01 (0.003)
30 - 39	0.98 (0.035)	24.43 (0.625)	0.26 (0.008)	0.02 (0.002)	15.73 (0.438)	1.63 (0.065)	0.01 (0.001)
40 - 49	0.93 (0.056)	22.96 (0.881)	0.25 (0.011)	0.02 (0.004)	14.55 (0.488)	1.50 (0.056)	0.01 (0.002)
50 - 59	0.89 (0.042)	22.65 (0.622)	0.23 (0.009)	0.02 (0.003)	14.89 (0.484)	1.63 (0.112)	0.01 (0.002)
60 - 69	0.79 (0.052)	22.39 (1.139)	0.23 (0.016)	0.02 (0.003)	14.55 (0.886)	1.54 (0.151)	0.01 (0.001)
70 and over	0.67 (0.028)	18.50 (0.644)	0.20 (0.014)	0.02 (0.006)	12.65 (0.441)	1.51 (0.061)	0.01 (0.002)
2 - 19	0.84 (0.022)	21.05 (0.470)	0.22 (0.008)	0.01 (0.001)	13.39 (0.355)	1.32 (0.041)	0.01 (0.001)
20 and over	0.89 (0.019)	22.80 (0.290)	0.24 (0.004)	0.02 (0.002)	14.82 (0.196)	1.59 (0.032)	0.01 (0.001)
2 and over	0.88 (0.018)	22.38 (0.302)	0.24 (0.003)	0.02 (0.001)	14.47 (0.171)	1.52 (0.025)	0.01 (0.001)
Males and females: 2 - 19 20 and over 2 and over	0.96 (0.025) 1.12 (0.016) 1.08 (0.013)	23.73 (0.494) 27.50 (0.286) 26.56 (0.249)	0.26 (0.008) 0.30 (0.004) 0.29 (0.004)	0.02 (0.001) 0.03 (0.003) 0.03 (0.002)	14.77 (0.434) 17.37 (0.176) 16.72 (0.180)	1.44 (0.041) 1.82 (0.025) 1.72 (0.021)	0.01 (0.001) 0.01 (0.001) 0.01 (0.001)

**Table 1. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Gender and Age, in the United States, 2011-2012 (continued)

-				
Gender	PFA	PFA	PFA	PFA
and age	20:4	20:5	22:5	22:6
(years)	g (SE)	g (SE)	g (SE)	g (SE)
	8 (~-)	8 (=-/	8 (~-)	8 (=-)
<b>Males:</b> 2 - 5	0.08 (0.007)	0.01 (0.001)	0.01 (0.001)	0.02 (0.003)
6 - 11	0.10 (0.007)	0.01 (0.001)	0.01 (0.001)	0.02 (0.003)
12 - 19	0.16 (0.003)	0.01 (0.002)	0.02 (0.001)	0.03 (0.003)
	, ,	, ,	, ,	` /
20 - 29	0.18 (0.008)	0.03 (0.005)	0.03 (0.002)	0.05 (0.010)
30 - 39 40 - 49	0.18 (0.006) 0.20 (0.017)	0.04 (0.005) 0.03 (0.008)	0.03 (0.002) 0.03 (0.009)	0.08 (0.010) 0.07 (0.018)
40 - 49	0.20 (0.017)	0.03 (0.008)	0.03 (0.009)	0.07 (0.018)
50 - 59	0.17 (0.009)	0.04 (0.009)	0.03 (0.002)	0.07 (0.012)
60 - 69	0.18 (0.013)	0.03 (0.006)	0.02 (0.002)	0.07 (0.012)
70 and over	0.14 (0.007)	0.04 (0.006)	0.02 (0.002)	0.07 (0.009)
2 - 19	0.12 (0.006)	0.01 (0.002)	0.02 (0.001)	0.03 (0.003)
20 and over	0.18 (0.004)	0.03 (0.003)	0.03 (0.002)	0.07 (0.005)
2 and over	0.16 (0.003)	0.03 (0.002)	0.03 (0.001)	0.06 (0.004)
E1				
<b>Females:</b> 2 - 5	0.08 (0.006)	0.01 (0.001)	0.01 (0.001)	0.02 (0.003)
6 - 11	0.08 (0.006) 0.09 (0.006)	0.01 (0.001) 0.01 (0.001)	0.01 (0.001) 0.01 (0.001)	0.02 (0.003) 0.02 (0.002)
12 - 19	0.10 (0.008)	0.01 (0.001)	0.01 (0.001)	0.02 (0.002)
12 - 17	0.10 (0.008)	0.02 (0.003)	0.01 (0.001)	0.03 (0.004)
20 - 29	0.12 (0.007)	0.02 (0.004)	0.02 (0.001)	0.04 (0.007)
30 - 39	0.12 (0.007)	0.02 (0.004)	0.02 (0.001)	0.05 (0.006)
40 - 49	0.12 (0.008)	0.03 (0.005)	0.02 (0.001)	0.05 (0.009)
50 - 59	0.11 (0.010)	0.02 (0.003)	0.02 (0.001)	0.04 (0.003)
60 - 69	0.12 (0.011)	0.02 (0.003)	0.02 (0.001)	0.06 (0.006)
70 and over	0.09 (0.004)	0.03 (0.008)	0.02 (0.002)	0.06 (0.012)
2 - 19	0.09 (0.004)	0.01 (0.002)	0.01 (0.001)	0.02 (0.002)
2 - 19 20 and over	0.09 (0.004)	0.01 (0.002)	0.01 (0.001)	0.02 (0.002)
2 and over	0.11 (0.004)	0.02 (0.002)	0.02 (0.001)	0.03 (0.003)
	0.11 (0.003)	0.02 (0.002)	0.02 (0.001)	0.04 (0.003)
Males and females:	0.44	0.04	0.00	0.02
2 - 19	0.11 (0.004)	0.01 (0.001)	0.02 (0.001)	0.03 (0.002)
20 and over	0.15 (0.003)	0.03 (0.002)	0.02 (0.001) 0.02 (0.001)	0.06 (0.004)
2 and over	0.14 (0.002)	0.03 (0.002)	0.02 (0.001)	0.05 (0.003)

## **Symbol Legend**

\* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means are as follows:

Mean: An estimated mean is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. The VIF used in this table is 2.50.

# Indicates a non-zero value too small to report.

## **Abbreviations**

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents. SFA = saturated fatty acid; MFA = monounsaturated fatty acid; PFA = polyunsaturated fatty acid.

## Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2011-2012

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2011-2012. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2011-2012 <a href="https://www.ars.usda.gov/nea/bhnrc/fsrg">www.ars.usda.gov/nea/bhnrc/fsrg</a> which is based on nutrient values in the USDA National Nutrient Database for Standard Reference, Release 26 (Agricultural Research Service, Nutrient Data Laboratory, 2013).

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alcohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

## **Suggested Citation**

U.S. Department of Agriculture, Agricultural Research Service. 2014. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Gender and Age, What We Eat in America, NHANES 2011-2012.