Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012

							I	o o d	e n	e r g	y						
						–All Indi	viduals	2			—All F	Restauran	t Consu	mers ³ —	<u> </u>	Von-con	sumers 4
Gender and age	Sample Size	Pero Repor		To Inta	otal		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
· ·	Size	-	-														
(years)		%	(SE)	kcal	(SE)	kcal	(SE)	%	(SE)	kcal	(SE)	kcal	(SE)	%	(SE)	kcal	(SE)
Males:									1						I		
2 - 5	411	43	(5.6)	1648	(32.7)		(36.6)	13	(2.3)		(58.4)	498	(57.9)	30	(2.8)	1650	(59.2)
6 - 11	590	38	(3.1)	2087	(38.6)	273	(26.5)	13	(1.3)	2128	(57.6)	726	(34.6)	34	(1.4)	2062	(49.3)
12 - 19	585	56	(3.7)	2531	(58.7)	736	(112.1)	29	(4.1)	2766	(104.6)	1315	(129.4)	48	(3.6)	2232	(86.0)
20 - 39	882	67	(1.9)	2767	(47.7)	922	(52.1)	33	(2.0)	2816	(56.8)	1386	(65.8)	49	(2.1)	2671	(109.8)
40 - 59	756	56	(2.6)	2613	(72.2)	598	(27.2)	23	(1.2)	2672	(85.4)	1076	(48.5)	40	(1.8)		(103.4)
60 and over	756	51	(2.1)	2181	(37.1)	414	(20.0)	19	(1.1)	2236	(30.7)	805	(28.1)	36	(1.1)		(65.4)
									j						İ		
2 - 19	1586	47	(1.9)	2190	(30.5)	467	(57.2)	21	(2.5)	2373	(87.4)	995	(99.2)	42	(2.9)	2028	(43.5)
20 and over	2394	59	(1.9)	2567	(26.7)	677	(36.9)	26	(1.5)	2642	(35.4)	1152	(42.7)	44	(1.5)	2461	(61.0)
2 and over	3980	56	(1.7)	2469	(21.8)	622	(37.6)	25	(1.6)	2583	(36.1)	1118	(49.3)	43	(1.6)	2326	(56.9)
Females:																	
2 - 5	423	38	(4.7)	1520	(32.0)	177	(31.9)	12	(2.1)	1573	(63.2)	465	(35.9)	30	(2.1)	1487	(35.1)
6 - 11	556	46	(4.6)	1878	(43.4)	353	(45.7)	19	(2.3)	1972	(56.4)	765	(39.1)	39	(1.7)	1797	(48.7)
12 - 19	567	57	(3.4)	1809	(38.8)	516	(45.2)	29	(2.6)	1837	(47.6)	906	(60.1)	49	(2.3)	1771	(67.2)
20 - 39	832	61	(3.2)	2015	(27.5)	583	(47.6)	29	(2.1)	2086	(38.3)	958	(51.1)	46	(2.0)	1905	(40.7)
40 - 59	832	53	(2.6)	1829	(19.8)	426	(22.5)	23	(2.1) (1.2)	1946	(27.5)	811	(29.4)	42	(1.6)	1700	(40.7)
60 and over	745	43	(3.1)	1611	(33.9)	295	(27.8)	18	(1.6)	1725	(59.4)	679	(38.5)	39	(1.8)	1523	(38.6)
oo and over	743	73	(3.1)	1011	(33.7)	273	(27.0)	10	(1.0)	1723	(37.4)	017	(30.3)	37	(1.0)	1323	(30.0)
2 - 19	1546	49	(1.8)	1767	(19.1)	388	(22.6)	22	(1.2)	1833	(35.8)	788	(40.3)	43	(1.7)	1703	(21.5)
20 and over	2407	53	(1.5)	1834	(17.8)	444	(22.8)	24	(1.1)	1952	(26.4)	840	(35.1)	43	(1.5)	1701	(21.9)
2 and over	3953	52	(1.3)	1817	(15.3)	431	(20.5)	24	(1.1)	1925	(23.4)	828	(32.4)	43	(1.4)	1701	(19.3)
Males and Females:																	
2 - 19	3132	48	(1.4)	1983	(22.8)	428	(35.7)	22	(1.7)	2103	(55.5)	891	(60.0)	42	(1.9)	1873	(24.7)
20 and over	4801	56	(1.4) (1.3)	2191	(15.6)	558	(24.6)	25	(1.7)	2306	(21.7)	1000	(34.8)	43	(1.4)	2046	(35.0)
2 and over	7933	54	(1.2)	2139	(12.3)	525	(25.4)	25	(1.2)	2261	(23.9)	976	(38.0)	43	(1.4)	1997	(30.3)
2 una over	1755	5 1	(1.2)	1 2137	(12.5)	323	(23.4)	23	(1.2)	2201	(23.7)	7,0	(50.0)	13	(1.7)	1///	(30.3)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

								1 1	o t e	1 11							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	I	Von-con	sumers 4
Gender and age	Sample Size	Pero Repor		To Inta	otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:				ı					1								
2 - 5	411	43	(5.6)	57.8	(1.77)	7.0	(1.17)	12	(2.3)	55.2	(1.94)	16.4	(1.73)	30	(2.6)	59.7	(3.38)
6 - 11	590	38	(3.1)	71.4	(1.39)	9.8	(1.00)	14	(1.5)	72.2	(2.33)	26.2	(1.37)	36	(1.9)	71.0	(1.95)
12 - 19	585	56	(3.7)	95.1	(2.64)	30.5	(4.63)	32	(4.7)	104.6	(4.74)	54.5	(5.59)	52	(4.4)	83.0	(4.30)
20 - 39	882	67	(1.9)	106.3	(2.53)	37.9	(1.92)	36	(2.1)	105.8	(2.64)	57.0	(2.37)	54	(2.0)	107.2	(6.51)
40 - 59	756	56	(2.6)	99.8	(2.72)		(1.36)	26	(1.4)	104.0	(3.57)	47.2	(2.20)	45	(2.2)	94.6	(3.32)
60 and over	756	51	(2.1)	85.5	(1.53)		(1.08)	22	(1.2)	89.3	(1.70)	36.5	(1.68)	41	(1.4)	81.4	(1.98)
2 - 19	1586	47	(1.9)	79.1	(1.31)	18.5	(2.35)	23	(2.8)	86.2	(3.79)	39.4	(4.14)	46	(3.5)	72.8	(2.20)
20 and over	2394	59	(1.9)	98.8	(0.89)	28.9	(1.52)	29	(1.6)	101.7	(1.37)	49.1	(1.72)	48	(1.6)	94.7	(2.34)
2 and over	3980	56	(1.7)	93.7	(0.82)	26.2	(1.55)	28	(1.7)	98.3	(1.43)	47.0	(1.98)	48	(1.7)	87.9	(2.24)
Females:																	
2 - 5	423	38	(4.7)	53.3	(1.38)	6.5	(1.18)	12	(2.2)	52.2	(2.77)	17.0	(1.48)	32	(2.1)	54.1	(1.47)
6 - 11	556	46	(4.6)	65.0	(1.87)		(1.92)	21	(2.8)	66.8	(2.37)	29.3	(2.02)	44	(2.5)	63.5	(2.17)
12 - 19	567	57	(3.4)	63.2	(1.96)	19.2	(1.72)	30	(3.0)	65.0	(2.39)	33.8	(2.45)	52	(3.2)	60.9	(3.06)
20 - 39	832	61	(3.2)	73.7	(1.02)	23.7	(2.03)	32	(2.5)	76.1	(1.50)	39.0	(2.18)	51	(2.5)	70.0	(1.80)
40 - 59	830	53	(2.6)	67.2	(1.21)	16.9	(1.00)	25	(1.7)	70.8	(1.16)	32.2	(1.65)	45	(2.2)	63.3	(2.26)
60 and over	745	43	(3.1)	62.1	(1.12)	12.4	(1.18)	20	(1.7)	65.4	(2.46)	28.7	(1.90)	44	(2.5)	59.6	(1.52)
2 - 19	1546	49	(1.8)	61.6	(1.08)	14.6	(0.87)	24	(1.3)	63.4	(1.64)	29.6	(1.64)	47	(2.0)	59.9	(1.21)
20 and over	2407	53	(1.5)	68.1	(0.60)	18.0	(0.96)	27	(1.3)	71.7	(0.81)	34.1	(1.43)	48	(1.7)	64.0	(0.94)
2 and over	3953	52	(1.3)	66.5	(0.50)	17.2	(0.84)	26	(1.2)	69.8	(0.74)	33.1	(1.29)	47	(1.6)	63.0	(0.70)
Males and Females:																	
2 - 19	3132	48	(1.4)	70.6	(0.94)	16.6	(1.42)	23	(1.9)	74.7	(2.03)	34.5	(2.43)	46	(2.4)	66.7	(1.05)
20 and over	4801	56	(1.3)	83.0	(0.75)	23.3	(1.01)	28	(1.2)	87.1	(0.95)	41.8	(1.42)	48	(1.5)	78.0	(1.51)
2 and over	7933	54	(1.2)	79.9	(0.52)		(1.01)	27	(1.2)	84.3	(0.86)	40.2	(1.49)	48	(1.5)	74.8	(1.20)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Carbohydrate –All Individuals 2— -All Restaurant Consumers 3 ----Non-consumers 4 Gender Sample Total Intake from Total Total Percent Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) (SE) % (SE) (vears) (SE) (SE) (SE) (SE) Males: 411 12 234 27 222 2 - 5..... 43 227 (5.5)27 (5.3)(9.6)64 (9.0)(6.6)(5.6)(2.2)(3.3)38 34 89 31 590 285 (3.2)12 290 281 6 - 11..... (3.1)(5.4)(1.2)(8.5)(4.4)(1.0)(7.8)585 56 329 25 43 12 - 19..... (3.7)(6.3)83 (12.6) (3.8)349 (11.6)149 (14.2)(3.2)304 (14.2)882 102 31 20 - 39..... 67 (1.9)332 (6.8)(6.2)(1.9)334 (8.1)153 (8.3)46 (2.2)327 (12.2)756 56 305 62 (3.1)20 307 (9.7)36 303 (12.9)40 - 59..... (2.6)(9.6)(1.1)111 (4.4)(1.4)60 and over..... 756 51 (2.1)265 (5.9)41 (2.4)16 (0.9)259 (6.2)80 (3.8)31 (1.1)270 (10.7) 2 - 19..... 1586 47 (1.9)292 (3.2)54 (6.7)19 (2.2)310 (9.5)116 (11.4)37 (2.7)276 (6.9)20 and over... 2394 59 305 (3.2)72 (4.3)24 309 123 (5.0)40 301 (1.9)(1.5)(4.4)(1.5)(6.7)3980 302 309 121 39 2 and over... 56 (1.7)(2.8)67 (4.4)22 (1.5)(4.4)(5.9)(1.6)293 (6.7)Females: 2 - 5..... 423 38 206 (4.7)208 (4.0)21 (3.9)10 (1.9)210 (7.7)54 (4.8)26 (2.1)(4.7)253 41 88 33 6 - 11..... 556 46 (4.6)16 264 243 (4.6)(5.4)(1.7)(7.0)(3.6)(1.4)(7.1)567 57 241 243 45 237 12 - 19..... (3.4)(4.7)63 (5.8)26 (2.4)(6.3)110 (6.9)(2.2)(10.4)20 - 39..... 832 61 254 26 259 108 42 246 (3.2)(3.7)66 (5.3)(2.0)(5.2)(6.1)(2.0)(7.7)830 53 225 20 235 37 214 40 - 59..... (2.6)(3.7)46 (2.5)(1.2)(4.9)87 (3.6)(1.6)(6.2)745 43 201 31 192 60 and over..... (3.1)(4.7)(3.2)16 (1.5)213 (7.9)(4.8)34 (1.9)(3.7)2 - 19..... 1546 49 (1.8)237 (2.0)46 (2.8)19 (1.2)244 (3.8)94 (4.8)38 231 (3.1)(1.6)20 and over... 2407 53 228 49 (2.7)21 239 (3.2)92 39 216 (3.5)(1.5)(2.6)(1.2)(4.3)(1.6)2 and over... 3953 52 231 (2.0)48 (2.5)21 240 (2.7)93 38 220 (2.7)(1.3)(1.1)(4.0)(1.5)Males and Females: 2 - 19..... 3132 48 265 50 19 277 105 38 254 (4.2)(1.4)(2.3)(4.3)(1.6)(6.4)(7.0)(1.7)4801 60 (2.9)23 275 108 39 255 20 and over... 56 (1.3)266 (2.4)(1.2)(3.0)(4.2)(1.5)(4.8)7933 266 58 275 107 39 255 2 and over... (1.2)(1.9)(3.1)(1.2)(3.0)(4.6)(1.4)(4.4)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Total sugars –All Individuals 2— -All Restaurant Consumers 3 ----Non-consumers 4 Gender Sample Total Total Total Percent Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) (SE) % (SE) (vears) (SE) (SE) (SE) (SE) Males: 2 - 5..... 411 9 20 118 43 118 (3.8)10 118 24 (3.9)(5.6)(1.9)(1.6)(4.7)(3.2)(5.7)38 590 139 13 10 144 36 25 136 6 - 11..... (3.1)(3.5)(1.4)(1.0)(5.3)(2.9)(1.6)(5.0)585 56 29 19 51 33 12 - 19..... (3.7)152 (5.4)(5.0)(3.5)155 (6.4)(6.1)(3.3)149 (11.2)882 147 38 39 146 (9.0)20 - 39..... 67 (1.9)(4.7)(2.9)26 (2.1)147 (5.2)57 (3.9)(2.5)756 56 132 21 (1.4)16 (0.9)132 38 29 132 40 - 59..... (2.6)(6.9)(7.1)(2.0)(1.3)(7.3)60 and over..... 756 51 (2.1)112 (3.8)12 (1.3)11 (1.2)109 (4.8)24 (2.1)22 (1.5)116 (6.1)2 - 19..... 1586 47 (1.9)140 (2.7)20 (2.5)14 145 (4.4)42 29 (2.5)136 (5.3)(1.9)(4.5)20 and over... 2394 59 133 (2.3)25 (1.8)19 133 (2.4)43 (2.3)32 132 (3.4)(1.9)(1.5)(1.7)3980 24 31 2 and over... 56 (1.7)135 (2.2)(1.9)18 (1.5)136 (2.3)43 (2.5)(1.7)133 (3.6)Females: 2 - 5..... 423 38 8 103 (4.7)105 (3.2)8 (2.1)(2.0)107 (5.2)22 (3.4)20 (2.9)(3.2)15 13 33 27 6 - 11..... 556 46 120 (1.8)125 116 (4.6)(2.4)(1.6)(3.0)(3.2)(2.5)(4.6)567 57 117 28 24 49 42 12 - 19..... (3.4)(3.5)(3.8)(3.2)117 (5.6)(4.7)(3.0)117 (6.8)20 - 39..... 832 61 114 (2.4)25 22 41 36 111 (3.2)(2.5)(2.1)116 (3.1)(3.4)(2.6)(4.7)830 53 31 29 98 40 - 59..... (2.6)102 (2.7)16 (1.4)16 (1.3)105 (4.5)(2.5)(2.2)(4.6)745 43 28 85 60 and over..... (3.1)89 (2.4)11 (1.2)13 (1.3)94 (3.8)26 (1.9)(2.0)(2.1)2 - 19..... 1546 49 (1.8)115 (1.6)19 (2.0)17 (1.7)118 (3.2)39 (3.5)34 (2.3)113 (2.4)20 and over... 2407 53 103 18 (1.5)18 107 (2.2)34 (2.5)32 98 (2.5)(1.5)(1.5)(1.4)(2.2)2 and over... 3953 52 106 (1.1)18 (1.4)17 109 (1.9)35 32 (2.0)102 (1.3)(1.3)(2.4)(1.7)Males and Females: 2 - 19..... 3132 48 (1.4)128 19 (1.9)15 131 41 31 125 (3.4)(1.8)(1.5)(3.4)(3.1)(1.7)4801 22 18 39 32 113 20 and over... 56 (1.3)117 (1.4)(1.5)(1.4)121 (1.6)(2.2)(1.8)(2.3)32 7933 120 21 18 123 39 117 2 and over... (1.2)(1.3)(1.5)(1.3)(1.5)(2.3)(1.7)(2.3)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Dietary fiber –All Individuals 2— —All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Total Total Total Percent Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % g (SE) % (vears) (SE) g (SE) (SE) (SE) g (SE) (SE) (SE) Males: 2 - 5..... 29 11.8 411 43 12.0 (0.43)(0.28)13 12.3 (0.64)3.6 (0.34)(0.56)(5.6)1.5 (2.1)(2.4)38 590 15.4 (0.19)11 14.6 4.3 30 6 - 11..... (3.1)(0.55)1.6 (1.3)(0.63)(0.32)(1.3)15.8 (0.73)585 56 25 12 - 19..... (3.7)18.1 (0.43)4.6 (0.66) (3.7)18.7 (0.78)8.2 (0.76)44 (3.2)17.3 (1.19)882 20.9 (0.37)29 9.2 (0.49)(0.76)20 - 39..... 67 (1.9)(0.53)6.1 (1.8)20.6 (0.88)45 (2.8)21.4 756 56 20.1 (0.24)20 20.8 7.2 (0.35)35 19.3 (0.70)40 - 59..... (2.6)(0.74)4.0 (1.0)(1.13)(1.9)33 60 and over..... 756 51 (2.1)19.6 (0.67) 3.0 (0.25) 15 (1.2)18.0 (0.66)5.9 (0.45)(1.7)21.4 (1.24)2 - 19..... 1586 47 (1.9)15.9 (0.31)2.9 (0.34)18 (2.0)16.3 (0.62)6.2 (0.56)38 (2.3)15.4 (0.64)20 and over... 2394 59 20.3 (0.41)4.6 (0.26)23 20.1 (0.62)7.8 (0.32)39 20.5 (0.53)(1.9)(1.3)(1.7)3980 19.3 39 2 and over... 56 (1.7)19.1 (0.33)4.1 (0.23) 22 (1.2)(0.52)7.4 (0.31)(1.6)18.9 (0.52)Females: 2 - 5..... 423 10.9 12.8 38 (4.7)12.1 (0.34)1.1 (0.20)(0.53)2.9 (0.21)27 (2.1)(0.48)(1.8)13.9 34 6 - 11..... 556 46 (0.46)2.2 (0.28)16 14.4 4.8 (0.22)13.5 (0.73)(4.6)(1.8)(0.46)(1.3)567 57 12.5 (0.24)27 12.9 45 11.9 12 - 19..... (3.4)(0.28)3.3 (2.1)(0.38)5.8 (0.32)(2.3)(0.33)20 - 39..... 832 61 16.6 (0.45) 4.1 (0.33)25 15.8 (0.69)6.7 (0.29)42 17.8 (0.78)(3.2)(2.0)(2.5)830 53 3.2 20 39 40 - 59..... (2.6)15.8 (0.45)(0.24)(1.7)15.6 (0.44)6.1 (0.34)(2.4)16.1 (0.67)745 43 32 60 and over..... (3.1)15.9 (0.48)2.2 (0.18)14 (1.0)15.7 (0.67)5.0 (0.16)(1.5)16.0 (0.54)2 - 19..... 1546 49 (1.8)12.9 (0.20)2.5 (0.10)19 (0.9)13.0 (0.28)5.0 (0.20)39 (1.7)12.7 (0.23)20 and over... 2407 53 16.1 (0.34)3.2 (0.13)20 15.7 (0.38)6.1 (0.16)39 16.5 (0.41)(1.5)(1.0)(1.6)2 and over... 3953 52 15.3 (0.28) 3.0 (0.10) 20 (0.8)15.1 (0.32)5.8 (0.14) 39 15.6 (0.34) (1.3)(1.4)Males and Females: 2 - 19..... 3132 48 (1.4)14.4 (0.18)2.7 (0.21)19 14.7 (0.34)5.6 (0.35)38 14.1 (0.39)(1.4)(1.7)4801 18.1 (0.16)21 18.0 (0.21)39 18.3 20 and over... 56 (1.3)(0.35)3.9 (0.9)(0.45)7.0 (1.4)(0.37)7933 17.2 (0.28) 21 17.2 17.2 (0.37) 2 and over... (1.2)3.6 (0.14) (0.9)(0.37)6.7 (0.20)(1.3)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

								Tot	t a l	f a t							
						–All Indi	viduals	2			—All R	Restauran	t Consu	mers ³ —		Von-con	sumers 4
Gender and age	Sample Size	Pero Repor		To Inta	otal ake		e from taurants	Percentag All Rest			otal ake		e from	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	g		g		%	(SE)	g		g		%	(SE)	g	
*								•			 						· · · · · · · ·
Males: 2 - 5	411	43	(5.0)	59.0	(2.22)	0.5	(1.20)	14	(2.5)	56.6	(2.94)	20.0	(1.75)	25	(2.2)	60.8	(2.70)
6 - 11	590	38	(5.6) (3.1)	76.4	(2.33) (1.78)		(1.26) (1.12)	15	(2.5) (1.5)	77.8	(2.84) (2.68)	29.7	(1.75) (1.57)	35 38	(2.3) (2.0)	75.6	(3.70) (2.15)
12 - 19	585	56	(3.1)	94.1	(3.76)		. ,	33	(4.4)	106.8	(5.80)	56.1	(6.16)	53	(3.6)	78.1	(2.13) (2.71)
12 - 19	363	30	(3.7))4.1	(3.70)	31.4	(3.03)	33	(4.4)	100.6	(3.80)	30.1	(0.10)	33	(3.0)	70.1	(2.71)
20 - 39	882	67	(1.9)	101.4	(1.94)	38.1	(2.19)	38	(2.0)	105.9	(2.34)	57.3	(2.90)	54	(2.4)	92.5	(3.11)
40 - 59	756	56	(2.6)	99.6	(3.15)	26.3	(1.37)	26	(1.5)	106.0	(4.64)	47.3	(3.07)	45	(2.5)	91.6	(3.66)
60 and over	756	51	(2.1)	82.6	(2.17)	18.2	(0.93)	22	(1.4)	88.1	(1.91)	35.4	(1.26)	40	(1.5)	76.7	(3.28)
					(' ' ' ' '		()				(")		(/				()
2 - 19	1586	47	(1.9)	80.5	(1.96)	19.6	(2.45)	24	(2.6)	89.1	(4.49)	41.9	(4.37)	47	(2.9)	73.0	(1.30)
20 and over	2394	59	(1.9)	96.2	(1.36)	28.8	(1.46)	30	(1.6)	102.2	(1.98)	49.1	(1.96)	48	(1.8)	87.6	(1.68)
2 and over	3980	56	(1.7)	92.1	(1.06)	26.4	(1.51)	29	(1.6)	99.3	(1.78)	47.5	(2.17)	48	(1.8)	83.1	(1.48)
Females:																	
2 - 5	423	38	(4.7)	55.3	(1.61)	7.8	(1.34)	14	(2.3)	60.8	(3.01)	20.5	(1.45)	34	(2.3)	51.9	(1.73)
6 - 11	556	46	(4.6)	69.9	(1.99)		. ,	22	(3.0)	74.7	(2.46)	33.3	(2.40)	45	(2.7)	65.7	(2.21)
12 - 19	567	57	(3.4)	67.7	(2.48)		(1.92)	31	(3.0)	69.0	(3.08)	37.4	(2.93)	54	(2.5)	65.9	(3.80)
• • • •	022	~1		75.0		242		22		7 0.0		40.0		~ 1		60.4	
20 - 39	832	61	(3.2)	75.2	(1.17)	24.3	(1.92)	32	(2.2)	78.9	(1.38)	40.0	(1.98)	51	(1.9)	69.4	(1.49)
40 - 59	830	53	(2.6)	68.9	(0.88)	18.3	(0.97)	27	(1.4)	75.5	(2.16)	34.9	(1.31)	46	(1.7)	61.5	(2.36)
60 and over	745	43	(3.1)	61.5	(2.04)	13.1	(1.32)	21	(1.9)	66.8	(2.61)	30.2	(2.00)	45	(2.2)	57.3	(2.85)
2 - 19	1546	49	(1.8)	65.6	(1.20)	16.4	(1.05)	25	(1.5)	69.3	(2.19)	33.3	(1.97)	48	(2.0)	62.1	(1.49)
20 and over	2407	53	(1.5)	69.0	(0.87)	19.0	(0.88)	27	(1.1)	74.9	(1.17)	35.9	(1.33)	48	(1.4)	62.4	(1.53)
2 and over	3953	52	(1.3)	68.2	(0.87)	18.3	(0.78)	27	(1.0)	73.6	(1.20)	35.3	(1.25)	48	(1.3)	62.3	(1.44)
Males and Females:																	
2 - 19	3132	48	(1.4)	73.3	(1.42)	18.1	(1.52)	25	(1.8)	79.2	(2.81)	37.6	(2.69)	47	(2.0)	67.8	(0.92)
20 and over	4801	56	(1.4) (1.3)	82.2	(0.77)	23.8	(0.91)	29	(1.1)	88.9	(2.01) (1.17)	42.6	(1.39)	48	(1.4)	73.9	(0.92) (0.97)
2 and over	7933	54	(1.2)	80.0	(0.77)	22.3	(0.91) (0.98)	28	(1.1)	86.7	(1.17) (1.25)	41.5	(1.57) (1.57)	48	(1.5)	72.1	(0.87)
2 and 5 vci	1755	5 1	(1.2)	1 00.0	(0.75)	22.3	(0.20)	20	(1.2)	00.7	(1.23)	11.5	(1.57)	10	(1.5)	, 2.1	(0.07)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Saturated fat -All Individuals 2-—All Restaurant Consumers ³ ——— Non-consumers 4 Gender Sample Total Total Total Percent Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) % (vears) (SE) g (SE) (SE) (SE) g (SE) (SE) (SE) Males: 411 19.5 (1.15) 32 23.0 2 - 5..... 43 (5.6)21.5 (1.40) (0.40)12 6.2 (0.39)(2.4)(1.92)2.7 (2.4)38 590 26.8 (0.60) 3.9 (0.37)15 27.7 10.4 (0.60)38 26.3 6 - 11..... (3.1)(1.4)(1.03)(2.0)(0.71)585 56 31.6 (1.16) 33 52 12 - 19..... (3.7)10.3 (1.46) (4.1)35.8 (1.89) 18.5 (1.78) (3.6)26.2 (1.07)882 32.8 (0.84)38 18.9 30.2 20 - 39..... 67 (1.9)(0.96)12.5 (1.9)34.1 (1.24)(1.14)55 (2.2)(1.06)756 56 32.1 (0.38)26 34.2 15.2 (0.79)45 29.5 (1.67)40 - 59..... (2.6)(1.16)8.5 (1.5)(1.60)(2.3)24.2 (1.19) 60 and over..... 756 51 (2.1)26.0 (0.76) 5.7 (0.34)22 (1.6)27.8 (0.78) 11.0 (0.46)39 (1.6)2 - 19..... 1586 47 (1.9)27.8 (0.65)6.5 (0.71)23 (2.4)30.4 (1.41)13.9 (1.27)46 (2.8)25.5 (0.69)20 and over... 2394 59 30.9 (0.54)9.3 (0.51)30 32.8 (0.82)15.9 (0.67)48 28.2 (0.68)(1.9)(1.6)(1.7)3980 30.1 (0.50) 8.6 (0.49) 29 2 and over... 56 (1.7)(1.6)32.3 (0.82)15.4 (0.71) 48 (1.7)27.3 (0.64)Females: 2 - 5..... 423 38 7.0 (0.62)(4.7)20.0 (0.74) 2.7 (0.51)13 21.4 (1.15) 33 (3.1)19.1 (0.84)(2.6)22 45 23.5 6 - 11..... 556 46 24.5 5.3 (0.88)25.6 (1.11) 11.6 (1.01)(4.6)(0.87)(3.4)(3.5)(1.09)22.5 567 57 (0.69)31 23.5 (1.00) 53 12 - 19..... (3.4)23.1 (0.75) 7.0 (3.1)12.4 (1.01) (2.7)(1.30)20 - 39..... 832 61 24.6 (0.50) 8.1 (0.61)33 26.1 (0.42)13.2 (0.59)22.3 (0.74)(3.2)(2.3)51 (2.0)830 53 22.2 27 24.7 19.5 40 - 59..... (2.6)(0.53)6.0 (0.40)(1.6)(1.06)11.4 (0.64)46 (2.5)(0.99)745 43 19.3 (0.79) 21 20.5 (1.18) 60 and over..... (3.1)4.1 (0.48)(2.4)9.5 (0.87)46 (2.5)18.3 (1.11)2 - 19..... 1546 49 (1.8)22.8 (0.32)5.5 (0.38)24 (1.7)23.8 (0.66)11.2 (0.71)47 (2.3)21.9 (0.61)20 and over... 2407 53 22.3 (0.48)6.2 (0.36)28 24.3 (0.57)11.7 (0.56)48 19.9 (0.69)(1.5)(1.4)(1.8)2 and over... 3953 52 22.4 (0.39) 6.0 (0.31) 27 24.2 (0.47) 48 20.4 (1.3)(1.3)11.6 (0.48) (1.5)(0.63)Males and Females: 2 - 19..... 3132 48 (1.4)25.4 (0.49) 6.0 (0.44) 24 27.1 (0.88)12.5 (0.79)46 (2.0)23.8 (0.42)(1.6)4801 26.5 (0.34)29 28.7 13.9 (0.51)48 23.7 20 and over... 56 (1.3)(0.36)7.7 (1.3)(0.53)(1.5)(0.46)7933 26.2 (0.35) 28 28.3 48 23.7 2 and over... (1.2)7.3 (0.33) (1.3)(0.52)13.6 (0.53) (1.5)(0.42)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Monounsaturated fat -All Individuals ²--All Restaurant Consumers 3 ----Non-consumers 4 Gender Sample Total Total Total Percent Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) % (vears) (SE) (SE) (SE) (SE) g (SE) (SE) (SE) Males: 2 - 5..... 411 19.3 (1.17) 20.8 43 20.2 (0.88) 3.0 (0.46)15 7.0 (0.73)36 (1.47)(5.6)(2.7)(2.5)38 590 26.5 (0.63) 3.8 (0.37)14 26.3 10.1 (0.52)39 26.7 6 - 11..... (3.1)(1.5)(1.02)(2.1)(0.84)585 56 33.2 (1.35) 32 37.7 19.3 (2.11) 51 12 - 19..... (3.7)10.8 (1.72) (4.2)(2.09)(3.4)27.6 (1.09) 882 (0.71)20.0 (0.94)20 - 39..... 67 (1.9)36.4 (0.72)13.3 37 (2.0)37.7 (0.76)53 (2.4)33.7 (1.25)756 56 35.9 (0.47)26 38.3 16.7 (0.95)44 32.8 40 - 59..... (2.6)(1.22)9.3 (1.4)(1.68)(2.4)(1.33)60 and over..... 756 51 (2.1)30.5 (0.99) 6.6 (0.34) 22 (1.4)32.5 (0.85)12.9 (0.52)40 (1.6)28.4 (1.43)2 - 19..... 1586 47 (1.9)28.1 (0.74)6.8 (0.84)24 (2.5)31.0 (1.66)14.4 (1.50)47 (2.8)25.6 (0.52)20 and over... 2394 59 34.8 (0.54)10.2 (0.49)29 36.8 (0.74)17.3 (0.63)47 31.8 (0.62)(1.9)(1.5)(1.7)3980 9.3 (0.51) 2 and over... 56 (1.7)33.0 (0.41) 28 (1.6)35.5 (0.64)16.7 (0.71)47 (1.8)29.9 (0.55)Females: 2 - 5..... 423 20.9 7.2 38 (4.7)18.8 (0.67)2.7 (0.47)15 (2.3)(1.29)(0.57)34 (2.4)17.5 (0.63)24.2 22 45 22.6 6 - 11..... 556 46 5.4 (0.81)26.1 11.7 (0.88)(4.6)(0.69)(3.2)(0.91)(3.1)(0.74)22.8 567 57 23.0 (0.90) (0.67)30 23.1 (1.09) 12.3 53 12 - 19..... (3.4)7.0 (3.2)(1.02)(2.6)(1.44)20 - 39..... 832 61 26.4 (0.43)8.4 (0.71)32 27.6 (0.56)13.8 (0.74)24.5 (3.2)(2.3)50 (2.0)(0.63)830 53 24.3 26 26.8 12.2 40 - 59..... (2.6)(0.30)6.4 (0.36)(1.4)(0.64)(0.48)46 (1.7)21.7 (0.81)745 43 21.8 (0.79) 22 23.8 (1.07) 60 and over..... (3.1)4.7 (0.46)(1.8)10.8 (0.75)45 (2.1)20.2 (1.07)2 - 19..... 1546 49 (1.8)22.5 (0.49)5.5 (0.38)25 (1.6)23.7 (0.82)11.3 (0.72)48 (2.2)21.3 (0.55)20 and over... 2407 53 24.3 (0.31)(0.31)27 (1.1)26.4 (0.47)12.5 (0.46)47 22.0 (0.50)(1.5)6.6 (1.3)2 and over... 3953 52 23.9 (0.32) 6.4 (0.28) 27 (1.0)25.8 (0.47) 12.2 (0.44) 47 21.8 (1.3)(1.2)(0.47)Males and Females: 2 - 19..... 3132 48 25.4 (0.53) $6.2 \quad (0.54)$ 24 27.3 (1.08) 12.8 (0.95)47 (2.0)23.6 (0.35)(1.4)(1.8)4801 29.4 (0.31)28 31.8 (0.45)26.5 (0.34)20 and over... 56 (1.3)(0.30)8.4 (1.1)(0.45)15.0 47 (1.3)28.4 7933 27 30.8 47 25.7 2 and over... (1.2)(0.27)7.8 (0.33) (1.1)(0.45)14.5 (0.52) (1.4)(0.30)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Polvunsaturated fat -All Individuals 2— -All Restaurant Consumers 3 ----Non-consumers 4 Gender Sample Total Total Total Percent Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (vears) (SE) (SE) (SE) (SE) g (SE) % (SE) (SE) Males: 2 - 5..... 38 411 43 12.4 (0.31)2.1 (0.30)17 12.9 (0.57)4.9 (0.52)12.0 (0.47)(5.6)(2.2)(3.0)38 17.5 590 16.8 (0.61) 2.5 (0.32)15 6.7 (0.48)38 16.4 6 - 11..... (3.1)(1.8)(0.63)(2.3)(0.83)585 56 21.7 (1.44) 7.6 (1.53) 35 24.8 55 12 - 19..... (3.7)(5.0)(1.98)13.5 (2.03)(4.3)17.7 (0.86)882 9.0 (0.52)38 20.8 (0.94)20 - 39..... 67 (1.9)23.8 (0.50)(2.2)25.3 (0.64)13.5 (0.72)53 (2.9)756 56 23.6 (0.55)26 24.9 11.2 45 21.9 (1.00)40 - 59..... (2.6)(0.86)6.3 (2.2)(1.28)(1.21)(3.6)19.5 (0.59) 60 and over..... 756 51 (2.1)4.4 (0.19) 23 (1.2)21.0 (0.55)8.6 (0.29) 41 (1.7)17.9 (0.79)2 - 19..... 1586 47 (1.9)18.0 (0.79)4.7 (0.73)26 (3.0)20.5 (1.36)10.0 (1.34)49 (3.5)15.9 (0.46)20 and over... 2394 59 22.7 6.9 (0.40)30 24.3 (0.57)11.7 (0.62)48 20.4 (0.50)(1.9)(0.39)(1.7)(2.1)3980 21.5 (0.35) 29 2 and over... 56 (1.7)6.3 (0.44) (1.8)23.4 (0.50) 11.3 (0.69)48 (2.2)19.0 (0.40)Females: 2 - 5..... 423 13.9 38 (4.7)12.1 (0.46)1.7 (0.30)14 (2.3)(0.86)4.6 (0.43)33 (2.4)11.0 (0.49)22 43 6 - 11..... 556 46 15.6 3.4 (0.48)17.3 7.4 (0.57)14.1 (4.6)(0.58)(2.5)(0.63)(2.4)(0.63)15.3 567 57 (0.54)34 58 12 - 19..... (3.4)16.0 (0.76)5.4 (3.2)16.6 (1.03)9.6 (0.93)(3.1)(0.85)20 - 39..... 832 61 17.9 (0.40)5.9 (0.46)33 18.7 (0.57)9.7 (0.53)52 16.7 (0.33)(3.2)(2.1)(1.8)830 53 26 17.9 8.4 47 40 - 59..... (2.6)16.7 (0.36)4.4 (0.25)(1.6)(0.52)(0.33)(1.7)15.3 (0.70)745 43 20 17.2 60 and over..... (3.1)15.5 (0.65)3.2 (0.32)(1.7)(0.73)7.3 (0.41)42 (2.8)14.3 (0.70)2 - 19..... 1546 49 (1.8)15.0 (0.40)4.0 (0.28)26 (1.6)16.3 (0.70)8.0 (0.57)49 (2.3)13.7 (0.34)20 and over... 2407 53 16.8 (0.22)4.6 (0.15)27 (1.0)18.0 (0.23)8.6 (0.27)48 15.4 (0.43)(1.5)(1.2)2 and over... 3953 52 16.4 (0.19) 4.4 (0.14) 27 (0.9)17.7 (0.25)8.5 (0.27) 48 14.9 (1.3)(1.2)(0.36)Males and Females: 2 - 19..... 3132 48 16.6 (0.48)4.3 (0.44)26 (2.0)18.4 (0.78)9.0 (0.80)49 (2.4)14.8 (0.31)(1.4)4801 19.7 (0.22)29 21.2 (0.38)48 (0.26)20 and over... 56 (1.3)(0.20)5.7 (1.1)(0.31)10.2 17.7 (1.5)7933 18.9 28 20.6 48 2 and over... (1.2)(0.21)5.3 (0.25) (1.2)(0.32)9.9 (0.43)(1.7)16.9 (0.21)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Cholesterol -All Individuals ²--All Restaurant Consumers 3 ----Non-consumers 4 Gender Sample Total Total Total Percent Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) (SE) % (vears) (SE) (SE) (SE) (SE) (SE) mg mg mg mg mg Males: 2 - 5..... 411 180 27 182 43 20 (3.0)11 177 (20.6)47 (13.9)(5.6)(10.3)(1.6)(5.4)(1.9)38 29 77 33 590 219 (2.9)13 231 212 6 - 11..... (3.1)(8.3)(1.2)(12.4)(4.6)(2.0)(11.7)585 56 306 (18.5) 35 190 57 12 - 19..... (3.7)107 (25.5)(7.0)337 (32.6)(38.0)(7.4)267 (21.3)882 188 (19.3)20 - 39..... 67 (1.9)343 (10.2)125 (6.9)36 (2.3)342 (12.3)(8.3)55 (2.6)343 756 56 353 96 (7.3)27 173 (12.9)47 338 (17.5)40 - 59..... (2.6)(14.4)(2.0)364 (17.9)(3.2)157 (12.6) 60 and over..... 756 51 (2.1)308 (8.4)81 (6.6)26 (2.0)351 (15.3)45 (3.6)263 (12.5)2 - 19..... 1586 47 (1.9)250 (9.3)62 (11.7)25 (4.0)277 (21.9)132 (23.0)48 (5.3)225 (9.4)20 and over... 2394 59 338 103 (5.9)31 352 (9.9)176 (7.1)50 318 (9.6)(1.9)(7.2)(1.8)(2.0)3980 92 29 2 and over... 56 (1.7)315 (5.5)(6.6)(2.1)336 (7.6)166 (9.3)50 (2.5)289 (8.7)Females: 2 - 5..... 423 170 22 175 38 (4.7)(8.5)(4.8)13 (3.0)162 (11.5)58 (7.8)36 (4.3)(9.2)196 41 21 89 197 6 - 11..... 556 46 194 (7.5)46 (4.6)(7.8)(6.3)(3.1)(12.3)(2.6)(8.1)567 57 211 30 203 (12.5) 113 55 222 12 - 19..... (3.4)(12.7)64 (7.2)(3.9)(11.0)(2.8)(19.8)20 - 39..... 832 61 237 (7.2)80 (8.7)34 253 (10.5)131 52 213 (6.9)(3.2)(3.0)(11.4)(2.9)830 53 226 (10.2) 29 123 50 205 40 - 59..... (2.6)65 (5.7)(2.3)246 (11.4)(11.4)(3.3)(14.8)745 43 220 (11.0) 59 27 55 202 60 and over..... (3.1)(7.3)(2.6)245 (23.2)135 (15.4) (3.3)(11.9)2 - 19..... 1546 49 (1.8)197 (6.0)47 (3.9)24 (1.7)194 (8.6)96 (6.7)50 (1.8)201 (7.3)20 and over... 2407 53 229 (5.9)68 (4.4)30 248 (7.2)129 (7.6)52 206 (6.4)(1.5)(1.4)(1.8)2 and over... 3953 52 221 63 (3.5)29 236 (5.9)121 51 205 (1.3)(4.7)(1.2)(5.9)(1.6)(5.6)Males and Females: 2 - 19..... 3132 48 224 (5.9)(6.5)24 235 114 (12.4)48 (3.4)214 (6.4)(1.4)55 (2.6)(11.5)4801 282 85 30 302 153 257 20 and over... 56 (1.3)(3.6)(3.6)(1.3)(4.2)(5.1)51 (5.4)(1.6)7933 267 78 287 50 2 and over... (1.2)(3.3)(4.0)(1.4)(3.7)144 (6.3)(1.9)245 (5.0)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Vitamin A (RAE) – All Individuals ²– —All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Total Total Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (vears) (SE) (SE) (SE) (SE) (SE) % (SE) (SE) μg μg ug μg μg Males: 2 - 5..... 411 43 594 (24.9) 33 (5.4)5 (0.9)521 (38.4)77 15 647 (36.1)(5.6)(6.6)(1.1)38 48 7 590 673 (24.2) (5.7)698 128 (12.2)18 6 - 11..... (3.1)(0.9)(36.2)(1.8)659 (29.2)585 56 19 718 (41.3) 231 32 12 - 19..... (3.7)696 (27.4) 129 (26.2)(4.0)(35.9)(5.3)668 (52.2)882 606 256 42 20 - 39..... 67 (1.9)628 (34.4)170 (18.1) 27 (2.1)(36.9)(23.9)(2.2)673 (45.7)32 756 56 728 (53.1)132 (18.3)18 736 (58.6)238 (32.6)719 (61.6)40 - 59..... (2.6)(2.2)(3.6)972 (244.3) 60 and over..... 756 51 (2.1)128 (27.8) 13* (4.5)1045*(325.3) 249 (57.1)24* (9.5)894 (161.9) 2 - 19..... 1586 47 (1.9)666 (18.0) 81 (12.2) 12 673 (27.3)173 (23.0)26 659 (27.4)(1.9)(3.5)20 and over... 2394 59 749 (71.1) 146 (13.1) 19 (2.1)746 (78.2)248 (21.0)33 754 (63.8)(1.9)(3.9)3980 129 (10.6) 32 2 and over... 56 (1.7)728 (54.3) 18 (1.6)730 (65.0)232 (18.1) (3.3)725 (43.8)Females: 2 - 5..... 423 103 591 38 569 (21.4) 39* (11.8) (2.1)533 (22.4)(22.7)19 (3.9)(40.6)(4.7)6 - 11..... 556 46 560 (21.8) 66 (12.5) 12 557 144 (18.3)26 562 (4.6)(2.2)(23.0)(3.1)(35.9)567 57 449 39 12 - 19..... (3.4)480 (24.2) (5.0)21 (1.5)(22.8)174 (13.8) (3.1)521 (38.4)20 - 39..... 832 61 596 (31.2) 139 23 588 (37.7)229 (21.0)39 608 (3.2)(15.8)(2.5)(2.7)(44.3)830 53 99 32 40 - 59..... (2.6)617 (35.0)(7.5)16 (1.7)582 (32.1)188 (14.2)(3.0)656 (49.6)745 43 88 60 and over..... (3.1)593 (21.8) (9.3)15 (1.4)567 (34.7)204 (13.3) 36 (2.7)613 (29.8)2 - 19..... 1546 49 (1.8)526 (10.5) 75 (4.2)14 (0.7)496 (19.0)153 (8.5)31 (1.8)554 (18.8)20 and over... 2407 53 603 (23.3)110 (7.5)18 581 (26.4)208 (12.8)36 628 (26.8)(1.5)(1.2)(2.0)2 and over... 3953 52 585 (19.3) 102 (5.8)17 (0.9)195 (9.6)35 609 (20.2)(1.3)562 (22.8) (1.7)Males and Females: 2 - 19..... 3132 48 597 (10.2) 78 (5.8)13 585 163 (11.3) 28 (2.2)609 (18.9)(1.4)(1.0)(17.8)4801 674 127 (8.0)19 229 (13.3)34 20 and over... 56 (1.3)(38.0)(1.1)666 (44.4)(2.4)686 (33.0)33 7933 655 (29.8) 18 2 and over... (1.2)115 (6.6)(0.9)647 (37.5)214 (11.8) (2.1)664 (23.7)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Beta carotene -All Individuals ²-—All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Total Total Total Percent Intake from Percentages from ⁶ Intake from Percentages from 6 Reporting 5 and age Size Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) μg (SE) % (years) (SE) (SE) μg (SE) (SE) μg (SE) μg μg Males: 2 - 5..... 411 6* 174* (53.7) 15* 1246 (202.5) 43 (5.6)1224 (182.4) 74* (25.5) (2.1)1194*(366.0) (6.4)6 - 11..... 38 590 1377 (188.8) 5 1474 (408.8) 172 (20.4) 12* 1319 (182.2) (3.1)65 (7.4)(0.9)(3.8)585 56 1113 (175.4) 32 12 - 19..... (3.7)1236 (141.0) 201 (29.0) 16 (3.1)359 (33.1) (5.0)1393 (273.0) 882 1835 (139.3) 620 (92.9) 34 1974 (170.0) 933 (127.9) 47 1558 (175.6) 20 - 39..... 67 (1.9)(3.5)(3.8)756 56 2776 (355.7) 626 (185.5) 23 (4.9)3006 (462.9) 1126 (329.4) 37 2488 (371.5) 40 - 59..... (2.6)(7.8)60 and over..... 756 51 (2.1)3275 (781.3) 570 (153.3) 17* (6.0)2182 (400.1) 1108 (307.9) 51 (6.2)4434(1696.8) 2 - 19..... 1586 47 (1.9)1281 (77.7) 128 (16.7) 10 1226 (96.1) 272 (28.1) 22 (2.6)1329 (131.0) (1.5)20 and over... 2394 59 (1.9)2538 (274.5) 610 (90.2) 24 (3.2)2386 (191.1) 1039 (147.8) 44 2755 (615.6) (4.1)3980 22 2 and over... 56 (1.7)2211 (210.4) 485 (67.8) (2.7)2132 (151.0) 871 (120.1) 41 (3.8)2311 (416.6) Females: 423 38 1239 (200.1) 883 (190.6) 151* (49.6) 17* 1458 (243.9) 2 - 5..... (4.7)58* (22.6) (2.3)(8.2)1048 (89.6) 33 6 - 11..... 556 46 144 (34.1) 14 936 (135.9) 312 (63.2) 1144 (127.0) (4.6)(3.4)(7.4)567 57 300 (48.2) 30 970 (145.9) 527 (104.2) 54 1066 (230.1) 12 - 19..... (3.4)1012 (173.3) (3.2)(4.9)20 - 39..... 2179 (186.8) 808 (139.3) 832 61 492 (94.5)23 2219 (257.9) 36 2118 (163.8) (3.2)(3.4)(4.4)830 53 2758 (365.1) 394 (50.4) 14 2437 (332.3) 31 3112 (520.4) 40 - 59..... (2.6)(2.2)750 (98.2) (5.7)745 43 17 40 60 and over..... (3.1)2412 (190.8) 407 (87.1) (3.8)2321 (266.3) 938 (179.3) (7.5)2482 (318.0) 2 - 19..... 1546 49 (1.8)1074 (95.2) 196 (25.7) 18 (1.7)945 (99.4) 398 (56.7)42 (3.7)1199 (119.7) 20 and over... 2407 53 2464 (201.8) 431 (44.1)17 (1.5)2325 (221.4) 815 (83.3)35 2620 (239.9) (1.5)(3.6)2 and over... 3953 52 2128 (159.1) 374 (33.0) 18 2009 (175.2) 720 (61.0) 36 2257 (182.3) (1.3)(1.3)(3.4)Males and Females: 2 - 19..... 3132 48 (1.4)1180 (71.6) 161 (10.9) 14 (0.8)1085 (75.9) 335 (26.1) 31 (2.5)1267 (99.4) 4801 518 (55.7) 21 930 (97.1)39 2681 (308.3) 20 and over... 56 (1.3)2500 (181.7) (1.8)2356 (170.8) (3.2)2 and over... 7933 2169 (146.2) 429 (42.5) 2072 (136.4) 38 2282 (224.8) (1.2)(1.5)797 (78.3) (2.9)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

						Lyo	соро	e n e				
					-All Individuals	2		All R	estaurant Consu	mers ³ —	<i>i</i>	Non-consumers ⁴
Gender and age	Sample Size	Pero Repor		Total Intake	Intake from All Restaurants	Percentag All Rest		Total Intake	Intake from All Restaurants	Percentag All Res	ges from ⁶ taurants	Total Intake
(years)		%	(SE)	μg (SE)	μg (SE)	%	(SE)	μg (SE)	μg (SE)	%	(SE)	μg (SE)
Males:				1			1				1	
2 - 5	411 590 585	43 38 56	(5.6) (3.1) (3.7)	2941 (373.7) 5931 (631.4) 7783 (736.3)	447 (107.0) 813 (108.3) 2452 (324.3)	15 14 32	(3.2) (2.1) (3.7)	2852 (514.8) 5811 (806.1) 8459(1332.3)	1052 (170.6) 2163 (262.2) 4381 (473.0)	37 37 52	(4.3) (3.0) (9.2)	3007 (534.2) 6004 (881.7) 6922 (990.9)
20 - 39 40 - 59 60 and over	882 756 756	67 56 51	(1.9) (2.6) (2.1)	6215 (354.7) 6222 (524.2) 5121 (499.4)	2576 (255.2) 1595 (208.6) 1015 (171.0)	41 26 20	(3.0) (4.6) (3.8)	6633 (607.9) 6534 (561.7) 4483 (618.0)	3873 (440.3) 2869 (333.6) 1972 (321.4)	58 44 44	(3.5) (5.6) (6.4)	5387 (596.8) 5830 (962.9) 5797 (818.1)
2 - 19 20 and over 2 and over	1586 2394 3980	47 59 56	(1.9) (1.9) (1.7)	6106 (510.4) 5953 (287.5) 5993 (261.0)	1467 (171.6) 1828 (118.1) 1734 (78.0)	24 31 29	(2.3) (2.2) (1.7)	6639 (853.1) 6142 (264.2) 6251 (283.4)	3127 (305.7) 3112 (209.3) 3115 (131.3)	47 51 50	(5.9) (2.9) (2.4)	5636 (553.5) 5684 (532.9) 5669 (467.7)
Females: 2 - 5	423 556 567	38 46 57	(4.7) (4.6) (3.4)	3728 (716.0) 4649 (569.2) 4332 (543.1)	375 (92.1) 1355*(547.7) 1108 (121.7)	10* 29* 26		2420 (436.9) 5543(1162.5) 4002 (626.3)	986 (161.8) 2933(1067.7) 1947 (188.8)	41 53 49	(5.1) (10.0) (8.5)	4533(1029.2) 3880 (473.7) 4767 (761.6)
20 - 39 40 - 59 60 and over	832 830 745	61 53 43	(3.2) (2.6) (3.1)	5405 (436.4) 4571 (264.2) 3768 (472.3)	1667 (287.4) 907 (109.9) 665 (99.0)	31 20 18	(4.8) (2.5) (2.2)	5460 (626.5) 3950 (369.2) 3982 (724.2)	2741 (395.6) 1727 (163.1) 1534 (225.5)	50 44 39	(8.0) (4.3) (4.6)	5320 (627.8) 5257 (636.9) 3603 (537.9)
2 - 19 20 and over 2 and over	1546 2407 3953	49 53 52	(1.8) (1.5) (1.3)	4300 (347.2) 4639 (244.6) 4557 (205.5)	1025 (177.2) 1103 (130.7) 1084 (120.2)	24 24 24	(2.9) (2.3) (2.1)	4197 (516.7) 4557 (331.2) 4474 (290.7)	2080 (359.3) 2086 (224.7) 2085 (204.3)	50 46 47	(5.2) (4.5) (3.9)	4401 (292.0) 4731 (353.1) 4647 (271.7)
Males and Females: 2 - 19 20 and over 2 and over	3132 4801 7933	48 56 54	(1.4) (1.3) (1.2)	5225 (350.7) 5279 (171.5) 5265 (169.4)	1251 (139.2) 1456 (104.1) 1405 (84.9)	24 28 27	(1.8) (1.8) (1.5)	5416 (533.5) 5371 (241.4) 5381 (239.0)	2603 (269.9) 2613 (170.4) 2611 (134.1)	48 49 49	(4.1) (3.0) (2.2)	5047 (371.5) 5164 (284.4) 5131 (257.5)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 *(continued)*

						Th	i a m	i n				
					-All Individuals	2		All R	estaurant Consu	mers ³ —		Von-consumers ⁴
Gender and age	Sample Size	Pero Repor		Total Intake	Intake from All Restaurants	Percentag All Rest	ges from ⁶ aurants	Total Intake	Intake from All Restaurants	Percentag All Resta	es from ⁶ aurants	Total Intake
(years)		%	(SE)	mg (SE)	mg (SE)	%	(SE)	mg (SE)	mg (SE)	%	(SE)	mg (SE)
Males:				1			1				ı	
2 - 5	411	43	(5.6)	1.27 (0.038)	0.13 (0.024)	11	(2.0)	1.18 (0.041)	0.32 (0.029)	27	(2.3)	1.34 (0.048)
6 - 11	590	38	(3.1)	1.67 (0.045)	0.20 (0.027)	12	(1.5)	1.71 (0.077)	0.54 (0.051)	32	(1.9)	1.65 (0.040)
12 - 19	585	56	(3.7)	2.02 (0.045)	0.55 (0.076)	27	(4.0)	2.21 (0.076)	0.98 (0.085)	44	(3.6)	1.78 (0.109)
20 - 39	882	67	(1.9)	1.99 (0.051)	0.65 (0.042)	32	(2.1)	1.95 (0.052)	0.97 (0.060)	50	(2.4)	2.06 (0.108)
40 - 59	756	56	(2.6)	1.90 (0.048)	0.46 (0.029)	24	(1.6)	1.98 (0.086)	0.82 (0.059)	41	(2.6)	1.80 (0.073)
60 and over	756	51	(2.1)	1.74 (0.039)	0.32 (0.019)	19	(1.2)	1.75 (0.053)	0.63 (0.031)	36	(1.7)	1.73 (0.057)
2 - 19	1586	47	(1.9)	1.74 (0.024)	0.34 (0.039)	20	(2.2)	1.87 (0.057)	0.73 (0.065)	39	(2.8)	1.62 (0.040)
20 and over	2394	59	(1.9)	1.90 (0.020)	0.50 (0.026)	26	(1.4)	1.92 (0.033)	0.84 (0.036)	44	(1.6)	1.86 (0.043)
2 and over	3980	56	(1.7)	1.85 (0.017)	0.46 (0.026)	25	(1.4)	1.91 (0.028)	0.82 (0.037)	43	(1.6)	1.79 (0.040)
Females:												
2 - 5	423	38	(4.7)	1.23 (0.018)	0.13 (0.024)	10	(2.0)	1.21 (0.041)	0.33 (0.035)	27	(3.0)	1.24 (0.021)
6 - 11	556	46	(4.6)	1.51 (0.074)	0.25 (0.038)	16	(2.2)	1.59 (0.104)	0.54 (0.050)	34	(2.2)	1.43 (0.065)
12 - 19	567	57	(3.4)	1.32 (0.061)	0.32 (0.021)	24	(2.0)	1.28 (0.064)	0.56 (0.042)	44	(2.6)	1.36 (0.069)
20 - 39	832	61	(3.2)	1.55 (0.048)	0.42 (0.032)	27	(2.3)	1.57 (0.073)	0.69 (0.033)	44	(2.6)	1.50 (0.066)
40 - 59	830	53	(2.6)	1.35 (0.030)	0.30 (0.018)	22	(1.5)	1.37 (0.039)	0.57 (0.031)	41	(2.3)	1.33 (0.048)
60 and over	745	43	(3.1)	1.29 (0.037)	0.22 (0.022)	17	(1.5)	1.36 (0.068)	0.51 (0.039)	37	(2.2)	1.23 (0.036)
2 - 19	1546	49	(1.8)	1.36 (0.039)	0.25 (0.013)	19	(0.7)	1.36 (0.055)	0.51 (0.032)	38	(1.7)	1.36 (0.031)
20 and over	2407	53	(1.5)	1.40 (0.022)	0.32 (0.016)	23	(1.2)	1.45 (0.037)	0.60 (0.026)	42	(1.7)	1.35 (0.034)
2 and over	3953	52	(1.3)	1.39 (0.021)	0.30 (0.012)	22	(0.9)	1.43 (0.029)	0.58 (0.021)	41	(1.7)	1.35 (0.034)
Males and Females:							[
2 - 19	3132	48	(1.4)	1.55 (0.024)	0.30 (0.022)	19	(1.3)	1.62 (0.034)	0.62 (0.039)	39	(1.9)	1.50 (0.031)
20 and over	4801	56	(1.3)	1.64 (0.018)	0.41 (0.017)	25	(1.1)	1.69 (0.028)	0.02 (0.037)	43	(1.5)	1.58 (0.032)
2 and over	7933	54	(1.2)	1.62 (0.015)	0.38 (0.016)	23	(1.1)	1.67 (0.023)	0.70 (0.027)	42	(1.4)	1.56 (0.029)
_ = ====== 3 , •====			()	1= ()	, (5.510)	_0	(/	(3.320)	(1)		(/	/

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Riboflavin – All Individuals ² – -All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Percent Total Intake from Total Total Percentages from ⁶ Intake from Percentages from 6 Reporting 5 and age Size Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) (SE) (SE) (SE) % (SE) (years) (SE) (SE) mg mg mg mg mg Males: 411 0.13 (0.018) 0.31 (0.023) 19 2.04 (0.092) 2 - 5..... 43 (5.6)1.87 (0.062) 1.63 (0.050) (1.1)(1.4)6 - 11..... 38 0.48 (0.029) 590 2.08 (0.044) 0.18 (0.016) (0.8)2.04 (0.066) 23 2.10 (0.051) (3.1)(1.1)585 56 21 34 12 - 19..... (3.7)2.54 (0.137) 0.54(0.092)(3.2)2.81 (0.270) 0.97 (0.119) (3.2)2.20 (0.107) 882 2.51 (0.063) 0.65 (0.050) 2.45 (0.112) 0.98 (0.065) 40 2.63 (0.143) 20 - 39..... 67 (1.9)26 (1.8)(1.7)756 56 2.54 (0.083) 0.48 (0.029) 19 (1.3)2.56 (0.087) 0.87 (0.034) 34 2.51 (0.123) 40 - 59..... (2.6)(1.6)60 and over..... 756 51 (2.1)2.51 (0.129) 0.37 (0.024) 15 (1.2)2.63 (0.220) 0.72 (0.037) 27 (2.3)2.39 (0.075) 2 - 19..... 1586 47 (1.9)2.24 (0.066) 0.33 (0.044) 15 (1.8)2.37 (0.162) 0.71(0.082)30 (2.4)2.13 (0.058) 20 and over... 2394 59 (1.9)2.52 (0.054) 0.52 (0.032) 21 2.53 (0.085) 0.88 (0.036) 35 2.52 (0.072) (1.3)(1.4)3980 0.47 (0.032) 19 2.49 (0.088) 0.84 (0.042) 34 2.39 (0.067) 2 and over... 56 (1.7)2.45 (0.045) (1.3)(1.4)Females: 2 - 5..... 423 38 1.74 (0.026) 0.14 (0.032) 8 1.69 (0.094) 0.36 (0.051) 1.77 (0.061) (4.7)(1.8)21 (2.5)6 - 11..... 1.84 (0.066) 0.24 (0.036) 13 0.53 (0.039) 28 556 46 (4.6)1.86 (0.095) 1.83 (0.074) (1.9)(1.9)567 57 1.67 (0.064) 0.36 (0.027) 21 1.58 (0.048) 0.63 (0.033) 40 1.79 (0.108) 12 - 19..... (3.4)(2.3)(2.7)20 - 39..... 1.89 (0.052) 832 61 0.46(0.028)24 (1.8)1.88 (0.065) 0.76(0.028)40 1.91 (0.055) (3.2)(2.0)830 53 1.83 (0.035) 0.34 (0.024) 19 1.85 (0.061) 0.65 (0.047) 35 1.80 (0.054) 40 - 59..... (2.6)(1.3)(2.1)60 and over..... 745 43 1.78 (0.041) 0.27 (0.030) 15 34 (3.1)(1.5)1.83 (0.085) 0.61 (0.051) (2.2)1.75 (0.044) 2 - 19..... 1546 49 (1.8)1.74 (0.026) 0.27 (0.013) 16 (0.7)1.69 (0.038) 0.55 (0.020) 33 (1.4)1.79 (0.040) 20 and over... 2407 53 (1.5)1.84 (0.024) 0.36 (0.020) 20 (1.1)1.86 (0.043) 0.69 (0.032) 37 1.81 (0.027) (1.6)2 and over... 3953 52 1.81 (0.022) 0.34 (0.017) 19 (1.0)1.82 (0.037) 0.65 (0.026) 36 1.81 (0.026) (1.3)(1.4)Males and Females: 2 - 19..... 3132 48 (1.4)2.00 (0.032) 0.30 (0.024) 15 2.03 (0.076) 0.63 (0.043) 31 1.97 (0.041) (1.1)(1.5)4801 56 2.17 (0.029) 0.44 (0.021) 20 2.20 (0.054) 0.79 (0.030) 36 2.13 (0.048) 20 and over... (1.3)(1.0)(1.3)2.13 (0.025) 2 and over... 7933 0.40 (0.020) 19 2.16 (0.054) 0.75(0.031)35 2.09 (0.045) (1.2)(1.0)(1.2)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

								N	i a c	i n							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	<u> </u>	Von-con	sumers 4
Gender and age	Sample Size	Pero Repor			otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest		To Inta	otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:				I					1						ı		
2 - 5	411	43	(5.6)	16.1	(0.40)	2.1	(0.36)	13	(2.2)	16.1	(0.64)	4.9	(0.59)	31	(3.1)	16.2	(0.65)
6 - 11	590	38	(3.1)	22.1	(0.58)	3.0	(0.32)	13	(1.4)	22.4	(0.81)	7.9	(0.49)	35	(1.9)	21.9	(0.79)
12 - 19	585	56	(3.7)	31.8	(1.43)	9.0	(1.40)	28	(3.8)	36.0	(2.55)	16.1	(1.63)	45	(3.6)	26.4	(1.34)
20 - 39	882	67	(1.9)	35.0	(0.78)	11.5	(0.72)	33	(1.9)	36.1	(1.14)	17.3	(0.99)	48	(2.1)	32.7	(1.32)
40 - 59	756	56	(2.6)	31.1	(0.92)	7.3	(0.38)	23	(1.4)	31.7	(1.15)	13.1	(0.63)	41	(2.1)	30.3	(1.34)
60 and over	756	51	(2.1)	27.3	(0.86)	5.2	(0.31)	19	(1.1)	28.2	(1.41)	10.2	(0.51)	36	(1.8)	26.3	(0.87)
2 - 19	1586	47	(1.9)	25.1	(0.79)	5.5	(0.73)	22	(2.5)	28.4	(1.90)	11.7	(1.23)	41	(2.9)	22.2	(0.59)
20 and over	2394	59	(1.9)	31.6	(0.46)	8.4	(0.50)	27	(1.5)	32.9	(0.74)	14.3	(0.61)	43	(1.6)	29.9	(0.84)
2 and over	3980	56	(1.7)	29.9	(0.45)	7.6	(0.50)	25	(1.5)	31.9	(0.84)	13.7	(0.66)	43	(1.4)	27.5	(0.76)
Females:																	
2 - 5	423	38	(4.7)	15.7	(0.48)	1.9	(0.31)	12	(2.0)	15.5	(0.99)	4.9	(0.39)	32	(2.0)	15.8	(0.61)
6 - 11	556	46	(4.6)	20.5	(1.06)	3.8	(0.56)	18	(2.5)	21.8	(1.04)	8.2	(0.71)	37	(2.7)	19.4	(1.44)
12 - 19	567	57	(3.4)	19.3	(0.83)	5.4	(0.51)	28	(2.7)	19.1	(1.05)	9.4	(0.80)	49	(2.7)	19.6	(1.03)
20 - 39	832	61	(3.2)	23.4	(0.45)	7.1	(0.73)	30	(3.0)	24.0	(0.69)	11.6	(0.90)	49	(3.1)	22.4	(0.64)
40 - 59	830	53	(2.6)	20.2	(0.35)	4.7	(0.28)	23	(1.5)	20.4	(0.57)	8.9	(0.45)	44	(2.2)	20.0	(0.71)
60 and over	745	43	(3.1)	18.7	(0.43)	3.4	(0.36)	18	(1.6)	19.8	(0.83)	7.8	(0.63)	39	(2.2)	17.9	(0.43)
2 - 19	1546	49	(1.8)	18.9	(0.60)	4.1	(0.29)	22	(1.0)	19.3	(0.83)	8.3	(0.56)	43	(1.9)	18.5	(0.51)
20 and over	2407	53	(1.5)	20.9	(0.38)	5.2	(0.23)	25	(1.3)	21.7	(0.41)	9.7	(0.52)	45	(1.9)	20.0	(0.37)
2 and over	3953	52	(1.3)	20.4	(0.26)	4.9	(0.28)	24	(1.2)	21.1	(0.34)	9.4	(0.47)	45	(1.8)	19.6	(0.28)
Males and Females:																	
2 - 19	3132	48	(1.4)	22.1	(0.51)	4.8	(0.48)	22	(1.7)	23.9	(1.03)	10.0	(0.82)	42	(2.0)	20.4	(0.35)
20 and over	4801	56	(1.4) (1.3)	26.1	(0.31) (0.32)	6.7	(0.33)	26	(1.7)	27.4	(0.51)	12.1	(0.52) (0.51)	44	(1.5)	24.5	(0.61)
2 and over	7933	54	(1.2)	25.1	(0.32) (0.29)	6.2	(0.34)	25	(1.2)	26.6	(0.54)	11.6	(0.51)	44	(1.4)	23.3	(0.49)
2 and 0 (01	.,,,,	٥.	(1.2)	1 -21	(0.27)	0.2	(0.51)	23	(1.2)	_0.0	(0.01)	11.0	(0.55)	• • •	(2.1)	_0.0	(0)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

							Vita	miı	n B	6						
					-All Indi	viduals	2			——All R	estaurar	ıt Consu	mers ³ —	N	lon-cor	isumers ⁴
Gender and age	Sample Size	Pero Repor		Total Intake		e from staurants	Percentag All Rest	ges from ⁶ aurants		otal take		te from staurants	Percentag All Rest	es from ⁶ aurants		otal ake
(years)		%	(SE)	mg (SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:				1				1						1		
2 - 5	411	43	(5.6)	1.44 (0.049)	0.13	(0.028)	9	(1.9)	1.41	(0.074)	0.31	(0.053)	22	(3.3)	1.46	(0.064)
6 - 11		38	(3.1)	1.76 (0.050)		(0.019)	9	(1.2)		(0.062)		(0.028)	25	(2.1)		(0.064)
12 - 19	585	56	(3.7)	2.51 (0.148)	0.55	(0.099)	22	(3.6)	2.73	(0.252)	0.99	(0.121)	36	(3.9)	2.23	(0.165)
20 - 39	882	67	(1.9)	2.83 (0.064)	0.80	(0.060)	28	(2.0)	2.88	(0.113)	1.20	(0.080)	42	(1.9)	2.71	(0.147)
40 - 59	756	56	(2.6)	2.65 (0.131)		(0.032)	18	(1.4)		(0.096)		(0.055)	35	(1.9)		(0.251)
60 and over		51	(2.1)	2.30 (0.087)		(0.018)	16	(0.9)		(0.084)		(0.031)	32	(1.4)		(0.134)
2 - 19	1586	47	(1.9)	2.02 (0.060)	0.33	(0.049)	16	(2.2)	2.19	(0.159)	0.70	(0.085)	32	(2.9)	1 88	(0.056)
20 and over	2394	59	(1.9)	2.63 (0.053)		(0.040)	22	(1.6)		(0.061)		(0.048)	38	(1.4)		(0.130)
2 and over	3980	56	(1.7)	2.47 (0.043)		(0.038)	21	(1.5)		(0.070)		(0.052)	37	(1.4)		(0.103)
Females:																
2 - 5	423	38	(4.7)	1.39 (0.051)	0.11	(0.021)	8	(1.6)	1.26	(0.090)	0.29	(0.031)	23	(1.8)	1.46	(0.064)
6 - 11		46	(4.6)	1.64 (0.090)		(0.034)	14	(2.1)		(0.099)		(0.046)	29	(2.8)		(0.137)
12 - 19	567	57	(3.4)	1.53 (0.060)		(0.038)	22	(2.7)		(0.054)		(0.057)	41	(3.6)		(0.086)
20 - 39	832	61	(3.2)	1.97 (0.062)	0.48	(0.053)	24	(2.7)	1 95	(0.084)	0.78	(0.070)	40	(3.3)	2.00	(0.075)
40 - 59		53	(2.6)	1.66 (0.036)		(0.018)	20	(1.3)		(0.073)		(0.033)	38	(2.3)		(0.066)
60 and over	745	43	(3.1)	1.65 (0.057)		(0.022)	15	(1.3)		(0.068)		(0.034)	35	(2.2)		(0.067)
2 - 19	1546	49	(1.8)	1.53 (0.038)	0.25	(0.018)	16	(1.0)	1 49	(0.048)	0.51	(0.035)	34	(2.2)	1 58	(0.051)
20 and over	2407	53	(1.5)	1.76 (0.038)		(0.022)	20	(1.1)		(0.051)		(0.035)	38	(1.8)		(0.040)
2 and over	3953	52	(1.3)	1.71 (0.032)		(0.020)	19	(1.0)		(0.038)		(0.032)	37	(1.8)		(0.035)
Males and Females:																
2 - 19	3132	48	(1.4)	1.79 (0.032)	0.29	(0.031)	16	(1.5)	1 84	(0.072)	0.61	(0.054)	33	(2.2)	1 73	(0.039)
20 and over	4801	56	(1.3)	2.19 (0.040)		(0.025)	21	(1.1)		(0.043)		(0.034)	38	(1.4)		(0.037) (0.081)
2 and over	7933	54	(1.2)	2.09 (0.030)		(0.025)	20	(1.1)		(0.041)		(0.037)	37	(1.4)		(0.063)
2 4110 3 701111	.,,,,	٠,	(1.2)	1 2.05 (0.000)	J	(3.020)	_0	(1.1)		(0.0.1)	0.70	(3.00.)		(2)		(3.000)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Folate (DFE) -All Individuals ²-—All Restaurant Consumers ³ ——— Non-consumers 4 Gender Sample Total Total Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) % (vears) (SE) (SE) (SE) (SE) (SE) (SE) (SE) μg μg ug μg μg Males: 411 444 2 - 5..... 43 419 (13.9) (8.7)10 385 (15.5)96 (12.0) 25 (2.9)(20.5)(5.6)41 (2.1)38 590 557 (21.9) 63 (8.7)11 168 (18.2) 30 555 6 - 11..... (3.1)(1.4)560 (31.9)(2.2)(24.7)585 56 687 (21.4) 25 39 12 - 19..... (3.7)168 (24.6) (3.9)762 (37.3)301 (29.8)(4.3)591 (31.5)882 30 309 724 20 - 39..... 67 (1.9)683 (19.9)206 (12.9)(1.7)663 (20.8)(17.9)47 (2.2)(36.1)756 56 639 (8.8)245 (15.7)36 599 (46.2)40 - 59..... (2.6)(29.7)136 21 (1.7)671 (32.1)(2.5)60 and over..... 756 51 (2.1)617 (35.4) 99 (4.5)16 (1.0)609 (36.6)192 (8.6)32 (2.0)624 (45.8) 2 - 19..... 1586 47 (1.9)585 (12.8)105 (12.8)18 (2.1)633 (19.8)225 (21.9)35 (3.2)542 (14.8)20 and over... 2394 59 651 154 (8.2)24 261 (11.0)40 645 (22.8)(1.9)(9.6)(1.3)655 (12.4)(1.5)3980 253 (11.4) 39 2 and over... 56 (1.7)633 (8.5)141 (8.0)22 (1.3)650 (10.2)(1.6)613 (19.5) Females: 2 - 5..... 423 38 (4.7)415 (12.7) 36 (7.5)387 (21.9)95 (12.5) 25 (3.4)431 (17.6)(1.8)520 (11.0)14 29 483 6 - 11..... 556 46 75 564 (40.1)163 (13.9)(4.6)(28.1)(1.9)(2.5)(28.7)567 57 453 (7.0)23 181 (14.6) 43 500 12 - 19..... (3.4)(26.6)103 (1.8)417 (19.7) (2.5)(38.4)20 - 39..... 832 61 528 (19.5) 126 (9.9)24 504 208 (10.5)41 565 (3.2)(2.1)(17.2)(1.9)(41.5)830 53 485 (12.3) 95 20 180 37 40 - 59..... (2.6)(6.4)(1.6)488 (22.5)(10.0)(2.5)481 (24.1)745 43 461 (16.1) 15 60 and over..... (3.1)(7.2)(1.3)480 (24.8)161 (11.2) 34 (2.1)447 (19.5)2 - 19..... 1546 49 (1.8)466 (12.0) 79 (4.4)17 (0.7)456 (17.6)161 (10.7)35 (1.9)475 (14.5)20 and over... 2407 53 493 (10.9)99 (4.8)20 493 (15.3)187 (8.1)38 494 (20.6)(1.5)(1.1)(1.6)2 and over... 3953 52 487 94 (3.7)19 (0.8)484 (12.6) 181 37 489 (1.3)(9.7)(6.5)(1.4)(16.6)Males and Females: 2 - 19..... 3132 48 527 (8.4)93 (7.4)18 545 (14.4) 193 (13.2)35 (2.0)510 (10.4)(1.4)(1.3)4801 570 (5.4)22 225 (8.7)39 562 20 and over... 56 (1.3)(8.7)126 (1.0)576 (11.4)(18.4)(1.4)548 (15.3) 7933 21 218 38 2 and over... (1.2)559 (7.2)117 (5.1)(0.9)569 (9.8)(8.6)(1.3)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

								C h	oli	n e							
						-All Indi	viduals	2			—All R	estauran)	t Consu	mers ³ —	<u> </u>	Von-con	sumers 4
Gender and age	Sample Size	Pero Repor		To Inta	otal ake		e from taurants	Percentag All Rest			otal ake		e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:				l					ı						ı		
2 - 5	411	43	(5.6)	230	(7.8)	23	(4.2)	10	(1.8)	222	(14.9)	55	(6.7)	25	(1.9)	236	(13.0)
6 - 11	590	38	(3.1)	262	(5.9)	29	(3.1)	11	(1.2)	266	(8.4)	78	(4.4)	29	(1.7)	260	(8.1)
12 - 19	585	56	(3.7)	353	(14.7)	104	(22.3)	29	(5.8)	380	(28.1)	186	(31.9)	49	(6.4)	318	(18.8)
20 - 39	882	67	(1.9)	400	(9.9)	128	(6.1)	32	(2.0)	395	(11.1)	192	(6.3)	49	(1.9)	410	(21.2)
40 - 59	756	56	(2.6)	420	(14.1)	96	(6.9)	23	(1.6)	419	(16.6)	172	(11.4)	41	(2.4)	421	(17.6)
60 and over	756	51	(2.1)	378	(8.7)	79	(4.3)	21	(1.1)	406	(14.1)	154	(8.9)	38	(2.2)	349	(8.4)
2 - 19	1586	47	(1.9)	296	(6.2)	61	(10.3)	21	(3.3)	318	(18.2)	131	(19.8)	41	(4.5)	276	(9.3)
20 and over	2394	59	(1.9)	402	(7.0)	104	(5.4)	26	(1.5)	406	(8.3)	177	(5.8)	44	(1.5)	397	(11.4)
2 and over	3980	56	(1.7)	374	(5.8)	93	(5.9)	25	(1.7)	387	(7.6)	167	(8.0)	43	(2.0)	359	(11.2)
Females:																	
2 - 5	423	38	(4.7)	211	(7.6)	22	(4.7)	10	(2.3)	199	(11.5)	58	(7.3)	29	(2.9)	219	(9.7)
6 - 11		46	(4.6)	232	(7.0)	39	(5.2)	17	(2.2)	228	(10.0)	85	(6.5)	37	(2.0)	234	(7.4)
12 - 19	567	57	(3.4)	234	(12.5)	64	(5.8)	27	(3.3)	231	(8.4)	112	(8.3)	49	(3.0)	239	(21.0)
20 - 39	832	61	(3.2)	280	(5.4)	81	(7.6)	29	(2.4)	289	(8.6)	134	(8.9)	46	(2.3)	264	(7.7)
40 - 59	830	53	(2.6)	269	(7.4)	62	(3.9)	23	(1.5)	276	(9.3)	119	(7.6)	43	(2.2)	262	(10.0)
60 and over	745	43	(3.1)	265	(6.2)	52	(5.0)	20	(1.7)	279	(17.2)	120	(8.8)	43	(2.3)	255	(8.9)
2 - 19	1546	49	(1.8)	228	(5.1)	47	(2.7)	20	(1.2)	225	(5.6)	95	(5.1)	42	(1.8)	232	(6.6)
20 and over	2407	53	(1.5)	272	(4.0)	66	(3.7)	24	(1.1)	282	(6.5)	125	(5.9)	44	(1.5)	260	(4.2)
2 and over	3953	52	(1.3)	261	(3.3)	61	(3.1)	24	(1.0)	269	(5.2)	118	(4.7)	44	(1.4)	253	(3.3)
Males and Females:																	
2 - 19	3132	48	(1.4)	263	(3.8)	54	(5.6)	21	(2.1)	271	(9.2)	113	(10.5)	42	(2.8)	255	(6.4)
20 and over	4801	56	(1.3)	335	(3.7)	85	(3.3)	25	(1.1)	346	(3.7)	152	(4.2)	44	(1.2)	322	(7.3)
2 and over	7933	54	(1.2)	317	(2.8)	77	(3.5)	24	(1.2)	329	(3.4)	143	(5.2)	43	(1.5)	303	(6.6)
2 4110 3 (61.11	.,,,,		()	1 '	(2.0)	.,	(5.5)		(/	C_7	(5)	1.0	(5.2)	.5	(2.0)	200	(0.0)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Vitamin B12 –All Individuals 2— —All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Percent Total Total Total Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) (SE) μg (SE) % (SE) (years) (SE) μg (SE) μg (SE) μg μg Males: 411 0.34 (0.058) 0.80(0.089)5.09 (0.271) 2 - 5..... 43 (5.6)4.55 (0.210) (1.5)3.81 (0.193) 21 (2.3)6 - 11..... 38 590 5.28 (0.167) 0.54 (0.082) 10 5.23 (0.171) 1.43 (0.132) 27 5.31 (0.295) (3.1)(1.6)(2.3)585 56 24 38 12 - 19..... (3.7)7.24 (0.542) 1.72 (0.292) (3.2)8.15 (0.940) 3.07 (0.386) (3.0)6.08 (0.582) 882 6.64 (0.247) 2.10 (0.227) 32 6.81 (0.392) 3.16 (0.306) 46 6.30 (0.384) 20 - 39..... 67 (1.9)(2.7)(2.7)756 56 6.10 (0.356) 1.23 (0.064) 20 6.01 (0.352) 2.22 (0.138) 37 (2.2)6.21 (0.477) 40 - 59..... (2.6)(1.3)60 and over..... 756 51 (2.1)7.95 (1.840) 1.14 (0.127) 14 (3.9)10.00*(3.650) 2.22 (0.287) 22* (8.8)5.78 (0.359) 2 - 19..... 1586 47 (1.9)6.00 (0.263) 1.02 (0.130) 17 (1.9)6.51 (0.562) 2.18 (0.237) 33 (2.0)5.54 (0.256) 20 and over... 2394 59 (1.9)6.75 (0.486) 1.54 (0.106) 23 (2.2)7.20 (0.831) 2.63 (0.158) 36 6.12 (0.226) (4.8)3980 1.41 (0.098) 7.05 (0.711) 5.94 (0.198) 2 and over... 56 (1.7)6.56 (0.395) 21 (1.9)2.53 (0.153) 36 (4.0)Females: 2 - 5..... 423 38 0.29 (0.064) 3.88 (0.268) 0.77 (0.102) 4.28 (0.213) (4.7)4.13 (0.169) 20 (2.0)(1.5)6 - 11..... 12 4.34 (0.233) 556 46 4.40 (0.175) 0.54(0.070)4.45 (0.200) 1.17 (0.104) 26 (4.6)(1.7)(2.7)567 57 0.96 (0.155) 23 3.92 (0.123) 1.69 (0.224) 43 4.36 (0.268) 12 - 19..... (3.4)4.11 (0.153) (3.6)(4.9)20 - 39..... 832 61 4.59 (0.142) 1.39 (0.192) 30 4.73 (0.232) 2.29 (0.234) 48 4.39 (0.274) (3.2)(3.9)(3.7)830 53 3.96 (0.180) 0.77 (0.069) 19 3.90 (0.154) 1.46 (0.110) 38 4.03 (0.284) 40 - 59..... (2.6)(1.9)(2.6)745 43 17 39 60 and over..... (3.1)4.00 (0.161) 0.67 (0.073) (1.7)4.02 (0.263) 1.55 (0.133) (3.0)3.99 (0.155) 2 - 19..... 1546 49 (1.8)4.21 (0.094) 0.68 (0.078) 16 (1.6)4.08 (0.087) 1.37 (0.153) 34 (3.3)4.33 (0.134) 20 and over... 2407 53 (1.5)4.19 (0.100) 0.96 (0.088) 23 (1.8)4.26 (0.153) 1.81 (0.139) 43 (2.2)4.12 (0.114) 2 and over... 3953 52 4.20 (0.087) 0.89 (0.081) 21 (1.6)4.22 (0.131) 1.71 (0.130) 41 (2.2)4.17 (0.100) (1.3)Males and Females: 2 - 19..... 3132 48 (1.4)5.12 (0.154) 0.85 (0.090) 17 (1.4)5.29 (0.296) 1.77 (0.163) 34 (1.9)4.97 (0.170) 4801 56 5.44 (0.212) 1.24 (0.060) 23 5.77 (0.409) 2.23 (0.090) 39 5.03 (0.168) 20 and over... (1.3)(1.5)(3.4)38 2 and over... 7933 5.36 (0.177) 21 5.66 (0.355) 2.13 (0.092) (1.2)1.14 (0.059) (1.3)(2.8)5.01 (0.142)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

m Percentages from	
ants All Restaurants	***
	s Intake
E) % (SE)	mg (SE)
	1
33) 11* (1.5)	93.0 (8.57)
77) 16 (1.8)	
26) 28 (4.0)	
39) 38 (2.6)	112.1 (23.84)
93) 32 (3.5)	
12) 22 (1.6)	` ′
14) 20 (2.3)	100.1 (14.29)
95) 33 (1.9)	
40) 30 (1.8)	` '
30) 14 (2.7)	81.0 (4.98)
	` ′
, , ,	` '
18) 29 (3.0)	86.2 (5.25)
, , ,	` ′
33) 23 (2.8)	75.3 (4.06)
	` ′
34) 22 (1.8)	88.3 (7.56)
, , ,	i i
, , ,	
.5 .2 .1 .8 .1 .7 .2	25) 26 (4.6) 18) 29 (3.0) 85) 24 (2.8) 11) 26 (1.5) 33) 23 (2.8) 77) 27 (2.0) 22) 26 (1.4) 34) 22 (1.8)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Cender and age Sample Percent Reporting Size Reporting Size Reporting Size Reporting Size Reporting Size Reporting Size Siz	es from ⁶ Total
and age Size Reporting 5 Intake All Restaurants All Restaurants Intake All Restaurants All Restaurants (years) % (SE) μg (SE) μg (SE) % (SE) μg (SE) μg (SE) μg (SE) μg (SE) μg (SE) μg (SE) % Males: 2 - 5	aurants Intake
Males: 2 - 5	(SE) μg (SE)
2 - 5	
2 - 5	1
6 - 11	(1.8) 8.1 (0.65)
12 - 19 585 56 (3.7) 6.9 (0.46) 1.0* (0.40) 14* (5.6) 7.1 (0.72) 1.8* (0.66) 25* 20 - 39 882 67 (1.9) 5.2 (0.27) 1.1 (0.18) 21 (3.2) 4.7 (0.33) 1.6 (0.26) 34 40 - 59 756 56 (2.6) 5.7 (0.39) 0.9* (0.28) 16 (4.4) 5.5 (0.78) 1.6* (0.54) 30	(1.6) 6.9 (0.30)
40 - 59	(8.2) 6.8 (0.45)
40 - 59	(3.8) 6.1 (0.57)
60 and over 756 51 (2.1) 5.4 (0.21) 0.7 (0.15) 13 (2.5) 5.5 (0.35) 1.4 (0.29) 25	(7.5) 6.0 (0.32)
	(4.3) 5.4 (0.24)
2 - 19	(5.1) 7.1 (0.28)
20 and over 2394 59 (1.9) 5.5 (0.20) 0.9 (0.13) 17 (2.2) 5.2 (0.29) 1.6 (0.24) 30	(3.7) 5.9 (0.14)
2 and over 3980 56 (1.7) 5.8 (0.18) 0.8 (0.11) 14 (1.8) 5.4 (0.25) 1.5 (0.21) 27	(3.2) 6.3 (0.15)
Females:	
2 - 5	(3.4) 6.3 (0.28)
6-11	(2.3) 5.8 (0.37)
12 - 19	(3.9) 4.9 (0.50)
20 - 39	(3.2) 4.4 (0.36)
40 - 59	(2.4) 4.2 (0.28)
60 and over 745 43 (3.1) 4.3 (0.20) 0.4 (0.06) 9 (1.4) 3.9 (0.28) 0.8 (0.11) 21	(2.5) 4.6 (0.29)
2-19	(1.5) 5.6 (0.20)
20 and over 2407 53 (1.5) 3.9 (0.12) 0.5 (0.04) 13 (1.2) 3.6 (0.09) 1.0 (0.07) 27	(2.0) 4.4 (0.21)
2 and over 3953 52 (1.3) 4.2 (0.10) 0.5 (0.04) 11 (1.0) 3.8 (0.09) 0.9 (0.06) 25	(1.7) 4.7 (0.18)
Males and Females:	
2-19	(3.2) 6.4 (0.20)
20 and over 4801 56 (1.3) 4.7 (0.14) 0.7 (0.07) 15 (1.3) 4.4 (0.16) 1.3 (0.12) 29	` '
2 and over 7933 54 (1.2) 5.0 (0.12) 0.7 (0.06) 13 (1.1) 4.6 (0.12) 1.2 (0.11) 26	(2.3) 5.0 (0.17)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Vitamin E (alphatocopherol) -All Individuals 2-—All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Total Total Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants Intake All Restaurants All Restaurants % (SE) (SE) % (vears) (SE) (SE) (SE) (SE) (SE) (SE) mg mg mg mg mg Males: 2 - 5..... 411 43 (0.10)11 5.8 (0.41)1.5 (0.13)26 5.4 (0.25)(5.6)5.6 (0.18)0.6 (1.8)(2.9)38 590 7.5 0.8 (0.08)11 7.1 2.1 30 7.8 6 - 11..... (3.1)(0.29)(1.2)(0.42)(0.15)(2.2)(0.38)585 56 12 - 19..... (3.7)9.4 (0.42)2.3 (0.36)(3.5)9.7 (0.63)4.0 (0.42)42 (3.2)9.0 (0.86)882 (0.18)40 20 - 39..... 67 (1.9)11.0 (0.22)3.0 27 (1.7)11.1 (0.29)4.4 (0.22)(2.2)10.7 (0.55)756 56 10.2 (0.13)20 (1.2)10.3 (0.26)35 10.0 40 - 59..... (2.6)(0.37)2.0 (0.47)3.6 (2.3)(0.39)32 60 and over..... 756 51 (2.1)9.5 (0.44)1.6 (0.10) 16 (1.3)9.4 (0.30)3.0 (0.15)(1.7)9.7 (0.66)2 - 19..... 1586 47 (1.9)7.9 (0.25)1.4 (0.18)18 (2.1)8.2 (0.48)3.0 (0.32)37 (2.8)7.7 (0.39)20 and over... 2394 59 10.3 (0.23)2.3 (0.13)22 10.5 (0.26)3.9 (0.18)37 10.1 (0.28)(1.9)(1.3)(1.6)3980 9.7 2.0 (0.13) 37 2 and over... 56 (1.7)(0.21)21 (1.3)10.0 (0.23)3.7 (0.18)(1.7)9.4 (0.26)Females: 2 - 5..... 423 0.6 (0.11) 38 5.4 (0.18)10 (2.0)5.4 (0.34)1.5 (0.17)27 (2.9)5.4 (0.22)(4.7)37 6 - 11..... 556 46 6.5 1.2 (0.17)18 2.5 (0.20)6.3 (0.37)(4.6)(0.23)(2.6)(0.25)(2.8)567 57 1.6 (0.10) 23 41 12 - 19..... (3.4)6.7 (0.38)(2.1)6.8 (0.51)2.8 (0.18)(3.1)6.6 (0.45)20 - 39..... 3.2 832 61 8.0 1.9 (0.19)24 7.9 (0.39)(0.22)40 8.2 (0.34)(3.2)(0.27)(2.2)(2.2)830 53 7.7 20 2.9 37 7.6 40 - 59..... (2.6)(0.26)1.5 (0.09)(1.7)7.8 (0.19)(0.12)(1.9)(0.46)745 35 60 and over..... 43 (3.1)7.4 (0.27)1.2 (0.11)16 (1.2)7.7 (0.41)2.7 (0.12)(2.1)7.1 (0.41)2 - 19..... 1546 49 (1.8)6.4 (0.17)1.2 (0.06)19 (0.9)6.5 (0.31)2.5 (0.13)38 (2.1)6.2 (0.20)20 and over... 2407 53 7.7 (0.18)1.6 (0.07)20 7.8 (0.18)3.0 (0.10)38 7.6 (0.28)(1.5)(1.0)(1.1)2 and over... 3953 52 7.4 (0.13) 1.5 (0.06) 20 7.5 (0.13)2.8 (0.08)38 7.3 (0.19)(1.3)(0.8)(1.1)Males and Females: 2 - 19..... 3132 48 7.2 (0.15) 1.3 (0.11)18 7.4 (0.22)2.7 (0.19)37 (2.0)7.0 (0.26)(1.4)(1.3)4801 9.0 (0.09)21 37 20 and over... 56 (1.3)(0.16)1.9 (0.9)9.2 (0.17)3.4 (0.12)(1.3)8.8 (0.19)7933 8.5 21 8.8 37 8.3 2 and over... (1.2)(0.14)1.8 (0.08) (0.9)(0.16)3.3 (0.12) (1.3)(0.17)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 *(continued)*

							Vit	a m i	n K					
					—All Indi	viduals	2		All	Restauran	t Consu	umers ³ —	 i	Non-consumers ⁴
Gender and age	Sample Size	Pero Repor		Total Intake		e from taurants	Percentag All Resta	es from ⁶ aurants	Total Intake		e from staurants	Percentag All Rest	ges from ⁶ aurants	Total Intake
(years)		%	(SE)	μg (SE)	μg	(SE)	%	(SE)	μg (SE)	μg	(SE)	%	(SE)	μg (SE)
Males:				I				ĺ					ĺ	
2 - 5	411	43	(5.6)	48.5 (2.65)	5.6	(0.88)	12	(2.1)	46.4 (3.59)	13.2	(1.24)	29	(3.2)	50.0 (3.92)
6 - 11	590	38	(3.1)	70.3 (5.46)		(1.06)	11	(1.8)	64.1 (7.23)		(1.96)	32	(4.6)	74.0 (7.24)
12 - 19	585	56	(3.7)	81.3 (6.55)	25.1	(5.07)	31	(6.1)	80.6 (5.84)	44.8	(6.73)	56	(5.2)	82.1 (13.12)
20 - 39	882	67	(1.9)	118.4 (7.00)	46.1	(5.98)	39	(4.4)	122.2 (7.68)	69.3	(8.13)	57	(4.5)	110.9 (13.15)
40 - 59	756	56	(2.6)	128.7 (6.73)		(5.94)	29	(3.9)	138.6 (11.11)		(10.98)	48	(5.3)	116.3 (9.91)
60 and over	756	51	(2.1)	185.0*(60.44)			14*	(5.2)	114.0 (10.96)			43	(2.6)	260.2(130.18)
2 - 19	1586	47	(1.9)	70.4 (2.67)	15.0	(2.51)	21	(3.5)	69.4 (4.49)	32.1	(4.64)	46	(4.3)	71.3 (5.92)
20 and over	2394	59	(1.9)	138.4 (16.29)		(2.31) (3.80)	27	(3.6)	126.3 (5.69)		(6.01)	51	(3.1)	155.6 (40.61)
2 and over	3980	56	(1.7)	120.7 (11.99)		(3.12)	26	(3.2)	113.8 (4.74)		. ,	50	(3.0)	129.3 (26.91)
Females:														
2 - 5	423	38	(4.7)	51.9 (3.34)	4.5	(0.75)	9	(1.5)	45.8 (3.74)	11.8	(1.02)	26	(2.3)	55.7 (4.54)
6 - 11	556	46	(4.6)	63.1 (3.07)		(0.73) (2.13)	18	(3.1)	61.8 (3.86)		(3.60)	40	(4.9)	64.2 (5.07)
12 - 19	567	57	(3.4)	65.9 (6.14)		(2.64)	33	(2.8)	66.3 (6.92)		(5.49)	57	(4.3)	65.3 (6.76)
20 - 39	832	61	(3.2)	113.0 (8.90)	27.5	(3.49)	24	(2.6)	107.6 (9.17)	45.1	(4.70)	42	(4.4)	121.4 (13.21)
40 - 59	830	53	(2.6)	129.3 (12.35)		(3.49)	23	(3.2)	128.4 (13.72)		(6.96)	45	(5.3)	130.4 (15.04)
60 and over	745	43	(3.1)	122.1 (8.62)		(3.58)	19	(2.9)	134.3 (15.85)		(7.20)	39	(5.4)	112.7 (8.60)
				Ì					,					,
2 - 19	1546	49	(1.8)	61.9 (3.20)		(1.27)	23	(1.5)	61.5 (4.19)		(2.78)	48	(2.6)	62.3 (3.68)
20 and over	2407	53	(1.5)	121.7 (7.26)			22	(1.4)	121.4 (7.76)		(3.15)	42	(2.8)	122.0 (8.54)
2 and over	3953	52	(1.3)	107.3 (5.66)	24.2	(1.36)	23	(1.2)	107.7 (5.92)	46.4	(2.31)	43	(2.6)	106.8 (6.63)
Males and Females:														
2 - 19	3132	48	(1.4)	66.3 (2.54)	14.8	(1.39)	22	(1.8)	65.4 (3.21)	30.8	(2.63)	47	(2.4)	67.0 (3.54)
20 and over	4801	56	(1.3)	129.8 (8.47)		(2.51)	25	(1.9)	123.9 (5.43)		(4.25)	47	(2.7)	137.3 (18.40)
2 and over	7933	54	(1.2)	113.9 (6.61)	27.9	(2.00)	24	(1.8)	110.8 (4.28)	51.8	(3.50)	47	(2.6)	117.5 (13.04)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 *(continued)*

								C a	lci	u m							
						-All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	i	Non-con	isumers ⁴
Gender and age	Sample Size	Pero Repor		To Inta	otal ake		e from taurants	Percentag All Rest		To Inta	otal ake	Intake All Res	e from taurants	Percentag All Rest			otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:				I					1						1		
2 - 5	411	43	(5.6)	1062	(58.7)	79	(13.5)	7	(1.4)	921	(58.3)	185	(13.0)	20	(1.2)	1167	(68.1)
	590	38	(3.1)	1137	(29.0)	112	(14.2)	10	(1.3)	1144	(34.8)	297	(26.3)	26	(1.8)	1132	(35.0)
	585	56	(3.7)	1311	(48.3)	326	(59.4)	25	(4.5)	1429	(102.6)	583	(86.1)	41	(5.2)	1161	(60.2)
20 - 39	882	67	(1.9)	1210	(46.6)		(30.1)	30	(2.4)	1183	(49.3)	545	(39.6)	46	(2.1)	1264	(117.5)
40 - 59	756	56	(2.6)	1109	(40.6)		(11.4)	21	(1.2)	1126	(47.8)	415	(18.1)	37	(1.7)	1088	(59.9)
60 and over	756	51	(2.1)	978	(25.5)		(11.6)	15	(1.1)	981	(27.9)	285	(16.0)	29	(1.4)	974	(39.9)
2 - 19	1586	47	(1.9)	1198	(29.1)	200	(27.0)	17	(2.2)	1252	(62.4)	427	(53.3)	34	(3.5)	1151	(35.1)
20 and over	2394	59	(1.9)	1116	(20.9)	261	(17.1)	23	(1.6)	1120	(30.0)	443	(22.1)	40	(1.5)	1110	(41.4)
2 and over	3980	56	(1.7)	1137	(21.2)	245	(18.1)	22	(1.6)	1149	(33.1)	440	(27.1)	38	(1.8)	1123	(34.1)
Females: 2 - 5	423	38	(4.7)	949	(26.3)	78	(18.3)	8	(1.9)	929	(53.8)	204	(29.4)	22	(2.5)	961	(39.7)
	556	46	(4.6)	1004	(37.5)	160	(27.8)	16	(2.7)	1022	(49.5)	346	(34.9)	34	(2.8)	988	(55.7)
	567	57	(3.4)	937	(28.8)	233	(22.0)	25	(2.3)	953	(29.4)	410	(27.6)	43	(3.0)	915	(52.8)
20 - 39	832	61	(3.2)	923	(30.4)	247	(21.8)	27	(2.2)	948	(37.8)	406	(24.5)	43	(2.3)	883	(38.6)
40 - 59	830	53	(2.6)	861	(16.4)	167	(12.6)	19	(1.4)	910	(26.8)	319	(18.5)	35	(1.9)	807	(29.1)
60 and over	745	43	(3.1)	809	(30.4)	112	(13.1)	14	(1.4)	815	(51.5)	258	(20.6)	32	(2.1)	804	(24.4)
2 - 19	1546	49	(1.8)	961	(17.0)	175	(11.5)	18	(1.1)	970	(20.8)	355	(21.0)	37	(2.0)	952	(23.8)
20 and over	2407	53	(1.5)	868	(16.5)	180	(11.6)	21	(1.3)	904	(23.9)	340	(17.6)	38	(1.7)	828	(20.0)
2 and over	3953	52	(1.3)	890	(12.9)	179	(9.3)	20	(1.0)	919	(20.3)	343	(13.9)	37	(1.5)	859	(16.7)
Males and Females: 2 - 19 20 and over 2 and over	3132 4801 7933	48 56 54	(1.4) (1.3) (1.2)	1082 989 1012	(20.5) (14.3) (13.8)	219	(15.2) (11.8) (11.4)	17 22 21	(1.4) (1.2) (1.2)	1111 1015 1036	(35.2) (19.0) (19.2)	391 393 393	(29.2) (17.3) (18.4)	35 39 38	(2.2) (1.4) (1.4)	1056 956 984	(22.6) (24.3) (21.2)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

P h o s p h o r u s –All Individuals ²– -All Restaurant Consumers 3 ----Non-consumers 4 Gender Sample Total Total Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants (SE) (SE) (vears) (SE) (SE) (SE) (SE) % (SE) (SE) mg mg mg mg mg Males: 2 - 5..... 1237 411 43 1172 (49.5) 126 (18.5) 1084 (36.4)297 27 (5.6)11 (1.9)(21.0)(1.9)(75.0)590 38 1347 (25.9) 166 (18.3) 12 443 (26.3) 33 1338 6 - 11..... (3.1)(1.4)1361 (33.6)(1.7)(29.9)585 56 1700 (55.7) 47 12 - 19..... (3.7)496 (82.5) (4.7)1878 (99.8)885 (105.5) (4.8)1474 (68.3)882 20 - 39..... 67 (1.9)1754 (40.6) 577 (35.2)33 (2.3)1738 (39.6)867 (44.2)50 (2.2)1786 (110.9) 756 56 1670 (54.2) (18.4)23 (68.0)701 (29.7)40 - 59..... (2.6)390 (1.2)1715 41 (2.0)1614 (60.6)60 and over..... 756 51 (2.1)1469 (25.8) 280 (15.2) 19 (1.0)1506 (28.9)544 (21.2) 36 (1.1)1429 (36.4)2 - 19..... 1586 47 (1.9)1467 (28.1)305 (39.8) 21 1582 (66.9)650 (73.1)41 1364 (38.7)(2.7)(3.6)20 and over... 2394 59 1653 (20.5)434 (24.1)26 1681 739 (28.0)44 1614 (43.7)(1.9)(1.6)(27.9)(1.7)3980 2 and over... 56 (1.7)1605 (18.8) 401 (25.5) 25 (1.7)1659 (29.0)720 (34.8) 43 (1.9)1536 (39.6) Females: 423 1072 (19.6) 305 1070 2 - 5..... 38 (4.7)116 (23.2) 11 1074 (55.2)(31.0)28 (2.1)(30.9)(2.1)1225 493 39 6 - 11..... 556 46 228 (33.4)19 1271 (32.0)1184 (4.6)(26.0)(2.6)(29.2)(2.3)(43.9)567 57 334 (29.9) 29 588 49 12 - 19..... (3.4)1162 (31.6) (3.0)1197 (28.1)(40.8)(3.5)1116 (53.2) 20 - 39..... 832 1276 (22.4) 378 (29.1)30 1302 (32.6)621 48 1236 61 (3.2)(2.1)(27.5)(1.9)(40.4)830 53 1187 (17.8) 272 23 1249 42 40 - 59..... (2.6)(14.3)(1.4)(23.1)519 (21.2)(1.8)1119 (33.8)745 43 1100 (24.2) 18 1144 (46.3) 60 and over..... (3.1)198 (18.5) (1.5)456 (27.8) 40 (2.1)1066 (26.1)2 - 19..... 1546 49 (1.8)1162 (11.1) 252 (13.7) 22 (1.2)1198 (17.1)511 (25.0)43 (2.0)1127 (16.4)20 and over... 2407 53 1194 (13.3) 288 (13.9) 24 1247 (20.3)545 (19.2)44 1135 (18.8)(1.5)(1.1)(1.4)2 and over... 3953 52 1186 (11.1) 279 (12.1) 24 1236 (17.1) 537 (17.5) 43 1133 (15.4) (1.3)(1.0)(1.4)Males and Females: 2 - 19..... 3132 48 (1.4)1318 (17.3) 279 (23.5) 21 1390 580 (42.0)42 (2.4)1251 (23.5)(1.8)(37.1)1418 (13.0) 359 (15.6) 25 1470 (21.1)44 1353 (25.9)20 and over... 4801 56 (1.3)(1.2)(18.5)645 (1.4)7933 1393 (10.4) 339 (16.1) 43 1324 (22.8) 2 and over... (1.2)(1.2)1452 (18.3) 630 (24.2) (1.5)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Magnesium –All Individuals 2— -All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Total Total Total Percent Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants (SE) (SE) (SE) % (vears) (SE) (SE) (SE) (SE) (SE) mg mg mg mg mg Males: 2 - 5..... 411 9 23 219 43 211 20 (3.4)201 (7.6)46 (9.7)(5.6)(5.2)(1.7)(4.6)(2.2)38 24 590 249 (2.3)10 238 (10.0)64 27 257 6 - 11..... (3.1)(6.9)(1.0)(3.8)(1.1)(8.3)585 56 309 22 121 37 12 - 19..... (3.7)(9.4)68 (10.3)(3.4)324 (15.2)(12.0)(3.4)290 (14.2)882 94 142 40 382 20 - 39..... 67 (1.9)366 (7.5)(5.3)26 (1.6)358 (11.3)(5.9)(1.7)(19.0)756 56 64 (3.5)18 (15.2)32 359 (15.5)40 - 59..... (2.6)361 (12.5)(1.0)363 116 (5.3)(1.5)60 and over..... 756 51 (2.1)334 (8.9)47 (3.0)14 (1.0)318 (6.5)91 (4.1)29 (1.3)352 (16.5)2 - 19..... 1586 47 (1.9)268 (5.1)43 (5.2)16 276 (10.7)91 (8.9)33 (2.5)260 (7.8)(1.9)20 and over... 2394 59 356 72 (4.0)20 351 (8.4)122 35 364 (11.3)(1.9)(6.5)(1.2)(4.3)(1.1)3980 2 and over... 56 (1.7)333 (5.5)64 (3.8)19 (1.2)335 (7.6)115 (4.6)34 (1.2)331 (9.9)Females: 423 38 204 8 207 2 - 5..... (4.7)(3.4)17 (3.5)198 (12.2)45 (4.7)23 (1.7)(7.2)(1.7)223 33 15 229 71 31 218 6 - 11..... 556 46 (4.5)(9.4)(4.6)(6.1)(2.0)(4.3)(1.7)(9.4)567 57 222 50 22 220 87 40 223 12 - 19..... (3.4)(5.7)(3.9)(2.0)(5.5)(5.2)(2.6)(8.1)20 - 39..... 832 61 282 65 (5.4)23 277 (10.6)106 38 289 (9.2)(3.2)(6.6)(1.8)(4.7)(1.9)830 53 277 48 17 92 34 280 40 - 59..... (2.6)(5.1)(2.9)(1.2)274 (7.2)(4.3)(1.7)(8.4)745 43 35 81 30 258 60 and over..... (3.1)261 (5.1)(3.8)13 (1.4)265 (11.7)(5.0)(2.1)(4.8)2 - 19..... 1546 49 (1.8)218 (3.2)37 (2.1)17 (0.9)219 (5.2)75 (3.4)34 (1.7)217 (4.9)20 and over... 2407 53 274 50 (2.7)18 273 (6.7)95 35 275 (1.5)(4.0)(1.0)(3.5)(1.4)(4.0)2 and over... 3953 52 261 47 (2.4)18 261 91 35 261 (1.3)(3.6)(0.9)(6.1)(3.2)(1.3)(3.3)Males and Females: 2 - 19..... 3132 48 244 40 (3.4)248 83 34 240 (5.2)(1.4)(2.8)16 (1.3)(6.5)(5.7)(1.8)4801 314 (2.8)19 109 35 316 20 and over... 56 (1.3)(5.0)61 (0.9)313 (6.5)(3.5)(1.1)(6.5)299 7933 297 19 34 294 2 and over... (1.2)(4.1)55 (2.7)(0.9)(5.8)103 (3.5)(1.1)(6.0)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

]	roı	1									
						–All Indi	viduals	2			All Restaurant Consumers ³						Non-consumers ⁴		
Gender and age	Sample Size	Percent Reporting ⁵		Total Intake			Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		otal ake		
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)		
Males:				ı					ı						1				
2 - 5	411	43	(5.6)	11.4	(0.38)	1.1	(0.20)	10	(1.9)	10.9	(0.45)	2.6	(0.26)	24	(2.2)	11.7	(0.60)		
6 - 11	590	38	(3.1)	15.5	(0.48)	1.6	(0.19)	11	(1.2)	14.8	(0.67)	4.4	(0.31)	29	(1.3)	15.9	(0.67)		
12 - 19	585	56	(3.7)	18.8	(0.51)	4.7	(0.69)	25	(4.0)	20.3	(0.93)	8.5	(0.78)	42	(4.3)	17.0	(0.78)		
20 - 39	882	67	(1.9)	18.6	(0.53)	5.6	(0.29)	30	(1.4)	17.9	(0.50)	8.4	(0.38)	47	(2.0)	20.2	(1.08)		
40 - 59	756	56	(2.6)	17.8	(0.68)	3.8	(0.21)	21	(1.2)	18.6	(0.79)	6.9	(0.35)	37	(2.0)	16.9	(0.80)		
60 and over	756	51	(2.1)	17.6	(0.69)	2.8	(0.11)	16	(0.9)	17.5	(0.60)	5.5	(0.26)	31	(1.7)	17.7	(0.91)		
2 - 19	1586	47	(1.9)	16.1	(0.31)	2.9	(0.35)	18	(2.2)	17.0	(0.52)	6.2	(0.60)	37	(3.2)	15.3	(0.48)		
20 and over	2394	59	(1.9)	18.1	(0.23)	4.2	(0.20)	23	(1.1)	18.1	(0.29)	7.2	(0.23)	40	(1.4)	18.1	(0.35)		
2 and over	3980	56	(1.7)	17.6	(0.17)	3.9	(0.20)	22	(1.2)	17.8	(0.24)	7.0	(0.26)	39	(1.5)	17.3	(0.30)		
Females:																			
2 - 5	423	38	(4.7)	11.5	(0.35)	1.0	(0.18)	8	(1.6)	10.9	(0.55)	2.5	(0.26)	23	(2.6)	11.9	(0.48)		
6 - 11	556	46	(4.6)	13.9	(0.66)	2.0	(0.27)	15	(1.8)	14.7	(0.85)	4.4	(0.29)	30	(1.9)	13.3	(0.76)		
12 - 19	567	57	(3.4)	12.0	(0.47)	2.8	(0.23)	23	(2.2)	11.4	(0.50)	4.9	(0.38)	43	(2.7)	12.8	(0.66)		
20 - 39	832	61	(3.2)	14.5	(0.26)	3.6	(0.28)	25	(2.0)	14.3	(0.48)	5.9	(0.28)	42	(1.8)	14.8	(0.56)		
40 - 59	830	53	(2.6)	13.4	(0.43)	2.6	(0.16)	19	(1.4)	13.1	(0.36)	5.0	(0.24)	38	(1.8)	13.8	(0.75)		
60 and over	745	43	(3.1)	12.6	(0.33)	1.9	(0.17)	15	(1.3)	12.8	(0.51)	4.4	(0.26)	34	(1.9)	12.4	(0.36)		
2 - 19	1546	49	(1.8)	12.5	(0.26)	2.1	(0.12)	17	(0.8)	12.3	(0.45)	4.3	(0.27)	35	(1.8)	12.7	(0.24)		
20 and over	2407	53	(1.5)	13.6	(0.20)	2.8	(0.12) (0.13)	20	(1.1)	13.5	(0.45)	5.2	(0.17)	39	(1.3)	13.6	(0.24) (0.39)		
2 and over	3953	52	(1.3)	13.3	(0.22)	2.6	(0.13)	20	(0.9)	13.2	(0.20)	5.0	(0.17)	38	(1.3)	13.4	(0.29)		
Males and Females:																			
2 - 19	3132	48	(1.4)	14.3	(0.21)	2.5	(0.22)	18	(1.4)	14.6	(0.32)	5.3	(0.38)	36	(2.1)	14.1	(0.26)		
20 and over	4801	56	(1.4) (1.3)	15.8	(0.21) (0.17)	3.5	(0.22) (0.13)	22	(0.9)	15.8	(0.32) (0.21)	6.2	(0.38) (0.17)	39	(1.2)	15.7	(0.28)		
2 and over	7933	54	(1.3) (1.2)	15.4	(0.17) (0.13)	3.2	(0.13) (0.13)	21	(0.9) (0.9)	15.6	(0.21) (0.16)	6.0	(0.17) (0.19)	39	(1.2)	15.2	(0.26)		
Z una Over	1755	Э т	(1.2)	I 15.4	(0.13)	5.2	(0.13)	21	(0.5)	15.0	(0.10)	0.0	(0.17)	37	(1.2)	10.2	(0.20)		

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

		Z i n c															
						-All Indi	viduals	2			—All R		Non-consumers ⁴				
Gender and age	Sample Size	Pero Repor	cent ting 5		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		otal ake
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)
Males:				ı					I						ĺ		
2 - 5	411	43	(5.6)	8.4	(0.36)	0.8	(0.18)	10	(2.4)	7.4	(0.40)	2.0	(0.27)	27	(3.0)	9.1	(0.59)
6 - 11	590	38	(3.1)	10.4	(0.32)	1.2	(0.10)	11	(1.1)	10.2	(0.41)	3.1	(0.15)	31	(1.3)	10.5	(0.44)
12 - 19	585	56	(3.7)	13.8	(0.54)	4.0	(0.61)	29	(4.2)	15.5	(1.00)	7.1	(0.81)	46	(4.5)	11.7	(0.56)
20 - 39	882	67	(1.9)	14.3	(0.36)	4.8	(0.28)	34	(1.8)	14.3	(0.47)	7.3	(0.30)	51	(1.9)	14.3	(0.56)
40 - 59	756	56	(2.6)	13.8	(0.65)	3.1	(0.16)	22	(1.3)	14.3	(0.68)	5.5	(0.25)	39	(2.2)	13.2	(0.83)
60 and over	756	51	(2.1)	12.5	(0.37)	2.3	(0.15)	18	(1.1)	12.8	(0.56)	4.5	(0.30)	35	(1.6)	12.2	(0.40)
2 - 19	1586	47	(1.9)	11.5	(0.25)	2.4	(0.30)	21	(2.5)	12.5	(0.61)	5.0	(0.55)	40	(3.3)	10.6	(0.30)
20 and over	2394	59	(1.9)	13.7	(0.27)	3.6	(0.18)	26	(1.4)	14.0	(0.37)	6.1	(0.21)	43	(1.5)	13.2	(0.40)
2 and over	3980	56	(1.7)	13.1	(0.24)	3.2	(0.18)	25	(1.4)	13.6	(0.35)	5.8	(0.22)	43	(1.6)	12.4	(0.35)
Females:																	
2 - 5	423	38	(4.7)	7.9	(0.29)	0.7	(0.13)	9	(1.7)	7.4	(0.51)	1.9	(0.18)	25	(2.1)	8.1	(0.28)
6 - 11	556	46	(4.6)	9.5	(0.37)	1.6	(0.21)	16	(2.3)	9.6	(0.44)	3.4	(0.23)	35	(2.6)	9.4	(0.56)
12 - 19	567	57	(3.4)	8.9	(0.37)	2.3	(0.27)	26	(3.2)	8.7	(0.38)	4.1	(0.37)	47	(3.4)	9.1	(0.50)
20 - 39	832	61	(3.2)	10.0	(0.22)	2.9	(0.25)	29	(2.3)	10.1	(0.26)	4.8	(0.28)	47	(2.6)	9.9	(0.38)
40 - 59	830	53	(2.6)	9.4	(0.19)	2.1	(0.16)	22	(1.8)	9.8	(0.28)	3.9	(0.24)	40	(2.2)	9.1	(0.29)
60 and over	745	43	(3.1)	8.8	(0.20)	1.5	(0.14)	17	(1.5)	9.0	(0.36)	3.4	(0.20)	38	(2.1)	8.6	(0.25)
2 - 19	1546	49	(1.8)	8.9	(0.19)	1.7	(0.12)	20	(1.3)	8.8	(0.29)	3.5	(0.24)	40	(2.4)	8.9	(0.18)
20 and over	2407	53	(1.5)	9.5	(0.12)	2.2	(0.14)	23	(1.4)	9.7	(0.21)	4.2	(0.20)	43	(1.7)	9.2	(0.14)
2 and over	3953	52	(1.3)	9.3	(0.11)	2.1	(0.12)	22	(1.2)	9.5	(0.19)	4.0	(0.18)	42	(1.6)	9.1	(0.12)
Males and Females:																	
2 - 19	3132	48	(1.4)	10.2	(0.20)	2.0	(0.18)	20	(1.7)	10.6	(0.41)	4.3	(0.32)	40	(2.3)	9.8	(0.15)
20 and over	4801	56	(1.3)	11.5	(0.15)	2.9	(0.12)	25	(1.1)	11.9	(0.19)	5.1	(0.16)	43	(1.4)	11.0	(0.24)
2 and over	7933	54	(1.2)	11.2	(0.13)	2.7	(0.12)	24	(1.1)	11.6	(0.20)	4.9	(0.16)	43	(1.4)	10.7	(0.20)
_ 4110 0 , 01111		٠.	(-· -)	1	(5.20)	,	(=:-=)		(/	- 1.0	(=.==)	,	(3.10)	.5	()	-0.,	()

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

		Соррег																
Gender and age						–All Indi	viduals	2			—All R	estauran	t Consu	mers ³ —	ers ³ — Non-consumers ⁴			
	Sample Size	Percent Reporting ⁵		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants			Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		otal ake	
(years)		%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	mg	(SE)	%	(SE)	mg	(SE)	
Males:				ı					1						I			
2 - 5	411	43	(5.6)	0.8	(0.02)	0.1	(0.01)	10	(1.8)	0.8	(0.03)	0.2	(0.02)	24	(2.5)	0.8	(0.03)	
6 - 11	590	38	(3.1)	1.1	(0.03)	0.1	(0.01)	9	(1.0)	1.0	(0.04)	0.3	(0.02)	26	(1.6)	1.1	(0.04)	
12 - 19	585	56	(3.7)	1.3	(0.05)	0.3	(0.05)	24	(3.7)	1.3	(0.06)	0.6	(0.06)	41	(3.6)	1.2	(0.09)	
20 - 39	882	67	(1.9)	1.5	(0.04)	0.4	(0.03)	27	(1.4)	1.5	(0.06)	0.6	(0.03)	40	(1.6)	1.5	(0.06)	
40 - 59	756	56	(2.6)	1.5	(0.05)	0.3	(0.01)	18	(0.9)	1.5	(0.07)	0.5	(0.02)	32	(1.5)	1.5	(0.05)	
60 and over	756	51	(2.1)	1.8	(0.32)	0.2	(0.03)	13	(3.0)		(0.63)	0.5	(0.06)	22*	(7.5)	1.5	(0.10)	
2 - 19	1586	47	(1.9)	1.1	(0.03)	0.2	(0.02)	17	(2.1)	1.1	(0.05)	0.4	(0.04)	35	(2.6)	1.1	(0.05)	
20 and over	2394	59	(1.9)	1.6	(0.09)	0.3	(0.02)	20	(1.3)	1.6	(0.05) (0.15)	0.5	(0.04)	33	(3.1)	1.5	(0.03) (0.04)	
2 and over	3980	56	(1.7)	1.5	(0.07)	0.3	(0.02)	19	(1.2)	1.5	(0.12)	0.5	(0.02)	33	(2.8)	1.4	(0.04)	
Females:																		
2 - 5	423	38	(4.7)	0.8	(0.03)	0.1	(0.01)	9	(1.7)	0.8	(0.07)	0.2	(0.02)	23	(1.6)	0.8	(0.03)	
6 - 11	556	46	(4.6)	0.9	(0.03)	0.1	(0.02)	15	(1.9)	1.0	(0.06)	0.3	(0.02)	31	(1.9)	0.9	(0.03)	
12 - 19	567	57	(3.4)	0.9	(0.05)	0.2	(0.03)	25	(3.0)	0.9	(0.06)	0.4	(0.05)	43	(3.4)	0.9	(0.04)	
20 - 39	832	61	(3.2)	1.2	(0.03)	0.3	(0.02)	22	(1.9)	1.2	(0.05)	0.4	(0.02)	36	(2.3)	1.2	(0.04)	
40 - 59	830	53	(2.6)	1.2	(0.03)	0.2	(0.01)	17	(1.2)	1.2	(0.03)	0.4	(0.02)	33	(1.8)	1.2	(0.05)	
60 and over	745	43	(3.1)	1.1	(0.02)	0.2	(0.02)	14	(1.4)	1.1	(0.06)	0.4	(0.03)	32	(2.5)	1.1	(0.03)	
2 - 19	1546	49	(1.8)	0.9	(0.02)	0.2	(0.02)	18	(1.5)	0.9	(0.04)	0.3	(0.03)	36	(2.3)	0.9	(0.01)	
20 and over	2407	53	(1.5)	1.2	(0.02)	0.2	(0.01)	18	(1.0)	1.2	(0.03)	0.4	(0.03)	34	(1.5)	1.2	(0.01)	
2 and over	3953	52	(1.3)	1.1	(0.02)	0.2	(0.01)	18	(0.9)	1.1	(0.02)	0.4	(0.01)	34	(1.4)	1.1	(0.02)	
Males and Females:																		
2 - 19	3132	48	(1.4)	1.0	(0.02)	0.2	(0.02)	18	(1.7)	1.0	(0.04)	0.4	(0.03)	36	(2.1)	1.0	(0.02)	
20 and over	4801	56	(1.3)	1.4	(0.05)	0.3	(0.01)	19	(0.8)	1.4	(0.08)	0.5	(0.01)	33	(2.1)	1.3	(0.02)	
2 and over	7933	54	(1.2)	1.3	(0.04)	0.2	(0.01)	19	(0.8)	1.3	(0.07)	0.4	(0.01)	34	(1.9)	1.2	(0.02)	
	.,		(/	1	(=)		(=-=-)	-/	(=:=)	0	(/		()		(/		(=-=-)	

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Selenium -All Individuals ²— -All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Total Total Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) μg (SE) (vears) (SE) (SE) (SE) (SE) % (SE) (SE) μg μg μg μg Males: 2 - 5..... 75.8 (1.73) 77.4 411 43 9.5 (1.61) 13 73.6 (2.68) 22.4 (2.06)30 (2.98)(5.6)(2.2)(2.1)38 590 100.0 (1.34) 14.3 (1.61) 14 102.2 37.9 (2.28)37 98.7 6 - 11..... (3.1)(1.6)(2.99)(2.1)(2.27)585 56 33 148.9 78.2 53 12 - 19..... (3.7)132.9 (3.46) 43.8 (6.68) (4.7)(6.19)(8.10)(4.3)112.6 (5.85)882 145.9 148.1 20 - 39..... 67 (1.9)146.6 (3.12) 51.5 (2.86)35 (2.2)(3.17)77.4 (3.59)53 (2.5)(7.77)756 56 137.0 (2.76)36.3 (1.93) 26 143.8 65.3 (3.59)45 128.6 40 - 59..... (2.6)(1.5)(5.62)(1.8)(5.12)60 and over..... 756 51 (2.1)117.3 (1.99) 25.5 (1.43) 22 (1.3)124.3 (2.85)49.6 (2.22) 40 (2.1)109.9 (2.38)2 - 19..... 1586 47 (1.9)109.5 (2.00)26.4 (3.36)24 (2.8)121.5 (5.19)56.4 (5.88)46 (3.4)98.8 (2.44)20 and over... 2394 59 135.9 (1.87) 39.5 (2.10) 29 (1.7)140.5 (2.02)67.2 (2.51)48 129.3 (3.59)(1.9)(1.8)3980 136.4 (1.65) 2 and over... 56 (1.7)129.0 (1.44) 36.1 (2.20) 28 (1.8)64.8 (2.93) 48 (1.9)119.8 (3.10) Females: 2 - 5..... 423 23.2 38 (4.7)74.0 (1.69) 8.8 (1.64) 12 (2.3)70.8 (4.03) (2.04)33 (2.3)75.9 (1.87)89.8 (3.13) 20 90.1 44 89.4 6 - 11..... 556 46 18.2 (2.48)39.4 (2.62)(3.01)(4.6)(2.6)(4.58)(2.1)567 57 30 52 87.6 (3.23) 12 - 19..... (3.4)89.7 (3.54) 27.2 (2.56) (2.8)91.2 (5.05) 47.8 (4.03)(2.9)20 - 39..... 832 101.9 (1.47) 32.6 (2.66) 32 104.6 (2.17)53.6 97.7 (2.16)61 (3.2)(2.5)(2.68)51 (2.5)830 53 91.8 (2.08) 25 40 - 59..... (2.6)23.3 (1.38) (1.7)96.7 (1.72)44.5 (2.41)46 (2.3)86.4 (3.69)745 43 20 93.5 (4.62) 60 and over..... (3.1)87.6 (2.24) 17.8 (1.75) (1.8)41.0 (3.22)44 (3.3)83.0 (2.17)2 - 19..... 1546 49 (1.8)86.2 (2.11) 20.2 (1.33) 23 (1.3)87.4 (3.34)41.0 (2.45)47 85.1 (1.69)(1.8)20 and over... 2407 53 94.1 (1.19)25.0 (1.31) 27 (1.3)99.2 (1.34) 47.3 (2.16)48 88.5 (1.71)(1.5)(1.9)2 and over... 3953 52 92.2 (0.99) 23.9 (1.10) 26 96.5 (1.18) 45.9 (1.77) 48 87.6 (1.27) (1.3)(1.1)(1.7)Males and Females: 2 - 19..... 3132 48 98.1 (1.59) 23.4 (2.08) 24 104.4 (3.12) 48.7 (3.58)47 (2.3)92.3 (1.51)(1.4)(1.9)4801 114.5 (1.46) (1.37)28 (2.08)48 107.0 20 and over... 56 (1.3)32.1 (1.3)120.4 (1.36)57.5 (1.7)(2.52)2 and over... 7933 110.4 (1.05) 29.9 (1.42) 116.8 (1.18) 48 102.9 (1.92) (1.2)(1.3)55.6 (2.19) (1.7)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Potassium –All Individuals ²– -All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Total Total Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) (SE) (SE) (vears) (SE) (SE) % (SE) (SE) mg mg mg mg mg Males: 2 - 5..... 411 43 2129 (61.2) 215 (38.6)10 2028 (67.5)505 25 2204 (115.2) (5.6)(1.9)(62.9)(2.9)38 590 2364 (57.3) 233 (22.8) 10 2305 (89.3) 621 (35.1) 27 2400 (71.5) 6 - 11..... (3.1)(1.0)(1.3)585 56 2971 (159.3) 12 - 19..... (3.7)2844 (82.9) 728 (114.4) 26 (4.2)1301 (132.8) 44 (4.0)2682 (204.4) 882 3128 (73.4) 3164 (183.7) 20 - 39..... 67 (1.9)961 (49.2) 31 (1.8)3110 (88.9) 1445 (59.7)46 (1.7)756 56 3315 (107.2) 676 (37.8) 20 (1.2)3327 (131.0) (59.2)37 3301 (116.8) 40 - 59..... (2.6)1216 (1.7)3208 (140.3) 60 and over..... 756 51 (2.1)3114 (71.2) 507 (29.8) 16 (1.0)3025 (57.3) 985 (40.3) 33 (1.0)2 - 19..... 1586 47 (1.9)2527 (39.2)451 (57.3)18 (2.3)2606 (109.0) 961 (97.6)37 (2.8)2458 (103.1) 20 and over... 2394 59 3195 (54.3)744 (39.1)23 3169 (60.3)1266 (46.1)40 3232 (92.1)(1.9)(1.3)(1.4)3980 3021 (47.8) 667 (38.5) 1199 39 2 and over... 56 (1.7)22 (1.4)3046 (56.4) (49.0)(1.4)2991 (90.3) Females: 2 - 5..... 423 2028 38 (4.7)1957 (57.0) 182 (36.8)(1.9)1842 (102.8) 477 (53.0)26 (2.2)(65.8)2093 15 2119 (71.6) 33 6 - 11..... 556 46 322 (45.1)697 (56.5)2071 (95.2)(4.6)(56.2)(2.2)(2.3)567 57 1998 (58.6) (39.8)25 43 1973 (100.0) 12 - 19..... (3.4)497 (2.4)2016 (40.3) 874 (49.6) (2.6)20 - 39..... 832 61 2397 (44.0) 643 (57.1)27 2405 (66.2)1057 (59.9)44 2386 (3.2)(2.2)(2.4)(66.5)830 53 2425 (44.7) (25.2)20 2471 37 2374 40 - 59..... (2.6)481 (1.2)(63.0)915 (35.7)(1.8)(49.2)745 43 2413 (49.8) 871 (49.2) 35 60 and over..... (3.1)378 (37.8) 16 (1.5)2488 (113.8) (2.1)2355 (42.0)2 - 19..... 1546 49 (1.8)2019 (29.3) 371 (19.3) 18 (0.9)2017 (37.6)753 (33.5)37 2022 (40.7)(1.6)20 and over... 2407 53 2412 (37.2) 508 (28.1)21 2448 (56.2)962 (38.3)39 2371 (30.3)(1.5)(1.1)(1.6)2 and over... 3953 52 2317 (35.2) 475 (24.6) 21 (1.0)2350 (50.1) 914 (33.6) 39 2282 (28.2) (1.3)(1.5)Males and Females: 2 - 19..... 3132 48 (1.4)2279 (21.5) 412 (35.6) 18 2311 857 (59.5)37 (1.9)2250 (57.6)(1.6)(65.1)4801 2793 (27.6)22 2819 1118 (36.1)40 2762 20 and over... 56 (1.3)(38.4)623 (1.0)(43.5)(1.3)(53.7)2 and over... 7933 2665 (32.6) 21 2705 39 2618 (51.7) (1.2)570 (26.8) (1.1)(40.8)1059 (36.6)(1.3)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 *(continued)*

		S o d i u m													
					–All Individud	ıls ²		All F	All Restaurant Consumers 3						
Gender and age	Sample Size			Total Intake	Intake fror All Restaura		ages from estaurants	Total Intake	Intake from All Restaurants	Percentag All Rest		Total Intake			
(years)		%	(SE)	mg (SE)	mg (S	E) %	(SE)	mg (SE)	mg (SE)	%	(SE)	mg (SE)			
Males:				ı				1			ı				
2 - 5	411	43	(5.6)	2361 (90.5)	333 (53.	9) 14	1 (2.5)	2288 (112.2)	782 (71.0)	34	(1.9)	2415 (168.5)			
6 - 11	590	38	(3.1)	3196 (80.3)	469 (54.	5) 15	5 (1.6)	3267 (83.2)	1249 (76.1)	38	(2.2)	3153 (114.8)			
12 - 19	585	56	(3.7)	4220 (113.3)	1409 (217.	1) 33	3 (4.9)	4661 (215.3)	2518 (262.5)	54	(4.2)	3659 (208.2)			
20 - 39	882	67	(1.9)	4516 (75.3)	1720 (101.	0) 38	3 (2.3)	4629 (100.3)	2586 (131.0)	56	(2.5)	4291 (171.6)			
40 - 59	756	56	(2.6)	4309 (122.6)	1203 (69.			4517 (170.7)	2164 (109.3)	48	(2.0)	4050 (175.6)			
60 and over	756	51	(2.1)	3608 (64.2)	837 (42.	4) 23	3 (1.2)	3777 (69.5)	1626 (57.5)	43	(1.6)	3428 (81.4)			
2 - 19	1586	47	(1.9)	3472 (59.9)	860 (107.	4) 25	5 (3.0)	3817 (175.6)	1834 (190.0)	48	(3.3)	3166 (133.9)			
20 and over	2394	59	(1.9)	4218 (52.0)	1311 (72.	*	` ′	4408 (75.4)	2232 (86.9)	51	(1.7)	3947 (108.1)			
2 and over	3980	56	(1.7)	4024 (45.4)	1194 (72.	2) 30	(1.9)	4279 (78.9)	2145 (99.6)	50	(1.9)	3704 (111.0)			
Females:															
2 - 5	423	38	(4.7)	2206 (53.2)	287 (50.	1) 13	3 (2.3)	2149 (103.9)	754 (55.4)	35	(2.2)	2240 (63.8)			
6 - 11	556	46	(4.6)	2954 (92.1)	648 (102.	*	` ′	3143 (127.2)	1403 (120.1)	45	(2.6)	2791 (78.1)			
12 - 19	567	57	(3.4)	2949 (71.9)	923 (91.			3051 (117.3)	1621 (142.1)	53	(3.2)	2813 (142.9)			
20 - 39	832	61	(3.2)	3238 (60.8)	1053 (90.	9) 33	3 (2.3)	3400 (79.5)	1731 (98.4)	51	(2.3)	2988 (76.0)			
40 - 59	830	53	(2.6)	3027 (66.3)	794 (44.	*	` '	3194 (70.9)	1511 (66.4)	47	(2.0)	2843 (124.6)			
60 and over	745	43	(3.1)	2652 (61.6)	574 (48.			2844 (134.7)	1323 (76.7)	47	(1.9)	2504 (70.3)			
2 - 19	1546	49	(1.8)	2786 (50.3)	694 (43.	9) 25	5 (1.4)	2925 (89.5)	1407 (87.0)	48	(1.9)	2651 (51.0)			
20 and over	2407	53	(1.5)	2997 (36.8)	823 (40.			3197 (46.8)	1556 (65.4)	49	(1.5)	2773 (53.3)			
2 and over	3953	52	(1.3)	2946 (31.8)	792 (37.			3135 (45.7)	1522 (61.5)	49	(1.5)	2742 (39.1)			
Males and Females:															
2 - 19	3132	48	(1.4)	3137 (47.8)	779 (68.	9) 25	5 (2.1)	3370 (108.7)	1620 (122.7)	48	(2.3)	2921 (78.0)			
20 and over	4801	56	(1.3)	3592 (29.1)	1061 (45.	-		3819 (45.8)	1903 (66.3)	50	(1.5)	3306 (68.6)			
2 and over	7933	54	(1.2)	3478 (24.4)	990 (46.	*	` ′	3719 (48.1)	1840 (73.1)	49	(1.6)	3198 (62.2)			
			` ′	·			` /	· · · /	, ,	-	` ′	` /			

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

Caffeine –All Individuals 2— -All Restaurant Consumers 3 ——— Non-consumers 4 Gender Sample Total Total Percent Total Intake from Percentages from ⁶ Intake from Percentages from 6 and age Size Reporting 5 Intake All Restaurants Intake All Restaurants All Restaurants Intake All Restaurants % (SE) (SE) (SE) (SE) (vears) (SE) (SE) % (SE) (SE) mg mg mg mg mg Males: 2 - 5..... 39 411 43 7.3 (1.07) (0.27)20 9.0 3.5 (0.74)(5.2)6.0 (1.25) (5.6)1.5 (3.6)(1.63)38 19.3* (6.27) 590 21.8 (3.61) 4.6 (1.15) 21* 25.8 (3.04) 12.2 (2.75)47 6 - 11..... (3.1)(7.8)(8.2)585 56 53.8 (6.89) 60.0 (9.18) 19.3 32 46.0 (7.52) 12 - 19..... (3.7)10.8 (1.71) (4.6)(2.52)(7.1)882 133.9 (7.84) (3.69)133.0 (8.79) 49.7 135.8 (17.33) 20 - 39..... 67 (1.9)33.1 25 (2.7)(4.96)37 (3.2)756 56 231.3 (23.15) (5.86)17 241.0 (27.94) 72.2 (9.83)30 219.0 (26.50) 40 - 59..... (2.6)40.2 (1.9)(2.5)216.0 (26.15) 60 and over..... 756 51 (2.1)237.0 (21.38) 35.1 (4.47) 15 (2.0)256.8 (31.95) 68.2 (7.19) 27 (2.9)2 - 19..... 1586 47 (1.9)32.9 (2.52) 6.7 (0.82)20 (2.5)40.7 (5.56) 14.3 (1.65)35 (4.9)26.1 (1.71) 20 and over... 2394 59 195.6 (14.62) 36.2 (2.91) 19 197.8 (16.29) 61.7 (4.60)31 192.4 (18.74) (1.9)(1.2)(1.7)3980 153.3 (11.12) 28.5 (2.16) 31 2 and over... 56 (1.7)19 (1.2)163.4 (13.47) 51.3 (3.62) (1.7)140.6 (13.37) Females: 2 - 5..... 423 38 7.3 (0.95) 2.2 (4.7) $0.9 \quad (0.25)$ 12* (4.0)7.2 (1.07)(0.59)31 (7.4)7.4 (1.41) 17.2 (2.68) 18 22.2 (4.87) 30* 6 - 11..... 556 46 3.0 (0.84) (9.3)12.9 (1.73)(4.6)(5.0)6.6 (1.66)567 57 51.5 (5.84) 39 55 12 - 19..... (3.4)19.8 (4.33) (7.4)63.2 (8.31) 34.9 (6.94)(6.1)36.1 (7.31) 20 - 39..... 832 61 120.3 (9.20) 28.1 (2.19)23 122.0 (11.67) 46.2 (3.05)38 117.6 (12.29) (3.2)(2.8)(3.8)830 53 184.9 15 198.3 (17.14) 52.9 27 40 - 59..... (2.6)(9.79)27.8 (3.03)(1.7)(6.42)(3.8)170.0 (10.27) 745 43 54.2 34 131.7 (9.58) 60 and over..... (3.1)143.7 (8.24) 23.5 (4.82) 16 (3.1)159.3 (13.39) (9.40)(4.3)2 - 19..... 1546 49 (1.8)30.7 (2.72) 10.2 (2.22) 33 (5.9)41.2 (5.24) 20.7 (4.17)50 (5.0)20.4 (3.30)20 and over... 2407 53 151.3 (6.20)26.7 (1.98)18 159.3 (10.38) 50.5 (3.24)32 (2.8)142.4 (5.92)(1.5)(1.5)2 and over... 3953 52 122.2 (5.06) 22.7 (1.72) 19 132.2 (7.74) 43.7 (2.83) 33 (3.1)111.2 (1.3)(1.7)(4.68)Males and Females: 23.4 2 - 19..... 3132 48 (1.4)31.8 (1.77) 8.4 (1.09) 26 (3.4)41.0 (2.85) 17.5 (1.90) 43 (4.5)(2.17)4801 172.9 31.4 (1.73) 18 179.1 (10.76) 31 165.1 20 and over... 56 (1.3)(8.97)(1.2)56.3 (2.53)(1.8)(9.95)2 and over... 7933 137.5 (7.03) 148.1 (8.80) 32 125.1 (7.76) (1.2)25.6 (1.39) (1.3)47.6 (2.03) (2.0)

Table 53. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants ¹, by Gender and Age, in the United States, 2011-2012 (continued)

		Alcohol															
						–All Indiv	viduals ^a	2			—All R		Non-consumers ⁴				
Gender and age	Sample Size		Percent Reporting 5		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		Total Intake		Intake from All Restaurants		Percentages from ⁶ All Restaurants		tal ike
(years)		%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)	g	(SE)	%	(SE)	g	(SE)
Males:				ı					I						1		
2 - 5	411	43	(5.6)												ļ		
6 - 11	590	38	(3.1)														
12 - 19	585	56	(3.7)														
20 - 39	882	67	(1.9)	19.1	(2.10)	3.7	(0.66)	19	(5.1)	19.2	(1.08)	5.5	(0.87)	29	(4.5)	18.9*	(5.97)
40 - 59	756	56	(2.6)	18.3	(2.75)		(0.67)	10*	(3.1)	15.2	(2.16)		(1.17)	21*	(6.9)		(4.99)
60 and over	756	51	(2.1)	10.0	(0.98)	1.5*	(0.55)	15*	(5.6)	11.0	(1.35)		(1.07)	27*	(8.2)		(1.89)
2 - 19	1586	47	(1.9)														
20 and over	2394	59	(1.9)	16.6	(1.52)	2.4	(0.45)	15	(2.9)	16.0	(1.15)	4.2	(0.68)	26	(3.7)	17.3	(3.12)
2 and over	3980	56	(1.7)		(')		()				(, -)		()		(=)		(= ' /
Females:																	
2 - 5	423	38	(4.7)														
6 - 11	556	46	(4.6)														
12 - 19	567	57	(3.4)														
20 - 39	832	61	(3.2)	7.8	(0.71)	1.3	(0.37)	17	(3.9)	8.7	(1.58)	2.2	(0.55)	25	(5.7)	6.5	(1.44)
40 - 59	830	53	(2.6)	10.0	(1.34)	1.9	(0.54)	19	(3.7)	10.4	(2.74)	3.6	(0.98)	34	(6.5)	9.7	(2.47)
60 and over	745	43	(3.1)	4.8	(0.81)		(0.31)	13*	(6.4)	5.9	(1.49)		(0.68)		(3.2)		(1.25)
2 - 19	1546	49	(1.8)														
20 and over	2407	53	(1.5)	7.8	(0.66)	1.4	(0.26)	17	(2.5)	8.7	(1.47)	2.6	(0.47)	29	(4.3)	6.9	(1.25)
2 and over	3953	52	(1.3)		(0.00)		(0.20)		(2.0)		(1117)		(0117)		()		(1120)
Males and Females:																	
2 - 19	3132	48	(1.4)														
20 and over	4801	56	(1.3)	12.1	(0.88)	1.9	(0.29)	16	(2.1)	12.5	(0.96)	3.4	(0.47)	27	(2.7)	11.6	(1.50)
2 and over	7933	54	(1.2)		()		()		(=/		()		()		(=,		()
2 4110 0 701111	.,,,,	٠.	(1.2)	I					ı						ı		

Symbol Legend

* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means and percentages are as follows:

Mean: An estimated mean is flagged when the relative standard error is greater than 30 percent.

Percent reporting: An estimated percentage between 25 and 75 percent is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. An estimated percentage less than or equal to 25 or greater than or equal to 75 is flagged when the smaller of np and n(1-p) is less than 8 times the VIF, where n is the sample size and p is the percentage expressed as a fraction. The VIF used in this table is 2.50.

Nutrient ratios expressed as percentages: An estimated ratio between 25 and 75 percent is flagged when based on a sample size n^* of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect and n^* is the number of individuals in the sample reporting non-zero intake of the respective nutrient from any source. An estimated ratio less than or equal to 25 percent or greater than or equal to 75 percent, is flagged when the smaller of n^*p and n^* (1-p) is less than 8 times the VIF, where p is the percentage expressed as a fraction. Additionally, an estimated ratio is flagged when either the relative standard error or p/(1-p) times the relative standard error is greater than 30 percent.

Indicates a non-zero value too small to report.

-- Estimated mean not presented where sample size is less than 30 times the variance inflation factor (VIF), i.e., sample size less than 75 for VIF = 2.50.

Footnotes

- ¹ Respondents were asked the source of each food and beverage where it was obtained. **All Restaurants** include source coded as:"Restaurant with waiter/waitress", "Bar/tavern/lounge", "Restaurant no additional information", "Cafeteria NOT in a K-12 school", "Restaurant fast food/pizza", "Sport, recreation, or entertainment facility", or "Street vendor, vending truck".
- ² All Individuals include both individuals who reported and individuals who did not report at least one food/beverage item from All Restaurants.
- ³ All Restaurant Consumers include individuals who reported at least one food or beverage item from All Restaurants.
- ⁴ Non-consumers include individuals who did not report any food or beverage item from All Restaurants.
- ⁵ The weighted percentage of respondents in the income/age group who reported at least one food/beverage item from All Restaurants.
- ⁶ Percentages are estimated as a ratio of total nutrient intake from All Restaurants to total daily nutrient intake from all sources.

Abbreviations

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents.

Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2011-2012

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2011-2012. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2011-2012 www.ars.usda.gov/nea/bhnrc/fsrg which is based on nutrient values in the USDA National Nutrient Database for Standard Reference, Release 26 (Agricultural Research Service, Nutrient Data Laboratory, 2014).

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Salt adjustment is not applied to What We Eat in America, NHANES 2009-2010 and all subsequent surveys. Details available at: www.ars.usda.gov/nea/bhnrc/fsrg.

Although alchohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

Suggested Citation

U.S. Department of Agriculture, Agricultural Research Service. 2015. All Restaurants: Percent Reporting, Mean Amounts, and Percent of Selected Nutrients from Foods Obtained from All Restaurants, by Gender and Age, What We Eat in America, NHANES 2011-2012. Available: www.ars.usda.gov/nea/bhnrc/fsrg.