## Manifold Dynamics and their Applications to Low-Energy Transfers: Project Plan Report

#### **Project Overview**

Manifold Dynamics and their Applications to Low-Energy Transfers aims to study the dynamical phenomena of the circular-restricted three-body problem (CR3BP): an examination of the motion of a third, massless particle moving under the influence of two other particles (primaries) that orbit in circles about their barycenter. In particular, the CR3BP yields many dynamical structures stable and unstable manifolds and bouding surfaces – that provide means for matter transfer into and from the primaries. Exploiting these dynamical phenomena can provide the construction of complex, non-Keplerian orbits to achieve mission objectives, as well as potential propellant savings (Parker and Anderson, 2014).

Its' inception is believed to have begun with (Euler, 1736), who introduced a synodic coordinate system during his studies of Lunar motion. Attracting a range of well-known mathematicians to its' formulation, the three-body problem received significant contributions from (Lagrange, 1772), who discovered some of the equilibrium solutions now known as the Lagrangian points, and (Jacobi, 1829) who 're-discovered' the Jacobi integral, the only constant of motion in the CR3BP. (Hill, 1906) later used this integral in his formulation of forbidden regions and bounded motion. Perhaps most important for analysis of the CR3BP, (Poincaré, 1899)'s methods of section, phase-space and deterministic chaos ended the classical period of study for the three-body problem <sup>1</sup>(Szebehely, 1967).

The use of this formulation of spacecraft motion was first used to construct a low-energy transfer by Edward Belbruno, to rescue the Japanese MUSES-A mission - now renamed Hiten - and place it into a Lunar orbit (Belbruno, 2004). Since then, the CR3BP has been studied heavily for its' ability to reveal mission plans about the Lagrangian points – now home to several scientific payloads – and dynamically-assisted trajectories, including those used by spacecraft such as SMART-1, Genesis, and GRAIL (Topputo et al., 2005).

By studying the equations of motion of the CR3BP (Equations 1 through 4), along with a numerical computation suite, the construction and visualisation of these orbits is possible. Figure 1 reports a family of periodic Lyapunov – planar – orbits about a Lagrangian point, constructed utilising a software suite in MATLAB, and a numerical technique known as differential correction.

$$\ddot{x} - 2\dot{y} = \frac{\partial\Omega}{\partial x} \tag{1}$$

$$\ddot{z} = \frac{\partial \Omega}{\partial z} \tag{3}$$

$$\Omega = \frac{1}{2}(x^2 + y^2) + \frac{1 - \mu}{r_{12}} + \frac{\mu}{r_{23}}$$
(4)

<sup>&</sup>lt;sup>1</sup>For the development of these methods, Sweden's King Oscar II awarded Poincaré a prize to award him for being the first to solve the n-body problem. Poincaré had not, in fact, even solved the general case of the three-body problem.




Figure 1: A family of Lyapunov orbits about Earth-Moon  $L_1$  ( $\mu = 0.0121$ ). The red lines indicate the interations of the differential correction subroutines.




Figure 2: Unstable manifold computed from initial state  $x_0$  using the relation  $x_0\prime = x_0 \pm \varepsilon \frac{\lambda}{|\lambda|}$ , where  $\lambda$  represents the unstable eigenvalue of the Jacobian matrix of the local subspace;  $\varepsilon = 10^{-6}$ 

By determining and applying disturbances to these orbits in their stable and unstable directions, and integrating the equations of motion forwards or backwards, we discover trajectories that exponentially approach or depart these periodic orbits. Discretizing and plotting these trajectories around the entirety of the orbit yields stable and unstable manifold tubes, respectively. It is these which are used to construct 'low-energy' transfers<sup>2</sup>; these manifolds are visualised in Figure 2.

Multiple uses for these missions have been proposed: (Sánchez and García Yárnoz, 2016) has proposed their usage for asteroid retrieval missions, where the required impulse to capture is significantly reduced when utilising stable manifolds. Alternatively, (Belbruno and Miller, 1993) and (Luo and Topputo, 2015) recommended them for use in interplanetary transfers, where the stable manifold acts as a route for quasi-ballistic capture, decreasing delta-V requirements in some cases, and increasing the launch periods. These uses will be evaluated in a full, sample mission case study to form the main deliverable for the project.

<sup>&</sup>lt;sup>2</sup>The definition of low-energy is ambiguous. For this case, low-energy is taken to represent a transfer that exploits natural and/or dynamical phenomena to reduce spacecraft propellant usage.

#### Project Outcomes, Aims and Scope

The project outcome is to deliver a full case study for a mission that exploits dynamical phenomena of the CR3BP. To this end, it sets the following aims:

- A comprehensive literature review on CR3BP theory, potential applications and numerical techniques for the contruction of orbits in the CR3BP;
- A suitable mission selection that will exploit a range of features of the CR3BP;
- The creation of software bundle to allow for the computation of the mission analyses and orbit construction.

with the following scope of work:

- The mathematics behind the CR3BP and its' dynamical phenomena;
- The theory behind, and implementation of, numerical techniques for orbit construction including numerical integration, differential correction and optimisation;
- Studies of mission trade-offs and requirements;
- Studies and implementation of software analytics: code coverage, MC/DC coverage, static/dynamic program analysis and parallel processing techniques for minimising runtimes.

#### Training needs analysis

An induction onto the Lyceum supercomputing cluster may be required, but is as yet unknown. No other training is required.

#### Gantt Chart

Figure 3 reports the provisional Gantt chart for the project.

#### Meeting minutes

Meeting minutes are recorded in plain text in Vim during the meetings. They are reported here unformatted.

<sup>-</sup> Initial meeting with Alex & Hodei - 5/10/17

Introduction & discussion of project scope and plans
 Covering work done over summer, and potential avenues of interest for the final report

<sup>-</sup> Outlining work before next meeting: attempt finding some closed orbits, and re-visit mathematics covered over summer




Figure 3: Provisional Gantt chart for the Part III individual project.

- Second meeting 10/10/17 Hodei connecting in via Skype
  - Discuss work done in previous week:
    - Single-shooting MATLAB code
    - Presentation slides
  - Discuss upcoming project plan presentation and report
    - Went through slides created for the presentation on 17/10/17
    - Suggested improvements:
      - Remove several slides to stay within time restriction
      - Add project scope, objectives, aims and Gantt chart
  - Decide work for next meeting:
    - Testing robustness of initial guess in single-shooting code
    - Test stability of found orbits in single-shooting code
    - Finalise presentation
    - Re-cover mathematical derivations (left from last week)
  - Alex to look at Lyceum supercomputer access.

#### References

Edward Belbruno. Capture Dynamics and Chaotic Motions in Celestial Mechanics. Princeton University Press, 2004. ISBN 9780691094809. URL http://books.google.com/books?id=dK-fl0Kr0EIC{&}printsec=frontcover{&}dq=inauthor:belbruno+edward+intitle:capture+dynamics+mechanics{&}hl={&}cd=1{&}source=gbs{\_}api{%}0Apapers3://publication/uuid/E741F89D-B997-41AB-98B7-330501816B46.

Edward Belbruno and James Miller. Sun-perturbed Earth-to-moon transfers with ballistic capture. *Journal of Guidance Control and Dynamics* 16, 1993.

Leonhard Euler. Mechanica sive motus scientia analytice exposita. 1736.

George Hill. Collected Mathematical Works. 1906.

C G J Jacobi. Fundamenta Nova Theoriae Functionum Ellipticarum. *Regiomonti, Sumtibus fratrum Bornträger*, page 189, 1829.

Joseph-Louis Lagrange. Essai sur le probléme des trois corps. Technical report, 1772.

Z. F. Luo and F. Topputo. Analysis of ballistic capture in Sun-planet models. *Advances in Space Research*, 2015. ISSN 18791948. doi: 10.1016/j.asr.2015.05.042.

Jeffrey S. Parker and Rodney L. Anderson. Low-Energy Lunar Trajectory Design. Low-Energy Lunar Trajectory Design, (July):1–396, 2014. doi: 10.1002/9781118855065.

H. Poincaré. Les Méthodes Nouvelles de la Mécanique Céleste. Gauthier-Villars, 1899.

Joan Pau Sánchez and Daniel García Yárnoz. Asteroid retrieval missions enabled by invariant manifold dynamics. *Acta Astronautica*, 127:667–677, 2016. ISSN 00945765. doi: 10.1016/j.actaastro.2016.05.034.

Victor G. Szebehely. Theory of Orbits - The Restricted Problem of Three Bodies. Academic Press, 1967.

Francesco Topputo, Massimiliano Vasile, and Franco Bernelli-Zazzera. Earth-to-moon low energy transfers targeting L1 hyperbolic transit orbits. *Annals of the New York Academy of Sciences*, 1065: 55–76, 2005. ISSN 00778923. doi: 10.1196/annals.1370.025.

# Manifold Dynamics and their Applications to Low-Energy Transfers


Project Plan Presentation

Jack Tyler October 16, 2017

University of Southampton

## Mani-what?


- A particular case of spacecraft motion the Circular-Restricted
   Three-body Problem (CR3BP) studies the motion of a third body under the influence of two other much more massive bodies
- The CR3BP exhibits some *funky* behaviour as a dynamical system



**Figure 1:** Normalised co-ordinate system for the CR3BP –  $\omega$  and primary separation normalised to unity.


## **Introduction to Manifolds**

One dynamical phenomenon, manifold tubes – orbits that approach and depart a periodic orbit in the CR3BP – can be exploited to give new ways of transferring matter in phase space



**Figure 2:** Stable (green) and unstable (red) invariant manifolds associated to Earth-Moon L1. Source: Renkli Seyler, https://renklisheyler.wordpress.com/research/motions-in-cr3bp/invariant-manifold-tubes/

## **Potential Applications**



**Figure 3:** The use of stable invariant manifolds to perform an asteroid retrieval mission to Earth-Moon L2. [Sánchez and García Yárnoz, 2016]

## Project aim and outcomes

- The project will deliver a full case study for a mission in, and exploiting, the CR3BP
- To achieve this, the project sets the following aims:
  - A comprehensive literature review on CR3BP theory, potential applications and numerical techniques for the contruction of orbits in the CR3BP
  - A suitable mission selection that will exploit a range of features of the CR3BP
  - A software bundle to allow for the computation of the mission analyses and orbit construction

## Project scope

- The mathematics behind the CR3BP and its' dynamical phenomena
- The theory behind, and implementation of, numerical techniques for orbit construction including numerical integration, differential correction and optimisation
- Mission trade-offs and requirements
- Software analytics: code coverage, MC/DC coverage, static/dynamic program analysis and parallel processing techniques

## **Current Project Progress**

- Self-proposal made it easy to do the literature review before Semester 1 started
- Mendeley library contains ~80 journal papers and books
- Already worked on (basic) underlying mathematics & written this up into a reference document (16k words)
- Written code (MATLAB, Fortran03) to single-shoot some closed orbits

# (Very) provisional time plan






Figure 4: Single-shooting differential correction to construct a family of Lyapunov orbits around L1;  $\mu=0.0121$ 

#### References

Sánchez, J. P. and García Yárnoz, D. (2016).

Asteroid retrieval missions enabled by invariant manifold dynamics.

Acta Astronautica, 127:667-677.

Shuai, W., Haibin, S., and Weiren, W. U. (2013).

Interplanetary transfers employing invariant manifolds and gravity assist between periodic orbits.

56(3):786–794.

# Supplementary slides – zero velocity curves in the CR3BP

