# Aggregate Data

## Tyler Lau

July 18, 2016

- [1] "Common Sound Change, Token Freq T, Number of cases being considered: 3"
- [1] "Only considering max suffixes: FALSE"
- [1] "Dropping suffixes that appear 10 or less times"

Γ <b>1</b> ]	"Sg"		
	Suffix	frog	Percent_Trials
3		16	32
5	e 0	14	28
1	0		
	_	12	24
4	es	5	10
6	s	2	4
2	a	. 1	2
[1]	_	om,Aco	
	uffix	-	Percent_Trials
5	0	31	62
1	_	6	12
3	е	6	12
4	es	4	8
6	s	2	4
2	a	1	2
[1]	"1Sgl	Nom, Ac	cc"
S	Suffix	freq	Percent_Trials
2	a	46	92
1	_	3	6
3	е	1	2
[1]	"2Sgl	Nom, Ac	cc"
	Suffix		Percent_Trials
2	0	46	92
1	_	4	8
[1]	"3Sgl	Nom, Ac	cc"
			Percent_Trials
3	е	25	50
4	es	12	24
1	-	10	20
5	s	2	4
2	a	1	2
[1]		Nom,Ac	
	uffix		Percent_Trials
3		41	82
	0	41	
1 4	_	_	8
	os	3	
2	е	1	2
5	S UEQ	1	2
[1] "5SgNom, Acc"			
S	uffix	ireq	Percent_Trials

```
3
 e 26
                  52
4
    es 12
                  24
        10
                  20
1
   _
2
       1
                   2
     a
5
       1
                   2
[1] "mSgNom, Acc"
 Suffix freq Percent_Trials
    o 40
1
        4
                   8
5
       3
                   6
    os
2
   e 1
3
   es 1
                   2
6
        1
    S
[1] "fSgNom, Acc"
 Suffix freq Percent_Trials
3 e 24
2
   a 11
                  22
4
   es 11
                  22
1
   - 3
                   6
    s 1
                   2
5
[1] "nSgNom, Acc"
Suffix freq Percent_Trials
2 o 45
    - 5
1
[1] "SgAcc, Gen"
Suffix freq Percent_Trials
2 e 15
1
      14
                  28
4
   o 14
                  28
3
   es 5
                  10
        2
5
   s
                   4
[1] "1SgAcc,Gen"
Suffix freq Percent_Trials
2 a 29
    - 18
1
                  36
3
    e 2
                   4
    s 1
[1] "2SgAcc,Gen"
 Suffix freq Percent_Trials
4 o
       26
                  52
1
   - 16
                  32
2
   e 4
                   8
3
  es 2
                   4
5 os 1
                   2
    s
        1
[1] "3SgAcc,Gen"
Suffix freq Percent_Trials
2 e 33
3
    es 15
                  30
                   2
1
       1
      1
   s
[1] "4SgAcc,Gen"
Suffix freq Percent_Trials
4 o 25
```

```
15
                       30
2
          5
                        10
      е
3
          2
                        4
     es
5
     os
           2
                        4
                        2
6
      s
[1] "5SgAcc,Gen"
 Suffix freq Percent_Trials
          29
3
      е
          13
4
     es
                        26
1
          6
                        12
2
                        2
      a
           1
5
          1
                        2
      S
[1] "mSgAcc,Gen"
 Suffix freq Percent_Trials
     0
          22
2
          14
                        28
      е
3
         6
                       12
     es
          5
                        10
1
     _
5
          2
                        4
     os
                        2
6
           1
      s
[1] "fSgAcc,Gen"
 Suffix freq Percent_Trials
3
          32
      е
4
          13
                        26
     es
                        6
1
         3
2
                        2
      a
          1
5
      s
          1
                        2
[1] "nSgAcc,Gen"
 Suffix freq Percent_Trials
4
      0
          26
          16
                        32
1
2
      е
          4
                        8
3
          2
                        4
     es
5
          2
                        4
      s
[1] "SgNom, Gen"
 Suffix freq Percent_Trials
1
          14
3
      е
          14
                       28
5
          14
                       28
     0
4
         5
                        10
     es
6
          2
                        4
     s
2
          1
                        2
      a
[1] "1SgNom, Gen"
 Suffix freq Percent_Trials
      a
          30
1
          18
                        36
                        2
3
         1
      е
          1
                        2
      S
[1] "2SgNom, Gen"
 Suffix freq Percent_Trials
4
          26
                       52
      0
                       32
1
          16
      e 4
2
                        8
3
          2
     es
                        4
```

```
os 1
6
     s
           1
                         2
[1] "3SgNom, Gen"
 Suffix freq Percent_Trials
      е
          26
                        24
4
     es
          12
         9
                        18
5
           2
                         4
      S
2
      a
           1
                         2
[1] "4SgNom, Gen"
 Suffix freq Percent_Trials
          25
      0
1
          15
                        30
2
         5
                        10
      е
3
     es
           2
                         4
5
           2
     os
                         4
6
      s
           1
                         2
[1] "5SgNom, Gen"
 Suffix freq Percent_Trials
3
     е
          26
4
          12
                        24
     es
1
          10
                        20
2
         1
                         2
      a
5
      s
           1
[1] "mSgNom,Gen"
 Suffix freq Percent_Trials
      0
          22
1
          10
                        20
2
          10
                        20
      е
3
           4
                         8
     es
           2
5
     os
                         4
6
      s
           2
[1] "fSgNom,Gen"
 Suffix freq Percent_Trials
3
          24
      е
4
          12
                        24
     es
1
                        20
          10
2
      a
           2
                         4
5
           2
      s
[1] "nSgNom, Gen"
 Suffix freq Percent_Trials
4
          26
      0
                        52
1
          16
                        32
2
           4
                         8
      е
           2
3
     es
5
           2
      S
[1] "SgNom, Acc, Gen"
 Suffix freq Percent_Trials
3
          16
      е
5
          14
                        28
      0
1
          12
                        24
4
        5
                        10
     es
6
           2
                         4
      S
2
           1
                         2
      a
```

```
[1] "1SgNom, Acc, Gen"
  Suffix freq Percent_Trials
2
            46
       a
1
             3
                             6
3
             1
                             2
       е
[1] "2SgNom, Acc, Gen"
  Suffix freq Percent_Trials
            45
1
             4
                             8
3
             1
                             2
      os
[1] "3SgNom, Acc, Gen"
  Suffix freq Percent_Trials
2
            32
       е
3
            15
                            30
      es
1
             2
                             4
             1
                             2
       s
[1] "4SgNom, Acc, Gen"
  Suffix freq Percent_Trials
3
       0
            40
             5
1
                            10
4
             3
                             6
      os
2
       е
             1
                             2
             1
                             2
       S
[1] "5SgNom, Acc, Gen"
  Suffix freq Percent_Trials
3
       е
            29
4
      es
            13
                            26
1
             6
                            12
2
             1
                             2
             1
                             2
       s
[1] "mSgNom, Acc, Gen"
  Suffix freq Percent_Trials
4
            27
2
                            18
             9
       е
1
             6
                            12
3
             4
                             8
      es
             2
5
      os
                             4
6
       s
             2
[1] "fSgNom, Acc, Gen"
  Suffix freq Percent_Trials
3
       е
            26
            12
4
                            24
      es
1
             8
                            16
2
             2
                             4
       a
             2
       s
[1] "nSgNom, Acc, Gen"
  Suffix freq Percent_Trials
4
            29
            16
                            32
1
2
             2
                             4
       е
5
             2
                             4
       s
                             2
3
      es
             1
[1] "Nom"
  Suffix freq Percent_Trials
```

```
5
  o 17
                  34
1
       16
                  32
3
                  20
    e 10
4
    es 3
                  6
2
        2
    a
                   4
6
     s
        2
[1] "NomSg"
Suffix freq Percent_Trials
5 o
       24
1
       13
                  26
3
   e 6
                 12
4
  es
       4
                  8
6 s 2 2 2 2 2 1
                   4
[1] "1"
Suffix freq Percent_Trials
2 a 45
   - 4
                  8
1
3 e 1
                   2
[1] "1Sg"
Suffix freq Percent_Trials
2 a 46
1
   - 3
                   6
3 e 1
                   2
[1] "1SgNom"
Suffix freq Percent_Trials
2 a 46
1 - a
       3
                   6
                   2
    e 1
[1] "2"
Suffix freq Percent_Trials
4 o 25
1
   - 17
                  34
2
                  6
   a 3
       2
3
                   4
    е
6
        2
    S
                   4
    os
[1] "2Sg"
Suffix freq Percent_Trials
2 o 45
                  90
                  8
3 os 1
[1] "2SgNom"
Suffix freq Percent_Trials
2 o 46
1 - 4
[1] "3"
                   8
Suffix freq Percent_Trials
2 e 33
   es 15
3
                  30
1 -
       1
                   2
    s 1
[1] "3Sg"
 Suffix freq Percent_Trials
```

```
e 32
                64
3
  es 15
                30
  - 2
1
                4
4
   s
       1
                 2
[1] "3SgNom"
Suffix freq Percent_Trials
3 е
       25
4
       12
                24
   es
  -
1
       10
                20
  s 2
5
                4
2
   a 1
[1] "4"
 Suffix freq Percent_Trials
       22
4 o
1
   - 19
                38
   е 3
3
                6
5 os 3
                 6
6 s
2 a
       2
                 4
   a
       1
[1] "4Sg"
Suffix freq Percent_Trials
3 o 40
1
   - 5
                10
  os 3
4
                 6
2 e 1
                 2
5
   s 1
[1] "4SgNom"
Suffix freq Percent_Trials
3 o 41
1
                 8
4 os 3
                 6
 e 1
2
                 2
5
   s 1
[1] "5"
Suffix freq Percent_Trials
3 e 29
4
  es 13
                26
1
   - 6
                12
2
    a
      1
                2
5
   s 1
                 2
[1] "5Sg"
Suffix freq Percent_Trials
3 e 29
4
  es 13
                26
1
   - 6
                12
2
    a 1
                2
5
   s
      1
[1] "5SgNom"
 Suffix freq Percent_Trials
3
  e 24
    - 12
                24
1
4
   es 11
                22
   s 2
5
                4
2
    a 1
                 2
```

```
[1] "m"
 Suffix freq Percent_Trials
5
        18
3
        13
                    26
     е
                    20
1
        10
4
       4
                    8
    es
    os 2
6
7
         2
    S
2
     a
[1] "mSg"
 Suffix freq Percent_Trials
        27
   0
2
     е
        9
                    18
       6
1
     _
                    12
3
         4
                    8
   es
5
         2
    os
                    4
6
    S
         2
[1] "mSgNom"
 Suffix freq Percent_Trials
   o 39
        5
                    10
1
5
    os 3
                    6
2
         1
                     2
    е
3
    es
         1
6
         1
                     2
     S
[1] "m1Sg"
 Suffix freq Percent_Trials
2 a 34
     - 14
                    28
1
3
    e 1
                    2
                     2
     s 1
4
[1] "m1SgNom"
Suffix freq Percent_Trials
   a 34
       14
                    28
1
3
    e 1
                    2
     s 1
[1] "m2Sg"
Suffix freq Percent_Trials
2 o 44
                    88
1
    - 3
                    6
3 os 3
                     6
[1] "m2SgNom"
Suffix freq Percent_Trials
2 o 44
         3
                    6
1
3
   os
[1] "m3Sg"
 Suffix freq Percent_Trials
2 e 32
3
    es 15
                    30
1
    - 2
                    4
4 s
         1
                     2
[1] "m3SgNom"
```

```
Suffix freq Percent_Trials
       24
3
  е
   es 12
                 24
4
   - 11
1
                 22
5 s 2
                 4
2
   a 1
                 2
[1] "m4Sg"
Suffix freq Percent_Trials
3 o 41 82
   - 4
                8
1
4 os 3
                6
2 e 1
5 s 1
                 2
[1] "m4SgNom"
Suffix freq Percent_Trials
3 o 41 82
1
   - 4
                 8
4 os 3
                6
2 e 1
5 s 1
                 2
                 2
[1] "m5Sg"
Suffix freq Percent_Trials
3 e 28
4
   es 13
                 26
1 - 7
                14
2 a 1
5 s 1
                2
                 2
[1] "m5SgNom"
Suffix freq Percent_Trials
3 e 23
1 - 13
                 26
4 es 11
                 22
5 s 2
2 a 1
                4
                 2
[1] "f"
Suffix freq Percent_Trials
3 e 27 54
4 es 12
                 24
1 - 7
                14
2 a 2
5 s 2
                4
[1] "fSg"
Suffix freq Percent_Trials
3 e 26 52
4 es 12
1 - 8
2 a 2
5 s 2
                16
                 4
[1] "fSgNom"
Suffix freq Percent_Trials
3 e 24
                48
                 22
   - 11
1
  es 11
4
                 22
2
 a 2
                4
```

```
5 s 2 4
[1] "f1Sg"
Suffix freq Percent_Trials
2 a 46
1
    - 3
                 6
                  2
3
    e 1
[1] "f1SgNom"
Suffix freq Percent_Trials
2 a 46
1 - 3
3 e 1
                 6
                  2
[1] "f2Sg"
Suffix freq Percent_Trials
4 o 30
1
   - 11
                 22
   a 3
2
                 6
5 os 3
                  6
3 e 2
6 s 1
                  4
[1] "f2SgNom"
Suffix freq Percent_Trials
4 o 30 60
1
   - 11
                 22
   a 3
2
                 6
5 os 3
                  6
3 e 2
6 s 1
[1] "f3Sg"
Suffix freq Percent_Trials
2 e 33
3
    es 15
                 30
1 - 1
4 s 1
                 2
[1] "f3SgNom"
Suffix freq Percent_Trials
3 e 25 50
4
   es 12
                 24
1
   - 10
                 20
5 s 2
2 a 1
                 4
[1] "f4Sg"
Suffix freq Percent_Trials
4 o 28 56
1
    - 14
                 28
3
   e 3
                 6
  os 3
5
                  6
  a 1
2
                  2
6
   s 1
[1] "f4SgNom"
Suffix freq Percent_Trials
4 o 28
                 56
1
    - 14
                 28
   е 3
3
                 6
5 os 3
                  6
```

```
2 a 1
6 s 1
[1] "f5Sg"
Suffix freq Percent_Trials
3 e 29 58
                 26
4 es 13
   - 6
                12
2
   a 1
                 2
5 s 1
[1] "f5SgNom"
Suffix freq Percent_Trials
3 e 24 48
1 - 12
4 es 11
   - 12
                 24
                 22
5 s 2
2 a 1
                 4
[1] "n"
Suffix freq Percent_Trials
5 o 23 46
    - 18
1
                 36
3 e 5
                 10
6
   s 2
                 4
2
   a 1
                 2
4 es 1
[1] "nSg"
Suffix freq Percent_Trials
4 o 29 58
1 - 16
2 e 2
5 s 2
3 es 1
                 32
                 4
[1] "nSgNom"
Suffix freq Percent_Trials
2 o 45 90
1 - 5 10
[1] "n2Sg"
Suffix freq Percent_Trials
2 o 45
1 - 5
                 10
[1] "n2SgNom"
Suffix freq Percent_Trials
2 o 46 92
1
[1] "n3Sg"
 Suffix freq Percent_Trials
1 - 29
   a 10
2
                  20
   e 7
3
                 14
6 s 2
                 4
4 es 1
                  2
   o 1
[1] "n3SgNom"
Suffix freq Percent_Trials
1 - 30
```

```
2 a 10
               20
3
   e 6
               12
  s 2
6
               4
4
  es 1
                2
5
   0
[1] "n4Sg"
Suffix freq Percent_Trials
3 o 40
    - 7
1
               14
2 e 1
               2
                2
4 os 1
5
   s 1
[1] "n4SgNom"
Suffix freq Percent_Trials
3 o 41
   - 6
               12
1
2 e 1
               2
                2
4 os 1
   s 1
5
[1] "Acc"
Suffix freq Percent_Trials
5 o 19 38
3
   e 16
               32
  - 8
               16
1
               8
4 es 4
2 a 2
6 s 1
[1] "AccSg"
Suffix freq Percent_Trials
4 o 32
2 e 7
1 - 5
                14
               10
3 es 5
5 s 1
               10
                2
[1] "1SgAcc"
Suffix freq Percent_Trials
2 a 46 92
1 - 3
3 e 1
                6
                 2
[1] "2SgAcc"
Suffix freq Percent_Trials
2 o 46 92
  - 4
1
[1] "3SgAcc"
Suffix freq Percent_Trials
2 e 32 64
3
  es 15
                30
1 - 2
4 s 1
               4
[1] "4SgAcc"
Suffix freq Percent_Trials
3 o 41 82
1
   - 4
                8
4 os 3
                 6
```

```
2 e 1
5 s 1
[1] "5SgAcc"
 Suffix freq Percent_Trials
3 e 29 58
4
  es 13
                 26
   - 6
                12
2
   a 1
                 2
5 s 1
[1] "mSgAcc"
 Suffix freq Percent_Trials
4 o 40 80
      3
1
                  6
1 - 3
3 es 3
                  6
5 os 3
                  6
2 e 1
[1] "m1SgAcc"
 Suffix freq Percent_Trials
2 a 33
    - 15
1
                 30
3 e 1
                  2
    s 1
[1] "m2SgAcc"
Suffix freq Percent_Trials
2 o 44
   - 3
1
                 6
3 os 3
                  6
[1] "m3SgAcc"
Suffix freq Percent_Trials
2 e 31
    es 15
3
                 30
  - 3
s 1
1
                  6
[1] "m4SgAcc"
Suffix freq Percent_Trials
3 o 41
    - 4
                 8
1
4
  os 3
                  6
  e
2
                  2
5
   s
        1
[1] "m5SgAcc"
Suffix freq Percent_Trials
3 e 28 56
4
  es 13
                 26
1
    - 7
                 14
2
                 2
      1
    a
5
   s
      1
[1] "fSgAcc"
 Suffix freq Percent_Trials
3
   e 29
4
    es 12
                 24
2
    a 5
                 10
1
    - 3
                 6
5
    s 1
                  2
```

```
[1] "f1SgAcc"
Suffix freq Percent_Trials
2 a 46 92
   - 3
1
                6
3 e 1
                 2
[1] "f2SgAcc"
Suffix freq Percent_Trials
4 o 30
    - 11
1
                 22
2
   a 3
                6
5 os 3
3 e 2
6 s 1
                4
[1] "f3SgAcc"
Suffix freq Percent_Trials
2 e 33 66
3
  es 15
                 30
1 - 1
4 s 1
                2
[1] "f4SgAcc"
Suffix freq Percent_Trials
4 o 28 56
   - 14
1
                 28
3 e 3
                 6
                6
5 os 3
2 a 1
6 s 1
[1] "f5SgAcc"
Suffix freq Percent_Trials
3 e 29
  es 13
4
                 26
1 - 6
                12
2 a 1
5 s 1
                2
                 2
[1] "nSgAcc"
Suffix freq Percent_Trials
2 o 45 90
1 - 5
[1] "n2SgAcc"
Suffix freq Percent_Trials
2 o 46 92
                8
[1] "n3SgAcc"
Suffix freq Percent_Trials
1 - 29
   a 10
2
                 20
3 e 7
6 s 2
                14
                4
4 es 1
                2
   o 1
5
[1] "n4SgAcc"
Suffix freq Percent_Trials
3 o 40 80
1 - 7
                 14
```

```
2 e 1
4
       1
                  2
   os
5
        1
   s
[1] "Gen"
Suffix freq Percent_Trials
1 -
       15
3
    e 14
   o 12
5
                 24
4
  es 6
                 12
6 s 2
2 a 1
                 4
[1] "GenSg"
 Suffix freq Percent_Trials
1 - 14
2
    e 14
                 28
                 28
4
   o 14
3
  es 6
                 12
   s 2
5
[1] "1SgGen"
Suffix freq Percent_Trials
1 -
       20
2
   a 13
                 26
3
   e 10
                 20
4
   es 5
                 10
5
   s 2
[1] "2SgGen"
 Suffix freq Percent_Trials
4 o 24 48
1
    - 17
                 34
2
   e 4
                 8
3
   es 2
                  4
 s
6
        2
                  4
5
   os 1
[1] "3SgGen"
Suffix freq Percent_Trials
2 e 33
   es 15
                 30
3
1
    - 1
                 2
   s
4
[1] "4SgGen"
 Suffix freq Percent_Trials
 o 23 46
4
1
      15
                 30
   e 6
2
                 12
3 es 2
                 4
5
        2
   os
                  4
   s
        2
[1] "5SgGen"
 {\tt Suffix\ freq\ Percent\_Trials}
3
   е
       29
4
    es 13
                 26
1
    - 6
                12
2
    a 1
                 2
                  2
5
    s 1
```

```
[1] "mSgGen"
 Suffix freq Percent_Trials
         22
1
         15
                      30
2
         7
                      14
     е
3
    es 2
                      4
5
   os
6
          2
     S
[1] "m1SgGen"
 Suffix freq Percent_Trials
         20
2
     a 12
                      24
     e 11
3
                      22
       5
4
                      10
   es
5
     s
          2
                      4
[1] "m2SgGen"
 Suffix freq Percent_Trials
         24
4 o
        16
                      32
1
2
        4
                      8
     es 2
3
                      4
5
    os
          2
6
          2
     s
[1] "m3SgGen"
 Suffix freq Percent_Trials
   e 33
3
     es 15
                      30
1
         1
                      2
        1
                      2
     S
[1] "m4SgGen"
 Suffix freq Percent_Trials
4
     0
         23
1
         15
                      30
2
     e 6
                     12
3
          2
                      4
     es
5
   os
          2
                      4
          2
     s
[1] "m5SgGen"
 Suffix freq Percent_Trials
3
     e 29
                     58
     es 13
                      26
4
1
     - 6
                     12
   a
2
        1
                      2
5
          1
     s
[1] "fSgGen"
 Suffix freq Percent_Trials
3
     е
         25
                      50
         12
                      24
1
4
    es 11
                      22
2
                      2
     a 1
          1
     s
[1] "f1SgGen"
Suffix freq Percent_Trials
1 - 20
```

```
2 a 13
3 e 10
               26
                20
4 es 5
                10
   s 2
5
                4
[1] "f2SgGen"
Suffix freq Percent_Trials
5 o 21 42
   - 16
1
                 32
   e 5
3
                10
2 a 2
                4
4 es 2
6 os 2
7 s 2
[1] "f3SgGen"
Suffix freq Percent_Trials
2 e 33 66
3 es 15 30
1 - 1
4 s 1
                2
[1] "f4SgGen"
Suffix freq Percent_Trials
5 o 20 40
   - 16
1
                32
   e 6
3
                12
2 a 2
                4
4 es 2
6 os 2
7 s 2
                4
   s
[1] "f5SgGen"
 Suffix freq Percent_Trials
3 e 29 58
    es 13
4
                 26
1 - 6
                12
2 a 1
5 s 1
                2
[1] "nSgGen"
Suffix freq Percent_Trials
4 o 25 50
    - 16
1
                32
2 e 4
                8
3 es 2
6 s os
   s 2
                4
       1
[1] "n2SgGen"
 Suffix freq Percent_Trials
4 o 25
                50
    - 16
1
                 32
   e 4
2
                8
3 es 2
                4
6 s 2
5 os 1
                 4
[1] "n3SgGen"
Suffix freq Percent_Trials
1 - 23
```

```
e 15
                      30
2
        5
                      10
     a
4
          5
                      10
     es
5
     s
          2
                      4
[1] "n4SgGen"
 Suffix freq Percent_Trials
         23
     0
1
         17
                      34
2
        5
                      10
     е
3
          2
                      4
     es
6
          2
    s
5
          1
                       2
     os
[1] "Pl"
 Suffix freq Percent_Trials
         16
3
         13
                      26
      е
5
    0
         13
                      26
   es 5
                      10
4
6
     s 2
                       4
2
         1
                       2
      a
[1] "PlNom, Acc"
 Suffix freq Percent_Trials
5
     0
         20
                      40
1
         16
                      32
        6
                      12
3
     е
2
                       6
     a
        3
4
    es
          3
                       6
     s
          2
[1] "1PlNom, Acc"
 Suffix freq Percent_Trials
2 a 46
1
         3
                       6
3
    e 1
[1] "2PlNom, Acc"
 Suffix freq Percent_Trials
4 o 25
1
         17
                      34
     a 5
2
                      10
5
          2
                       4
      s
3
         1
      е
[1] "3PlNom, Acc"
 Suffix freq Percent_Trials
3
  e 26
4
     es 12
                      24
1
        9
                      18
          2
5
                       4
     S
     a
          1
[1] "4PlNom, Acc"
 {\tt Suffix\ freq\ Percent\_Trials}
     o 22
1
         19
                      38
3
     e 3
                      6
5
    os 3
                       6
6
     S
          2
                       4
```

```
2 a 1
[1] "5PlNom, Acc"
 Suffix freq Percent_Trials
3
          24
     е
          12
                         24
1
4
          12
                         24
     es
2
      a
         1
                         2
5
                          2
      s
           1
[1] "mPlNom,Acc"
 Suffix freq Percent_Trials
    0
          22
1
          18
                         36
3
           4
                          8
      е
5
           3
                          6
     os
6
      s
           2
                          4
      a
           1
[1] "fPlNom, Acc"
 Suffix freq Percent_Trials
3
      е
          24
                         22
2
          11
      a
4
          10
                         20
     es
           4
                          8
      s
           1
                          2
[1] "nPlNom,Acc"
 Suffix freq Percent_Trials
      0
          25
1
          17
                         34
2
           5
                         10
      a
5
           2
                          4
      S
           1
      е
[1] "PlAcc, Gen"
 {\tt Suffix\ freq\ Percent\_Trials}
          16
1
3
          14
                         28
      е
5
                         24
         12
      0
4
         5
                         10
     es
           2
6
      s
                          4
      a
           1
                          2
[1] "1PlAcc,Gen"
 Suffix freq Percent_Trials
  a 31
          17
                         34
1
3
           1
                          2
      е
           1
      s
[1] "2PlAcc,Gen"
 Suffix freq Percent_Trials
5
      0
          20
                         40
          19
                         38
1
3
           4
                          8
      е
2
           2
                          4
      a
4
           2
     es
                          4
7
           2
      s
6
           1
                          2
     os
[1] "3PlAcc,Gen"
```

```
Suffix freq Percent_Trials
2
          33
      е
                         30
3
          15
     es
1
          1
                          2
                          2
           1
      s
[1] "4PlAcc,Gen"
 Suffix freq Percent_Trials
          19
1
                         38
5
      0
          19
         5
                         10
3
      е
         2
4
     es
                          4
6
           2
                          4
     os
7
           2
                          4
      S
           1
      a
[1] "5PlAcc,Gen"
 Suffix freq Percent_Trials
3
      е
          29
          13
                         26
4
     es
1
           6
                         12
2
                          2
           1
      a
           1
                          2
5
      s
[1] "mPlAcc,Gen"
 Suffix freq Percent_Trials
          18
5
      0
1
          17
                         34
                         16
3
      е
         8
4
     es
           2
                          4
6
     os
           2
                          4
7
           2
      s
      a
           1
[1] "fPlAcc,Gen"
 {\tt Suffix\ freq\ Percent\_Trials}
3
      е
          32
4
          12
                         24
     es
                          8
1
           4
2
           1
                          2
      a
           1
      s
[1] "nPlAcc,Gen"
 Suffix freq Percent_Trials
          21
5
      0
                         42
1
          19
                         38
3
         4
                          8
      е
2
      a
           2
                          4
4
     es
           2
                          4
           2
      s
[1] "PlNom, Gen"
 Suffix freq Percent_Trials
1
          16
3
          13
                         26
      е
                         26
5
         13
4
           5
                         10
     es
           2
6
                          4
     s
2
           1
                          2
      a
[1] "1PlNom, Gen"
```

```
Suffix freq Percent_Trials
2
           31
       a
                          62
                          34
1
           17
3
          1
                           2
       е
                           2
            1
[1] "2PlNom, Gen"
  Suffix freq Percent_Trials
           20
5
       0
                          38
1
           19
           4
                           8
3
       е
2
            2
      a
4
            2
                           4
      es
7
            2
                           4
       s
            1
      os
[1] "3PlNom,Gen"
  Suffix freq Percent_Trials
3
       е
           26
           12
                          24
4
      es
1
           9
                          18
            2
5
                           4
       s
            1
                           2
2
       a
[1] "4PlNom,Gen"
  Suffix freq Percent_Trials
           19
           19
                          38
5
       0
                          10
3
      е
          5
4
      es
            2
                           4
6
      os
            2
                           4
7
            2
      S
       a
            1
[1] "5PlNom,Gen"
  {\tt Suffix\ freq\ Percent\_Trials}
3
           24
           12
                          24
1
         12
                          24
4
      es
          1
2
                           2
      a
            1
       s
[1] "mPlNom,Gen"
  Suffix freq Percent_Trials
           18
1
                          36
5
           18
                          36
       0
3
           7
                          14
      е
4
      es
            2
                           4
6
      os
            2
                           4
7
      s
            1
                           2
       a
[1] "fPlNom,Gen"
  Suffix freq Percent_Trials
3
       е
           25
                          22
4
           11
      es
1
           10
                          20
2
          2
                           4
5
            2
                           4
       s
[1] "nPlNom,Gen"
```

```
Suffix freq Percent_Trials
5
           21
       0
                           42
                           38
           19
1
3
            4
                            8
       е
2
            2
                            4
       a
4
      es
            2
                            4
            2
       s
[1] "PlNom, Acc, Gen"
  Suffix freq Percent_Trials
           16
1
                           26
3
       е
           13
5
           13
                           26
       0
4
            5
                           10
      es
            2
6
                            4
       s
2
       a
            1
                            2
[1] "1PlNom, Acc, Gen"
  Suffix freq Percent_Trials
           44
       a
            5
                           10
1
3
                            2
       е
            1
[1] "2PlNom,Acc,Gen"
  Suffix freq Percent_Trials
4
       0
           24
                           48
1
           18
                           36
            4
                            8
2
       a
6
       s
            2
                            4
3
       е
            1
                            2
5
            1
      os
[1] "3PlNom, Acc, Gen"
  Suffix freq Percent_Trials
2
           33
       е
3
      es
           15
                           30
1
           1
                            2
      _
            1
                            2
4
       S
[1] "4PlNom, Acc, Gen"
  Suffix freq Percent_Trials
4
       0
           22
1
           19
                           38
3
            3
                            6
       е
5
            3
                            6
      os
            2
6
       s
       a
            1
[1] "5PlNom, Acc, Gen"
  Suffix freq Percent_Trials
3
       е
           29
4
           13
                           26
      es
1
            6
                           12
2
                            2
            1
            1
                            2
       S
[1] "mPlNom,Acc,Gen"
  Suffix freq Percent_Trials
1
           18
5
           18
                           36
       0
3
       е
          7
                           14
```

```
es
6
           2
     os
                         4
7
           2
      s
2
           1
      a
[1] "fPlNom,Acc,Gen"
 Suffix freq Percent_Trials
      е
          27
4
                        22
          11
     es
1
          8
                        16
2
           2
                        4
      a
           2
5
      s
[1] "nPlNom, Acc, Gen"
 Suffix freq Percent_Trials
          23
5
1
          19
                        38
2
         3
                         6
      a
3
           2
                         4
      е
6
     es
           1
[1] "NomPl"
 Suffix freq Percent_Trials
          20
5
          17
                        34
      0
3
                        12
      е
          6
4
     es 3
                        6
2
    a
           2
                         4
6
      S
           2
[1] "1P1"
 Suffix freq Percent_Trials
2 a
          44
          5
                        10
1
3
      е
         1
                         2
[1] "1PlNom"
 Suffix freq Percent_Trials
                        92
  a 46
1
          3
                         6
           1
                         2
3
[1] "2P1"
 Suffix freq Percent_Trials
4
          24
                        48
      0
1
          18
                        36
2
        4
                        8
     a
6
      s
          2
                         4
3
           1
                         2
      е
     os
           1
[1] "2PlNom"
 Suffix freq Percent_Trials
4
          25
1
      - 17
                        34
2
         5
                        10
      a
5
           2
                         4
      S
                         2
3
           1
[1] "3P1"
 Suffix freq Percent_Trials
```

```
2 e 33
               66
3
  es 15
                30
1 - 1
4 s 1
                2
                2
[1] "3PlNom"
Suffix freq Percent_Trials
3 e 26 52
4 es 12
                24
1 - 9
                18
5 s 2
2 a 1
                4
[1] "4P1"
Suffix freq Percent_Trials
4 o 22 44
1 - 19
3 e 3
5 os 3
                38
                6
                6
6 s 2
2 a 1
                4
[1] "4PlNom"
Suffix freq Percent_Trials
4 o 22 44
   - 19
1
                38
3 e 3
                6
                6
5 os 3
6 s 2
2 a 1
[1] "5P1"
Suffix freq Percent_Trials
3 e 29 58
4
  es 13
                26
1 - 6
                12
2 a 1
5 s 1
                2
                 2
[1] "5PlNom"
Suffix freq Percent_Trials
3 e 24 48
1 - 12
                24
4
  es 11
                22
5 s 2
2 a 1
                4
[1] "mPl"
Suffix freq Percent_Trials
1 - 18 36
5 o 18
3 e 7
4 es 2
                14
                4
6 os 2
                4
7 s 2
   a 1
2
[1] "mPlNom"
Suffix freq Percent_Trials
4 o 22 44
1 - 18
                36
```

```
3 e 4
                 8
5
  os 3
                  6
6
   s 2
2
        1
                  2
    a
[1] "m1P1"
Suffix freq Percent_Trials
2 a 36 72
       11
                 22
1
      2
3
    е
                 4
   s 1
4
                  2
[1] "m1PlNom"
Suffix freq Percent_Trials
2 a 36
   - 12
                 24
1
   e 1
3
                 2
4 s 1
                  2
[1] "m2P1"
 Suffix freq Percent_Trials
       23
 0
    - 17
                 34
1
 a 4
2
                 8
5 os 3
                 6
  S
6
       2
                  4
3
    е
       1
[1] "m2PlNom"
 Suffix freq Percent_Trials
4 o 23
1
    - 17
                 34
2 a 4
                 8
5 os 3
6 s
3 e
       2
       1
[1] "m3P1"
Suffix freq Percent_Trials
2 e 33
  es 15
3
                 30
1
      1
                 2
4
   s 1
                  2
[1] "m3PlNom"
Suffix freq Percent_Trials
3 e 25 50
  es 12
4
                 24
 - 10
1
                 20
5
   s 2
                 4
    a 1
[1] "m4P1"
Suffix freq Percent_Trials
4 o 22
1
    - 19
                 38
3
    е 3
                 6
5
  os 3
                  6
   s 2
6
2
        1
                  2
    a
[1] "m4PlNom"
```

```
Suffix freq Percent_Trials
4
       22
    0
                  38
1
       19
    e 3
3
                  6
5
  os
       3
                  6
6
   s 2
                   4
    a
[1] "m5P1"
 Suffix freq Percent_Trials
3 e 28
    es 13
                  26
4
1
   - 6
                 12
 - 6
a 2
2
                  4
    s 1
5
[1] "m5PlNom"
Suffix freq Percent_Trials
3 е
       23
    - 12
                  24
1
  es 11
4
                  22
  a 2
2
                  4
      2
                  4
5
    s
[1] "fPl"
Suffix freq Percent_Trials
3 e 27
4
    es 11
                  22
   - 8
                 16
1
  a 2
2
                  4
5
    S
[1] "fPlNom"
 Suffix freq Percent_Trials
3 e 24
1
    - 11
                  22
4 es 10
                  20
  a 3
2
                  6
        2
5
                   4
    S
[1] "f1P1"
Suffix freq Percent_Trials
2 a 44
1
    - 5
                  10
      1
3
                 2
    е
[1] "f1PlNom"
Suffix freq Percent_Trials
2 a 46
1
    - 3
                  6
   e 1
[1] "f2P1"
Suffix freq Percent_Trials
       24
1
    - 16
                  32
2
   a 4
                  8
3
    e 2
                  4
5 os 2
6 s
        2
[1] "f2PlNom"
```

```
Suffix freq Percent_Trials
4
 0
       24
                32
1
       16
   a 4
2
                8
      2
3 e 2
5 os 2
3
                4
                4
   S
[1] "f3P1"
Suffix freq Percent_Trials
2 e 33 66
  es 15
                30
3
1 - 1
4 s 1
                2
                 2
[1] "f3PlNom"
 Suffix freq Percent_Trials
3 e 26
4
  es 12
                24
  - 9
                18
1
5 s 2
2 a 1
                4
                 2
[1] "f4P1"
Suffix freq Percent_Trials
4 o 22
    - 19
1
                 38
3
   e 3
                6
5 os 3
6 s 2
                 4
2
   a
       1
[1] "f4PlNom"
 Suffix freq Percent_Trials
4 o 22 44
1
       19
                38
  е 3
3
                6
5 os 3
                6
6 s 2
                 4
2
    a 1
                 2
[1] "f5P1"
Suffix freq Percent_Trials
3 e 29 58
  es 13
                26
4
1
  - 6
                12
2 a 1
                2
    s 1
5
[1] "f5PlNom"
 Suffix freq Percent_Trials
3 e 24
                48
    - 12
1
                24
4 es 11
                22
5 s 2
                4
      1
                 2
2
   a
[1] "nPl"
Suffix freq Percent_Trials
5 o 23
1 - 19
                38
```

```
2 a 3
                 6
3
   e 2
                 4
6
   s 2
4
       1
  es
[1] "nPlNom"
Suffix freq Percent_Trials
4 o 25 50
   - 17
1
                34
2
   a 5
                10
5 s 2
3 e 1
                4
[1] "n2P1"
 Suffix freq Percent_Trials
4 o 25
1
   - 17
                34
2
   a 5
                10
 s 2
5
                4
3
   e 1
[1] "n2PlNom"
Suffix freq Percent_Trials
4 o 25 50
1
   - 17
                34
2
   a 5
               10
  s 2
5
                4
3
    e 1
                 2
[1] "n3P1"
Suffix freq Percent_Trials
1 - 28 56
2 a 10
                20
   e 8
3
               16
6 s 2
                4
  es 1
4
                 2
   o 1
[1] "n3PlNom"
Suffix freq Percent_Trials
1 - 30
2
   a 10
                20
   e 6
3
               12
6
   s 2
                4
4
  es 1
                 2
   0
[1] "n4Pl"
 Suffix freq Percent_Trials
4 o 24
                48
   - 19
1
3
    е 3
                6
   s 2
6
                 4
2
                 2
  os 1
[1] "n4PlNom"
Suffix freq Percent_Trials
4 o 24
1
    - 19
                38
3 e 3
                6
```

```
6 s 2
2
          1
                       2
     a
5
          1
    os
[1] "AccPl"
 Suffix freq Percent_Trials
5
    0
         18
         14
1
3
        9
                      18
      е
2
     a
          4
                       8
4
          3
                       6
     es
     s
          2
[1] "1PlAcc"
 Suffix freq Percent_Trials
2 a 46
1
      - 3
                       6
3
     е
                       2
[1] "2PlAcc"
 Suffix freq Percent_Trials
     0
         25
         17
                      34
1
        5
2
                      10
     a
5
     s 2
3
                       2
     е
          1
[1] "3P1Acc"
 Suffix freq Percent_Trials
     е
         33
3
     es 15
                      30
1
         1
                       2
     s 1
                       2
[1] "4PlAcc"
 Suffix freq Percent_Trials
4 o
         22
1
         19
                       38
3
     e 3
                       6
5
          3
                       6
   os
6
          2
                       4
     s
     a
          1
[1] "5PlAcc"
 Suffix freq Percent_Trials
3
         29
                      58
     е
     es 13
                      26
4
1
     - 6
                      12
2
     a
          1
                       2
5
          1
      s
[1] "mPlAcc"
 Suffix freq Percent_Trials
4
     0
         22
                      44
                      34
1
         17
3
     e 5
                      10
5
          3
                       6
     os
6
          2
                       4
      s
          1
      a
[1] "m1PlAcc"
 Suffix freq Percent_Trials
```

```
2 a 36
               72
1
   - 12
                 24
3
                2
   e 1
4
   s 1
                 2
[1] "m2PlAcc"
 Suffix freq Percent_Trials
4 o 23 46
1
       17
                 34
2
   a 4
                 8
5
  os 3
                 6
6 s 2
3
   e 1
[1] "m3PlAcc"
Suffix freq Percent_Trials
2 e 32
3
   es 15
                30
1 - 2
4 s 1
                4
[1] "m4PlAcc"
Suffix freq Percent_Trials
4 o 22 44
                 38
1
   - 19
3
   е 3
                6
  os 3
5
                 6
6 s 2
                 4
   a 1
[1] "m5PlAcc"
Suffix freq Percent_Trials
3 e 28
4
  es 13
                26
  - 6
1
                12
  a 2
2
                 4
   s 1
[1] "fPlAcc"
Suffix freq Percent_Trials
3 e 29
                22
4
  es 11
2
   a 5
                10
1
    - 4
                 8
  s
5
      1
[1] "f1PlAcc"
Suffix freq Percent_Trials
2 a 46 92
  - 3
1
                 6
   e 1
[1] "f2PlAcc"
Suffix freq Percent_Trials
4 o 23
1
   - 17
                 34
2
   a 4
                 8
3
    e 2
                 4
5 os 2
6 s
       2
[1] "f3PlAcc"
```

```
Suffix freq Percent_Trials
  e 33
2
3
   es 15
                 30
  - 1
s 1
1
                 2
                  2
4
[1] "f4PlAcc"
 Suffix freq Percent_Trials
4 o 22
    _
1
       19
                 38
3
   e 3
                 6
5 os 3
6 s 2
                  4
2
        1
   a
[1] "f5PlAcc"
 Suffix freq Percent_Trials
3 e 29
4
   es 13
                 26
   - 6
                12
6
2 a 1
5 ~
1
                 2
                  2
[1] "nPlAcc"
Suffix freq Percent_Trials
4 o 25
1
    - 17
                 34
   a 5
2
                 10
5 s 2
3 e 1
                 4
                  2
[1] "n2PlAcc"
Suffix freq Percent_Trials
4 o 25
   - 17
1
                 34
2
   a 5
                 10
5 s 2
3 e 1
                 4
                  2
[1] "n3PlAcc"
Suffix freq Percent_Trials
1 - 28 56
   a 10
2
                 20
3
   e 8
                 16
6 s 2
                 4
  es 1
                 2
4
   o 1
[1] "n4PlAcc"
Suffix freq Percent_Trials
4 o 24
1
   - 19
                 38
3
   e 3
                 6
   s 2
6
                 4
2 a 5 os 1
                  2
[1] "GenPl"
Suffix freq Percent_Trials
1 - 15
3 e 14
                 28
```

```
5 o 12
               24
4
  es 6
               12
6 s 2
2 a 1
               4
   a 1
                2
[1] "1PlGen"
Suffix freq Percent_Trials
1 - 20 40
2
   a 13
                26
3
   e 10
               20
4 es 5 5 5 2
               10
[1] "2PlGen"
Suffix freq Percent_Trials
5 o 20 40
1
   - 19
                38
   e 4
3
                8
2 a 2
                4
4 es 2
7 s 2
6 os 1
   s 2
[1] "3PlGen"
Suffix freq Percent_Trials
2 e 33 66
  es 15
3
                30
1 - 1
4 s 1
               2
[1] "4PlGen"
Suffix freq Percent_Trials
1 - 19 38
5
   o 18
                36
3 e 6
4 es 2
               12
               4
6 os 2
                4
7 s 2
   a 1
[1] "5PlGen"
Suffix freq Percent_Trials
3 e 29
4
   es 13
               26
1 - 6
               12
2
               2
   a 1
   s 1
[1] "mPlGen"
Suffix freq Percent_Trials
1 - 18 36
5
   o 18
                36
               14
3
   e 7
4 es 2
               4
6 os 2
                4
  s 2
                4
7
       1
   a
[1] "m1PlGen"
Suffix freq Percent_Trials
1 - 19
```

```
a 13
                      26
3
         11
                      22
     е
4
        5
                      10
     es
5
     s
          2
                      4
[1] "m2PlGen"
 Suffix freq Percent_Trials
         19
5
         19
                      38
      0
3
                      8
     е
         4
2
          2
                       4
    a
          2
4 es
   os
6
          2
          2
7
     s
[1] "m3PlGen"
 {\tt Suffix\ freq\ Percent\_Trials}
2 e 33
3
     es
         15
                      30
    - 1
                      2
1
    s 1
                       2
[1] "m4PlGen"
 Suffix freq Percent_Trials
         19
5
     0
         18
                      36
3
         6
                      12
     е
   es 2
4
                      4
6
   os
          2
7
    s
          2
                       4
2
     a
[1] "m5PlGen"
 Suffix freq Percent_Trials
         29
3 е
4
     es
         13
                      26
1
   - 6
                      12
2
        1
                      2
     a
        1
                       2
5
     s
[1] "fPlGen"
 Suffix freq Percent_Trials
3
     е
         24
                      48
1
         13
                      26
4
        11
                      22
    es
    a 1
                     2
        1
                       2
     s
[1] "f1PlGen"
 Suffix freq Percent_Trials
         20
2
         13
                      26
      a
3
                      20
     е
         10
        5
                      10
4
     es
5
          2
                      4
    s
[1] "f2PlGen"
 Suffix freq Percent_Trials
5 o 19
1
         17
                      34
3
      e 5
                      10
```


```
2 a 3
                6
4
  es 2
                 4
6 os 2
7
   s
       2
[1] "f3PlGen"
Suffix freq Percent_Trials
2 e 33 66
3
   es 15
                30
  - 1
s 1
                2
1
4
                 2
[1] "f4PlGen"
Suffix freq Percent_Trials
1 - 19
5 o 17
                34
   e 6
3
               12
2 a 2
4 es 2
                4
                4
6 os 2
7
   s
       2
[1] "f5PlGen"
Suffix freq Percent_Trials
3 e 29 58
4
  es 13
                26
1 - 6
                12
2
   a 1
                2
   s 1
[1] "nPlGen"
Suffix freq Percent_Trials
5 o 20
1
   - 19
                38
3
   e 4
                8
2 a 2
                4
4 es 2
7
       2
   S
  os
6
       1
[1] "n2PlGen"
Suffix freq Percent_Trials
5 o 20
1
       19
                38
3
   e 4
                8
2
   a 2
  es 2
4
                4
7
   s
       2
                 4
   os
       1
[1] "n3PlGen"
 Suffix freq Percent_Trials
1 - 23
3
    e 15
                30
2
   a 5
                10
 es 5
4
                10
       2
   s
[1] "n4PlGen"
Suffix freq Percent_Trials
1 - 20
```

5	0	19	38
3	е	5	10
4	es	2	4
7	s	2	4
2	a	1	2
6	os	1	2

#### [1] "common\_system\_distrib"

	<b>–</b> v	_	
	${\tt Percent\_Match}$	freq	Percent_Trials
1	54.00000	1	2
2	55.33333	2	4
3	58.00000	5	10
4	58.66667	2	4
5	59.33333	12	24
6	60.00000	14	28
7	61.33333	8	16
8	62.00000	6	12

### Percent of common\_system\_distrib Matching Reality




Percent Matching True System

<pre>[1] "NPLtoFSG_system_distrib"</pre>			
	Percent_Match	freq	Percent_Trials
1	56.00000	2	4
2	57.33333	3	6
3	58.66667	1	2
4	59.33333	1	2
5	60.00000	4	8
6	61.33333	6	12
7	62.00000	3	6
8	62.66667	8	16
9	63.33333	1	2


10	64.00000	10	20
11	65.33333	6	12
12	66 00000	5	10

### Percent of NPLtoFSG\_system\_distrib Matching Reality




[1] "romanian\_system\_distrib" Percent\_Match freq Percent\_Trials 54.00000 55.33333 56.00000 57.33333 58.00000 58.66667 59.33333 60.00000 60.66667 61.33333 62.00000

# Percent of romanian\_system\_distrib Matching Reality




[	1]	"1_common_sy	stem_	_distrib"
	P€	ercent_Match	freq	Percent_Trials
1		60.00000	4	8
2		66.66667	31	62
3		70.00000	15	30

## Percent of 1\_common\_system\_distrib Matching Reality




[	[1] "1_NPLtoFSG_system_distrib"					
	Percent_Match	freq	Percent_Trials			
1	60.00000	4	8			
2	66.66667	31	62			
3	70.00000	15	30			

## Percent of 1\_NPLtoFSG\_system\_distrib Matching Reality




[1] "1_romanian_system_distrib"						
	Percent_Match freq Percent_Trials					
1	60.00000	3	6			
2	63.33333	1	2			
3	66.66667	37	74			
4	70.00000	9	18			

#### Percent of 1\_romanian\_system\_distrib Matching Reality



[1] "2\_common\_system\_distrib" Percent\_Match freq Percent\_Trials 40.00000 50.00000 53.33333 56.66667 60.00000 


## Percent of 2\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"2_NPLtoFSG_	syste	em_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	40.00000	3	6
2	50.00000	1	2
3	53.33333	13	26
4	60.00000	10	20
5	63.33333	1	2
6	66.66667	1	2
7	70.00000	21	42


## Percent of 2\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"2_romanian_	_syste	em_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	40.00000	3	6
2	50.00000	1	2
3	53.33333	20	40
4	56.66667	2	4
5	60.00000	24	48


## Percent of 2\_romanian\_system\_distrib Matching Reality



Percent Matching True System


l] "3_common_sy	stem_	_distrib"
Percent_Match	freq	Percent_Trials
53.33333	1	2
60.00000	4	8
63.33333	6	12
70.00000	38	76
73.33333	1	2
	Percent_Match 53.33333 60.00000 63.33333 70.00000	60.00000 4 63.33333 6 70.00000 38

## Percent of 3\_common\_system\_distrib Matching Reality




[1]	"3_NPLtoFSG_	_syste	em_distrib"
F	Percent_Match	freq	Percent_Trials
1	60.00000	4	8
2	63.33333	1	2
3	66.66667	1	2
4	70.00000	4	8
5	73.33333	5	10
6	80.00000	35	70

## Percent of 3\_NPLtoFSG\_system\_distrib Matching Reality




[1	l] "3_romanian	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	53.33333	1	2
2	60.00000	9	18
3	63.33333	4	8
4	66.66667	1	2
5	70.00000	35	70

#### Percent of 3\_romanian\_system\_distrib Matching Reality




## Percent of 4\_common\_system\_distrib Matching Reality




	1] "4_NPLtoF	GG_s	yste	em_distri	b"
	Percent_Mate	ch f	req	Percent_	Trials
1	40.000	00	6		12
2	46.666	37	19		38
3	50.000	00	25		50

## Percent of 4\_NPLtoFSG\_system\_distrib Matching Reality



[1] "4_romanian_system_distrib"					
	Percent_Match	freq	Percent_Trials		
1	40.00000	6	12		
2	46.66667	19	38		
3	50.00000	25	50		

#### Percent of 4\_romanian\_system\_distrib Matching Reality




[1] "5\_common\_system\_distrib"

Percent\_Match freq Percent\_Trials

1 60 50 100


#### Percent of 5\_common\_system\_distrib Matching Reality



[1] "5\_NPLtoFSG\_system\_distrib"


Percent\_Match freq Percent\_Trials
1 60 50 100

#### Percent of 5\_NPLtoFSG\_system\_distrib Matching Reality




[1] "5\_romanian\_system\_distrib"
 Percent\_Match freq Percent\_Trials
1 60 50 100

# Percent of 5\_romanian\_system\_distrib Matching Reality




[1] "m\_common\_system\_distrib" Percent\_Match freq Percent\_Trials 

## Percent of m\_common\_system\_distrib Matching Reality




[1] "m_NPLtoFSG_system_distrib"						
Percent_Match	freq	Percent_Trials				
1 46	3	6				
2 50	2	4				
3 52	1	2				
4 54	19	38				
5 56	1	2				
6 58	24	48				

## Percent of m\_NPLtoFSG\_system\_distrib Matching Reality




[1] "m_romanian_system_distrib"						
Percent_Match	freq	Percent_Trials				
1 46	3	6				
2 50	) 2	4				
3 52	2 1	2				
4 54	19	38				
5 56	3 1	2				
6 58	3 24	48				

## Percent of m\_romanian\_system\_distrib Matching Reality




[	1] "f	common_sy	stem_	_distrib"
	Perc	ent_Match	freq	Percent_Trials
1		46	4	8
2		50	32	64
3		52	14	28

## Percent of f\_common\_system\_distrib Matching Reality




	1]	"f_NPLtoFSG_	_syste	em_distrib"
	Pe	ercent_Match	freq	Percent_Trials
1		46	4	8
2		50	32	64
.3	,	52	14	28

## Percent of f\_NPLtoFSG\_system\_distrib Matching Reality




[1]	"f_romanian_	_syste	em_distrib"
P	ercent_Match	freq	Percent_Trials
1	46	3	6
2	48	2	4
3	50	36	72
4	52	9	18

# Percent of f\_romanian\_system\_distrib Matching Reality




[1	] "n_common_sy	ystem_	_distrib"
	Percent_Match	freq	Percent_Trials
1	70	9	18
2	72	6	12
3	74	19	38
4	76	16	32

## Percent of n\_common\_system\_distrib Matching Reality




[	1] "n_NPLtoFSG	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	68	2	4
2	72	2	4
3	76	4	8
4	78	1	2
5	80	13	26
6	82	7	14
7	84	8	16
8	88	13	26

## Percent of n\_NPLtoFSG\_system\_distrib Matching Reality




[1]	"n_romanian_	syste	em_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	68	4	8
2	70	10	20
3	72	5	10
4	74	16	32
5	76	15	30

## Percent of n\_romanian\_system\_distrib Matching Reality



[1]	] "Nom_common_	_syste	em_distri	.b"
]	Percent_Match	freq	Percent_	Trials
1	23.33333	1		2
2	26.66667	3		6
3	33.33333	17		34
4	36.66667	29		58


## Percent of Nom\_common\_system\_distrib Matching Reality



[1]	"Nom_NPLtoFS	G_sys	stem_distrib"
P	ercent_Match	freq	Percent_Trials
1	26.66667	1	2
2	30.00000	3	6
3	33.33333	2	4
4	36.66667	8	16
5	40.00000	18	36


43.33333

## Percent of Nom\_NPLtoFSG\_system\_distrib Matching Reality




[1]	] "Nom_romania	an_sys	stem_distrib"
	Percent_Match	freq	Percent_Trials
1	23.33333	1	2
2	26.66667	3	6
3	30.00000	1	2
4	33.33333	18	36
5	36.66667	27	54

## Percent of Nom\_romanian\_system\_distrib Matching Reality



[1	.] "Acc_common_	_syste	em_distr	ib"
	Percent_Match	freq	Percent	Trials
1	23.33333	1		2
2	26.66667	2		4
3	33.33333	18		36
4	36.66667	29		58

## Percent of Acc\_common\_system\_distrib Matching Reality




36

[1	l] "Acc_NPLtoFS	G_sys	stem_distrib"
	Percent_Match	freq	Percent_Trials
1	26.66667	1	2
2	30.00000	3	6
3	33.33333	1	2
4	36.66667	8	16
5	40.00000	19	38

43.33333


6

## Percent of Acc\_NPLtoFSG\_system\_distrib Matching Reality




[1	] "Acc_romania	an_sys	stem_distrib"
	Percent_Match	freq	Percent_Trials
1	23.33333	1	2
2	26.66667	2	4
3	30.00000	1	2
4	33.33333	19	38
5	36.66667	27	54

## Percent of Acc\_romanian\_system\_distrib Matching Reality



[1	.] "Gen_common	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	23.33333	20	40
2	26.66667	4	8
3	33.33333	20	40
4	36.66667	6	12

## Percent of Gen\_common\_system\_distrib Matching Reality




[1] "Gen_NPLtoFSG_system_distrib"					
	Percent_Match	freq	Percent_Trials		
1	20.00000	3	6		
2	23.33333	1	2		
3	26.66667	18	36		
4	30.00000	2	4		
5	33.33333	3	6		
6	36.66667	2	4		

40.00000

43.33333


## Percent of Gen\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System


[1]	"Gen_romania	an_sys	stem_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	20.00000	4	8
2	23.33333	15	30
3	26.66667	5	10
4	30.00000	9	18
5	33.33333	12	24
6	36.66667	5	10

## Percent of Gen\_romanian\_system\_distrib Matching Reality



[1]	"Sg_common_sy	stem_	_distrib"
F	Percent_Match	freq	Percent_Trials
1	53.33333	1	2
2	54.66667	2	4
3	56.00000	2	4
4	58.66667	1	2
5	60.00000	4	8
6	62.66667	3	6
7	64.00000	3	6
8	68.00000	3	6
9	70.66667	10	20
10	72.00000	10	20
11	74.66667	7	14
12	76.00000	4	8


## Percent of Sg\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Sg_NPLtoFSG	_syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	53.33333	1	2
2	54.66667	2	4
3	56.00000	2	4
4	58.66667	1	2
5	60.00000	4	8
6	62.66667	3	6
7	64.00000	3	6
8	68.00000	3	6
9	70.66667	10	20
10	72.00000	10	20
11	74.66667	7	14
12	76.00000	4	8


## Percent of Sg\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Sg_romanian	_syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	53.33333	1	2
2	54.66667	2	4
3	56.00000	2	4
4	58.66667	2	4
5	60.00000	3	6
6	62.66667	6	12
7	66.66667	2	4
8	69.33333	1	2
9	70.66667	12	24
10	72.00000	4	8
11	73.33333	4	8
12	74.66667	9	18
13	76.00000	2	4


## Percent of Sg\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "Pl_common_system_distrib"				
Percent_Match	freq	${\tt Percent\_Trials}$		
48.00000	34	68		
53.33333	2	4		
56.00000	7	14		
57.33333	2	4		
60.00000	2	4		
65.33333	2	4		
66.66667	1	2		
	Percent_Match 48.00000 53.33333 56.00000 57.33333 60.00000 65.33333	Percent_Match freq 48.00000 34 53.33333 2 56.00000 7 57.33333 2 60.00000 2 65.33333 2		


## Percent of PI\_common\_system\_distrib Matching Reality



[1]	"Pl_NPL	toFSG_	syste	em_distr	ib"
	Percent_	Match	freq	Percent.	Trials
1	52.	00000	13		26
0	EΛ	66667	_		10


2	54.66667	5	10
3	56.00000	18	36
4	57.33333	1	2
5	58.66667	1	2
6	60.00000	3	6
7	61.33333	1	2
8	62.66667	1	2
9	64.00000	5	10
10	68.00000	1	2
11	69.33333	1	2

## Percent of PI\_NPLtoFSG\_system\_distrib Matching Reality




[1]	"Pl_romanian	n_syst	tem_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	48.00000	34	68
2	53.33333	2	4
3	56.00000	11	22
4	61.33333	1	2
5	64.00000	2	4

## Percent of PI\_romanian\_system\_distrib Matching Reality



[1	] "n.Sg,m.Sg"		
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	22.22222	2	4
3	33.33333	20	40
4	44.44444	18	36
5	66.66667	9	18


# Percent of n.Sg,m.Sg Matching Each Other



Percent Matching Each Other

[	1] "n.Pl,m.Pl"		
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	22.22222	3	6
3	33.33333	20	40
4	44.44444	16	32
5	66.66667	10	20


# Percent of n.PI,m.PI Matching Each Other



Percent Matching Each Other

[	1] "n.Pl,f.Sg"		
	Percent_Match	freq	Percent_Trials
1	33.33333	20	40
2	44.44444	19	38
3	55.55556	1	2
4	66.66667	10	20


# Percent of n.PI,f.Sg Matching Each Other



Percent Matching Each Other

	1] "n.Pl,f.Pl"		
	Percent_Match	freq	Percent_Trials
1	33.33333	20	40
2	44.44444	19	38
3	55.55556	1	2
4	66.66667	10	20


## Percent of n.PI,f.PI Matching Each Other




Percent Matching Each Other

[1]	] "m.Pl,f.Pl"		
]	Percent_Match	freq	Percent_Trials
1	26.66667	1	2
2	33.33333	1	2
3	40 00000	48	96

#### Percent of m.PI,f.PI Matching Each Other




#### **Percent of 1,5 Matching Each Other**



[1] "2,4"


	${\tt Percent\_Match}$	freq	Percent_Trials
1	33.33333	1	2
2	44.44444	1	2
3	55.55556	5	10
4	61.11111	1	2
5	66.66667	42	84

# Percent of 2,4 Matching Each Other



[1] "2Sg,4Sg" Percent\_Match freq Percent\_Trials 33.33333 44.4444 55.55556 66.66667 


# Percent of 2Sg,4Sg Matching Each Other



Percent Matching Each Other

[1]	"2P1,4P1"		
F	Percent_Match	freq	Percent_Trials
1	33.33333	2	4
2	44.44444	2	4
3	55.55556	1	2
4	66.66667	45	90


# Percent of 2PI,4PI Matching Each Other



Percent Matching Each Other

[1]	"n.Sg(Nom Ad	cc),m	.Sg(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	2	4
2	16.66667	1	2
3	33.33333	30	60
4	50.00000	8	16
5	66.66667	9	18


## Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Nom Ac	cc),m	.Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	3	6
2	16.66667	1	2
3	33.33333	28	56
4	50.00000	8	16
5	66.66667	10	20


## Percent of n.PI(Nom|Acc),m.PI(Nom|Acc) Matching Each Other




Percent Matching Each Other

[1	] "n.Pl(Nom Ad	cc),f	.Sg(Nom Acc)"
	Percent_Match	freq	Percent_Trials
1	33.33333	30	60
2	50.00000	10	20
3	66 66667	10	20

#### Percent of n.PI(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other



## Percent of n.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other




[1] "m.Pl(Nom|Acc),f.Pl(Nom|Acc)"

Percent\_Match freq Percent\_Trials

1 20 1 2

2 30 1 2

#### Percent of m.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other




[1] "1.\*(Nom|Acc),5.\*(Nom|Acc)"

Percent\_Match freq Percent\_Trials

1 50 50 100


Percent of 1.\*(Nom|Acc),5.\*(Nom|Acc) Matching Each Other



[1] "2.\*(Nom|Acc),4.\*(Nom|Acc)"


	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	50.00000	5	10
3	58.33333	1	2
4	66.66667	43	86

## Percent of 2.\*(Nom|Acc),4.\*(Nom|Acc) Matching Each Other




[1] "2Sg(Nom|Acc),4Sg(Nom|Acc)"
Percent\_Match freq Percent\_Trials
1 33.33333 3 6
2 50.00000 1 2
3 66.66667 46 92

#### Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other




[1] "2Pl(Nom|Acc),4Pl(Nom|Acc)"
Percent\_Match freq Percent\_Trials
1 33.33333 4 8
2 66.66667 46 92

#### Percent of 2PI(Nom|Acc),4PI(Nom|Acc) Matching Each Other



```
[1] "n.Sg(Gen|Acc),m.Sg(Gen|Acc)"
  Percent_Match freq Percent_Trials
        0.00000
1
2
       16.66667
                    1
                                    2
3
       33.33333
                   29
                                   58
4
       50.00000
                                   20
                   10
5
       66.66667
                                   18
```


#### Percent of n.Sg(Gen|Acc),m.Sg(Gen|Acc) Matching Each Other



[1] "n.Pl(Gen|Acc),m.Pl(Gen|Acc)"
 Percent\_Match freq Percent\_Trials
1 0.00000 1 2
2 16.66667 1 2

2 16.66667 1 2 3 33.33333 30 60 4 50.00000 8 16 5 66.66667 10 20


## Percent of n.PI(Gen|Acc),m.PI(Gen|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Gen Ac	cc),f	.Sg(Gen  <i>A</i>	lcc)"
F	Percent_Match	freq	Percent_	Trials
1	33.33333	29		58
2	50.00000	10		20
3	66.66667	11		22

## Percent of n.PI(Gen|Acc),f.Sg(Gen|Acc) Matching Each Other




[1] "n.Pl(Gen|Acc),f.Pl(Gen|Acc)"

Percent\_Match freq Percent\_Trials


1 33 33333 29 58

1	33.33333	29	58
2	50.00000	10	20
3	66.66667	11	22

#### Percent of n.PI(Gen|Acc),f.PI(Gen|Acc) Matching Each Other




#### Percent of m.PI(Gen|Acc),f.PI(Gen|Acc) Matching Each Other




```
[1] "1.*(Gen|Acc),5.*(Gen|Acc)"
  Percent_Match freq Percent_Trials
1     50     50     100
```

#### Percent of 1.\*(Gen|Acc),5.\*(Gen|Acc) Matching Each Other



[1] "2.\*(Gen|Acc),4.\*(Gen|Acc)" Percent\_Match freq Percent\_Trials 1 33.33333 2 2 41.66667 1 2 3 50.00000 1 4 58.33333 4 8 66.66667 43 86


# Percent of 2.\*(Gen|Acc),4.\*(Gen|Acc) Matching Each Other



Percent Matching Each Other


[1]	"2Sg(Gen Aco	c),4Sg	g(Gen Aco	c)"
P	ercent_Match	freq	Percent	Trials
1	33.33333	1		2
2	50.00000	4		8
3	66.66667	45		90

#### Percent of 2Sg(Gen|Acc),4Sg(Gen|Acc) Matching Each Other



[1] "2Pl(Gen|Acc),4Pl(Gen|Acc)"
Percent\_Match freq Percent\_Trials
1 33.33333 2 4
2 50.00000 3 6
3 66.66667 45 90


## Percent of 2PI(Gen|Acc),4PI(Gen|Acc) Matching Each Other



Percent Matching Each Other

	1] "n.Sg(Nom Ge	en),m	.Sg(Nom Gen)"
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	22	44
3	50.00000	18	36
4	66.66667	9	18


## Percent of n.Sg(Nom|Gen),m.Sg(Nom|Gen) Matching Each Other



Percent Matching Each Other

[	1] "n.Pl(Nom Ge	en),m	.Pl(Nom Gen)"
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	23	46
3	50.00000	16	32
4	66.66667	10	20


## Percent of n.PI(Nom|Gen),m.PI(Nom|Gen) Matching Each Other



Percent Matching Each Other

[:	1] "n.Pl	(Nom Ge	en),f	.Sg(Nom (	Gen)"
	Percent.	_Match	freq	Percent	Trials
1	33	. 33333	20		40
2	50	.00000	20		40
3	66	.66667	10		20


#### Percent of n.PI(Nom|Gen),f.Sg(Nom|Gen) Matching Each Other




[1] "n.Pl(Nom|Gen),f.Pl(Nom|Gen)"
Percent\_Match freq Percent\_Trials

1	33.33333	20	40
2	50.00000	20	40
3	66 66667	10	20

#### Percent of n.PI(Nom|Gen),f.PI(Nom|Gen) Matching Each Other




#### Percent of m.PI(Nom|Gen),f.PI(Nom|Gen) Matching Each Other



```
[1] "1.*(Nom|Gen),5.*(Nom|Gen)"
  Percent_Match freq Percent_Trials
1     50     50     100
```


## Percent of 1.\*(Nom|Gen),5.\*(Nom|Gen) Matching Each Other




Percent Matching Each Other

[1]	"2.*(Nom Ger	ı),4.	k(Nom Gen)"
Pe	ercent_Match	freq	Percent_Trials
1	33.33333	1	2
2	41.66667	1	2
3	50.00000	1	2
4	58.33333	5	10
5	66.66667	42	84

#### Percent of 2.\*(Nom|Gen),4.\*(Nom|Gen) Matching Each Other




## Percent of 2Sg(Nom|Gen),4Sg(Nom|Gen) Matching Each Other



Percent Matching Each Other

[1]	"2P1(Nom Ger	ı),4PI	L(Nom Gen)"
P	ercent_Match	freq	Percent_Trials
1	33.33333	2	4
2	50.00000	3	6
3	66.66667	45	90


## Percent of 2PI(Nom|Gen),4PI(Nom|Gen) Matching Each Other



Percent Matching Each Other

[	1] "Nom,Acc"		
	Percent_Match	freq	Percent_Trials
1	76.92308	3 1	2
2	80.76923	3 1	2
3	84.61538	9	18
4	96.15385	5 1	2
5	100.00000	38	76


## **Percent of Nom,Acc Matching Each Other**



Percent Matching Each Other

[1]	"Acc,Gen"		
	Percent_Match	freq	Percent_Trials
1	57.69231	1	2
2	61.53846	2	4
3	69.23077	3	6
4	73.07692	2	4
5	76.92308	2	4
6	80.76923	5	10
7	84.61538	9	18
8	88.46154	7	14
9	92.30769	7	14
10	100.00000	12	24


## Percent of Acc, Gen Matching Each Other



Percent Matching Each Other

[1]	"Nom,Gen"		
	Percent_Match	${\tt freq}$	Percent_Trials
1	57.69231	2	4
2	61.53846	4	8
3	65.38462	2	4
4	69.23077	5	10
5	73.07692	1	2
6	76.92308	2	4
7	80.76923	3	6
8	84.61538	10	20
9	88.46154	6	12
10	92.30769	5	10
11	100.00000	10	20


## Percent of Nom, Gen Matching Each Other



Percent Matching Each Other

[1]	"Nom,Acc,Gen	1	
	Percent_Match	freq	Percent_Trials
1	57.69231	2	4
2	61.53846	4	8
3	65.38462	2	4
4	69.23077	5	10
5	73.07692	1	2
6	76.92308	2	4
7	80.76923	3	6
8	84.61538	10	20
9	88.46154	6	12
10	92.30769	5	10
11	100.00000	10	20


## Percent of Nom, Acc, Gen Matching Each Other




Percent Matching Each Other

L1	.] "nPlmPl_exc]	Lusive	e"
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	11.11111	4	8
3	22.22222	1	2
4	33.33333	43	86
5	44.4444	1	2

#### Percent of nPImPI\_exclusive Matching Each Other




### Percent of nPlfPl\_exclusive Matching Each Other



[1] "1Sg(Nom|Acc)\_a(\$|,)"

### Percent of 1Sg(Nom|Acc) ending in a(\$|,)




[1] "[24]Sg(Nom|Acc)\_o(\$|,)"

Percent\_Match freq Percent\_Trials

1 0.00000 4 8


1	0.00000	4	8
2	16.66667	2	4
3	33.33333	3	6
4	50.00000	41	82

## Percent of [24]Sg(Nom|Acc) ending in o(\$|,)



[1	l] "3Sg(Nom Ac	c)_[e-	-](\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	8	16
2	33.33333	7	14
3	66.66667	7	14
4	100.00000	28	56


## Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)



#### Percent Matching Reality

[1]	"3P1(Nom Acc	c)_e?s	s(\$ ,)"
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	34	68
2	33.33333	2	4
3	66.66667	11	22
4	100.00000	3	6


## Percent of 3PI(Nom|Acc) ending in e?s(\$|,)



#### Fercent Matching Reality

[1]	"[124]Pl(Nor	n Acc)	)_s(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.0	45	90
2	25.0	3	6
3	37.5	2	4


#### Percent of [124]PI(Nom|Acc) ending in s(\$|,)



[1] "[24]P1(Nom|Acc)\_os(\$|,)"


Percent\_Match freq Percent\_Trials
1 0.00000 47 94
2 33.33333 3 6

#### Percent of [24]PI(Nom|Acc) ending in os(\$|,)



```
[1] "1Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0      50      100
```


### Percent of 1PI(Nom|Acc) ending in as(\$|,)



[1] "n.Pl(Nom|Acc)\_a(\$|,)"


Percent\_Match freq Percent\_Trials
1 0.00000 36 72
2 33.33333 13 26
3 66.66667 1 2

### Percent of n.PI(Nom|Acc) ending in a(\$|,)




```
[1] "n.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0     50     100
```

#### Percent of n.PI(Nom|Acc) ending in as(\$|,)




### Percent of n.PI(Nom|Acc) ending in os(\$|,)




[1] "m.Pl(Nom|Acc)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

### Percent of m.PI(Nom|Acc) ending in as(\$|,)




#### Percent of m.PI(Nom|Acc) ending in os(\$|,)



#### [1] "Pl(Nom|Acc)\_s(\$|,)" Percent\_Match freq Percent\_Trials 0.000000 7.692308 15.384615 30.769231 38.461538 46.153846


### Percent of PI(Nom|Acc) ending in s(\$|,)



Percent Matching Reality

[1]	"1Sg(Gen Aco	c)_a(8	\$ ,)"	
Pe	ercent_Match	freq	Percent_	Trials
1	0	4		8
2	25	31		62
3	50	15		30


## Percent of 1Sg(Gen|Acc) ending in a(\$|,)



Percent Matching Reality

	1] "[24]Sg(Gen	Acc)	_o(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.000000	4	8
2	8.333333	2	4
3	16.666667	2	4
4	25.000000	17	34
5	33.333333	2	4
6	50.000000	23	46


## Percent of [24]Sg(Gen|Acc) ending in o(\$|,)



Percent Matching Reality

[1]	"3Sg(Gen Aco	c)_[e-	-](\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	8	16
2	16.66667	1	2
3	33.33333	7	14
4	66.66667	2	4
5	83.33333	4	8
6	100.00000	28	56


## Percent of 3Sg(Gen|Acc) ending in [e-](\$|,)



Percent Matching Reality

[1]	"3P1(Gen Aco	c)_e?s	s(\$ ,)"
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	34	68
2	66.66667	9	18
3	83.33333	4	8
4	100.00000	3	6


## Percent of 3PI(Gen|Acc) ending in e?s(\$|,)



#### [1] "[124]Pl(Gen|Acc)\_s(\$|,)"


_			,
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00	42	84
2	6.25	2	4
3	18.75	1	2
4	31.25	1	2
5	37.50	2	4
6	43.75	2	4

## Percent of [124]PI(Gen|Acc) ending in s(\$|,)




	1] "[24]Pl(Gen	Acc)	_os(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	47	94
2	16.66667	1	2
3	33.33333	1	2
1	11 66667	1	9

### Percent of [24]PI(Gen|Acc) ending in os(\$|,)




[1] "1Pl(Gen|Acc)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

#### Percent of 1PI(Gen|Acc) ending in as(\$|,)




[1	[1] "n.Pl(Gen Acc)_a(\$ ,)"				
	${\tt Percent\_Match}$	freq	Percent_Trials		
1	0.00000	36	72		
2	16.66667	8	16		
3	33.33333	5	10		
4	66.66667	1	2		

# Percent of n.PI(Gen|Acc) ending in a(\$|,)




[1] "n.Pl(Gen|Acc)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100


### Percent of n.PI(Gen|Acc) ending in as(\$|,)




#### Percent of n.PI(Gen|Acc) ending in os(\$|,)



### Percent of m.Pl(Gen|Acc) ending in as(\$|,)




## Percent of m.PI(Gen|Acc) ending in os(\$|,)



[4] UDD (A						
[1] "P1(Gen Acc) s(\$1.)"	ı	)	a ( t l	100)	"D1 (Con	[1]

L.	[I] FI(Gentacc)_S(\phi),)				
	${\tt Percent\_Match}$	freq	Percent_Trials		
1	0.00000	34	68		
2	15.38462	8	16		
3	19.23077	1	2		
4	23.07692	1	2		
5	30.76923	1	2		
6	38.46154	1	2		
7	42.30769	1	2		
8	46.15385	1	2		
9	50 00000	2	4		


## Percent of PI(Gen|Acc) ending in s(\$|,)



[1] "1Sg(Nom|Gen)\_a(\$|,)"

Percent\_Match freq Percent\_Trials
1 0 4 8
2 25 31 62
3 50 15 30


## Percent of 1Sg(Nom|Gen) ending in a(\$|,)



[1] "[24]Sg(Nom|Gen)\_o(\$|,)"


-			_ ` ` ` ` ` ` ` ` ` `
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.000000	4	8
2	8.333333	2	4
3	16.666667	2	4
4	25.000000	17	34
5	33.333333	2	4
6	50.000000	23	46

## Percent of [24]Sg(Nom|Gen) ending in o(\$|,)



[1	] "3Sg(Nom Ger	ı)_[e-	-](\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	8	16
2	16.66667	1	2
3	33.33333	6	12
4	66.66667	3	6
5	83.33333	4	8
6	100.00000	28	56


## Percent of 3Sg(Nom|Gen) ending in [e-](\$|,)



### Percent Matching Reality

[1] "3P1(Nom Gen)_e?s(\$ ,)"				
Pe	ercent_Match	freq	Percent_Trials	
1	0.00000	34	68	
2	33.33333	2	4	
3	66.66667	7	14	
4	83.33333	4	8	
5	100.00000	3	6	


## Percent of 3PI(Nom|Gen) ending in e?s(\$|,)



Percent Matching Reality

[1] "[124]Pl(Nom Gen)_s(\$ ,)"				
Pe	ercent_Match	freq	Percent_Trials	
1	0.00	42	84	
2	6.25	2	4	
3	18.75	1	2	
4	31.25	1	2	
5	37.50	2	4	
6	43.75	2	4	


## Percent of [124]PI(Nom|Gen) ending in s(\$|,)



[1	[1] "[24]Pl(Nom Gen)_os(\$ ,)"			
	Percent	_Match	freq	Percent_Trials
1	0	.00000	47	94
2	16	66667	1	2


2	16.66667	1	2
3	33.33333	1	2
4	41.66667	1	2

### Percent of [24]PI(Nom|Gen) ending in os(\$|,)




[1] "1Pl(Nom|Gen)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

### Percent of 1PI(Nom|Gen) ending in as(\$|,)




[1	[1] "n.Pl(Nom Gen)_a(\$ ,)"				
	${\tt Percent\_Match}$	freq	Percent_Trials		
1	0.00000	36	72		
2	16.66667	8	16		
3	33.33333	5	10		
4	66.66667	1	2		

# Percent of n.PI(Nom|Gen) ending in a(\$|,)



[1] "n.Pl(Nom|Gen)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100


### Percent of n.PI(Nom|Gen) ending in as(\$|,)




[1] "n.Pl(Nom|Gen)\_os(\$|,)"

Percent\_Match freq Percent\_Trials
1 0.00000 49 98
2 16.66667 1 2


#### Percent of n.PI(Nom|Gen) ending in os(\$|,)



### Percent of m.PI(Nom|Gen) ending in as(\$|,)




## Percent of m.PI(Nom|Gen) ending in os(\$|,)



Г1]	"Pl(Nom Gen)	s(\$1.	) "
$\Gamma + J$	I I (NOM   GCII)	_Β(ΨΙ:	, ,

	Percent_Match	freq	Percent_Trials
1	0.000000	34	68
2	7.692308	2	4
3	15.384615	6	12
4	19.230769	1	2
5	23.076923	1	2
6	30.769231	1	2
7	38.461538	1	2
8	42.307692	1	2
9	46.153846	1	2
10	50.000000	2	4


## Percent of PI(Nom|Gen) ending in s(\$|,)



#### Percent Matching Reality

[1]	"Sg_nots"		
	Percent_Match	freq	Percent_Trials
1	56.41026	1	2
2	61.53846	2	4
3	64.10256	1	2
4	66.66667	1	2
5	74.35897	1	2
6	79.48718	1	2
7	82.05128	1	2
8	84.61538	6	12
9	89.74359	2	4
10	100.00000	34	68


## Percent of Sg ending in nots



[1]	"Pl_s(\$ ,)"		
	Percent_Match	freq	Percent_Trials
1	0.00000	34	68
2	10.25641	2	4
3	15.38462	6	12
4	17.94872	1	2
5	20.51282	1	2
6	25.64103	1	2
7	35.89744	1	2
8	38.46154	1	2

43.58974 48.71795


# Percent of PI ending in s(\$|,)



Percent Matching Reality

[1] "[mf].Pl_s(\$ ,)"			
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	34	68
2	13.33333	2	4
3	20.00000	6	12
4	23.33333	2	4
5	26.66667	1	2
6	43.33333	5	10


# Percent of [mf].Pl ending in s(\$|,)



Percent Matching Reality

[1] "[124]Pl_s(\$ ,)"				
	F	Percent_Match	freq	Percent_Trials
	1	0.000000	42	84
	2	4.166667	2	4
	3	12.500000	1	2
	4	29.166667	1	2
	5	33.333333	2	4
	6	41.666667	2	4


# Percent of [124]PI ending in s(\$|,)



### Percent Matching Reality


[1]	"n.Pl_s(\$ ,)	) ''	
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	43	86
2	11.11111	2	4
3	22.22222	2	4
4	44.44444	1	2
5	66.66667	2	4

# Percent of n.PI ending in s(\$|,)



[	[1]	"1Sg_a(\$ ,)'	1		
	Pe	ercent_Match	freq	Percent_	Trials
1	L	0.00000	4		8
2	2	33.33333	31		62
-	2	50 00000	15		30


# Percent of 1Sg ending in a(\$|,)



Percent Matching Reality

[1]	"[24]Sg_o(\$	,)"	
F	Percent_Match	${\tt freq}$	Percent_Trials
1	0.00000	4	8
2	11.11111	2	4
3	22.22222	2	4
4	33.33333	18	36
5	38.88889	1	2
6	50.00000	23	46


# Percent of [24]Sg ending in o(\$|,)



Percent Matching Reality

[1	[1] "3Sg_[e-](\$ ,)"			
	Percent_Match	${\tt freq}$	${\tt Percent\_Trials}$	
1	0.00000	8	16	
2	22.22222	1	2	
3	33.33333	6	12	
4	55.55556	1	2	
5	66.66667	2	4	
6	77.77778	4	8	
7	100.00000	28	56	


# Percent of 3Sg ending in [e-](\$|,)



### Percent Matching Reality

	1] "3Pl_e?s"		
	Percent_Match	freq	Percent_Trials
1	0.00000	34	68
2	44.44444	2	4
3	66.66667	7	14
4	77.77778	4	8
5	100.00000	3	6


## Percent of 3PI ending in e?s



### Percent Matching Reality


[1]	"[24]P1_os(	ß ,)"	
P	ercent_Match	freq	Percent_Trials
1	0.00000	47	94
2	22.22222	1	2
3	33.33333	1	2
4	38.88889	1	2

### Percent of [24]PI ending in os(\$|,)




[1] "1Pl\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

#### Percent of 1PI ending in as(\$|,)




[:	l] "n.Pl_a(\$ ,)	) "	
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	36	72
2	22.22222	8	16
3	33.33333	5	10
4	66.66667	1	2

## Percent of n.Pl ending in a(\$|,)




### Percent of n.Pl ending in as(\$|,)




[1] "n.Pl\_os(\$|,)"

Percent\_Match freq Percent\_Trials
1 0.00000 49 98
2 11.11111 1 2

## Percent of n.Pl ending in os(\$|,)




# Percent of m.Pl ending in as(\$|,)



[1] "m.Pl\_os(\$|,)"

Percent\_Match freq Percent\_Trials
1 0.00000 47 94
2 26.66667 1 2
3 40.00000 2 4

#### Percent of m.Pl ending in os(\$|,)



```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
                            92
5
            46
                            92
3
            34
                            68
       е
1
            32
                            64
4
            15
                            30
      es
6
             3
                             6
      os
7
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            47
       0
2
            46
                            92
       a
3
       е
            34
                            68
                            66
            33
1
                            32
4
      es
            16
             3
                             6
6
      os
             2
                             4
       s
[1] "SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            46
            46
                            92
5
3
            33
                            66
       е
            30
                            60
1
4
            15
                            30
      es
                             6
6
      os
             3
7
             2
                             4
       s
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           47
2
           46
                            92
       a
3
           33
       е
                            66
1
           32
                            64
4
            16
                            32
      es
6
            3
                             6
      os
       s
             2
                             4
[1] "1SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
            5
                            10
1
3
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           46
                            30
1
           15
3
            3
                             6
                             2
       s
            1
[1] "2SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       0
1
             6
                            12
3
      os
            3
                             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            47
       0
                            24
1
            12
2
            3
                             6
       a
5
             3
                             6
      os
3
             2
                             4
       е
                             2
[1] "3SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
       е
1
           30
                            60
4
           15
                            30
      es
2
                            20
       a
           10
6
             2
                             4
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           33
       е
1
           30
                            60
4
           16
                            32
      es
2
           10
                            20
       a
            2
6
                             4
       s
                             2
5
             1
[1] "4SgNom, Acc"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
           41
3
       0
                            82
            5
                            10
1
4
             3
                             6
      os
2
                             2
       е
             1
5
             1
                             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       0
           42
1
            16
                            32
3
            3
                             6
       е
5
             3
                             6
      os
2
             1
                             2
       a
                             2
6
             1
       s
[1] "5SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           24
       е
4
                            22
           11
      es
1
            6
                            12
2
       a
             1
                             2
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
3
       е
1
           13
                            26
4
      es
           13
                            26
2
             2
                             4
       a
             2
                             4
5
       s
[1] "mSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           44
                            88
3
           33
                            66
       е
           15
                            30
1
4
           15
                            30
      es
6
      os
            3
                             6
7
       s
             2
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
                            90
5
       0
           45
2
       a
           36
                            72
3
           33
                            66
       е
1
           21
                            42
                            32
4
           16
      es
6
             3
                             6
      os
             2
7
                             4
       s
[1] "fSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
                            92
       a
3
           33
                            66
       е
1
           15
                            30
```

```
15
                            30
      es
5
             2
       s
                             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
            46
3
            33
                            66
       е
5
            30
                            60
       0
                            38
1
            19
4
      es
            15
                            30
6
             3
                             6
      os
7
       s
             2
                             4
[1] "nSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            46
            30
1
                            60
2
            10
                            20
3
             7
                            14
6
             2
                             4
       s
                             2
             1
4
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            47
       0
            30
1
                            60
2
            10
                            20
3
       е
             9
                            18
7
       s
             2
                             4
4
      es
             1
                             2
                             2
6
             1
      os
[1] "SgAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
                            92
5
            46
                            92
       0
3
            34
                            68
       е
            32
                            64
1
4
      es
            15
                            30
6
      os
             3
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
            47
2
       a
            46
                            92
3
            34
                            68
       е
1
            33
                            66
                            32
4
            16
      es
6
             3
                             6
      os
             2
7
                             4
       s
[1] "1SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
                            92
       a
            20
                            40
1
                            20
3
            10
       е
```

```
10
      es
             5
5
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           46
1
           22
                            44
3
           13
                            26
       е
4
             5
                            10
      es
5
       s
             2
                             4
[1] "2SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           46
       0
                            34
1
            17
2
            5
                            10
       е
5
      os
             3
                             6
3
             2
                             4
      es
6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           47
1
            19
                            38
3
            5
                            10
       е
2
             3
                             6
       a
6
             3
                             6
      os
4
      es
             2
                             4
7
       s
             2
                             4
[1] "3SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           34
3
1
           30
                            60
4
           15
                            30
      es
2
                            20
           10
       a
6
             2
                             4
             1
5
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           34
                            60
1
           30
                            32
4
           16
      es
2
                            20
           10
       а
6
             2
                             4
       S
             1
                             2
       0
[1] "4SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           41
            16
                            32
1
2
             6
                            12
5
             3
                             6
      os
             2
3
      es
6
             2
       s
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
            42
5
       0
            19
                            38
1
3
             6
                            12
       е
6
             3
      os
                             6
2
             2
                             4
       a
      es
             2
             2
                             4
       s
[1] "5SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            29
4
            13
                            26
      es
             6
                            12
1
2
       a
             1
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            30
                            26
4
            13
      es
                            14
1
            7
2
       a
             1
                             2
                             2
             1
       s
[1] "mSgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            44
2
            33
                            66
       е
                            38
1
            19
3
            15
                            30
      es
5
             3
      os
                             6
6
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
            45
2
            36
                            72
       a
3
            33
                            66
1
            25
                            50
                            32
4
      es
            16
6
             3
                             6
      os
             2
       s
                             4
[1] "fSgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
3
            33
                            66
1
            20
                            40
                            30
            15
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
3
            33
                            66
       е
5
            30
                            60
```

```
1
            22
                            44
4
            15
                            30
      es
6
             3
                             6
      os
7
       s
             2
                             4
[1] "nSgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            46
5
1
            30
                            60
3
            16
                            32
2
       a
            10
                            20
4
             5
                            10
      es
7
             2
                             4
       s
6
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            47
            30
                            60
1
3
            16
                            32
       е
                            20
2
            10
4
                            10
      es
             5
6
      os
             2
                             4
7
             2
                             4
       S
[1] "SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            46
5
            46
                            92
3
                            68
            34
1
            32
                            64
4
            15
                            30
      es
6
      os
             3
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            46
                            92
5
            46
3
            34
                            68
       е
1
            33
                            66
            15
                            30
4
      es
6
      os
             3
                             6
7
             2
                             4
       s
[1] "1SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
            20
1
                            40
3
            10
                            20
4
             5
                            10
      es
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
                            92
       a
1
            21
                            42
```

```
3
            13
                            26
       е
4
             5
                            10
      es
5
             2
                             4
       s
[1] "2SgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
            46
1
            17
                            34
2
       е
             5
                            10
5
             3
                             6
      os
             2
3
      es
                             4
6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            46
                            38
1
            19
3
             5
                            10
       е
2
             3
                             6
       a
6
                             6
             3
      os
             2
4
                             4
      es
             2
                             4
7
       S
[1] "3SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            34
       е
1
            31
                            62
4
      es
            15
                            30
2
            10
                            20
       a
6
             2
                             4
       s
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            34
            31
                            62
1
4
            15
                            30
      es
2
            10
                            20
       a
6
             2
                             4
       0
             1
                             2
[1] "4SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            41
                            82
1
            16
                            32
2
             6
                            12
       е
5
      os
             3
                             6
3
             2
                             4
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            42
       0
            19
                            38
1
3
             6
                            12
       е
6
             3
                             6
      os
2
             2
```

a

```
es
7
             2
                             4
       s
[1] "5SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            24
4
      es
            11
                            22
1
             6
                            12
2
       a
             1
                             2
5
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            29
       е
                            26
1
            13
4
            13
                            26
      es
2
            2
       a
                             4
5
       s
             2
                             4
[1] "mSgNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            44
3
       е
            33
                            66
1
            22
                            44
4
                            30
      es
            15
6
            3
                             6
      os
7
       s
             2
2
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            44
       0
2
                            72
            36
       a
3
       е
            33
                            66
1
            26
                            52
4
            15
                            30
      es
             3
6
                             6
      os
             2
                             4
7
       s
[1] "fSgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
                            92
            33
                            66
3
1
            21
                            42
4
            15
                            30
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            46
                            92
            33
                            66
3
       е
5
            30
                            60
       0
1
            23
                            46
4
            15
                            30
      es
6
            3
                             6
      os
7
             2
                             4
       s
[1] "nSgNom, Gen"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            46
5
       0
                            92
1
            31
                            62
3
                            32
       е
            16
2
            10
                            20
       a
4
             5
                            10
      es
7
             2
                             4
       s
6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            46
       0
            31
                            62
1
3
                            32
            16
       е
2
            10
                            20
       a
4
      es
             5
                            10
6
             2
                             4
      os
7
             2
                             4
       s
[1] "SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            46
5
            46
                            92
       0
3
            34
                            68
       е
            32
                            64
1
4
      es
            15
                            30
6
      os
             3
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            47
5
2
       a
            46
                            92
3
            34
                            68
       е
                            66
1
            33
                            32
4
      es
            16
                             6
6
      os
             3
             2
       s
                             4
[1] "1SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            46
            20
                            40
1
3
            10
                            20
       е
4
             5
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
                            44
1
            22
3
            13
                            26
       е
4
             5
                            10
      es
             2
5
       S
[1] "2SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
4
       0
            46
                            92
                            34
1
            17
2
             5
                            10
       е
5
             3
                             6
      os
3
      es
             2
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            47
1
            19
                            38
3
             5
                            10
       е
2
             3
                             6
       a
6
             3
                             6
      os
4
      es
             2
                             4
             2
       s
                             4
[1] "3SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            34
       е
                            62
1
            31
4
      es
            15
                            30
2
            10
                            20
       a
             2
6
                             4
             1
5
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
                            62
            31
1
4
            16
                            32
      es
2
                            20
       a
            10
6
       s
             2
                             4
5
                             2
             1
[1] "4SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            41
1
            16
                            32
2
                            12
       е
             6
5
             3
                             6
      os
             2
3
      es
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            42
       0
            19
                            38
1
3
             6
                            12
       е
6
             3
                             6
      os
2
             2
                             4
       a
             2
4
                             4
      es
             2
                             4
       s
[1] "5SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

```
3
            29
                            58
       е
4
            13
                             26
      es
                             12
1
             6
2
             1
                             2
       a
5
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            30
3
1
            13
                             26
                             26
4
            13
      es
2
       a
             2
                             4
5
             2
                             4
[1] "mSgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            44
3
            33
                             66
       е
            22
                            44
1
4
                            30
            15
      es
6
             3
                             6
      os
             2
7
       s
                             4
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            45
5
       0
2
       a
            36
                            72
3
            33
                            66
       е
1
            26
                             52
                             32
4
            16
      es
6
             3
                             6
      os
             2
7
       s
                             4
[1] "fSgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a
            46
3
            33
                             66
       е
1
            21
                            42
4
      es
            15
                            30
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
       a
3
            33
                             66
       е
5
            30
                             60
       0
1
            23
                             46
                             30
4
            15
      es
6
             3
                             6
      os
             2
7
                             4
       s
[1] "nSgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            46
                            92
            31
                             62
1
3
```

```
10
                            20
       a
4
             5
                            10
      es
7
             2
                             4
       s
6
             1
                             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
            47
1
            31
                            62
3
       е
            16
                            32
                            20
2
            10
       a
      es
            5
                            10
6
             2
                             4
      os
7
             2
                             4
       s
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
                            92
5
            46
                            92
       0
1
            33
                            66
3
                            52
            26
4
                            24
      es
            12
6
      os
             3
                             6
             2
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            46
5
       0
            46
                            92
1
            34
                            68
3
            27
                            54
       е
4
            12
                            24
      es
6
            3
                             6
      os
7
       s
             2
                             4
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
                            92
5
            46
1
            30
                            60
3
            25
                            50
       е
                            24
4
            12
      es
            3
6
      os
                             6
7
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
       a
5
            46
                            92
1
            32
                            64
3
            27
                            54
4
            12
                            24
      es
6
            3
                             6
      os
             2
                             4
7
       s
[1] "1"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

```
46
                           92
       a
1
           20
                            40
3
           12
                            24
4
            5
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           46
       a
1
           22
                           44
                           26
3
           13
       е
      es
            5
                            10
5
             2
                            4
       s
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
1
           20
                            40
                           20
3
           10
4
            5
                           10
      es
            2
5
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
           22
                           44
1
3
           13
                           26
4
      es
            5
                           10
5
       s
            2
                            4
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           46
2
       a
1
            5
                            10
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           46
                           28
1
           14
3
            2
                            4
       е
4
                            2
       s
[1] "2"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
           46
1
           21
                           42
2
            5
                           10
       a
3
             5
                            10
       е
6
             3
                            6
      os
             2
                            4
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           47
           21
                           42
1
2
       a
            6
                            12
```

```
3
             5
                            10
       е
6
             3
                             6
      os
             2
4
                             4
      es
7
       s
             2
                             4
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            46
       0
                            34
1
            17
2
            5
                            10
       е
5
      os
             3
                             6
3
             2
                             4
      es
6
             2
       s
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
            47
5
       0
1
            19
                            38
3
            5
                            10
2
            3
                             6
       a
             3
6
                             6
      os
4
             2
      es
                             4
       s
             2
                             4
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       0
            46
                            92
1
             6
                            12
3
      os
             3
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            46
       0
1
            12
                            24
2
            3
                             6
5
             3
                             6
      os
             2
3
                             4
       е
6
                             2
[1] "3"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            34
3
                            68
            31
                            62
1
4
            15
                            30
      es
2
       a
            10
                            20
6
             2
                             4
       s
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
1
            31
                            62
                            32
4
            16
      es
2
                            20
            10
       a
6
            2
                             4
       s
5
             1
                             2
       0
[1] "3Sg"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            34
3
1
            31
                            62
4
                            30
      es
            15
2
            10
                            20
       a
6
       s
             2
                             4
5
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
            31
                            62
1
4
            16
                            32
      es
2
                            20
            10
6
             2
                             4
       s
                             2
5
       0
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            30
1
3
       е
            25
                            50
4
      es
            12
                            24
2
            10
                            20
       a
6
       s
             2
                             4
             1
5
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            30
            27
                            54
3
       е
4
            12
                            24
      es
2
                            20
       a
            10
6
       s
             2
                             4
5
                             2
             1
[1] "4"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            41
1
            21
                            42
3
                            12
       е
             6
6
             3
                             6
      os
4
      es
             2
                             4
7
             2
                             4
       s
2
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            42
                            84
       0
1
            21
                            42
3
             7
                            14
6
                             6
      os
             3
2
             2
                             4
       a
             2
4
                             4
      es
             2
7
       S
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
           41
4
       0
                           82
           16
                           32
1
2
            6
                           12
       е
5
            3
                            6
      os
3
      es
            2
                            4
            2
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           42
       0
                           38
1
           19
3
            6
                           12
       е
6
            3
                            6
      os
            2
2
                            4
       a
4
      es
             2
                            4
7
       s
                            4
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       0
           41
            5
                           10
1
4
      os
            3
                            6
2
             1
                            2
       е
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           42
1
           15
                            30
3
                            6
            3
       е
5
            3
      os
2
                            2
       a
             1
6
             1
                            2
[1] "5"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           29
       е
4
      es
           13
                           26
1
           12
                           24
5
            2
                            4
       s
            1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           30
1
           13
                           26
4
           13
                            26
      es
2
            3
                            6
       a
5
                            4
       s
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           29
       е
           13
4
      es
                           26
                           12
1
            6
2
            1
                            2
       a
```

```
s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           30
       е
                            26
           13
4
           13
                            26
      es
2
            2
                             4
       a
             2
                             4
5
       s
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           23
4
      es
           11
                            22
            10
                            20
1
5
       s
             2
                             4
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           25
                            26
1
            13
4
                            22
      es
            11
       a
             2
                             4
5
             2
                             4
       S
[1] "m"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
           44
3
           33
                            66
       е
                            48
           24
1
2
           15
                            30
       a
4
                            30
      es
            15
6
      os
             3
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           45
                            78
2
           39
3
           33
                            66
       е
1
           28
                            56
                            32
4
            16
      es
      os
            3
                             6
7
             2
                             4
       s
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           44
       0
3
           33
                            66
       е
           22
1
                            44
4
           15
                            30
      es
6
            3
                             6
      os
7
             2
                             4
       s
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
5
           45
                            90
       0
2
           36
                            72
       а
3
                            66
       е
           33
1
           26
                            52
4
      es
           16
                            32
6
            3
                             6
      os
             2
                             4
       s
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
           44
3
           25
                            50
       е
1
            15
                            30
                            24
4
            12
      es
6
            3
                             6
      os
7
             2
       s
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           44
       0
2
           36
                            72
3
           26
                            52
       е
                            42
1
           21
4
            12
                            24
      es
6
                             6
            3
      os
7
       s
             2
[1] "m1Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           36
       a
                            44
1
           22
                            26
3
           13
       е
4
            5
                            10
      es
5
       s
            2
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           36
                            72
       a
1
           14
                            28
3
             2
                             4
             1
       s
[1] "m2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           44
       0
1
            16
                            32
2
                            10
            5
       е
5
             3
                            6
      os
```

```
es
            2
6
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           45
1
           17
                           34
2
            5
                           10
       е
5
            3
                            6
      os
3
      es
            2
                            4
6
                            4
       s
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           44
1
            4
                            8
            3
      os
[1] "All Endings Included"
 Suffix freq Percent_Trials
           44
       0
            5
1
                           10
            3
                            6
3
      os
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
       е
4
      es
           15
                           30
1
           12
                           24
5
            2
                            4
       s
            1
       a
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       е
           33
4
           16
                           32
                           24
1
           12
5
            2
                            4
       s
            1
                            2
2
       a
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           25
                           50
4
      es
           12
                           24
                           22
1
           11
5
            2
                            4
       s
            1
       a
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           26
                           52
       е
                           24
4
           12
      es
           11
                           22
1
5
            2
                            4
       s
                            2
2
            1
       a
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
```

```
41
                           82
       0
           16
                           32
1
2
            6
                           12
5
            3
                            6
      os
3
            2
      es
                            4
6
            2
                            4
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
       0
           41
1
           17
                           34
2
            6
                           12
       е
5
            3
                            6
      os
3
            2
                            4
      es
            2
                            4
6
       s
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           41
3
       0
                            8
1
4
            3
                            6
      os
2
       e
            1
                            2
       s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           41
       0
1
            5
                           10
4
            3
                            6
      os
2
            1
                            2
       е
                            2
5
            1
       s
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           29
       е
1
           13
                           26
4
      es
           13
                           26
5
            2
       s
                            4
            1
                            2
       a
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           23
       е
                           26
1
           13
4
                           22
      es
           11
5
            2
                            4
       s
2
                            2
            1
       a
[1] "f"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

```
46
                            92
       a
3
           33
                            66
       е
1
           23
                            46
5
           23
                            46
       0
                            30
4
      es
           15
6
      os
            2
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
       a
                            66
3
       е
           33
5
           31
                            62
       0
1
           25
                            50
4
           15
                            30
      es
6
      os
            3
                             6
7
             2
       s
                             4
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
3
           33
                            66
1
           21
                            42
4
           15
                            30
      es
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
3
       е
           33
                            66
5
           30
                            60
1
           23
                            46
4
            15
                            30
      es
6
      os
            3
                             6
7
                             4
       s
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
3
           25
                            50
1
            14
                            28
4
           12
                            24
      es
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
       a
5
       0
           30
                            60
3
           27
                            54
       е
1
           19
                            38
                            24
4
           12
      es
6
            3
                             6
      os
             2
7
                             4
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a 46
```

```
20
                           40
3
           10
                           20
       e
4
            5
                           10
      es
5
            2
                            4
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           46
           20
1
                           40
3
       е
           11
                           22
4
            5
                           10
      es
5
       s
            2
                            4
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           46
       a
            5
1
                           10
3
            1
       е
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           46
1
            5
                           10
3
       е
            1
                            2
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
       0
           30
1
           16
                           32
3
            5
                           10
2
       a
            3
                            6
6
            3
                            6
      os
            2
4
                            4
      es
7
       s
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       0
           30
                           60
1
           11
                           22
2
            3
                            6
       a
5
            3
      os
3
            2
                            4
       е
6
       s
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
           33
       е
4
           15
                           30
      es
                           20
1
           10
5
            2
                            4
       s
```

```
a
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           33
       е
4
      es
           15
                           30
1
           10
                           20
5
            2
                            4
       s
2
                            2
       a
            1
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           25
3
                           50
4
           12
                           24
      es
1
           10
                           20
5
            2
                            4
       s
       a
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           26
       е
                           24
4
      es
           12
1
           10
                           20
       s
            2
                            4
2
                            2
            1
       a
[1] "f4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
           28
                           56
       0
                           32
1
           16
3
            6
                           12
       е
6
            3
                            6
      os
2
            2
                            4
       a
            2
4
      es
                            4
            2
7
                            4
       s
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
           28
       0
1
           14
                           28
3
            3
                            6
       е
5
            3
                            6
      os
2
            1
                            2
       a
6
            1
                            2
[1] "f5Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
           29
                           58
4
      es
           13
                           26
            6
                           12
1
```

```
a
            1
5
            1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           30
4
      es
           13
                            26
           12
                            24
2
            2
                            4
       a
5
       s
            2
                             4
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           25
3
       е
                            50
1
           12
                            24
                           22
4
           11
      es
2
            2
                            4
       a
5
                             4
[1] "n"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           46
5
       0
1
           33
                           66
3
       е
           16
                           32
2
           14
                            28
       a
4
            5
                            10
      es
            2
6
                             4
      os
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           47
       0
           34
                            68
1
3
           16
                           32
       е
2
           14
                           28
4
      es
            5
                           10
6
      os
            2
                            4
7
            2
                             4
       s
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
           46
1
           31
                           62
3
           16
                            32
       е
2
                            20
           10
       a
4
            5
                            10
      es
7
            2
                            4
       s
      os
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           47
5
                           94
           31
                           62
1
                           32
```

е

```
10
                           20
       a
4
            5
                            10
      es
            2
6
                            4
      os
7
       s
             2
                             4
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           46
5
       0
1
           30
                            60
                           20
2
           10
3
       е
            6
                           12
6
             2
                            4
       s
4
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           46
1
           30
                            60
2
                           20
           10
3
            7
                           14
       е
7
            2
                            4
       s
                             2
4
      es
             1
6
      os
                             2
[1] "n2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
           46
1
           17
                            34
2
            4
                            8
       е
3
            2
                             4
      es
6
             2
       s
5
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       0
           47
           17
                            34
1
2
                            8
            4
       е
            2
3
      es
                             4
5
      os
            2
                             4
             2
                             4
6
       s
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
           46
            5
                            10
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
       0
            5
                           10
1
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           31
                           62
3
           16
                           32
       е
2
           10
                            20
       a
```

```
10
      es
            5
6
            2
       s
                            4
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           31
1
3
           16
                           32
       е
2
                           20
           10
       a
4
      es
            5
                           10
6
            2
                            4
       s
                            2
5
       0
            1
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           30
2
                           20
       a
           10
3
            6
                           12
       е
6
                            4
4
                            2
            1
      es
            1
5
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
1
2
       a
           10
                           20
3
            7
                           14
       е
6
       s
            2
                            4
4
      es
            1
                            2
5
       0
[1] "n4Sg"
[1] "Endings occuring 10 times or less excluded"
                   freq
[1] Suffix
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           41
                           34
1
           17
2
            5
                           10
3
      es
            2
                            4
5
            2
      os
                            4
6
            2
                            4
       S
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           41
                           82
       0
                           12
1
            6
2
                            2
       е
            1
                            2
4
      os
            1
                            2
5
            1
       s
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
```

```
46
                            92
       a
5
           46
                            92
       O
3
           33
                            66
1
           32
                            64
4
      es
           15
                            30
6
             3
                             6
      os
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           47
2
       a
           46
                            92
1
           33
                            66
3
           33
                            66
       е
4
                            32
           16
      es
6
      os
             3
                             6
7
             2
       s
                             4
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
                            92
5
           46
3
           33
                            66
1
           29
                            58
4
      es
            15
                            30
6
             3
                             6
      os
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           47
2
           46
                            92
       a
3
           33
                            66
1
           31
                            62
4
            16
                            32
6
                             6
            3
      os
7
                             4
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
             5
                            10
1
3
             1
                             2
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
       a
1
           15
                            30
3
             2
                             4
                             2
             1
       s
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       0
           46
             5
1
                            10
3
             3
      os
                             6
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
           47
4
       0
                            24
1
            12
2
            3
                             6
       a
5
             3
                             6
      os
3
             2
                             4
       е
                             2
       s
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           33
           29
                            58
1
4
           15
                            30
      es
2
                            20
           10
6
             2
                             4
       s
5
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           33
           29
                            58
1
4
                            32
      es
           16
2
       a
           10
                            20
6
             2
                             4
       s
                             2
5
       0
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       0
           41
             5
                            10
1
             3
                             6
      os
2
                             2
       е
             1
5
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           42
           16
                            32
1
3
       е
            3
                             6
5
      os
             3
                             6
2
                             2
       a
             1
                             2
6
             1
       s
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           28
       е
4
      es
           13
                            26
             5
                            10
1
2
             1
                             2
       a
5
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           30
       е
                            26
4
           13
      es
            7
1
                            14
2
             1
                             2
       a
```

```
2
5 s 1
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           44
2
           33
                           66
       е
3
      es
           15
                           30
1
            8
                           16
5
      os
            3
                            6
6
            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
           45
       0
                           72
2
           36
3
           33
                           66
1
           18
                           36
4
           16
                           32
      es
                            6
6
      os
            3
7
       s
            2
                            4
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           36
1
           15
                           30
3
            2
                            4
       е
                            2
            1
       s
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           44
                           88
            3
                            6
1
            3
      os
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           45
                           90
            5
                           10
1
3
            3
                            6
      os
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           33
       е
3
           15
                           30
      es
1
            3
                            6
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
           33
                           32
3
           16
      es
1
            3
                            6
                            2
       s
            1
[1] "m4SgAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           41
3
                           82
1
            4
                            8
            3
4
      os
                            6
2
            1
                            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           41
1
            6
                           12
4
            3
                            6
      os
2
            1
                            2
       е
                            2
5
            1
       s
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           28
4
      es
           13
                           26
1
            7
                           14
2
       a
            1
                            2
5
                            2
            1
       s
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
3
           33
                            66
       е
4
                           30
      es
           15
1
            7
                            14
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
3
           33
                           66
5
           30
                           60
       0
                           30
1
           15
                            30
4
           15
      es
6
      os
            3
                            6
7
            2
                            4
       s
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
1
            5
                            10
3
            1
                            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
                            92
       a
                           10
1
            5
                            2
3
       е
            1
[1] "f2SgAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
                   freq
[1] Suffix
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
           30
       0
1
           11
                           22
2
            3
                            6
       a
5
      os
            3
                            6
3
            2
                            4
       е
6
       s
            1
                            2
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           33
       е
3
      es
           15
                           30
1
            1
                            2
            1
       S
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       e
           33
3
      es
           15
                           30
            2
                            4
1
       s
                            2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           28
4
                           56
1
           14
                           28
3
            3
                            6
5
            3
                            6
      os
2
                            2
            1
       a
6
            1
                            2
       s
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           30
       е
4
           13
                           26
      es
1
            6
                           12
2
                            2
            1
       a
5
                            2
       s
            1
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
5
           46
       0
           29
                           58
1
2
           10
                           20
       a
3
            7
                           14
```

```
S
      es
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           47
1
           29
                           58
2
           10
                           20
       a
3
                            18
            9
7
       s
             2
                            4
                            2
      es
             1
6
      os
             1
                            2
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
            5
                            10
[1] "All Endings Included"
  Suffix freq Percent_Trials
           47
            5
                            10
1
3
      os
             1
                            2
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           29
1
2
       a
           10
                            20
3
            7
                            14
6
             2
                            4
       s
                            2
4
             1
      es
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
           29
1
2
                           20
           10
       a
3
            9
                            18
            2
6
                            4
       S
                            2
4
      es
             1
       0
             1
                            2
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           40
       0
            7
                            14
1
2
            1
                            2
       е
4
             1
                            2
      os
5
                            2
       s
             1
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           34
3
       е
1
           30
                            60
```

```
5
            25
                            50
       0
2
            15
                            30
       a
                            30
4
            15
      es
6
             2
                             4
      os
             2
7
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            34
3
1
            31
                            62
5
            25
                            50
       0
2
       a
            16
                            32
4
            15
                            30
      es
6
             2
                             4
      os
             2
                             4
7
       s
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            34
       е
            28
                            56
1
5
            25
                            50
       0
2
                            30
       a
            15
4
      es
            15
                            30
6
             2
                             4
      os
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
1
            29
                            58
5
            25
                            50
2
            16
                            32
       a
4
                            30
      es
            15
6
      os
             2
                             4
7
                             4
       s
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            20
2
       a
            15
                            30
3
                            20
            10
             5
                            10
4
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            21
                            42
1
2
            16
                            32
       a
3
                            26
            13
       е
4
             5
                            10
      es
             2
5
                             4
       s
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            25
                            50
            17
                            34
1
2
            5
                            10
       е
```

```
3
             2
      es
                             4
5
             2
      os
                             4
             2
6
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            25
1
            19
                            38
3
             5
                            10
       е
2
       a
             2
                             4
4
             2
                             4
      es
6
      os
             2
7
             2
       s
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            34
1
            23
                            46
4
            15
                            30
      es
2
            5
                            10
       a
             2
5
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            34
       е
            23
1
                            46
4
            15
                            30
      es
2
       a
            5
                            10
5
       s
             2
                             4
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            23
4
1
            16
                            32
2
            6
                            12
3
             2
                             4
      es
             2
5
                             4
      os
             2
6
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
            24
                            38
1
            19
                            12
3
            6
       е
2
             2
                             4
       а
4
             2
                             4
      es
6
             2
                             4
      os
       s
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            29
       е
4
            13
                            26
      es
                            12
1
             6
2
             1
                             2
5
       s
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
3
           29
       е
4
            13
                            26
      es
1
            6
                            12
2
                             2
       a
             1
5
             1
                             2
       s
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
                            66
4
       0
           24
                            48
1
           18
                            36
3
           15
                            30
      es
            2
5
                             4
      os
6
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
           33
3
       е
1
           24
                            48
5
                            48
       0
           24
4
      es
           15
                            30
2
       a
           12
                            24
6
            2
                             4
      os
             2
       s
                             4
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           20
1
3
       е
            13
                            26
2
           12
                            24
       a
                            10
4
            5
      es
             2
5
                             4
       s
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
           24
1
            16
                            32
2
            5
                            10
3
             2
                             4
      es
5
      os
             2
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            24
                            48
       0
                            34
1
            17
2
            5
                            10
       е
3
             2
                             4
      es
5
             2
                             4
      os
             2
                             4
6
       S
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
2
           33
       е
            15
                            30
3
      es
1
            2
                            4
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           33
       е
3
      es
           15
                            30
1
            2
                            4
                             2
4
       s
             1
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           23
            16
                            32
1
2
            6
                            12
       е
3
            2
                            4
      es
5
            2
                             4
      os
             2
6
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           23
       0
1
            17
                            34
2
            6
                            12
3
      es
            2
                            4
5
      os
             2
                             4
6
       s
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
                    freq
[1] Suffix
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           29
4
           13
                            26
      es
1
            6
                            12
2
       a
            1
                            2
                             2
5
       s
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           33
1
           20
                            40
2
           15
                            30
       a
4
           15
                            30
      es
            2
       s
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
3
           33
       е
           22
                            44
1
5
                            42
           21
2
                           32
       a
           16
4
           15
                            30
      es
```

```
os
7
            2
       s
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           20
2
           15
                           30
       a
3
                           20
           10
       е
4
      es
            5
                           10
            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
           20
1
                           32
2
           16
3
           11
                           22
       е
4
      es
            5
                           10
5
       s
            2
                           4
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                 Percent_Trials
              freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           21
1
           16
                           32
3
       е
            5
                           10
2
            2
                           4
       a
4
            2
                            4
      es
            2
6
      os
7
            2
       s
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           33
       е
3
           15
                           30
      es
                           2
1
            1
       s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           33
                          66
                           30
3
      es
           15
            1
                           2
1
                            2
       s
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
       0
           20
                           32
1
           16
3
            6
                           12
2
       a
            2
                           4
4
            2
                            4
      es
```

```
os
7
            2
                            4
       s
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           29
4
           13
                           26
      es
1
            6
                           12
2
                            2
            1
       a
5
            1
                            2
       S
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           26
                           52
1
           25
5
                           50
3
                           32
           16
       е
2
                            10
            5
4
      es
            5
                           10
7
       s
            2
      os
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           26
5
           25
                           50
       0
3
           16
                           32
       е
2
            5
                           10
       a
4
            5
                           10
      es
7
            2
       s
                            4
6
      os
            1
                            2
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           25
       0
1
           17
                           34
2
            4
                            8
       е
3
            2
      es
                            4
6
            2
                            4
       s
5
      os
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           25
                            50
       0
1
           17
                            34
2
                            8
            4
       е
3
            2
                            4
      es
6
            2
                            4
       s
5
      os
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
1
3
       е
           16
                           32
```

```
10
       a
            5
4
            5
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           23
1
3
           16
                            32
       е
2
            5
                            10
       a
4
      es
            5
                            10
5
             2
                             4
       s
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           24
                            48
            17
                            34
1
2
                            10
            5
       е
3
             2
                             4
      es
6
       s
             2
                             4
5
      os
                             2
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
1
           34
                            68
3
           34
                            68
       е
5
           25
                            50
           15
                            30
      es
6
            3
      os
                             6
7
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           46
                            68
1
           34
3
           34
                            68
5
           26
                           52
       0
4
      es
            15
                            30
6
            3
                             6
      os
            2
7
       s
                             4
[1] "PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
1
           33
                            66
3
           33
                            66
       е
5
           25
                            50
4
                            30
      es
           15
6
            3
                             6
      os
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a 46
```

```
33
                            66
1
3
            33
                            66
       e
5
            26
                            52
4
            15
                            30
      es
             3
6
      os
                             6
7
             2
                             4
       s
[1] "1PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
                            92
1
             5
                            10
3
             1
                             2
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
            12
                            24
1
3
             2
                             4
       е
                             2
4
       s
             1
[1] "2PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            25
1
            18
                            36
2
             5
                            10
       a
5
             3
                             6
      os
3
       е
             2
                             4
6
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            26
       0
                            38
1
            19
2
             6
                            12
       a
5
             3
                             6
      os
3
             2
                             4
       е
                             4
6
[1] "3PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            33
       е
1
            30
                            60
4
            15
                            30
      es
            10
2
                            20
       a
6
             2
                             4
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            33
                            66
       е
            30
                            60
1
4
            15
                            30
      es
2
            10
                            20
       a
6
             2
                             4
       s
                             2
5
             1
       0
[1] "4PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
            22
4
       0
                            38
            19
1
3
             3
                             6
       е
5
             3
      os
                             6
6
             2
                             4
       s
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            24
1
            20
                            40
3
             3
                             6
       е
5
             3
                             6
      os
             2
6
                             4
       s
2
       a
             1
                             2
[1] "5PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            24
                            48
                            22
4
            11
      es
1
             6
                            12
2
       a
             1
                             2
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            29
4
      es
            13
                            26
1
            12
                            24
                             4
2
             2
5
             2
                             4
       s
[1] "mPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            33
       е
            23
                            46
1
5
            23
                            46
       0
4
      es
            15
                            30
2
       a
             4
                             8
             3
6
      os
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            39
       a
3
            33
                            66
       е
5
            24
                            48
       0
            23
                            46
1
4
            15
                            30
      es
6
             3
                             6
      os
7
             2
                             4
       s
[1] "fPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
3
            33
                            66
```

```
15
                            30
4
            15
                            30
      es
             2
5
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
       a
3
            33
                            66
       е
                            48
5
            24
1
            22
                            44
4
            15
                            30
      es
6
      os
             3
                             6
7
             2
                             4
       s
[1] "nPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            32
1
5
            25
                            50
       0
2
                            28
            14
3
                            18
             9
6
             2
                             4
4
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            32
5
            25
                            50
       0
2
       a
            14
                            28
3
            10
                            20
       е
7
             2
                             4
       s
                             2
4
             1
      es
6
             1
                             2
      os
[1] "PlAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
            34
                            68
1
3
            34
                            68
       е
5
            25
                            50
4
      es
            15
                            30
             3
6
      os
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            46
            34
                            68
1
3
            34
                            68
       е
5
                            52
            26
       0
4
            15
                            30
      es
6
             3
                             6
      os
7
             2
                             4
       s
[1] "1PlAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
1
            20
                            40
```

```
3
            10
                            20
       е
4
             5
                            10
      es
5
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
       a
1
            20
                            40
3
            13
                            26
       е
4
      es
             5
                            10
5
             2
                             4
       s
[1] "2PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            25
                            50
1
            21
                            42
2
       a
             5
                            10
3
             5
                            10
       е
6
             3
                             6
      os
4
             2
                             4
      es
             2
7
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            26
       0
                            52
1
            21
                            42
2
             6
                            12
3
       е
             5
                            10
6
      os
             3
                             6
4
             2
                             4
      es
             2
                             4
7
       s
[1] "3PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            34
                            68
            29
                            58
1
4
            15
                            30
      es
2
            10
                            20
       a
6
       s
             2
                             4
5
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
            29
                            58
1
4
            15
                            30
      es
2
            10
                            20
       a
6
             2
                             4
       s
                             2
5
             1
       0
[1] "4PlAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
5
            22
       0
            19
                            38
1
3
             6
                            12
       е
6
             3
                             6
      os
4
             2
                             4
      es
```

```
s
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
            24
1
            21
                            42
3
             7
                            14
       е
6
                             6
             3
      os
2
       a
             2
                             4
4
             2
                             4
      es
7
       s
             2
[1] "5PlAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            29
            13
                            26
4
      es
1
             6
                            12
                             2
2
             1
       a
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            29
4
            13
                            26
      es
1
             6
                            12
2
             2
                             4
5
       s
                             2
[1] "mPlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            33
       е
            23
5
                            46
1
            21
                            42
4
            15
                            30
      es
2
                             8
             4
       a
             3
6
                             6
      os
             2
7
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            37
3
            33
                            66
       е
                            52
1
            26
5
            24
                            48
       0
4
            15
                            30
      es
6
             3
                             6
      os
             2
                             4
       s
[1] "fPlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
3
            33
                            66
            20
                            40
1
4
                            30
            15
      es
5
             2
       s
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
            46
       a
                            92
3
            33
                            66
       е
1
            24
                            48
5
       0
            24
                            48
4
            15
                            30
      es
6
      os
             3
                             6
7
             2
                             4
       s
[1] "nPlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            32
1
5
            25
                            50
       0
3
                            32
            16
       е
2
            14
                            28
       a
4
      es
             5
                            10
7
             2
                             4
       s
                             2
6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            33
5
       0
            25
                            50
3
                            32
            16
       е
2
       a
            14
                            28
4
             5
                            10
      es
6
      os
             2
                             4
7
       s
             2
                             4
[1] "PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
1
            34
                            68
3
            34
                            68
5
            25
                            50
       0
                            30
4
      es
            15
6
                             6
      os
             3
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
                            92
       a
1
            34
                            68
3
            34
                            68
       е
5
            25
                            50
       0
4
            15
                            30
      es
6
             3
                             6
      os
7
             2
                             4
       s
[1] "1PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
            20
                            40
1
3
                            20
            10
       е
4
                            10
      es
             5
5
             2
                             4
       s
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            46
2
1
            20
                            40
3
                            26
       е
            13
4
             5
                            10
      es
       s
             2
[1] "2PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            25
1
            21
                            42
2
             5
                            10
       a
3
             5
                            10
       е
6
      os
             3
                             6
             2
4
      es
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            25
       0
                            42
1
            21
2
             6
                            12
       a
3
             5
                            10
       е
6
      os
             3
                             6
4
             2
                             4
      es
7
       s
[1] "3PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            34
       е
            31
                            62
1
4
      es
            15
                            30
2
            10
                            20
       a
6
             2
                             4
       s
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            34
            31
                            62
1
                            30
4
            15
      es
                            20
2
       a
            10
6
             2
                             4
       s
5
                             2
[1] "4PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            22
                            44
       0
                            38
1
            19
3
             6
                            12
       е
6
             3
                             6
      os
             2
                             4
4
      es
             2
                             4
7
       S
2
       a
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
5
       0
            24
            21
                            42
1
3
             7
                            14
       е
6
      os
             3
                             6
2
             2
                             4
       a
      es
             2
             2
                             4
       s
[1] "5PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            24
4
            11
                            22
      es
1
             6
                            12
2
       a
             1
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            29
                            26
4
            13
      es
                            24
1
            12
2
       a
             2
                             4
             2
                             4
       s
[1] "mPlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            33
1
            24
                            48
5
            23
                            46
       0
4
            15
                            30
      es
2
       a
             4
                             8
6
      os
             3
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            39
3
            33
                            66
1
            27
                            54
5
       0
            23
                            46
                            30
4
            15
      es
6
      os
             3
                             6
7
             2
                             4
       s
[1] "fPlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
3
            33
                            66
       е
                            42
1
            21
4
            15
                            30
      es
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
                            92
       a
3
            33
                            66
```

```
25
                            50
1
5
           24
                            48
       0
                            30
4
            15
      es
6
            3
                             6
      os
7
             2
                             4
[1] "nPlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            33
           25
5
                            50
       0
3
                            32
           16
2
           14
                            28
4
            5
                            10
      es
             2
7
                             4
       s
6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            34
1
5
           25
                            50
       0
3
                            32
           16
2
           14
                            28
       a
4
      es
            5
                            10
6
             2
                             4
      os
             2
       s
[1] "PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
                            68
1
           34
3
           34
                            68
       е
5
           25
                            50
4
      es
           15
                            30
6
            3
                             6
      os
7
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
1
           34
                            68
3
           34
                            68
       е
                            52
5
           26
       0
                            30
4
      es
           15
6
            3
                             6
      os
7
             2
                             4
       S
[1] "1PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
                            92
           20
                            40
1
3
           11
                            22
       е
4
            5
                            10
      es
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a 46
```

```
20
                            40
3
            13
                            26
4
            5
                            10
5
       s
             2
                             4
[1] "2PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
5
1
            21
                            42
2
            5
                            10
       a
3
       е
                            10
6
             3
                             6
      os
4
             2
                             4
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            26
            21
                            42
1
2
            6
                            12
       a
3
            5
                            10
6
             3
      os
                             6
      es
             2
                             4
             2
                             4
       S
[1] "3PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            34
1
            31
                            62
4
                            30
            15
      es
2
            10
                            20
       a
             2
6
                             4
5
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
1
            31
                            62
4
      es
            15
                            30
2
       a
            10
                            20
6
             2
                             4
             1
                             2
       0
[1] "4PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            22
       0
1
            19
                            38
3
             6
                            12
       е
6
             3
                             6
      os
             2
4
                             4
      es
7
             2
                             4
       s
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            24
                            48
       0
1
            21
                            42
```

```
3
                            14
       е
6
             3
                             6
      os
2
             2
                             4
       a
4
             2
                             4
      es
7
             2
                             4
[1] "5PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            29
4
            13
                            26
      es
1
             6
                            12
2
             1
                             2
       a
5
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            29
3
       е
4
            13
                            26
      es
                            24
1
            12
2
             2
                             4
       a
             2
5
                             4
[1] "mPlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            33
       е
            24
1
                            48
5
       0
            23
                            46
4
      es
            15
                            30
2
             4
                             8
       a
6
             3
                             6
      os
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            39
                            78
       a
3
            33
                            66
       е
            27
1
                            54
5
            24
                            48
       0
4
      es
            15
                            30
6
      os
             3
                             6
             2
       s
                             4
[1] "fPlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            46
3
            33
                            66
1
            21
                            42
4
            15
                            30
      es
             2
       s
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
            46
       a
3
            33
                            66
       е
            25
                            50
1
5
            24
                            48
       0
                            30
4
            15
      es
```

```
3
                             6
      os
7
             2
       s
                             4
[1] "nPlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           33
5
       0
           25
                            50
3
           16
                            32
       е
2
       a
            14
                            28
4
            5
                            10
      es
       s
             2
                             4
6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           34
5
           25
                            50
       0
3
           16
                            32
       е
2
                            28
           14
4
                            10
            5
      es
             2
6
                             4
      os
             2
                             4
7
       s
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
1
           33
                            66
3
       е
           26
                            52
5
           25
                            50
       0
4
           12
                            24
      es
6
             3
                             6
      os
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
       a
           33
1
                            66
3
           27
                            54
       е
5
           25
                            50
4
      es
            12
                            24
6
             3
                             6
      os
             2
7
                             4
       S
[1] "1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
1
           20
                            40
3
                            22
            11
       е
             5
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
       a
           20
                            40
1
3
                            26
       е
           13
4
            5
                            10
      es
```

```
s
                             4
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a
           46
1
            5
                            10
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
           46
       a
1
           12
                            24
3
            2
                             4
       е
4
            1
                             2
       s
[1] "2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           25
                            50
           21
                            42
1
2
                            10
            5
       a
3
            5
                            10
6
      os
            3
                             6
4
      es
             2
7
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           26
1
           21
                            42
2
            6
                            12
       a
            5
3
                            10
       е
6
             3
                             6
      os
             2
4
      es
                             4
7
       s
             2
                             4
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           25
       0
1
            18
                            36
2
            5
                            10
       a
5
             3
      os
                             6
3
            2
                             4
       е
             2
6
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           25
       0
1
            18
                            36
2
                            12
            6
       a
5
            3
                             6
      os
3
             2
                             4
       е
6
             2
                             4
       s
[1] "3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent Trials
3
           34
       е
1
           31
                            62
```

```
15
                            30
      es
2
            10
                            20
       a
6
             2
                             4
       s
5
             1
                             2
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
            31
                            62
1
4
      es
            15
                            30
                            20
2
            10
       a
6
       s
             2
                             4
5
             1
                             2
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            30
1
3
            26
                            52
       е
4
            12
                            24
      es
2
                            20
       a
            10
6
             2
                             4
5
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            30
3
            27
                            54
       е
4
      es
            12
                            24
2
       a
            10
                            20
6
             2
                             4
       s
                             2
5
             1
[1] "4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            22
                            44
            19
                            38
1
3
             6
                            12
       е
6
             3
                             6
      os
4
      es
             2
                             4
7
       s
             2
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
            24
                            48
5
       0
1
            21
                            42
3
             7
                            14
       е
6
             3
                             6
      os
2
             2
                             4
       a
4
             2
                             4
      es
7
             2
                             4
       s
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            22
                            44
1
            19
                            38
3
            3
                             6
       е
```

```
5
            3
                            6
      os
6
            2
                            4
       s
2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       0
           24
1
           20
                           40
3
            3
                            6
       е
5
      os
            3
                            6
6
            2
                            4
       s
                            2
2
       a
             1
[1] "5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           29
           13
                            26
4
      es
1
            6
                            12
2
                            2
             1
       a
            1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           29
4
           13
                           26
      es
1
           12
                            24
            2
                            4
5
       s
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           23
       е
           12
1
                            24
4
      es
           11
                           22
5
            2
                            4
       s
2
                            2
            1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           24
1
           12
                           24
4
                           22
      es
           11
2
            2
                            4
       a
            2
                            4
5
       s
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
       е
           24
                           48
1
5
           23
                           46
       0
4
           15
                            30
      es
2
                            8
       a
            4
6
             3
                            6
      os
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a 39
```

```
3
                           66
           33
       е
           27
                           54
1
5
                           48
           24
4
           15
                           30
      es
6
      os
            3
                            6
7
            2
                             4
       s
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           26
                           52
1
           23
                            46
5
           23
                            46
       0
4
           12
                            24
      es
2
            4
                            8
       a
6
            3
                             6
      os
            2
7
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           39
3
           27
                           54
1
           23
                           46
5
           23
                           46
       0
4
           12
                            24
      es
6
      os
            3
                            6
            2
                             4
7
       s
[1] "m1P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           39
                           78
1
           20
                           40
3
                           26
           13
       е
            5
4
      es
                            10
            2
5
                             4
       S
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           39
1
           12
                           24
3
            2
                             4
       е
                             2
4
            1
       s
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           23
       0
                           40
1
           20
3
            5
                           10
2
       a
            4
                            8
6
            3
                             6
      os
```

```
es
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
1
           20
                           40
3
            5
                           10
       е
2
            4
                            8
       a
6
      os
            3
                            6
4
            2
                            4
      es
       s
            2
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
           17
                           34
1
2
            4
                            8
       a
5
            3
      os
3
            2
       е
            2
6
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           23
       0
1
           17
                           34
2
            4
                            8
5
      os
            3
                            6
3
       е
            2
                            4
6
       s
[1] "m3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           33
4
           15
                           30
                           22
1
           11
5
            2
                            4
       s
            1
2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           33
                           30
4
           15
      es
                           22
           11
5
            2
                            4
       s
                            2
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           26
                           52
4
           12
                           24
      es
           11
                           22
1
5
            2
                            4
       s
            1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
      e 27
```

```
12
                           24
      es
1
           11
                           22
5
            2
                            4
2
            1
                            2
       a
[1] "m4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           22
5
1
           19
                           38
3
            6
                           12
       е
6
      os
            3
                            6
4
            2
                            4
      es
7
            2
                            4
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           23
           20
                           40
1
3
            6
                           12
       е
6
            3
                            6
      os
4
      es
            2
                            4
7
       s
            2
            1
                            2
       a
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
           22
1
           19
                           38
3
            3
                            6
5
            3
      os
            2
6
       s
       a
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           23
           19
                           38
1
3
            3
                            6
5
      os
            3
                            6
6
            2
                            4
                            2
[1] "m5P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           29
       е
                           26
4
           13
      es
           12
                           24
1
2
            2
                            4
       a
            2
       s
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           23
       е
                            24
1
           12
4
           11
                           22
      es
2
            2
                             4
       a
             2
                             4
5
       s
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           46
       a
3
           33
                            66
       е
           21
                            42
1
4
      es
           15
                            30
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
           33
3
                            66
1
           25
                            50
5
           24
                            48
       0
4
           15
                            30
      es
6
      os
            3
                             6
             2
                             4
7
       s
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
3
           26
                            52
           14
                            28
1
4
      es
           12
                            24
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
3
           26
                           52
5
           24
                            48
       0
           22
                            44
1
                            24
4
           12
      es
6
      os
            3
                             6
7
             2
                             4
       s
[1] "f1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
1
           20
                            40
3
           10
                            20
4
            5
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
                            92
       a
           20
                            40
```

```
12
                           24
       е
4
            5
                           10
      es
5
            2
                            4
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       a
           46
            5
1
                           10
3
       е
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           46
1
            5
                           10
                            2
3
            1
       е
[1] "f2P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
       0
           24
1
           18
                           36
3
            5
                           10
       е
2
            4
                            8
       a
4
            2
                            4
      es
6
      os
            2
7
       s
            2
                            4
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
           24
       0
                           32
1
           16
2
                            8
            4
       a
            2
3
                            4
5
      os
            2
                            4
6
       s
                            4
[1] "f3P1"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
       е
           33
4
           15
                           30
      es
1
                           18
            2
5
                            4
       s
            1
       a
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           33
           15
                           30
4
      es
1
           10
                           20
5
       S
            2
                            4
2
                            2
       a
```

```
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
       е
           26
4
      es
           12
                           24
1
            9
                          18
            2
5
                           4
       S
            1
       a
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           26
4
           12
                          24
      es
1
           10
                          20
5
            2
                           4
       s
2
            1
                            2
       a
[1] "f4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
              freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
       0
           22
1
           19
                          38
3
            7
                           14
       е
6
                           6
            3
      os
2
       a
            2
                            4
4
      es
            2
                            4
7
       s
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           22
           19
                          38
1
3
           3
                           6
5
      os
            3
                            6
            2
6
       s
                            4
2
            1
                            2
       a
[1] "f5P1"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
           29
       е
4
      es
           13
                           26
1
            6
                          12
            1
                           2
       a
5
            1
       S
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           29
       е
                          26
4
           13
      es
1
           12
                          24
5
            2
                           4
       s
```

```
a 1
                            2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                  Percent_Trials
              freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           24
1
           12
                           24
4
           11
                           22
      es
5
       s
            2
                            4
2
                            2
            1
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           33
5
           25
                           50
       0
3
                           32
           16
2
                           28
           14
       a
4
                           10
      es
            5
7
       s
            2
                            4
      os
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           34
1
5
       0
           25
                           50
3
           16
                           32
       е
2
           14
                           28
       a
4
            5
                           10
      es
6
            2
                            4
      os
7
       s
                            4
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           32
5
                           50
           25
       0
2
           14
                           28
3
            7
                           14
       е
            2
6
       s
                            4
            1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
           32
1
5
           25
                           50
       0
2
           14
                           28
       a
3
            9
                           18
       е
7
            2
                            4
       s
                            2
            1
      es
                            2
6
      os
            1
[1] "n2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           25
5
       0
1
           20
                           40
```

```
5
                            10
       a
3
             4
                             8
       е
4
             2
                             4
      es
7
             2
                             4
       s
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            25
5
1
            21
                            42
2
             5
                            10
       a
3
       е
             4
                             8
4
             2
                             4
      es
7
             2
                             4
       s
                             2
6
             1
      os
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
4
       0
            17
                            34
1
2
            5
                            10
             2
                             4
5
       е
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            25
       0
1
            17
                            34
2
             5
                            10
       a
5
             2
                             4
       s
                             2
3
             1
[1] "n3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            31
1
                            62
3
            16
                            32
       е
2
                            20
       a
            10
4
             5
                            10
      es
             2
6
       s
                             4
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
                            32
            16
       е
2
            10
                            20
       a
4
             5
                            10
      es
             2
6
                             4
       s
                             2
5
             1
       0
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
1
            30
2
            10
                            20
       a
3
            7
                            14
6
             2
       s
                             4
4
             1
                             2
      es
```

```
5 o
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
1
2
                           20
       a
           10
3
            8
                           16
            2
6
                            4
       S
4
                            2
            1
      es
5
       0
                            2
[1] "n4P1"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           24
1
           20
                           40
3
            5
                           10
4
            2
                            4
      es
            2
6
      os
                            4
            2
7
       s
                            4
       a
                            2
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           24
1
           19
                           38
3
            3
                            6
       е
6
       s
            2
                            4
2
            1
                            2
5
                            2
            1
      os
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
                           92
3
           33
                           66
           32
1
                           64
5
           25
                           50
4
           15
                           30
      es
6
      os
            3
                            6
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
                           92
       a
                           66
3
           33
       е
           32
                           64
1
5
           26
                           52
       0
                           30
4
           15
      es
6
            3
                            6
      os
            2
                            4
7
       s
[1] "1PlAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
                            92
1
             5
                            10
3
             1
                             2
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
           46
       a
1
            12
                            24
3
            2
                             4
                             2
4
       s
             1
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           25
            18
1
                            36
2
            5
                            10
       a
5
             3
                             6
      os
3
             2
                             4
       е
             2
6
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           26
       0
1
            19
                            38
2
            6
                            12
5
      os
             3
                             6
3
             2
                             4
       е
6
                             4
       s
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           33
           28
                            56
1
4
           15
                            30
      es
2
                            20
       a
           10
6
                             4
            2
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           33
                            66
                            56
1
           28
4
           15
                            30
      es
2
           10
                            20
       a
6
             2
                             4
       s
                             2
       0
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           22
       0
                            44
1
            19
                            38
3
            3
                             6
       е
5
            3
                             6
      os
6
             2
       s
                             4
2
             1
                             2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           24
1
           20
                            40
3
       е
            3
                             6
5
            3
                             6
      os
6
             2
                             4
       s
2
                             2
       a
             1
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           28
3
                            56
4
           13
                            26
      es
1
             6
                            12
2
             1
                             2
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           29
                            26
           13
4
      es
1
            6
                            12
2
       a
             2
                             4
                             2
             1
       s
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           33
5
           23
                            46
       0
           20
                            40
1
           15
                            30
      es
2
       a
             4
                             8
6
      os
             3
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           37
3
           33
                            66
5
           24
                            48
       0
1
           21
                            42
4
           15
                            30
      es
6
      os
            3
                             6
7
             2
                             4
       S
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           37
                            74
           12
                            24
1
3
            2
                             4
       е
                             2
4
             1
       s
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
4
       0
            23
            17
                            34
1
2
             4
                             8
       a
5
      os
             3
                             6
3
             2
                             4
       е
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
1
            18
                            36
2
             4
                             8
       a
5
             3
                             6
      os
             2
3
                             4
6
       s
             2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
                            66
3
           15
                            30
      es
             2
                             4
1
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           33
       е
3
      es
           15
                            30
1
             2
                             4
4
             1
                             2
       s
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            22
1
            19
                            38
3
                             6
            3
       е
5
             3
      os
                             6
             2
6
                             4
       s
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           22
                            44
1
            19
                            38
3
            3
                             6
       е
5
             3
                             6
      os
6
             2
                             4
       s
                             2
       a
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           28
                            56
           13
                            26
4
      es
            6
                            12
1
```

```
a
5
                            2
       s
            1
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       a
           46
3
       е
           33
4
           15
                           30
      es
1
            6
                           12
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           46
       a
                           66
3
           33
5
           23
                           46
       0
                           38
1
           19
4
           15
                           30
      es
                            6
6
      os
            3
            2
                            4
7
       s
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           46
       a
1
            5
                           10
            1
                            2
3
[1] "All Endings Included"
 Suffix freq Percent_Trials
           46
       a
            5
                           10
1
            1
                            2
       е
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
       0
           23
                           46
1
           17
                           34
2
                            8
       a
            4
3
            2
                            4
       е
5
      os
6
            2
                            4
       S
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
       е
3
           15
                           30
      es
                            2
1
            1
       s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           33
           15
                           30
3
      es
1
            1
                            2
```

```
2
       S
            1
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
              freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           22
       0
1
           19
                           38
3
            3
                            6
       е
5
      os
            3
6
            2
                            4
       s
2
            1
                            2
       a
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           29
4
      es
           13
                           26
1
            6
                           12
2
                            2
            1
       a
       s
                            2
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           31
1
5
           25
                           50
       0
2
           14
                           28
       a
3
            9
                           18
6
       s
            2
                            4
      es
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           31
1
5
       0
           25
                           50
2
           14
                           28
       a
                           20
3
       е
           10
7
            2
                            4
       s
                            2
      es
                            2
6
      os
            1
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           25
4
       0
1
           17
                           34
2
            5
                           10
5
            2
                            4
       s
3
            1
       е
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           25
                           50
1
           17
                           34
```

```
5
                            10
       a
5
            2
                             4
                             2
3
             1
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
                            20
            10
       a
3
       е
            9
                            18
6
             2
                             4
       s
                             2
      es
             1
5
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           28
2
                            20
       a
            10
3
            9
                            18
       е
6
                             4
4
                             2
             1
      es
                             2
5
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           24
1
            19
                            38
3
                             6
            3
6
            2
                             4
       s
2
                             2
       a
             1
5
      os
             1
                             2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           34
       е
1
           30
                            60
5
       0
           20
                            40
                            30
4
      es
           15
2
            14
                            28
       a
6
            2
                             4
      os
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           34
       е
                            60
1
           30
5
           20
                            40
       0
2
           15
                            30
4
           15
                            30
      es
6
            2
                             4
      os
             2
                             4
       s
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

```
20
                            40
2
            14
                            28
       а
3
            10
                            20
4
             5
                            10
      es
             2
5
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            20
1
2
       a
            15
                            30
                            26
3
            13
       е
4
      es
             5
                            10
5
             2
                             4
       s
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            21
1
5
            20
                            40
       0
             5
3
                            10
2
             2
                             4
       a
             2
4
      es
                             4
             2
6
      os
                             4
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            21
1
5
       0
            20
                            40
3
             5
                            10
       е
2
             3
                             6
       a
             2
4
                             4
      es
6
             2
                             4
      os
7
       s
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            34
       е
            23
                            46
1
4
      es
            15
                            30
2
       a
             5
                            10
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            34
3
       е
1
            23
                            46
4
            15
                            30
      es
2
             5
                            10
       a
             2
5
                             4
       s
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
1
            19
5
            18
                            36
       0
3
             6
                            12
       е
4
             2
                             4
      es
6
             2
                             4
      os
```

```
s
            2
            1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
5
           19
                            38
       0
3
            7
                            14
       е
2
            2
                            4
       a
4
      es
            2
                             4
6
             2
                             4
      os
7
       s
             2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           29
4
      es
           13
                            26
1
            6
                            12
                            2
2
             1
       a
5
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           29
4
           13
                           26
      es
1
            6
                            12
2
                            2
             1
5
       s
                             2
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
       е
           20
1
                            40
5
           19
                            38
       0
4
           15
                            30
      es
2
            2
                            4
       a
             2
6
                             4
      os
             2
7
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           33
1
           25
                           50
5
           19
                           38
       0
4
                           30
           15
      es
2
           13
                            26
       a
6
            2
                             4
      os
7
             2
       s
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           19
2
                            26
       a
           13
3
           13
                            26
       е
```

```
5
                           10
      es
5
       s
            2
                             4
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           19
5
       0
           19
                            38
3
            5
                            10
       е
2
       a
            2
                             4
4
             2
                             4
      es
6
      os
             2
7
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           20
5
                            38
       0
            19
3
            5
                            10
       е
2
            2
                             4
       a
4
            2
                             4
      es
             2
6
                             4
      os
             2
                             4
7
       s
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
       е
3
      es
           15
                            30
                             2
1
            1
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           33
       е
3
      es
           15
                            30
1
            1
                             2
4
             1
                             2
       s
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           19
5
            18
                            36
       0
            6
                            12
3
       е
      es
                             4
6
             2
                             4
      os
7
       s
             2
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           20
                            40
5
            18
                            36
3
            6
                            12
       е
4
            2
                             4
      es
6
            2
                             4
      os
7
             2
       S
2
             1
                             2
       a
[1] "m5PlGen"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           29
4
      es
           13
                           26
1
            6
                           12
2
       a
            1
                            2
5
                            2
       s
            1
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
1
           20
                           40
                           30
4
      es
           15
2
           14
                           28
       a
5
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       е
           33
1
           24
                           48
5
           19
                           38
       0
2
       a
           15
                           30
4
           15
                           30
      es
6
      os
            2
                            4
7
       s
            2
                            4
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           20
1
2
       a
           14
                           28
3
           10
                           20
                           10
4
            5
      es
            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           20
2
                           30
       a
           15
3
           12
                           24
       е
4
            5
                           10
      es
            2
                            4
5
       S
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           19
                           38
1
           17
                           34
3
                           10
            5
       е
2
            3
                            6
       a
4
            2
      es
                            4
6
            2
      os
                            4
```

```
s
                            4
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           33
3
      es
           15
                           30
1
            1
                            2
4
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           33
3
           15
                           30
      es
1
            1
                            2
                            2
            1
       s
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           19
5
       0
           17
                           34
3
            7
                           14
       е
2
            2
                            4
       a
4
            2
                            4
      es
6
      os
            2
                            4
7
       s
            2
                            4
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           29
       е
                           26
4
      es
           13
                           12
1
            6
2
            1
                            2
       s
            1
                            2
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           28
                           56
5
           20
                           40
       0
3
           16
                           32
       е
2
            6
                           12
       a
4
            5
                           10
      es
7
            2
                            4
       s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           29
1
5
           20
                           40
       0
3
       е
           16
                           32
2
                           12
            6
```

```
10
      es
            5
7
             2
       s
                             4
                             2
6
             1
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           20
                            40
       0
3
       е
            4
                             8
2
             2
                             4
       a
4
      es
             2
                             4
7
             2
                             4
       s
6
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           21
5
            20
                            40
       0
3
                             8
            4
2
            2
                             4
       а
4
             2
      es
                             4
7
             2
                             4
      os
                             2
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           23
3
           16
                            32
       е
2
            5
                            10
       a
             5
4
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           23
1
                            32
3
            16
       е
2
                            10
       a
            5
4
            5
                            10
      es
       s
             2
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           20
1
                            40
5
           19
                            38
       0
3
            5
                            10
       е
4
            2
                             4
      es
7
             2
                             4
       s
2
                             2
       a
             1
6
             1
                             2
```

- [1] "mSg and nSg fully match 90% of the time"
- [1] "mPl and nPl fully match 90% of the time"

- [1] "nPl and fSg fully match 18% of the time"
- [1] "Endings that overlap are a,a,a,-,-,e,-,a,a in trials 3,6,9,13,15,25,29,30,50"
- [1] "nPl and fPl fully match 22% of the time"
- [1] "Endings that overlap are a,a,a,-,-,e,-,a,-,-,a in trials 3,6,9,13,15,25,29,30,34,38,50"
- [1] "mPl and fSg fully match 16% of the time"
- [1] "Endings that overlap are a,a,a,-,-,e,-,a in trials 3,6,9,13,15,25,29,50"
- [1] "mPl and fPl fully match 20% of the time"
- [1] "Endings that overlap are a,a,a,-,-,e,-,-,a in trials 3,6,9,13,15,25,29,34,38,50"
- [1] "mSg and nSg at least partially match 94% of the time"
- [1] "mPl and nPl at least partially match 96% of the time"
- [1] "fSg and nPl at least partially match 18% of the time"
- [1] "Endings that overlap are a,a,a,-,-,e,-,a,a in trials 3,6,9,13,15,25,29,30,50"
- [1] "fPl and nPl at least partially match 22% of the time"
- [1] "Endings that overlap are a, a, a, -, -, e, -, a, -, -, a in trials 3, 6, 9, 13, 15, 25, 29, 30, 34, 38, 50"
- [1] "fSg and mPl at least partially match 16% of the time"
- [1] "Endings that overlap are a,a,a,-,-,e,-,a in trials 3,6,9,13,15,25,29,50"
- [1] "fPl and mPl at least partially match 20% of the time"
- [1] "Endings that overlap are a,a,a,-,-,e,-,-,a in trials 3,6,9,13,15,25,29,34,38,50"
- [1] "fPl, mPl, and nPl at least partially match 20% of the time"
- [1] "Endings that overlap are a,a,a,-,-,e,-,-,a in trials 3,6,9,13,15,25,29,34,38,50"