### Aggregate Data

# Tyler Lau July 18, 2016

[1] "Common Sound Change, Token Freq T, Number of cases being considered: 3"

```
[1] "Sg"
  Suffix freq Percent_Trials
3
       е
           16
5
           14
                            28
       0
           12
                            24
1
4
      es
            5
                            10
6
       S
            2
                             4
       a
[1] "1SgNom, Acc"
  Suffix freq Percent_Trials
           46
       a
1
            3
                             6
3
            1
                             2
       е
[1] "2SgNom, Acc"
  Suffix freq Percent_Trials
2
       0
          46
[1] "3SgNom, Acc"
  Suffix freq Percent_Trials
3
           25
       е
4
           12
                           24
      es
1
                            20
           10
            2
5
                             4
       s
       a
            1
[1] "4SgNom, Acc"
  Suffix freq Percent_Trials
       0
           41
                             8
1
      os
            3
                             6
2
       е
             1
                             2
       s
             1
[1] "5SgNom, Acc"
  Suffix freq Percent_Trials
3
           26
4
      es
           12
                            24
1
           10
                            20
2
                             2
            1
       a
             1
       s
[1] "1SgAcc, Gen"
  Suffix freq Percent_Trials
           29
       a
           18
                            36
3
            2
                             4
       е
                             2
       s
            1
[1] "2SgAcc, Gen"
```

```
Suffix freq Percent_Trials
4
          26
      0
                         52
                         32
1
          16
2
           4
                          8
      е
3
           2
                          4
     es
5
     os
           1
                          2
      s
[1] "3SgAcc,Gen"
 Suffix freq Percent_Trials
2
      е
          33
         15
                         30
3
     es
                          2
1
          1
                          2
4
      s
           1
[1] "4SgAcc,Gen"
 {\tt Suffix\ freq\ Percent\_Trials}
          25
4
      0
1
          15
                         30
2
         5
                         10
3
           2
                          4
     es
5
           2
     os
                          4
           1
6
      s
                          2
[1] "5SgAcc,Gen"
 Suffix freq Percent_Trials
3
          29
      е
          13
                         26
4
     es
                         12
1
         6
2
      a
           1
                          2
5
      s
           1
                          2
[1] "1SgNom, Gen"
 Suffix freq Percent_Trials
          30
      a
1
          18
                         36
3
         1
                         2
           1
                          2
4
      s
[1] "2SgNom, Gen"
 Suffix freq Percent_Trials
4
      0
          26
1
          16
                         32
2
          4
                          8
      е
3
           2
                          4
     es
5
           1
     os
6
           1
      s
[1] "3SgNom, Gen"
 Suffix freq Percent_Trials
3
      е
          26
4
          12
                         24
     es
                         18
1
           9
5
           2
                          4
2
           1
                          2
      a
[1] "4SgNom, Gen"
 Suffix freq Percent_Trials
4
          25
      0
1
          15
                         30
2
      e 5
                         10
```

```
es
5
           2
     os
                          4
6
           1
      s
[1] "5SgNom, Gen"
 Suffix freq Percent_Trials
3
      е
          26
     es
          12
                         24
1
          10
                         20
2
      a
           1
                          2
5
         1
      S
[1] "1SgNom, Acc, Gen"
 Suffix freq Percent_Trials
      a 46
           3
                          6
1
3
      е
           1
                          2
[1] "2SgNom, Acc, Gen"
 Suffix freq Percent_Trials
  o 45
1
           4
                          8
3
                          2
           1
     os
[1] "3SgNom, Acc, Gen"
 Suffix freq Percent_Trials
2
          32
      е
3
          15
                         30
     es
1
           2
                          4
     s
         1
                          2
[1] "4SgNom, Acc, Gen"
 Suffix freq Percent_Trials
          40
3
  0
1
           5
                         10
4
           3
                          6
     os
2
      е
           1
                          2
           1
     S
[1] "5SgNom, Acc, Gen"
 Suffix freq Percent_Trials
3
          29
      е
4
     es
          13
                         26
1
           6
                         12
2
                          2
      a
           1
5
           1
                          2
      s
[1] "Nom"
 Suffix freq Percent_Trials
5
      0
          17
1
          16
                         32
3
          10
                         20
      е
4
          3
                          6
     es
2
           2
                          4
      a
           2
6
      S
[1] "NomSg"
 Suffix freq Percent_Trials
5
          24
      0
                         48
          13
                         26
1
3
                         12
      е
           6
                          8
```

es

```
6 s 2 4
2 a 1 2
[1] "1"
Suffix freq Percent_Trials
2 a 45 90
1 - 4
3 e 1
                8
[1] "1Sg"
Suffix freq Percent_Trials
2 a 46 92
   - 3
1
3 e 1
                  2
[1] "1SgNom"
Suffix freq Percent_Trials
2 a 46
1 - 3
3 e 1
                 6
                  2
[1] "2"
Suffix freq Percent_Trials
4 o 25 50
1 - 17
2 a 3
                 34
                 6
   e 2
3
6 s 2
5 os 1
[1] "2Sg"
Suffix freq Percent_Trials
2 o 45 90
1 - 4
3 os 1
                 8
[1] "2SgNom"
Suffix freq Percent_Trials
2 o 46 92
1
                 8
[1] "3"
Suffix freq Percent_Trials
2 e 33 66
3 es 15
                 30
1 - 1
4 s 1
                 2
[1] "3Sg"
Suffix freq Percent_Trials
2 e 32 64
3 es 15
                 30
1 - 2
4 s 1
[1] "3SgNom"
Suffix freq Percent_Trials
3 e 25 50
4 es 12
                 24
1 - 10
5 s 2
2 a 1
                20
                 4
                 2
[1] "4"
```

```
Suffix freq Percent_Trials
4
 0
       22
                38
1
       19
   е 3
3
                6
5 os 3
                6
6 s 2
                 4
    a 1
[1] "4Sg"
Suffix freq Percent_Trials
3 o 40
   - 5
                10
1
4 os 3
                6
2 e 1
                 2
   s 1
5
[1] "4SgNom"
Suffix freq Percent_Trials
3 o 41
   - 4
                8
1
4 os 3
                 6
2 e 1
5 s 1
                 2
    s 1
5
[1] "5"
Suffix freq Percent_Trials
3 e 29
4
  es 13
                26
  - 6
                12
1
2 a 1
                2
5
   S
      1
[1] "5Sg"
Suffix freq Percent_Trials
3 e 29
   es 13
4
                26
1 - 6
                12
2 a 1
5 s 1
                2
[1] "5SgNom"
Suffix freq Percent_Trials
3 е
       24
1
   - 12
                24
4
  es 11
                22
5 s 2
                4
   a 1
2
[1] "m"
Suffix freq Percent_Trials
5 o 18
3
    e 13
                26
   - 10
1
                20
4 es 4
                8
6
  os 2
                 4
7
   s 2
                 4
2
    a
       1
[1] "mSg"
Suffix freq Percent_Trials
4 o 27
```

```
9
                          18
       е
1
            6
                          12
3
                           8
            4
      es
5
      os
            2
                           4
6
                           4
[1] "mSgNom"
  Suffix freq Percent_Trials
           39
       0
            5
1
                          10
5
                           6
            3
      os
2
                           2
       е
            1
3
            1
                           2
      es
6
            1
                           2
       S
[1] "m1SgNom"
  {\tt Suffix\ freq\ Percent\_Trials}
       a
           34
1
           14
                          28
3
                           2
          1
4
            1
                           2
      s
[1] "m2SgNom"
 Suffix freq Percent_Trials
       0
          44
1
            3
                           6
3
            3
                           6
      os
[1] "m3SgNom"
  Suffix freq Percent_Trials
3
      е
           24
4
      es
           12
                          24
1
           11
                          22
5
       s
            2
                           4
2
                           2
            1
       a
[1] "m4SgNom"
  Suffix freq Percent_Trials
3
           41
       0
                           8
1
            4
4
            3
                           6
      os
2
            1
                           2
       е
5
       s
            1
[1] "m5SgNom"
 Suffix freq Percent_Trials
       е
           23
1
           13
                          26
4
      es
           11
                          22
5
            2
                           4
       s
            1
       a
[1] "f"
  Suffix freq Percent_Trials
3
           27
4
           12
                          24
      es
           7
1
                          14
2
            2
                           4
       a
            2
5
       s
[1] "fSg"
  Suffix freq Percent_Trials
```

```
3
       26
                  52
    е
4
       12
                  24
    es
       8
                  16
1
2
        2
                  4
     a
        2
5
                   4
[1] "fSgNom"
 Suffix freq Percent_Trials
       24
    е
                  22
1
       11
4
                  22
       11
    es
  a 2
2
                  4
5
       2
                   4
   s
[1] "f1SgNom"
Suffix freq Percent_Trials
2 a 46
    -
       3
                   6
1
3 е
       1
                   2
[1] "f2SgNom"
 Suffix freq Percent_Trials
4 o 30
       11
                  22
1
2
   a 3
                  6
5
   os 3
                   6
  е
3
        2
                   4
6
    s
       1
                   2
[1] "f3SgNom"
 Suffix freq Percent_Trials
3 e 25
4
   es 12
                  24
1
   - 10
                  20
    s 2
5
                  4
  a
2
        1
                   2
[1] "f4SgNom"
 Suffix freq Percent_Trials
4
 o 28
                  56
1
       14
                  28
3
   e 3
                  6
   os 3
5
                   6
2
        1
                   2
    a
6
   s
        1
[1] "f5SgNom"
Suffix freq Percent_Trials
3 e 24
1
    - 12
                  24
4
                  22
   es 11
   s 2
5
                  4
      1
    a
[1] "n"
 Suffix freq Percent_Trials
5 o 23
1
       18
                  36
3
    e 5
                  10
    s 2
6
                  4
2
    a 1
                   2
```

```
4 es 1 2
[1] "nSg"
Suffix freq Percent_Trials
4 o 29 58
   - 16
1
                 32
   e 2
2
                 4
5
   s 2
3
  es 1
[1] "nSgNom"
Suffix freq Percent_Trials
2 0 45 90
1 - 5
                 10
[1] "n2SgNom"
Suffix freq Percent_Trials
2 o 46
1 - 4
                 8
[1] "n3SgNom"
 Suffix freq Percent_Trials
1 - 30 60
2 a 10
3 e 6
                 20
                12
6 s 2
                4
4
  es 1
                 2
5 о
       1
[1] "n4SgNom"
Suffix freq Percent_Trials
3 o 41 82
1
    - 6
                12
2 e 1
                 2
4 os 1
                 2
5 s 1
[1] "Acc"
Suffix freq Percent_Trials
5 o 19
3 e 16
1 - 8
                 32
                16
4 es 4
                8
2 a 2
6 s 1
[1] "AccSg"
Suffix freq Percent_Trials
4 o 32 64
2 e 7
1 - 5
                14
                10
3 es 5
5 s 1
                 2
[1] "1SgAcc"
Suffix freq Percent_Trials
2 a 46 92
1 - 3
3 e 1
                 6
                  2
[1] "2SgAcc"
Suffix freq Percent_Trials
2 o 46
```

```
1 - 4
[1] "3SgAcc"
 Suffix freq Percent_Trials
2 e 32
3
   es
       15
                    30
1
        2
                     4
     s 1
[1] "4SgAcc"
 Suffix freq Percent_Trials
3 o 41
1
                     8
4
         3
                     6
   os
  е
2
       1
                     2
5
    s
[1] "5SgAcc"
Suffix freq Percent_Trials
3
  е
        29
                    26
4
    es 13
    - 6
                    12
1
2
                    2
       1
     a
5
     s
         1
                     2
[1] "mSgAcc"
 Suffix freq Percent_Trials
4 o 40
1
       3
                     6
   es 3
3
                     6
   os
5
         3
                     6
2
    е
         1
[1] "m1SgAcc"
 Suffix freq Percent_Trials
2 a 33
1
        15
                    30
3
    e 1
                    2
                     2
4
     s
         1
[1] "m2SgAcc"
Suffix freq Percent_Trials
2 o 44
1
    - 3
                     6
3
    os 3
                     6
[1] "m3SgAcc"
 Suffix freq Percent_Trials
     e 31
                    62
3
    es
       15
                    30
1
        3
                     6
     s
       1
[1] "m4SgAcc"
 Suffix freq Percent_Trials
3 o 41
1
     - 4
                     8
4
         3
                     6
    os
2
         1
                     2
     е
         1
     s
[1] "m5SgAcc"
 Suffix freq Percent_Trials
```

```
3 e 28
                56
4
   es 13
                 26
1
   - 7
                14
2
   a 1
                 2
5
                 2
[1] "fSgAcc"
Suffix freq Percent_Trials
3 e 29
4
   es 12
                 24
  a 5
2
                10
   - 3
1
                6
5 s 1
                 2
[1] "f1SgAcc"
Suffix freq Percent_Trials
2 a 46
    - 3
                 6
1
3 e 1
                 2
[1] "f2SgAcc"
Suffix freq Percent_Trials
4 o 30 60
   - 11
1
                 22
2
   a 3
                6
5 os 3
                6
3 e 2
6 s 1
                 2
[1] "f3SgAcc"
Suffix freq Percent_Trials
2 e 33 66
3 es 15
                 30
1
   - 1
                 2
4 s 1
[1] "f4SgAcc"
Suffix freq Percent_Trials
4 o 28
   - 14
                 28
1
3 e 3
5 os 3
                6
                6
2
   a 1
                 2
6 s
       1
[1] "f5SgAcc"
 Suffix freq Percent_Trials
3 e 29 58
4 es 13
                 26
1
   - 6
                12
2 a 1
5 s 1
                 2
[1] "nSgAcc"
Suffix freq Percent_Trials
2 o 45 90
   - 5
                 10
[1] "n2SgAcc"
Suffix freq Percent_Trials
2 o 46 92
1 - 4
                8
```

```
[1] "n3SgAcc"
 Suffix freq Percent_Trials
1
        29
2
        10
                    20
     a
3
        7
                    14
     е
6
    s 2
                    4
4
   es 1
5
                     2
    0
         1
[1] "n4SgAcc"
Suffix freq Percent_Trials
  0
        40
1
        7
                    14
2
                     2
    e 1
                     2
4
   os 1
5
    S
         1
[1] "Gen"
Suffix freq Percent_Trials
1 -
        15
3
     e 14
                    28
5
     o 12
                    24
   es 6
4
                    12
   s 2
2
     a
                     2
[1] "GenSg"
 Suffix freq Percent_Trials
1
   - 14
2
     е
       14
                    28
4
     o 14
                    28
3 es 6
                    12
         2
    S
[1] "1SgGen"
 Suffix freq Percent_Trials
1 -
        20
2
       13
                    26
     a
3
                    20
     e 10
4
   es 5
                    10
         2
    s
[1] "2SgGen"
 Suffix freq Percent_Trials
4 o
        24
                    48
1
       17
                    34
2
     e 4
                    8
3
   es
       2
                     4
6
   s
         2
    os
         1
[1] "3SgGen"
Suffix freq Percent_Trials
2 e 33
3
    es 15
                    30
                     2
1
        1
         1
    s
[1] "4SgGen"
Suffix freq Percent_Trials
4 o 23
```

```
1 - 15
                30
2
    e 6
                12
3
  es 2
                4
5
  os
        2
                 4
6
                  4
[1] "5SgGen"
 Suffix freq Percent_Trials
       29
    е
       13
4
    es
                 26
   - 6
1
                12
2
                 2
   a 1
5
   s 1
                  2
[1] "mSgGen"
Suffix freq Percent_Trials
4 o
       22
1
    _
       15
                 30
   e 7
2
                14
3 es 2
                 4
5 os 2
                  4
    s
        2
6
                  4
[1] "m1SgGen"
 Suffix freq Percent_Trials
1 -
       20
                 40
    a 12
2
                 24
                 22
3
   e 11
4 es 5 5 5 2
                10
                 4
[1] "m2SgGen"
 Suffix freq Percent_Trials
4 o 24
   - 16
                 32
1
   e 4
2
                 8
3 es 2
                 4
5 os 2
                  4
        2
6
   s
[1] "m3SgGen"
Suffix freq Percent_Trials
2
 e 33
3
    es 15
                 30
 - 1
1
                2
4
   s 1
[1] "m4SgGen"
Suffix freq Percent_Trials
4 o 23 46
   - 15
1
                 30
2
   e 6
                 12
  es 2
3
                 4
5 os 2
                  4
6
        2
   s
[1] "m5SgGen"
Suffix freq Percent_Trials
3 e 29 58
4
    es 13
                 26
   - 6
1
                 12
```

```
2 a 1
5
     s
       1
[1] "fSgGen"
 Suffix freq Percent_Trials
  e 25
                    24
1
        12
4
                    22
    es 11
2
     a 1
                    2
5
     s
         1
[1] "f1SgGen"
 Suffix freq Percent_Trials
        20
1
2
     a
       13
                    26
3
   e 10
                    20
   es 5
4
                    10
  s
         2
5
                     4
[1] "f2SgGen"
 Suffix freq Percent_Trials
5
     0
        21
        16
                    32
1
3
       5
                    10
     е
2
     a 2
                    4
4
         2
    es
6
         2
    os
7
         2
     s
[1] "f3SgGen"
 Suffix freq Percent_Trials
2
 e 33
3
    es 15
                    30
1
     - 1
                    2
                     2
       1
     S
[1] "f4SgGen"
 Suffix freq Percent_Trials
        20
   0
       16
                    32
1
     e 6
3
                    12
2
    a 2
                    4
4
    es
         2
6
    os
         2
     s
[1] "f5SgGen"
 Suffix freq Percent_Trials
3
  e 29
4
    es 13
                    26
1
     - 6
                    12
2
                    2
         1
     a
5
     s
         1
[1] "nSgGen"
 {\tt Suffix\ freq\ Percent\_Trials}
     o 25
1
        16
                    32
2
     e 4
                    8
3
    es 2
                     4
6
     S
         2
```

```
5 os 1
[1] "n2SgGen"
 Suffix freq Percent_Trials
   o 25
        16
                   32
1
2
       4
                   8
     е
    es 2
3
6
        2
    s
5
    os
        1
[1] "n3SgGen"
 Suffix freq Percent_Trials
        23
1
  е
3
       15
                   30
   a 5
2
                   10
   es 5
4
                   10
  s
        2
5
                   4
[1] "n4SgGen"
 Suffix freq Percent_Trials
   0
        23
        17
                   34
1
       5
2
                   10
    е
3
    es 2
                   4
6
        2
                    4
    s
       1
5
    os
[1] "Pl"
 Suffix freq Percent_Trials
1 - 16
  e 13
3
                   26
5
   o 13
                   26
   es 5
                  10
  s
        2
6
                   4
2
   a
        1
                    2
[1] "1PlNom, Acc"
Suffix freq Percent_Trials
2 a 46 92
       3
1
                   6
     e 1
                    2
[1] "2PlNom, Acc"
 Suffix freq Percent_Trials
4 o 25
                   50
    - 17
                   34
1
2
    a 5
                   10
5
     s 2
                   4
     e 1
[1] "3PlNom, Acc"
 Suffix freq Percent_Trials
3
 e 26
                   52
    es 12
                   24
4
    - 9
                   18
1
  s
       2
5
                   4
        1
                    2
    a
[1] "4PlNom,Acc"
Suffix freq Percent_Trials
4 o 22
```

```
19
                         38
3
           3
                          6
      е
5
           3
                          6
     os
6
           2
                          4
      s
2
                          2
      a
[1] "5PlNom, Acc"
 Suffix freq Percent_Trials
          24
      е
1
          12
                         24
4
          12
                         24
     es
2
                         2
      a
         1
5
           1
                          2
      S
[1] "1PlAcc,Gen"
 Suffix freq Percent_Trials
      a
          31
          17
                         34
1
3
         1
                         2
      е
                          2
4
         1
      S
[1] "2PlAcc,Gen"
 Suffix freq Percent_Trials
          20
5
      0
                         40
                         38
1
          19
3
          4
                         8
      е
2
           2
      a
                          4
4
           2
                          4
     es
7
     s
           2
6
     os
           1
[1] "3PlAcc,Gen"
 Suffix freq Percent_Trials
2
      е
          33
3
          15
                         30
     es
                         2
1
          1
           1
[1] "4PlAcc,Gen"
 Suffix freq Percent_Trials
          19
1
5
          19
                         38
3
      е
         5
                         10
4
           2
                         4
     es
6
           2
     os
                          4
7
           2
     S
           1
      a
[1] "5PlAcc,Gen"
 Suffix freq Percent_Trials
          29
      е
4
          13
                         26
     es
1
           6
                         12
2
                         2
           1
           1
                          2
      s
[1] "1PlNom,Gen"
 Suffix freq Percent_Trials
      a 31
                         62
1
      - 17
                         34
3
                         2
      e 1
```

```
4 s 1
[1] "2PlNom,Gen"
  Suffix freq Percent_Trials
5
       0
           20
1
           19
                           38
3
            4
                            8
       е
2
            2
       a
4
            2
      es
                            4
7
       s
            2
                            4
6
            1
      os
[1] "3PlNom, Gen"
  Suffix freq Percent_Trials
3
       е
           26
4
           12
                           24
      es
1
            9
                           18
5
            2
       s
                            4
            1
                            2
       a
[1] "4PlNom, Gen"
  Suffix freq Percent_Trials
           19
           19
                           38
5
       0
3
       е
            5
                           10
4
            2
                            4
      es
6
            2
      os
                            4
7
            2
                            4
       s
       a
[1] "5PlNom,Gen"
  Suffix freq Percent_Trials
3
           24
       е
1
           12
                           24
4
           12
                           24
      es
2
       a
            1
                            2
            1
       s
[1] "1PlNom,Acc,Gen"
 Suffix freq Percent_Trials
2
           44
       a
            5
1
                           10
3
       е
            1
                            2
[1] "2PlNom, Acc, Gen"
  Suffix freq Percent_Trials
       0
           24
1
           18
                           36
2
            4
                            8
       a
6
            2
                            4
       s
                            2
       е
            1
5
            1
      os
[1] "3PlNom,Acc,Gen"
  Suffix freq Percent_Trials
2
           33
       е
3
           15
                           30
      es
1
            1
                            2
                            2
            1
       s
[1] "4PlNom, Acc, Gen"
  Suffix freq Percent_Trials
```

```
22
                       44
     0
1
         19
                       38
3
        3
                       6
5
     os 3
                       6
6
          2
2
      a
          1
                       2
[1] "5PlNom, Acc, Gen"
 Suffix freq Percent_Trials
3
     е
         29
4
     es
         13
                       26
                      12
1
     - 6
2
          1
                       2
      a
      s
                       2
5
          1
[1] "NomPl"
 {\tt Suffix\ freq\ Percent\_Trials}
         20
1 -
5
         17
                       34
     0
3
                       12
    e 6
4
     es 3
                       6
2
          2
                       4
     a
          2
6
      s
[1] "1P1"
Suffix freq Percent_Trials
2 a 44
1
     - 5
                       10
    e 1
[1] "1PlNom"
Suffix freq Percent_Trials
2 a 46
1
          3
                       6
                       2
3
          1
[1] "2P1"
Suffix freq Percent_Trials
4 o
         24
        18
                       36
1
        4
2
                       8
     a
     s 2
6
                       4
3
     е
          1
5
     os
[1] "2PlNom"
 Suffix freq Percent_Trials
     o 25
                       50
1
         17
                       34
2
        5
                       10
      a
5
          2
                       4
      S
3
                        2
          1
      е
[1] "3P1"
 Suffix freq Percent_Trials
2
         33
      е
3
         15
                       30
     es
1
          1
                       2
          1
     s
[1] "3PlNom"
 Suffix freq Percent_Trials
```

```
3
           26
                          52
4
           12
                          24
      es
1
           9
                          18
5
            2
                           4
       s
2
                           2
[1] "4P1"
  Suffix freq Percent_Trials
           22
           19
                           38
1
3
           3
                           6
       е
5
            3
      os
            2
6
                            4
       S
2
       a
            1
[1] "4PlNom"
  Suffix freq Percent_Trials
           22
       0
1
           19
                          38
3
           3
                           6
5
            3
                           6
      os
6
            2
      s
                           4
            1
                            2
2
       a
[1] "5P1"
  Suffix freq Percent_Trials
           29
4
           13
                          26
      es
           6
                          12
1
2
                           2
       a
            1
5
       s
                            2
[1] "5PlNom"
  Suffix freq Percent_Trials
           24
3
1
           12
                          24
4
           11
                          22
      es
5
            2
                           4
      S
                           2
       a
            1
[1] "mPl"
 Suffix freq Percent_Trials
1
           18
5
       0
           18
                          36
3
            7
                          14
      е
4
                           4
      es
6
            2
                           4
      os
7
       s
                            4
       a
            1
[1] "mPlNom"
  Suffix freq Percent_Trials
4
       0
           22
                          44
1
           18
                          36
3
            4
                           8
       е
            3
5
                           6
      os
6
            2
                            4
       s
            1
       a
[1] "m1PlNom"
  Suffix freq Percent_Trials
```

```
2 a 36
1 - 12
               72
                24
3
                2
   e 1
   s 1
4
                 2
[1] "m2PlNom"
Suffix freq Percent_Trials
4 o 23 46
1
   - 17
                 34
2
   a 4
                 8
                 6
5 os 3
6 s 2
3 e 1
[1] "m3PlNom"
Suffix freq Percent_Trials
3 e 25
4
   es 12
                 24
1 - 10
                 20
5 s 2
2 a 1
                4
                  2
[1] "m4PlNom"
Suffix freq Percent_Trials
4 o 22 44
1
   - 19
                 38
   е 3
3
                 6
                 6
5 os 3
6 s 2
2 a 1
[1] "m5PlNom"
Suffix freq Percent_Trials
3 e 23 46
1 - 12
4 es 11
                 24
                 22
2 a 2
5 s 2
                4
                 4
[1] "fPl"
Suffix freq Percent_Trials
3 e 27 54
4 es 11
                22
  - 8
1
                16
   a 2
                4
2
   s 2
5
[1] "fPlNom"
Suffix freq Percent_Trials
3 e 24 48
   - 11
                 22
1
  es 10
4
                 20
2 a 3 5 s 2
                6
[1] "f1PlNom"
Suffix freq Percent_Trials
2 a 46 92
1 - 3
3 e 1
                6
                  2
[1] "f2PlNom"
```

```
Suffix freq Percent_Trials
4
       24
    0
                 32
1
       16
    a 4
2
                 8
3
       2
                  4
5 os 2
                  4
        2
    s
[1] "f3PlNom"
 Suffix freq Percent_Trials
 e 26
3
   es 12
                 24
4
1
   - 9
                 18
 - 9
s 2
5
                  4
                  2
      1
    a
[1] "f4PlNom"
Suffix freq Percent_Trials
4 o
       22
    - 19
                 38
1
3
   e 3
                 6
5 os 3
                 6
  s 2
6
                  4
    a 1
[1] "f5PlNom"
Suffix freq Percent_Trials
       24
3 е
   - 12
1
                 24
4
  es 11
                 22
 s 2
5
                  4
2
   a 1
                  2
[1] "nPl"
Suffix freq Percent_Trials
5 o 23
1
    - 19
                 38
2
   a 3
                 6
  е
      2
3
                 4
6
    s 2
                  4
        1
   es
[1] "nPlNom"
 Suffix freq Percent_Trials
4 o 25 50
1
    - 17
                 34
2
   a 5
                 10
  s 2
5
                  4
    е
        1
[1] "n2PlNom"
 Suffix freq Percent_Trials
4 o 25
    - 17
                 34
1
2
   a 5
                 10
  s 2
5
                  4
        1
                  2
    е
[1] "n3PlNom"
Suffix freq Percent_Trials
1 - 30
```

```
2 a 10
                20
3
   e 6
                 12
   s 2
6
                4
4
  es 1
                2
5
                 2
   0
[1] "n4PlNom"
Suffix freq Percent_Trials
4 o 24
1
       19
                 38
   e 3
3
                6
6
   s 2
2 a 1
5 os 1
                 2
[1] "AccPl"
Suffix freq Percent_Trials
5 o 18
   - 14
1
                 28
3 e 9
2 a 4
                18
                8
4 es 3
                6
       2
6
   s
[1] "1PlAcc"
Suffix freq Percent_Trials
2 a 46 92
1 - 3
3 e 1
                 6
[1] "2PlAcc"
Suffix freq Percent_Trials
4 o 25
1
   - 17
                 34
2
   a 5
                10
5 s 2
3 e 1
                 4
[1] "3PlAcc"
Suffix freq Percent_Trials
2 e 33
3 es 15
                 30
   - 1
1
                2
4 s 1
[1] "4PlAcc"
 Suffix freq Percent_Trials
4 o 22 44
1 - 19
3 e 3
                 38
                 6
5 os 3
  s 2
a 1
6
                 4
[1] "5PlAcc"
Suffix freq Percent_Trials
3 e 29 58
4
   es 13
                 26
1
    - 6
                12
   a 1
2
                2
                 2
5 s 1
```

```
[1] "mPlAcc"
 Suffix freq Percent_Trials
4 o 22 44
1
   - 17
                34
3 e 5
5 os 3
               10
                6
  s 2
6
   a 1
2
                 2
[1] "m1PlAcc"
Suffix freq Percent_Trials
2 a 36 72
1
   - 12
                24
3 e 1
                2
   s 1
[1] "m2PlAcc"
Suffix freq Percent_Trials
4 o 23 46
   - 17
                34
1
2
  a 4
                8
5 os 3
                6
6 s 2
                4
3
   e 1
[1] "m3PlAcc"
Suffix freq Percent_Trials
2 e 32
  es 15
                30
  - 2
s 1
1
                4
4
[1] "m4PlAcc"
 Suffix freq Percent_Trials
4 o 22
1
    - 19
                38
3
  e 3
                6
5 os 3
                6
  s 2
6
                 4
2
       1
   a
[1] "m5PlAcc"
Suffix freq Percent_Trials
3 e 28 56
  es 13
4
                26
  - 6
               12
1
2 a 2
                4
   s 1
5
[1] "fPlAcc"
 Suffix freq Percent_Trials
3 e 29
                58
4
   es 11
                22
  a 5
2
                10
1
   - 4
                8
  s 1
5
                 2
[1] "f1PlAcc"
Suffix freq Percent_Trials
2 a 46 92
1 - 3
                6
```

```
3 e 1
[1] "f2PlAcc"
  Suffix freq Percent_Trials
           23
1
           17
                          34
2
                           8
           4
       a
3
            2
       е
5
            2
      os
                           4
6
       s
[1] "f3PlAcc"
  Suffix freq Percent_Trials
           33
       е
3
      es
           15
                          30
                           2
1
           1
       s
            1
                           2
[1] "f4PlAcc"
  Suffix freq Percent_Trials
           22
      0
1
           19
                          38
3
           3
                           6
5
            3
                           6
      os
6
       s
            2
2
       a
            1
                           2
[1] "f5PlAcc"
  Suffix freq Percent_Trials
       е
           29
4
      es
           13
                          26
1
            6
                          12
2
            1
                           2
       S
[1] "nPlAcc"
  {\tt Suffix\ freq\ Percent\_Trials}
           25
      0
           17
                          34
1
2
           5
                          10
       a
5
            2
                           4
            1
       е
[1] "n2PlAcc"
  Suffix freq Percent_Trials
           25
4
       0
                          50
           17
                          34
1
2
           5
                          10
       a
5
       s
            2
                           4
            1
                           2
       е
[1] "n3PlAcc"
  Suffix freq Percent_Trials
1
           28
                          56
2
           10
                          20
3
           8
                          16
       е
            2
6
                           4
       s
4
            1
                           2
      es
            1
       0
[1] "n4PlAcc"
  Suffix freq Percent_Trials
```

```
24
                          48
1
           19
                          38
3
          3
                           6
6
           2
                           4
       s
2
                           2
5
     os
            1
                           2
[1] "GenPl"
  Suffix freq Percent_Trials
1
           15
           14
3
       е
                          28
5
         12
                          24
4
           6
                          12
      es
6
            2
                           4
       s
                           2
            1
       a
[1] "1PlGen"
 Suffix freq Percent_Trials
1
           20
2
           13
                          26
3
         10
                          20
       е
4
          5
                          10
     es
5
            2
       s
[1] "2PlGen"
  Suffix freq Percent_Trials
5
           20
      0
           19
                          38
1
3
           4
                           8
      е
2
      a
            2
                           4
4
     es
            2
                           4
7
            2
      S
     os
[1] "3PlGen"
  {\tt Suffix\ freq\ Percent\_Trials}
2
           33
3
           15
                          30
      es
                           2
1
           1
4
      s
            1
                           2
[1] "4PlGen"
  Suffix freq Percent_Trials
1
           19
5
           18
                          36
       0
                          12
3
         6
      е
4
            2
                           4
     es
6
     os
            2
                           4
7
       s
            2
                           4
       a
[1] "5PlGen"
  Suffix freq Percent_Trials
3
       е
           29
4
           13
                          26
      es
                          12
1
           6
2
            1
                           2
       a
            1
       s
[1] "mPlGen"
 Suffix freq Percent_Trials
```

```
18
                          36
5
           18
                           36
3
                           14
           7
4
            2
                           4
      es
6
      os
                            4
7
            2
                            4
       a
[1] "m1PlGen"
  Suffix freq Percent_Trials
1
           19
2
           13
                           26
       a
                           22
3
           11
       е
4
      es
            5
                           10
            2
5
       s
[1] "m2PlGen"
  Suffix freq Percent_Trials
1
           19
5
           19
                           38
3
            4
                           8
       е
2
            2
                            4
       a
4
            2
      es
                            4
6
      os
7
       s
            2
[1] "m3PlGen"
  Suffix freq Percent_Trials
2
       е
           33
3
      es
           15
                           30
1
            1
                            2
4
            1
                            2
       s
[1] "m4PlGen"
  Suffix freq Percent_Trials
1
           19
5
           18
                           36
3
            6
                          12
       е
            2
4
                           4
      es
6
            2
                            4
      os
            2
7
       s
2
       a
            1
[1] "m5PlGen"
  Suffix freq Percent_Trials
           29
      е
4
           13
                          26
      es
1
            6
                           12
2
       a
            1
                            2
       s
            1
[1] "fPlGen"
  Suffix freq Percent_Trials
3
           24
1
           13
                           26
4
                           22
           11
      es
2
            1
                            2
       a
            1
       s
[1] "f1PlGen"
  Suffix freq Percent_Trials
```


```
1 - 20
                40
2
   a 13
                26
3
   e 10
                20
4
  es 5
                10
       2
5
                 4
   s
[1] "f2PlGen"
Suffix freq Percent_Trials
5 o 19
       17
1
                34
3
   e 5
                10
2
                6
  a 3
4 es 2
                4
       2
6 os
                 4
       2
7
   S
[1] "f3PlGen"
Suffix freq Percent_Trials
2 e 33
  es 15
                30
3
1 - 1
4 s 1
                2
                 2
[1] "f4PlGen"
 Suffix freq Percent_Trials
1 - 19
    0
5
       17
                34
   e 6
                12
3
2
                4
   a 2
4 es 2
                 4
6 os
       2
                 4
7
       2
   S
[1] "f5PlGen"
Suffix freq Percent_Trials
3 e 29
4
  es 13
                26
1
   - 6
                12
2
 a 1
                 2
5
       1
    s
[1] "nPlGen"
Suffix freq Percent_Trials
5 o 20
1
       19
                38
3
   e 4
                8
2
  a 2
                4
4 es 2
                 4
7
   s
       2
                 4
   os
[1] "n2PlGen"
 Suffix freq Percent_Trials
5 o 20
1
    - 19
                38
3
    e 4
                 8
2
    a 2
                 4
4
   es 2
7
   s 2
6
   os 1
```

[1]	"n3P3	lGen"	
Sı	ıffix	${\tt freq}$	Percent_Trials
1	-	23	46
3	е	15	30
2	a	5	10
4	es	5	10
5	s	2	4
[1]	"n4P	lGen"	
Sı	ıffix	freq	Percent_Trials
S1	uffix -	freq 20	Percent_Trials 40
	uffix - o	-	<del>_</del>
1	_	20	40
1 5	- 0	20 19	40 38
1 5 3	- o e	20 19 5	40 38 10
1 5 3 4	o e es	20 19 5 2	40 38 10 4
1 5 3 4 7	o e es s	20 19 5 2	40 38 10 4 4

#### [1] "common\_system\_distrib"

[1] Common_by boom_dibolib				
	${\tt Percent\_Match}$	freq	${\tt Percent\_Trials}$	
1	54.00000	1	2	
2	59.33333	1	2	
3	60.66667	6	12	
4	62.00000	2	4	
5	63.33333	2	4	
6	64.00000	3	6	
7	64.66667	2	4	
8	66.00000	2	4	
9	66.66667	1	2	
10	67.33333	2	4	
11	68.66667	5	10	
12	69.33333	1	2	
13	70.00000	1	2	
14	71.33333	8	16	
15	72.00000	3	6	
16	72.66667	6	12	
17	74.00000	4	8	


## Percent of common\_system\_distrib Matching Reality



\_


[1] "NPLtoFSG_system_distrib"				
	${\tt Percent\_Match}$	freq	Percent_Trials	
1	56.00000	1	2	
2	60.00000	1	2	
3	61.33333	2	4	
4	62.66667	5	10	
5	64.00000	2	4	
6	65.33333	2	4	
7	66.00000	1	2	
8	66.66667	1	2	
9	67.33333	1	2	
10	68.00000	4	8	
11	69.33333	2	4	
12	70.66667	2	4	
13	72.66667	1	2	
14	73.33333	3	6	
15	74.66667	2	4	
16	76.00000	3	6	
17	77.33333	6	12	
18	78.00000	3	6	
19	78.66667	5	10	
20	80.00000	3	6	

### Percent of NPLtoFSG\_system\_distrib Matching Reality




[1] "romanian_system_distrib"				
]	Percent_Match	freq	Percent_Trials	
1	54.00000	1	2	
2	59.33333	1	2	
3	60.00000	1	2	
4	60.66667	6	12	
5	61.33333	1	2	
6	62.00000	1	2	
7	63.33333	1	2	
8	64.00000	2	4	
9	64.66667	3	6	
10	65.33333	2	4	
11	66.00000	2	4	
12	66.66667	1	2	
13	67.33333	2	4	
14	68.00000	1	2	
15	70.00000	4	8	
16	70.66667	6	12	
17	71.33333	3	6	
18	72.00000	1	2	
19	72.66667	9	18	
20	74.00000	2	4	

### Percent of romanian\_system\_distrib Matching Reality




[1] "1_common_system_distrib"				
	Percent_Match	freq	Percent_Trials	
1	60.00000	4	8	
2	66.66667	11	22	
3	70.00000	2	4	
4	73.33333	21	42	
5	80.00000	12	24	

### Percent of 1\_common\_system\_distrib Matching Reality




[	[1] "1_NPLtoFSG_system_distrib"				
	Percent_Match	freq	Percent_Trials		
1	60.00000	4	8		
2	66.66667	11	22		
3	70.00000	2	4		
4	73.33333	21	42		
5	80.00000	12	24		

### Percent of 1\_NPLtoFSG\_system\_distrib Matching Reality



[:	[1] "1_romanian_system_distrib"					
	Percent_Match	freq	Percent_Trials			
1	60.00000	3	6			
2	66.66667	12	24			
3	70.00000	1	2			
4	73.33333	25	50			
5	76.66667	1	2			
6	80.00000	8	16			


### Percent of 1\_romanian\_system\_distrib Matching Reality



[1] "2\_common\_system\_distrib"

	Percent Match	frea	Percent Trials
1	40.00000	3	6
2	53.33333	12	24
3	60.00000	12	24
4	63.33333	1	2
5	70.00000	22	44


### Percent of 2\_common\_system\_distrib Matching Reality



Percent Matching True System

[1	.] "2_NPLtoFSG	syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	40.00000	3	6
2	53.33333	8	16
3	60.00000	11	22
4	66.66667	3	6
5	70.00000	4	8
6	73.33333	2	4
7	80.00000	19	38


### Percent of 2\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

	1] "2_romanian	_syste	em_distri	.b"
	Percent_Match	freq	Percent_	Trials
1	40.00000	3		6
2	53.33333	12		24
3	60.00000	12		24
4	63.33333	1		2
5	66.66667	1		2
6	70.00000	21		42


### Percent of 2\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "3_common_system_distrib"				
Pe	ercent_Match	freq	Percent_Trials	
1	53.33333	1	2	
2	60.00000	4	8	
3	63.33333	6	12	
4	70 00000	39	78	


## Percent of 3\_common\_system\_distrib Matching Reality



[1]	[1] "3_NPLtoFSG_system_distrib"					
F	Percent_Match	freq	Percent_Trials			
1	60.00000	4	8			
2	63.33333	1	2			
3	66.66667	1	2			
4	70.00000	4	8			
5	73.33333	6	12			

80.00000


## Percent of 3\_NPLtoFSG\_system\_distrib Matching Reality



[1]	"3_romanian_	syste	em_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	53.33333	1	2
2	60.00000	9	18
3	63.33333	4	8
4	66.66667	2	4
5	70.00000	34	68

68


## Percent of 3\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"4_common_sy	stem_	_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	40.00000	6	12
2	46.66667	1	2
3	50.00000	1	2
4	53.33333	9	18
5	60.00000	11	22
6	66.66667	1	2
7	70.00000	21	42


## Percent of 4\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] "4_NPLtoFSG_system_distrib"					
	Percent_Match	freq	Percent_Trials		
1	40.00000	6	12		
2	46.66667	1	2		
3	50.00000	1	2		
4	53.33333	10	20		
5	60.00000	5	10		
6	66.66667	4	8		
7	70.00000	3	6		
8	73.33333	1	2		
9	76.66667	1	2		
10	80.00000	18	36		


## Percent of 4\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[:	l] "4_romanian	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	40.00000	6	12
2	46.66667	1	2
3	50.00000	1	2
4	53.33333	10	20
5	60.00000	10	20
6	66.66667	2	4
7	70.00000	20	40


# Percent of 4\_romanian\_system\_distrib Matching Reality



Percent Matching True System


<pre>[1] "5_common_system_distrib"</pre>						
P	ercent_Match	freq	Percent_Trials			
1	60.00000	7	14			
2	73.33333	8	16			
3	80.00000	35	70			

### Percent of 5\_common\_system\_distrib Matching Reality



[1] "5\_NPLtoFSG\_system\_distrib"
Percent\_Match freq Percent\_Trials
1 60.00000 7 14
2 73.33333 8 16
3 80.00000 35 70


### Percent of 5\_NPLtoFSG\_system\_distrib Matching Reality



[1] "5\_romanian\_system\_distrib"

Percent\_Match freq Percent\_Trials
1 60.00000 7 14
2 73.33333 8 16
3 80.00000 35 70


# Percent of 5\_romanian\_system\_distrib Matching Reality



F47				
	''m	common	system	distrib"

	Percent_Match	freq	Percent_Trials
1	46	1	2
2	54	6	12
3	56	2	4
4	58	5	10
5	60	4	8
6	62	2	4
7	64	6	12
8	66	3	6
9	68	13	26
10	70	8	16


## Percent of m\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] "m_NPLtoFSG_system_distrib"						
Percent_Mat	ch f	req	Percent_Trials			
1	46	1	2			
2	54	6	12			
3	56	2	4			
4	58	5	10			
5	60	4	8			
6	62	2	4			
7	64	6	12			
8	66	3	6			
9	68	13	26			
10	70	8	16			


## Percent of m\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "m_romanian_system_distrib"					
I	Percent_Match	freq	Percent_Trials		
1	46	1	2		
2	54	6	12		
3	56	2	4		
4	58	4	8		
5	60	4	8		
6	62	3	6		
7	64	4	8		
8	66	7	14		
9	68	14	28		
10	70	5	10		


## Percent of m\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "f_common_system_distrib"						
Percent_Ma	tch	freq	Percent_Trials			
1	46	1	2			
2	50	5	10			
3	52	1	2			
4	54	3	6			
5	56	7	14			
6	58	2	4			
7	60	2	4			
8	62	2	4			
9	64	3	6			
10	66	3	6			
11	68	14	28			
12	70	7	14			


## Percent of f\_common\_system\_distrib Matching Reality



### Percent Matching True System

[1] "f_NPLtoFSG_system_distrib"					
Percent_M	atch f	req P	ercent_Trials		
1	46	1	2		
2	50	5	10		
3	52	1	2		
4	54	3	6		
5	56	7	14		
6	58	2	4		
7	60	2	4		
8	62	2	4		
9	64	3	6		
10	66	3	6		
11	68	14	28		
12	70	7	14		


# Percent of f\_NPLtoFSG\_system\_distrib Matching Reality



Percent	Ma	tch	ing	True	Syste	n
---------	----	-----	-----	------	-------	---

[1]	"f_romanian_s	syster	n_distrib"
F	Percent_Match	${\tt freq}$	Percent_Trials
1	46	1	2
2	50	5	10
3	54	5	10
4	56	6	12
5	58	2	4
6	60	3	6
7	62	1	2
8	64	1	2
9	66	7	14
10	68	14	28
11	70	5	10


# Percent of f\_romanian\_system\_distrib Matching Reality



Percent Matching True System


[:	l] "n_common_s	ystem_	_distrib"
	${\tt Percent\_Match}$	freq	Percent_Trials
1	70	4	8
2	74	4	8
3	76	7	14
4	78	20	40
5	80	1	2
6	82	14	28

## Percent of n\_common\_system\_distrib Matching Reality




[1] "n_NPLtoFS	SG_s	ysten	n_distrib"
Percent_Mat	tch	freq	Percent_Trials
1	68	1	2
2	72	3	6
3	76	3	6
4	80	3	6
5	82	1	2
6	84	9	18
7	88	7	14
8	92	3	6
9	94	5	10
10	96	4	8
11	100	11	22

## Percent of n\_NPLtoFSG\_system\_distrib Matching Reality



[1	.] "n_romanian	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	68	3	6
2	70	3	6
3	72	2	4
4	74	2	4
5	76	9	18
6	78	17	34
7	80	1	2
8	82	13	26

## Percent of n\_romanian\_system\_distrib Matching Reality




[1	.] "Nom_common_	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	23.33333	1	2
2	33.33333	1	2
3	36.66667	4	8
4	40.00000	5	10
5	43.33333	3	6
6	46.66667	7	14
7	50.00000	4	8

53.33333

56.66667


## Percent of Nom\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] "	Nom_NPLtoFSG	:_syst	tem_distrib"
Pe	rcent_Match	freq	Percent_Trials
1	26.66667	1	2
2	33.33333	1	2
3	36.66667	1	2
4	40.00000	3	6
5	43.33333	3	6
6	46.66667	4	8
7	50.00000	7	14
8	53.33333	3	6
9	56.66667	3	6
10	60.00000	4	8
11	63.33333	9	18
12	66.66667	11	22


## Percent of Nom\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Nom_romania	an_sys	stem_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	23.33333	1	2
2	33.33333	2	4
3	36.66667	3	6
4	40.00000	5	10
5	43.33333	4	8
6	46.66667	7	14
7	50.00000	4	8
8	53.33333	12	24
9	56.66667	12	24


## Percent of Nom\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Acc_common_	syste	em_distrib"
P	ercent_Match	freq	Percent_Trials
1	23.33333	1	2
2	36.66667	3	6
3	40.00000	5	10
4	43.33333	5	10
5	46.66667	4	8
6	50.00000	3	6
7	53.33333	15	30
8	56.66667	14	28


## Percent of Acc\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Acc_NPLtoFS0	3_syst	tem_distrib"
	Percent_Match	freq	Percent_Trials
1	26.66667	1	2
2	40.00000	4	8
3	43.33333	4	8
4	46.66667	5	10
5	50.00000	4	8
6	53.33333	2	4
7	56.66667	5	10
8	60.00000	2	4
9	63.33333	10	20
10	66.66667	13	26


## Percent of Acc\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Acc_romania	an_sys	stem_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	23.33333	1	2
2	36.66667	3	6
3	40.00000	6	12
4	43.33333	5	10
5	46.66667	4	8
6	50.00000	3	6
7	53.33333	14	28
8	56.66667	14	28


## Percent of Acc\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Gen_common_s	syster	n_distrib"
I	Percent_Match	freq	Percent_Trials
1	23.33333	7	14
2	30.00000	14	28
3	33.33333	1	2
4	36.66667	2	4
5	40.00000	1	2
6	43.33333	2	4
7	46.66667	1	2
8	50.00000	14	28
9	53.33333	3	6
10	56.66667	5	10


## Percent of Gen\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Gen_NPLtoFS0	3_syst	tem_distrib"
	Percent_Match	freq	Percent_Trials
1	20.00000	1	2
2	26.66667	8	16
3	33.33333	13	26
4	40.00000	4	8
5	46.66667	2	4
6	53.33333	2	4
7	56.66667	1	2
8	60.00000	12	24
9	63.33333	3	6
10	66.66667	4	8


## Percent of Gen\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Gen_romanian	n_syst	tem_distrib"
]	Percent_Match	freq	Percent_Trials
1	20.00000	1	2
2	23.33333	6	12
3	26.66667	3	6
4	30.00000	9	18
5	36.66667	5	10
6	40.00000	4	8
7	43.33333	2	4
8	46.66667	4	8
9	50.00000	10	20
10	53.33333	1	2
11	56.66667	5	10


## Percent of Gen\_romanian\_system\_distrib Matching Reality



Percent Matching True System


[1]	"Sg_common_sy	stem_	_distrib"
	Percent_Match	${\tt freq}$	Percent_Trials
1	56.00000	2	4
2	57.33333	1	2
3	58.66667	1	2
4	60.00000	1	2
5	61.33333	1	2
6	62.66667	2	4
7	66.66667	1	2
8	68.00000	1	2
9	72.00000	1	2
10	73.33333	4	8
11	76.00000	1	2
12	77.33333	1	2
13	78.66667	2	4
14	80.00000	5	10
15	81.33333	3	6
16	84.00000	2	4
17	86.66667	1	2
18	89.33333	3	6
19	90.66667	1	2
20	92.00000	1	2
21	94.66667	6	12
22	96.00000	2	4
23	97.33333	4	8
24	100.00000	3	6

## Percent of Sg\_common\_system\_distrib Matching Reality




[1]	"Sg_NPLtoFSG_	_syste	em_distrib"
]	Percent_Match	${\tt freq}$	Percent_Trials
1	56.00000	2	4
2	57.33333	1	2
3	58.66667	1	2
4	60.00000	1	2
5	61.33333	1	2
6	62.66667	2	4
7	66.66667	1	2
8	68.00000	1	2
9	72.00000	1	2
10	73.33333	4	8
11	76.00000	1	2
12	77.33333	1	2
13	78.66667	2	4
14	80.00000	5	10
15	81.33333	3	6
16	84.00000	2	4
17	86.66667	1	2
18	89.33333	3	6
19	90.66667	1	2
20	92.00000	1	2
21	94.66667	6	12
22	96.00000	2	4
23	97.33333	4	8
24	100.00000	3	6

## Percent of Sg\_NPLtoFSG\_system\_distrib Matching Reality



[1]	"Sg_romanian_	_syste	em_distrib"
]	Percent_Match	freq	Percent_Trials
1	56.00000	2	4
2	57.33333	1	2
3	58.66667	1	2
4	60.00000	1	2
5	61.33333	1	2
6	62.66667	2	4
7	66.66667	1	2
8	68.00000	1	2
9	69.33333	1	2
10	73.33333	4	8
11	76.00000	2	4
12	77.33333	3	6
13	78.66667	1	2
14	80.00000	1	2
15	81.33333	5	10
16	82.66667	1	2
17	84.00000	1	2
18	86.66667	2	4
19	92.00000	3	6
20	93.33333	3	6
21	94.66667	3	6
22	96.00000	1	2
23	97.33333	7	14
24	100.00000	2	4


## Percent of Sg\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Pl_common_sy	stem_	_distrib"
I	Percent_Match	freq	Percent_Trials
1	48.00000	34	68
2	53.33333	1	2
3	56.00000	1	2
4	58.66667	1	2
5	60.00000	1	2
6	64.00000	6	12
7	65.33333	3	6
8	78.66667	1	2
9	81.33333	1	2
10	84.00000	1	2


# Percent of PI\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] '	'P1_NPLtoFSG	_syst	em_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	52.00000	13	26
2	54.66667	3	6
3	56.00000	2	4
4	57.33333	2	4
5	58.66667	1	2
6	60.00000	15	30
7	61.33333	1	2
8	62.66667	1	2
9	65.33333	1	2
10	68.00000	2	4
11	69.33333	1	2
12	74.66667	2	4
13	76.00000	4	8
14	82.66667	1	2
15	88.00000	1	2


# Percent of PI\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	] "Pl_romanian	n_syst	tem_distrib"
]	Percent_Match	freq	Percent_Trials
1	48.00000	34	68
2	53.33333	1	2
3	56.00000	2	4
4	58.66667	1	2
5	61.33333	1	2
6	64.00000	8	16
7	72.00000	1	2
8	80.00000	2	4


# Percent of Pl\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"n.Sg,m.Sg"		
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	11.11111	1	2
2	33.33333	1	2
3	55.55556	3	6
4	66.66667	18	36
5	77.77778	16	32
6	100.00000	11	22


# Percent of n.Sg,m.Sg Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,m.Pl"		
Pe	ercent_Match	freq	Percent_Trials
1	11.11111	1	2
2	33.33333	1	2
3	55.55556	2	4
4	66.66667	20	40
5	77.77778	16	32
6	88.88889	1	2
7	100.00000	9	18


# Percent of n.PI,m.PI Matching Each Other



Percent Matching Each Other

[:	1] "n.Pl,f.Sg"		
	Percent_Match	freq	Percent_Trials
1	11.11111	2	4
2	22.22222	1	2
3	33.33333	3	6
4	44.44444	1	2
5	55.55556	5	10
6	66.66667	16	32
7	77.77778	15	30
8	100.00000	7	14


# Percent of n.PI,f.Sg Matching Each Other



Percent Matching Each Other

[	1] "n.Pl,f.Pl"		
	${\tt Percent\_Match}$	freq	Percent_Trials
1	11.11111	1	2
2	33.33333	1	2
3	55.55556	5	10
4	66.66667	19	38
5	77.77778	15	30
6	88.88889	1	2
7	100.00000	8	16


## Percent of n.PI,f.PI Matching Each Other



Percent Matching Each Other

Г17	"m.Pl,f.Pl"		
	*	freq	Percent Trials
1	60.00000	1	_ 2
2	73.33333	1	2
3	80.00000	1	2
4	86.66667	10	20
5	93.33333	2	4
6	100.00000	35	70


## Percent of m.PI,f.PI Matching Each Other



[1] "1,5"

	Percent_Match	freq	Percent_Trials
1	0.00000	23	46
2	16.66667	3	6
3	33.33333	15	30
4	50.00000	1	2
5	58.33333	1	2
6	66.66667	4	8
7	100.00000	3	6


## **Percent of 1,5 Matching Each Other**



Percent Matching Each Other

[1	] "2,4"		
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	55.55556	1	2
3	66.66667	1	2
4	72.22222	1	2
5	77.77778	4	8
6	83.33333	1	2
7	88.88889	5	10
8	94.44444	1	2
9	100.00000	35	70


## Percent of 2,4 Matching Each Other



## Percent Matching Each Other

[	l] "Nom,Acc"		
	Percent_Match	freq	Percent_Trials
1	61.53846	1	2
2	69.23077	6	12
3	84.61538	3	6
4	92.30769	1	2
5	96.15385	3	6
6	100.00000	36	72


## **Percent of Nom,Acc Matching Each Other**



Percent Matching Each Other

[1]	"Acc,Gen"		
F	Percent_Match	freq	Percent_Trials
1	30.76923	1	2
2	38.46154	4	8
3	46.15385	1	2
4	53.84615	1	2
5	61.53846	1	2
6	69.23077	4	8
7	73.07692	1	2
8	76.92308	12	24
9	80.76923	3	6
10	84.61538	7	14
11	88.46154	1	2
12	92.30769	3	6
13	100.00000	11	22


## Percent of Acc, Gen Matching Each Other



Percent Matching Each Other

[1]	"Nom,Gen"		
I	Percent_Match	freq	Percent_Trials
1	23.07692	1	2
2	30.76923	1	2
3	38.46154	5	10
4	46.15385	3	6
5	53.84615	1	2
6	57.69231	1	2
7	61.53846	4	8
8	69.23077	2	4
9	73.07692	1	2
10	76.92308	11	22
11	80.76923	1	2
12	84.61538	8	16
13	92.30769	2	4
14	100.00000	9	18


## Percent of Nom, Gen Matching Each Other



Percent Matching Each Other

[1]	"Nom, Acc, Gen'	1	
]	Percent_Match	freq	Percent_Trials
1	23.07692	1	2
2	30.76923	1	2
3	38.46154	5	10
4	46.15385	3	6
5	53.84615	1	2
6	57.69231	1	2
7	61.53846	4	8
8	69.23077	2	4
9	73.07692	1	2
10	76.92308	11	22
11	80.76923	2	4
12	84.61538	7	14
13	92.30769	2	4
14	100.00000	9	18


## Percent of Nom, Acc, Gen Matching Each Other




Percent Matching Each Other

	1] "nPlmPl_exc	lusive	e"
	Percent_Match	freq	Percent_Trials
1	0.00000	46	92
2	11.11111	2	4
3	33.33333	1	2
4	44.44444	1	2

#### Percent of nPImPI\_exclusive Matching Each Other




#### Percent of nPlfPl\_exclusive Matching Each Other



#### [1] "1Sg(Nom|Acc)\_a(\$|,)" Percent\_Match freq Percent\_Trials


## Percent of 1Sg(Nom|Acc) ending in a(\$|,)



Percent Matching Reality

[1]	"[24]Sg(Nom	Acc)	_o(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	4	8
2	16.66667	1	2
3	33.33333	4	8
4	50.00000	1	2
5	58.33333	1	2
6	66.66667	9	18
7	83.33333	2	4
8	100.00000	28	56


## Percent of [24]Sg(Nom|Acc) ending in o(\$|,)



Percent Matching Reality

[1]	"3Sg(Nom Aco	c)_[e-	-](\$ ,)"
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	8	16
2	33.33333	7	14
3	66.66667	7	14
4	100.00000	28	56


## Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)



#### Percent Matching Reality

[1]	"3P1(Nom Acc	c)_e?s	s(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	34	68
2	33.33333	2	4
3	66.66667	11	22
4	100.00000	3	6


## Percent of 3PI(Nom|Acc) ending in e?s(\$|,)



## Percent Matching Reality

[1]	"[124]Pl(Non	n Acc)	)_s(\$ ,)"
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.0	45	90
2	50.0	3	6
3	75.0	1	2
4	87.5	1	2


#### Percent of [124]PI(Nom|Acc) ending in s(\$|,)



[1] "[24]P1(Nom|Acc)\_os(\$|,)"


Percent\_Match freq Percent\_Trials
1 0.00000 47 94
2 66.66667 3 6

## Percent of [24]PI(Nom|Acc) ending in os(\$|,)



```
[1] "1Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0      50      100
```


## Percent of 1PI(Nom|Acc) ending in as(\$|,)



[1] "n.Pl(Nom|Acc)\_a(\$|,)"


Percent\_Match freq Percent\_Trials
1 0.00000 36 72
2 33.33333 13 26
3 100.00000 1 2

## Percent of n.PI(Nom|Acc) ending in a(\$|,)



[1] "n.Pl(Nom|Acc)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100


## Percent of n.PI(Nom|Acc) ending in as(\$|,)




```
[1] "n.Pl(Nom|Acc)_os($|,)"

Percent_Match freq Percent_Trials
1 0.00000 49 98
2 33.33333 1 2
```


## Percent of n.PI(Nom|Acc) ending in os(\$|,)



## Percent of m.PI(Nom|Acc) ending in as(\$|,)




#### Percent of m.PI(Nom|Acc) ending in os(\$|,)




#### [1] "Pl(Nom|Acc)\_s(\$|,)" Percent\_Match freq Percent\_Trials 0.000000 7.692308 15.384615 30.769231 61.538462 69.230769 84.615385 92.307692

#### Percent of PI(Nom|Acc) ending in s(\$|,)



[1] "1Sg(Gen|Acc)\_a(\$|,)" Percent\_Match freq Percent\_Trials 


## Percent of 1Sg(Gen|Acc) ending in a(\$|,)



Percent Matching Reality

[1]	"[24]Sg(Gen A	Acc)_d	0(\$ ,)"
F	Percent_Match	freq	Percent_Trials
1	0.000000	4	8
2	8.333333	1	2
3	16.666667	3	6
4	25.000000	2	4
5	33.333333	8	16
6	41.666667	2	4
7	50.000000	6	12
8	58.333333	1	2
9	66.666667	2	4
10	91.666667	1	2
11	100.000000	20	40


## Percent of [24]Sg(Gen|Acc) ending in o(\$|,)



Percent Matching Reality

[1]	[1] "3Sg(Gen Acc)_[e-](\$ ,)"				
P	Percent_Match	freq	Percent_Trials		
1	0.00000	8	16		
2	16.66667	2	4		
3	33.33333	6	12		
4	66.66667	2	4		
5	83.33333	4	8		
6	100.00000	28	56		


## Percent of 3Sg(Gen|Acc) ending in [e-](\$|,)



## Percent Matching Reality

[1] "3P1(Gen Acc)_e?s(\$ ,)"				
Pe	ercent_Match	${\tt freq}$	Percent_Trials	
1	0.00000	34	68	
2	66.66667	9	18	
3	83.33333	4	8	
4	100.00000	3	6	


## Percent of 3PI(Gen|Acc) ending in e?s(\$|,)



[1]	"[124]Pl(Gen Acc)_s(\$ ,)"

	Percent_Match	freq	Percent_Trials
	0.00	42	84
:	12.50	2	4
;	37.50	1	2
4	62.50	1	2
į	75.00	2	4
(	87.50	1	2
•	93.75	1	2


## Percent of [124]PI(Gen|Acc) ending in s(\$|,)



#### r oroont matering re


[1] "[24]Pl(Gen Acc)_os(\$ ,)"				
Pe	ercent_Match	${\tt freq}$	Percent_Trials	
1	0.00000	47	94	
2	33.33333	1	2	
3	66.66667	1	2	
4	83.33333	1	2	

## Percent of [24]PI(Gen|Acc) ending in os(\$|,)




[1] "1Pl(Gen|Acc)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

#### Percent of 1PI(Gen|Acc) ending in as(\$|,)




[1	[1] "n.Pl(Gen Acc)_a(\$ ,)"					
	Percent_Match	freq	Percent_Trials			
1	0.00000	36	72			
2	16.66667	8	16			
3	33.33333	5	10			
4	100.00000	1	2			

# Percent of n.PI(Gen|Acc) ending in a(\$|,)




[1] "n.Pl(Gen|Acc)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

## Percent of n.PI(Gen|Acc) ending in as(\$|,)




[:	1] "n.Pl(Gen Ad	cc)_os	s(\$ ,)"
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	48	96
2	16.66667	1	2
3	33.33333	1	2

## Percent of n.PI(Gen|Acc) ending in os(\$|,)




```
[1] "m.Pl(Gen|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0     50     100
```

#### Percent of m.PI(Gen|Acc) ending in as(\$|,)




#### 

#### Percent of m.PI(Gen|Acc) ending in os(\$|,)



[1] "Pl(Gen|Acc)\_s(\$|,)" Percent\_Match freq Percent\_Trials 0.00000 15.38462 30.76923 38.46154 42.30769 57.69231 73.07692 80.76923 84.61538 92.30769 96.15385


## Percent of PI(Gen|Acc) ending in s(\$|,)



Percent Matching Reality

[1	.] "1Sg(Nom Ge	n)_a(8	\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0	4	8
2	25	11	22
3	50	23	46
4	100	12	24


## Percent of 1Sg(Nom|Gen) ending in a(\$|,)



Percent Matching Reality

[	1] "[24]Sg(Nom	Gen)_o(\$ ,)"	
	Percent_Match	freq Percent_Tria	als
1	0.000000	4	8
2	8.333333	1	2
3	16.666667	3	6
4	25.000000	1	2
5	33.333333	9	18
6	41.666667	2	4
7	50.000000	6	12
8	58.333333	1	2
ç	66.666667	2	4
1	0 91.666667	1	2
1	1 100.000000	20	40


## Percent of [24]Sg(Nom|Gen) ending in o(\$|,)



Percent Matching Reality

[1] "3Sg(Nom Gen)_[e-](\$ ,)"				
Pe	ercent_Match	freq	Percent_Trials	
1	0.00000	8	16	
2	16.66667	2	4	
3	33.33333	5	10	
4	66.66667	3	6	
5	83.33333	4	8	
6	100.00000	28	56	


## Percent of 3Sg(Nom|Gen) ending in [e-](\$|,)



#### Percent Matching Reality

[1	[1] "3P1(Nom Gen)_e?s(\$ ,)"				
	Percent_Match	freq	Percent_Trials		
1	0.00000	34	68		
2	33.33333	2	4		
3	66.66667	7	14		
4	83.33333	4	8		
5	100.00000	3	6		


## Percent of 3PI(Nom|Gen) ending in e?s(\$|,)



Percent Matching Reality

[1] "[124]Pl(Nom Gen)_s(\$ ,)"						
P	ercent_Match	${\tt freq}$	Percent_Trials			
1	0.00	42	84			
2	12.50	2	4			
3	37.50	1	2			
4	62.50	1	2			
5	75.00	2	4			
6	87.50	1	2			
7	93.75	1	2			


## Percent of [124]PI(Nom|Gen) ending in s(\$|,)



[1] "[24]Pl(Nom Gen)_os(\$ ,)"						
	Percent_Match	freq	Percent_Trials			
1	0.00000	47	94			
2	33.33333	1	2			


_	00.00000	1	
3	66.66667	1	2
4	83.33333	1	2

## Percent of [24]PI(Nom|Gen) ending in os(\$|,)




[1] "1Pl(Nom|Gen)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

#### Percent of 1PI(Nom|Gen) ending in as(\$|,)




[1	.] "n.Pl(Nom Ge	en)_a(	(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	36	72
2	16.66667	8	16
3	33.33333	5	10
4	100.00000	1	2

# Percent of n.PI(Nom|Gen) ending in a(\$|,)




[1] "n.Pl(Nom|Gen)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

## Percent of n.PI(Nom|Gen) ending in as(\$|,)




	1] "n.Pl(Nom Ge	en)_os	s(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	48	96
2	16.66667	1	2
3	33.33333	1	2

#### Percent of n.PI(Nom|Gen) ending in os(\$|,)




```
[1] "m.Pl(Nom|Gen)_as($|,)"
  Percent_Match freq Percent_Trials
1      0     50     100
```

#### Percent of m.PI(Nom|Gen) ending in as(\$|,)




#### 

#### Percent of m.PI(Nom|Gen) ending in os(\$|,)



[1] "Pl(Nom|Gen)\_s(\$|,)" Percent\_Match freq Percent\_Trials 0.000000 7.692308 15.384615 30.769231 38.461538 42.307692 57.692308 73.076923 80.769231 84.615385 92.307692 96.153846 


## Percent of PI(Nom|Gen) ending in s(\$|,)



Percent Matching Reality

[1]	"Sg_nots"		
]	Percent_Match	${\tt freq}$	Percent_Trials
1	15.38462	1	2
2	20.51282	1	2
3	25.64103	1	2
4	30.76923	1	2
5	35.89744	1	2
6	51.28205	1	2
7	61.53846	1	2
8	64.10256	1	2
9	69.23077	5	10
10	79.48718	1	2
11	84.61538	1	2
12	89.74359	1	2
13	100.00000	34	68


# Percent of Sg ending in nots



#### Percent Matching Reality

[1]	"Pl_s(\$ ,)"		
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	34	68
2	10.25641	1	2
3	15.38462	1	2
4	20.51282	1	2
5	30.76923	5	10
6	35.89744	1	2
7	38.46154	1	2
8	48.71795	1	2
9	69.23077	1	2
10	74.35897	1	2
11	79.48718	1	2
12	89.74359	1	2
13	94.87179	1	2


## Percent of PI ending in s(\$|,)



Percent Matching Reality

[1]	"[mf].Pl_s(\$	,)"	
	Percent_Match	${\tt freq}$	Percent_Trials
1	0.00000	34	68
2	13.33333	1	2
3	20.00000	1	2
4	26.66667	1	2
5	40.00000	5	10
6	46.66667	2	4
7	53.33333	1	2
8	80.00000	1	2
9	86.66667	3	6
10	93.33333	1	2


## Percent of [mf].Pl ending in s(\$|,)



Percent Matching Reality


[1]	"[124]Pl_s(	\$ ,)"	
Pe	ercent_Match	freq	Percent_Trials
1	0.000000	42	84
2	8.333333	2	4
3	25.000000	1	2
4	58.333333	1	2
5	66.666667	2	4
6	83.333333	1	2
7	91.666667	1	2

## Percent of [124]PI ending in s(\$|,)



[1	] "n.Pl_s(\$ ,)	) "	
	Percent_Match	freq	Percent_Trials
1	0.00000	43	86
2	11.11111	2	4
3	33.33333	2	4
4	77.77778	1	2
5	100.00000	2	4


## Percent of n.PI ending in s(\$|,)



Percent Matching Reality

[	1] "1Sg_a(\$ ,)'	'	
	Percent_Match	freq	Percent_Trials
1	0.00000	4	8
2	33.33333	11	22
3	50.00000	2	4
4	66.66667	21	42
5	100.00000	12	24


## Percent of 1Sg ending in a(\$|,)



Percent Matching Reality

[1]	"[24]Sg_o(\$	,)"	
	Percent_Match	${\tt freq}$	Percent_Trials
1	0.00000	4	8
2	11.11111	1	2
3	22.22222	3	6
4	33.33333	2	4
5	38.88889	1	2
6	44.44444	7	14
7	55.55556	2	4
8	66.66667	8	16
9	72.22222	1	2
10	94.44444	1	2
11	100.00000	20	40


## Percent of [24]Sg ending in o(\$|,)



Percent Matching Reality

[1] "3Sg_[e-](\$ ,)"			
F	Percent_Match	${\tt freq}$	${\tt Percent\_Trials}$
1	0.00000	8	16
2	22.22222	2	4
3	33.33333	5	10
4	55.55556	1	2
5	66.66667	2	4
6	77.77778	4	8
7	100.00000	28	56


## Percent of 3Sg ending in [e-](\$|,)



#### Percent Matching Reality

[:	l] "3P1_e?s"		
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	34	68
2	44.44444	2	4
3	66.66667	7	14
4	77.77778	4	8
5	100.00000	3	6


#### Percent of 3PI ending in e?s



#### Percent Matching Reality


[1	.] "[24]Pl_os(\$	3 ,)"	
	Percent_Match	freq	Percent_Trials
1	0.00000	47	94
2	44.44444	1	2
3	66.66667	1	2
4	77.77778	1	2

#### Percent of [24]PI ending in os(\$|,)




[1] "1Pl\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

#### Percent of 1PI ending in as(\$|,)




[:	l] "n.Pl_a(\$ ,)	) ''	
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	36	72
2	22.22222	8	16
3	33.33333	5	10
4	100.00000	1	2

#### Percent of n.Pl ending in a(\$|,)




[1] "n.Pl\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100


#### Percent of n.Pl ending in as(\$|,)




#### Percent of n.Pl ending in os(\$|,)



## Percent of m.Pl ending in as(\$|,)



#### Percent of m.Pl ending in os(\$|,)



```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
                            92
5
           46
                            92
3
           34
                            68
       е
1
           32
                            64
4
            15
                            30
      es
6
             3
                             6
      os
7
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           47
2
                            92
           46
       a
3
       е
           34
                            68
           33
                            66
1
                            32
4
      es
            16
6
      os
             3
                             6
             2
                             4
[1] "1SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
             5
                            10
1
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           46
           15
                            30
```

```
6
       е
4
                             2
       s
            1
[1] "2SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       0
1
            6
                            12
            3
3
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           47
           12
                            24
1
2
            3
                            6
       a
5
            3
                             6
      os
3
            2
                             4
       е
                             2
6
       s
            1
[1] "3SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
       е
1
           30
                            60
4
      es
           15
                            30
2
                            20
           10
       a
6
       s
            2
                            4
5
            1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           33
       е
                            60
           30
1
4
           16
                            32
      es
2
                            20
       a
           10
6
       s
            2
                             4
5
                             2
[1] "4SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           41
1
            5
                            10
4
            3
      os
                            6
2
            1
                             2
       е
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           42
                            84
       0
1
           16
                            32
                            6
3
            3
       е
5
            3
                             6
      os
                             2
2
            1
                             2
6
       s
            1
[1] "5SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           24
       е
4
           11
                            22
      es
```

```
6
                            12
             1
                             2
       a
5
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           30
1
           13
                            26
4
                            26
           13
      es
       a
             2
                             4
5
                             4
       s
[1] "1SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
       a
1
            20
                            40
3
                            20
            10
4
            5
                            10
      es
             2
5
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
1
           22
                            44
3
           13
                            26
       е
4
      es
            5
                            10
5
             2
                             4
       s
[1] "2SgAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           46
1
            17
                            34
2
                            10
       е
            5
5
      os
             3
                             6
3
             2
                             4
      es
             2
6
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
            47
1
            19
                            38
3
                            10
       е
            5
2
             3
                             6
       a
6
      os
             3
                             6
4
             2
      es
                             4
7
                             4
[1] "3SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           34
       е
           30
1
                            60
4
           15
                            30
      es
2
           10
                            20
       a
6
             2
                             4
       s
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
3
            34
                             68
       е
1
            30
                             60
4
            16
                             32
      es
2
            10
                             20
       a
             2
6
                             4
5
             1
                             2
       0
[1] "4SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            41
                            82
                             32
1
            16
2
             6
                             12
       е
5
             3
                             6
      os
             2
3
                             4
      es
6
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
            42
                            38
1
            19
3
             6
                             12
6
      os
             3
                             6
2
       a
             2
                             4
4
             2
                             4
      es
[1] "5SgAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            29
            13
                             26
4
      es
1
             6
                             12
                             2
2
             1
5
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            30
4
            13
                             26
      es
1
             7
                            14
2
       a
             1
                             2
                             2
5
             1
[1] "1SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            46
1
            20
                             40
3
            10
                             20
       е
             5
                             10
4
      es
             2
       s
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
       a
            46
                            42
1
            21
3
                            26
            13
       е
4
                             10
      es
             5
5
             2
                             4
       s
```

```
[1] "2SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            46
            17
                            34
1
2
             5
                            10
       е
5
      os
             3
                             6
3
             2
                             4
      es
             2
6
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            46
       0
1
            19
                            38
3
             5
                            10
       е
2
             3
                             6
       a
             3
6
      os
                             6
4
      es
             2
                             4
7
             2
                             4
       s
[1] "3SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            34
1
            31
                            62
4
                            30
      es
            15
2
            10
                            20
       a
6
       s
             2
                             4
5
       0
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            34
       е
                            62
            31
1
4
      es
            15
                            30
2
            10
                            20
       a
6
             2
                             4
       s
                             2
5
             1
[1] "4SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            41
       0
            16
                            32
1
2
                            12
             6
5
             3
                             6
      os
3
      es
             2
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            42
                            84
       0
            19
                            38
1
3
             6
                            12
       е
6
             3
                             6
      os
2
             2
                             4
4
             2
                             4
      es
7
             2
                             4
       s
[1] "5SgNom, Gen"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            24
3
4
            11
                            22
      es
                            12
1
             6
2
             1
                             2
       a
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            29
       е
1
            13
                            26
4
            13
                            26
      es
2
             2
                             4
       a
             2
                             4
5
       s
[1] "1SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            46
2
       a
                            40
1
            20
                            20
3
            10
                            10
4
      es
             5
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            46
2
       a
1
            22
                            44
3
            13
                            26
       е
4
             5
                            10
      es
             2
5
       s
[1] "2SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            46
                            92
            17
1
                            34
2
             5
                            10
       е
5
             3
                             6
      os
             2
3
      es
                             4
6
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
            47
                            38
1
            19
3
             5
                            10
       е
2
             3
                             6
       a
6
             3
                             6
      os
             2
4
      es
                             4
             2
       s
[1] "3SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            34
3
                            68
       е
            31
                            62
1
                            30
4
      es
            15
2
            10
                            20
       a
```

```
s
5
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
            34
1
            31
                            62
4
      es
            16
                            32
2
                            20
            10
       a
6
       s
             2
                             4
5
             1
                             2
[1] "4SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            41
                            82
1
            16
                            32
2
                            12
             6
5
             3
                             6
      os
             2
3
      es
                             4
6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
            42
1
            19
                            38
3
             6
                            12
       е
6
                             6
             3
      os
2
       a
             2
                             4
4
      es
             2
                             4
7
             2
       s
[1] "5SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            29
4
            13
                            26
      es
             6
                            12
1
2
                             2
       a
             1
             1
5
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            30
                            26
1
            13
                            26
4
            13
      es
2
             2
                             4
       a
5
                             4
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            46
                            92
       a
                            92
5
            46
            33
                            66
1
3
            26
                            52
       е
                            24
4
            12
      es
6
             3
                             6
      os
7
             2
       s
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
           46
       a
                            92
           46
                            92
5
       0
1
           34
                            68
3
       е
           27
                            54
4
           12
                            24
      es
      os
             3
                             6
7
             2
                             4
       s
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           46
       a
5
           46
                            92
       0
           30
                            60
1
3
           25
                            50
       е
                            24
4
      es
            12
6
      os
            3
                             6
             2
7
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
5
       0
           46
                            92
1
           32
                            64
3
                            54
       е
           27
4
           12
                            24
      es
6
      os
            3
                             6
7
       s
             2
                             4
[1] "1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
1
           20
                            40
3
            12
                            24
4
            5
                            10
      es
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
                            92
1
           22
                            44
           13
                            26
3
       е
            5
                            10
      es
             2
                             4
5
       s
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
1
           20
                            40
                            20
3
           10
4
            5
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
                            92
       a
           22
                            44
```

```
3
            13
                            26
       е
4
             5
                            10
      es
5
             2
                             4
       s
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a
            46
             5
1
                            10
3
       е
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            46
       a
1
            14
                            28
3
             2
                             4
4
             1
                             2
[1] "2"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            46
                            42
1
            21
2
       a
             5
                            10
3
             5
                            10
       е
6
             3
                             6
      os
             2
4
      es
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            47
       0
            21
                            42
1
2
             6
                            12
       a
3
       е
             5
                            10
6
      os
             3
                             6
4
             2
                             4
      es
7
             2
                             4
       s
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            46
                            92
            17
                            34
1
                            10
2
             5
       е
5
      os
             3
                             6
3
             2
                             4
      es
6
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            47
5
       0
1
            19
                            38
3
             5
                            10
2
             3
                             6
       a
6
             3
                             6
      os
             2
4
                             4
      es
             2
                             4
       S
[1] "2SgNom"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
            46
2
       0
                            92
             6
                            12
1
3
             3
                             6
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
            46
            12
                            24
1
2
       a
             3
                             6
5
             3
                             6
      os
3
       е
             2
                             4
6
                             2
             1
[1] "3"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            34
1
            31
                            62
                            30
4
            15
      es
2
                            20
            10
       a
6
             2
                             4
5
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
1
            31
                            62
4
      es
            16
                            32
2
       a
            10
                            20
6
             2
                             4
       s
                             2
5
             1
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
3
            34
                            68
            31
                            62
1
4
            15
                            30
      es
2
            10
                            20
       a
6
       s
             2
                             4
5
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
                            62
1
            31
4
            16
                            32
      es
2
            10
                            20
       a
6
             2
                             4
       s
                             2
5
             1
       0
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
1
            30
3
            25
                            50
       е
4
                            24
            12
      es
2
                            20
       a
            10
6
             2
                             4
       s
```

```
5 o 1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           30
3
           27
                           54
       е
                           24
4
           12
      es
           10
                           20
       a
6
            2
                            4
       s
5
            1
                            2
       0
[1] "4"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
           41
           21
                           42
1
3
            6
                           12
       е
6
      os
            3
                            6
4
            2
                            4
      es
7
       s
2
            1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           42
1
           21
                           42
3
            7
                           14
       е
6
                            6
            3
      os
2
       a
            2
4
      es
            2
                            4
7
       s
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
           41
1
           16
                           32
2
            6
                           12
5
            3
                            6
      os
3
            2
                            4
      es
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           42
                           38
1
           19
3
            6
                           12
       е
6
            3
                            6
      os
2
            2
                            4
       a
            2
      es
7
       s
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
3
           41
       0
            5
                           10
1
4
            3
                            6
      os
2
            1
                            2
       е
5
            1
                            2
       s
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            42
4
1
            15
                            30
3
             3
                             6
       е
5
             3
                             6
      os
2
             1
                             2
       a
6
                             2
[1] "5"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            29
4
            13
                            26
      es
            12
                            24
1
5
       s
             2
                             4
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            30
       е
                            26
            13
1
4
            13
                            26
      es
2
       a
             3
                             6
5
             2
                             4
       S
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            29
4
      es
            13
                            26
             6
                            12
1
2
             1
                             2
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            30
       е
                            26
1
            13
4
            13
                            26
      es
2
             2
                             4
       s
             2
                             4
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            23
                            46
4
      es
            11
                            22
1
            10
                            20
             2
                             4
       s
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            25
       е
1
            13
                            26
4
                            22
            11
      es
2
             2
                             4
             2
                             4
5
       s
[1] "m"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            44
3
            33
                            66
       е
1
            24
                            48
2
            15
                            30
       а
4
      es
            15
                            30
6
             3
                             6
      os
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            45
       0
                            78
2
            39
       a
3
            33
                            66
       е
1
            28
                            56
                            32
4
      es
            16
6
             3
                             6
      os
7
             2
                             4
       s
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            44
3
            33
                            66
       е
                            44
1
            22
4
            15
                            30
      es
6
      os
             3
                             6
7
       s
             2
                             4
2
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
            45
5
       0
                            90
2
       a
            36
                            72
3
            33
                            66
            26
                            52
1
                            32
4
            16
      es
6
             3
                             6
      os
             2
                             4
7
       s
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            44
3
            25
                            50
       е
1
            15
                            30
4
            12
                            24
      es
6
      os
             3
                             6
7
             2
                             4
       s
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            44
2
            36
                            72
3
                            52
            26
                            42
1
            21
4
            12
                            24
      es
```

```
os
                            6
7
            2
       s
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           36
1
           14
                           28
3
            2
                            4
4
            1
                            2
       s
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       0
           44
1
            4
                            8
3
            3
                            6
      os
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       0
           44
1
            5
                           10
3
            3
                            6
      os
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
       е
           25
4
      es
           12
                           24
                           22
1
           11
5
            2
                            4
       s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           26
                           24
      es
           12
                           22
1
           11
5
            2
                            4
            1
                            2
       a
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       0
           41
                           82
1
                            8
4
            3
                            6
      os
            1
       е
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       0
           41
            5
                           10
1
4
            3
                            6
      os
                            2
2
            1
                            2
5
       s
            1
[1] "m5SgNom"
```

```
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           23
1
           13
                            26
4
                            22
           11
      es
5
       s
             2
                             4
2
                             2
             1
[1] "f"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
                            92
       a
3
       е
           33
                            66
           23
1
                            46
5
           23
                            46
       0
                            30
4
      es
           15
            2
                            4
6
      os
             2
7
                             4
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
       a
3
       е
           33
                            66
5
           31
                            62
1
           25
                            50
4
           15
                            30
      es
6
            3
                             6
      os
             2
                             4
7
       s
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
                            92
3
           33
                            66
       е
           21
                            42
1
4
           15
                            30
      es
       s
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
                            92
       a
3
       е
           33
                            66
5
           30
                            60
       0
1
           23
                            46
4
           15
                            30
      es
6
             3
                             6
      os
             2
7
                             4
       s
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           46
       a
           25
                            50
3
       е
                            28
1
           14
4
      es
           12
                            24
5
             2
                            4
       s
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
           46
5
           30
                           60
3
       е
           27
                           54
1
           19
                          38
4
           12
                           24
      es
6
            3
                            6
      os
7
       s
            2
                            4
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           46
       a
            5
1
                           10
3
            1
       е
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           46
                           10
1
            5
3
            1
                            2
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           30
1
           11
                           22
2
                            6
            3
5
            3
      os
3
            2
       е
                            4
6
       s
            1
                            2
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
           25
4
      es
           12
                          24
1
           10
                           20
            2
5
       s
                            4
            1
       a
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           26
       е
4
           12
                          24
      es
1
           10
                           20
            2
5
                            4
       s
            1
       a
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      o 28
```

```
14
                            28
3
            3
                             6
       e
5
             3
                             6
      os
2
             1
                             2
       a
6
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           25
       е
1
            12
                            24
                            22
4
            11
      es
2
             2
                             4
       a
5
             2
                             4
       s
[1] "n"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
           46
           33
                            66
1
3
       е
           16
                            32
2
           14
                            28
       a
4
      es
            5
                            10
6
             2
                             4
      os
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           47
1
           34
                            68
                            32
3
       е
           16
2
       a
           14
                            28
4
            5
                            10
      es
6
             2
                             4
      os
7
                             4
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           46
       0
                            62
1
           31
3
                            32
           16
2
           10
                            20
       a
4
             5
                            10
      es
7
             2
                             4
       s
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           47
5
           31
                            62
1
3
           16
                            32
       е
2
                            20
           10
       a
4
            5
                            10
      es
6
             2
                             4
      os
7
             2
                             4
       s
```

```
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
           46
           30
                           60
1
2
           10
                           20
       a
3
            6
                           12
       е
6
            2
                            4
       s
      es
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           46
5
       0
           30
                           60
1
2
                           20
           10
3
            7
                           14
       е
7
       s
            2
                            4
4
            1
                            2
      es
                            2
6
      os
            1
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           46
            5
                           10
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       0
           46
1
            5
                           10
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           30
1
2
       a
           10
                           20
3
            6
                           12
6
            2
                            4
       s
                            2
            1
4
      es
            1
5
       0
[1] "All Endings Included"
 Suffix freq Percent_Trials
           30
1
                           20
2
           10
       a
3
            7
                           14
       е
6
                            4
       S
            2
4
            1
                            2
      es
5
            1
       0
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           41
                           82
       0
                           12
1
            6
2
                            2
       е
            1
4
            1
                            2
      os
```

```
s
                            2
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       a
           46
5
           46
                           92
3
           33
                           66
       е
                           64
1
           32
4
      es
           15
                           30
6
            3
                            6
      os
       s
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
           47
       0
2
       a
           46
                           92
           33
                           66
1
3
           33
                           66
4
           16
                           32
      es
6
            3
                            6
      os
            2
7
                            4
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           46
       a
5
           46
                           92
3
       е
           33
                           66
1
           29
                           58
4
           15
                           30
      es
6
                            6
            3
      os
            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
           47
2
           46
                           92
       a
           33
3
                           66
       е
1
           31
                           62
                           32
4
      es
           16
6
      os
            3
                            6
            2
                            4
       s
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       a
           46
1
            5
                           10
       е
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           46
       a
           15
                           30
1
            2
3
                            4
       е
            1
                            2
4
       s
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
```

```
46
                            92
       0
1
            5
                            10
3
            3
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           47
1
           12
                            24
2
                             6
            3
       a
5
      os
            3
                             6
3
             2
                             4
       е
6
       s
             1
                             2
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
           29
1
                            58
4
           15
                            30
      es
                            20
           10
       a
6
            2
                             4
       S
             1
5
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           33
       е
1
           29
                            58
4
           16
                           32
      es
2
       a
           10
                            20
6
            2
                             4
5
                             2
       0
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       0
           41
1
            5
                            10
4
                             6
            3
      os
2
                             2
             1
             1
5
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       0
           42
                            32
1
            16
                             6
3
            3
5
                             6
      os
            3
2
             1
                             2
       a
6
                             2
       s
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           28
4
           13
                            26
      es
1
            5
                            10
2
             1
                             2
       a
             1
       S
[1] "All Endings Included"
```

Suffix freq Percent\_Trials

```
3
           30
                           60
       е
4
           13
                           26
      es
1
                           14
            7
2
                            2
            1
       a
                            2
5
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
       0
           44
                           66
2
           33
       е
3
      es
           15
                           30
            8
                           16
1
5
            3
                            6
      os
            2
6
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
           45
                           72
2
           36
       a
3
           33
                           66
       е
           18
                           36
1
                           32
4
      es
           16
6
      os
            3
                            6
7
            2
                            4
       s
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           36
                           72
       a
           15
                           30
1
3
            2
                            4
            1
                            2
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       0
           44
1
            3
                            6
            3
      os
[1] "All Endings Included"
 Suffix freq Percent_Trials
                           90
2
           45
1
            5
                           10
3
            3
                            6
      os
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           33
3
           15
                           30
      es
1
            3
                            6
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
       e 33
```

```
16
                           32
      es
1
            3
                            6
4
            1
                            2
       s
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           41
       0
1
            4
                            8
4
      os
            3
                            6
2
            1
                            2
       е
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           41
1
            6
                            12
4
      os
            3
                            6
2
            1
                            2
       е
5
                            2
       s
            1
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           28
                           56
       е
4
      es
           13
                           26
1
            7
                           14
2
            1
                            2
       a
                            2
5
            1
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
           46
                           92
3
           33
                            66
4
           15
                            30
      es
1
            7
                            14
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
                           92
       a
3
       е
           33
                           66
5
                           60
       0
           30
1
           15
                            30
4
           15
                            30
      es
6
            3
                            6
      os
            2
7
                            4
       s
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a
           46
            5
                            10
1
3
            1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
92
           46
       a
                           10
1
            5
                            2
3
            1
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           30
1
           11
                           22
2
            3
                            6
       a
5
            3
                            6
      os
            2
3
                            4
6
            1
                            2
       s
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           33
3
      es
           15
                           30
1
            1
                            2
       s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           33
3
      es
           15
                           30
1
            2
                            4
4
            1
                            2
       s
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           28
                           56
                           28
1
           14
3
            3
                            6
5
      os
            3
                            6
2
       a
                            2
6
                            2
       s
            1
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           30
       е
4
           13
                           26
      es
                           12
1
            6
2
                            2
       a
            1
                            2
5
            1
       s
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

```
5
                            92
           46
       0
1
           29
                            58
2
                            20
            10
3
            7
                            14
             2
6
                             4
4
             1
                             2
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           47
1
           29
                            58
2
           10
                            20
       a
3
            9
                            18
7
             2
                             4
       s
                             2
4
             1
      es
6
             1
                             2
      os
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           46
       0
            5
                            10
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           47
                            94
       0
1
             5
                            10
3
             1
                             2
      os
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           29
1
2
           10
                            20
       a
3
            7
                            14
6
       s
             2
                             4
4
             1
                             2
5
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           29
2
       a
            10
                            20
3
                            18
            9
6
             2
                             4
       s
                             2
4
      es
                             2
5
       0
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           40
                            80
       0
1
            7
                            14
2
                             2
             1
       е
                             2
4
             1
      os
                             2
5
       s
             1
[1] "Gen"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            34
1
            30
                            60
5
                            50
       0
            25
2
            15
                            30
       a
4
      es
            15
                            30
6
             2
                             4
      os
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            34
       е
1
            31
                            62
5
            25
                            50
2
            16
                            32
       a
4
      es
            15
                            30
6
             2
                             4
      os
7
             2
                             4
       s
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            34
1
            28
                            56
5
            25
                            50
       0
2
            15
                            30
       a
4
      es
            15
                            30
6
      os
             2
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            34
1
            29
                            58
5
            25
                            50
2
                            32
            16
       a
                            30
4
      es
            15
6
             2
                             4
      os
                             4
       s
             2
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            20
2
            15
                            30
       a
3
            10
                            20
       е
4
             5
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            21
1
2
            16
                            32
       a
3
            13
                            26
4
             5
                            10
      es
             2
5
                             4
       S
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
            25
4
       0
                            34
1
            17
2
            5
                            10
       е
3
             2
      es
                             4
5
      os
             2
                             4
             2
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           25
1
           19
                            38
3
            5
                            10
       е
2
             2
                             4
       a
             2
                             4
4
      es
6
      os
             2
                             4
7
       s
                             4
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           34
       е
1
           23
                            46
4
      es
            15
                            30
2
            5
                            10
       a
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           34
1
           23
                            46
4
                            30
           15
      es
2
             5
                            10
       a
             2
5
                             4
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
4
       0
            16
                            32
1
2
            6
                            12
3
      es
             2
                             4
5
             2
      os
                             4
             2
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           24
           19
                            38
1
3
             6
                            12
       е
2
             2
                             4
       a
4
             2
                             4
      es
             2
6
                             4
      os
7
             2
       s
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           29
       е
4
           13
                            26
      es
```

```
12
            6
                             2
             1
       a
5
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           29
4
      es
           13
                            26
             6
                            12
1
2
       a
             1
                             2
5
             1
                             2
       s
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
       е
4
       0
           24
                            48
                            36
1
            18
3
            15
                            30
      es
5
            2
                             4
      os
6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           33
1
           24
                            48
5
           24
                            48
       0
4
                            30
           15
      es
2
       a
           12
                            24
6
      os
             2
                             4
7
       s
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
[1] Suffix
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
            20
3
            13
                            26
       е
2
       a
           12
                            24
4
      es
            5
                            10
             2
5
       s
                             4
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
           24
1
            16
                            32
2
             5
                            10
       е
3
             2
                             4
      es
5
             2
                             4
      os
             2
6
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           24
       0
                            34
1
            17
2
                            10
            5
       е
3
             2
                             4
      es
```

```
os
6
            2
       s
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           33
       е
3
      es
           15
                           30
            2
1
                            4
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           33
3
           15
                           30
      es
            2
                            4
1
            1
                            2
       s
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
           16
                           32
1
2
       е
            6
                           12
3
      es
            2
                            4
5
            2
      os
                            4
            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           23
1
           17
                           34
2
                           12
            6
3
            2
                            4
      es
            2
5
      os
                            4
6
       s
            2
                            4
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       е
           29
                           26
4
           13
      es
1
            6
                           12
2
                            2
       a
            1
5
                            2
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
       е
           20
1
                           40
2
           15
                           30
       a
4
           15
                           30
      es
            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
       e 33
```

```
22
                           44
5
           21
                           42
       0
2
           16
                           32
4
           15
                           30
      es
            2
6
      os
                            4
7
            2
                            4
       s
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           20
1
                           40
2
       a
           15
                           30
3
           10
                           20
4
            5
                           10
      es
            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
           20
1
2
           16
                           32
3
                           22
           11
       e
4
           5
                           10
      es
            2
5
       s
                            4
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
           21
       0
                           32
           16
1
3
            5
                           10
       е
2
            2
       a
                            4
4
      es
            2
                            4
6
            2
      os
7
            2
                            4
       s
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       е
           33
3
           15
                           30
      es
1
            1
                            2
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           33
       е
3
      es
           15
                           30
                            2
1
            1
            1
                            2
       s
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      o 20
```

```
16
                            32
3
             6
                            12
       е
2
             2
                             4
4
             2
                             4
      es
6
             2
      os
                             4
             2
7
                             4
       s
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            29
       е
            13
                            26
4
      es
1
             6
                            12
2
                             2
       a
             1
5
             1
                             2
       s
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            26
5
       0
            25
                            50
3
            16
                            32
       е
2
       a
             5
                            10
4
             5
                            10
      es
7
       s
             2
                             4
6
      os
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            26
5
            25
                            50
       0
3
       е
            16
                            32
2
             5
                            10
4
             5
                            10
      es
7
             2
                             4
             1
                             2
6
      os
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            25
                            50
            17
                            34
1
2
             4
                             8
       е
3
             2
                             4
      es
6
             2
                             4
       s
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            25
            17
                            34
1
2
             4
                             8
3
             2
                             4
      es
6
             2
                             4
       S
5
             1
                             2
      os
[1] "n3SgGen"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
1
3
           16
                           32
2
            5
                           10
4
            5
                           10
      es
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           23
1
3
           16
                           32
2
            5
                           10
       a
4
            5
                           10
      es
            2
5
       s
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
       0
           24
1
           17
                           34
2
            5
                           10
       е
3
            2
                            4
      es
6
            2
                            4
       s
5
      os
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           46
       a
           34
1
                           68
3
           34
                           68
       е
5
           25
                           50
                           30
4
           15
      es
            3
                            6
6
      os
            2
7
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           46
1
           34
                           68
3
           34
                           68
5
           26
                           52
       0
4
           15
                           30
      es
6
            3
                            6
      os
            2
       s
[1] "1PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           46
       a
                           92
1
            5
                           10
            1
       е
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a 46
```

```
12
                            24
3
             2
                             4
       е
                             2
4
             1
[1] "2PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
       0
1
            18
                            36
2
       a
             5
                            10
5
             3
                             6
      os
             2
3
       е
                             4
6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            26
            19
                            38
1
2
             6
                            12
       a
5
             3
                             6
      os
3
             2
                             4
       е
             2
6
                             4
[1] "3PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            33
       е
1
            30
                            60
4
      es
            15
                            30
2
       a
            10
                            20
6
             2
                             4
       s
             1
                             2
5
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            33
1
            30
                            60
4
            15
                            30
      es
2
                            20
            10
       a
6
             2
                             4
       s
                             2
5
       0
             1
[1] "4PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            22
            19
                            38
1
3
             3
                             6
       е
5
             3
                             6
      os
             2
       s
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            24
                            48
       0
1
            20
                            40
3
             3
                             6
       е
5
             3
                             6
      os
6
             2
       s
                             4
2
                             2
```

a

```
[1] "5PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           24
       е
                            22
4
      es
           11
1
            6
                           12
2
       a
            1
                             2
5
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
           29
4
           13
                            26
      es
1
           12
                            24
2
            2
                             4
5
             2
                             4
       s
[1] "1PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
           20
                            40
1
3
       е
           10
                            20
4
      es
            5
                            10
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
1
           20
                            40
3
           13
                            26
       е
4
            5
                            10
      es
             2
                             4
       s
[1] "2PlAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
           25
           21
                            42
1
2
                            10
            5
       a
3
            5
                            10
6
      os
            3
                             6
             2
4
      es
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           26
       0
           21
                            42
1
2
            6
                            12
       a
3
             5
                            10
       е
6
             3
                             6
      os
4
             2
                             4
      es
             2
7
       s
                             4
[1] "3PlAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           34
       е
```

```
15
                            30
      es
2
            10
                            20
       a
6
             2
                             4
       s
5
             1
                             2
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            34
            29
                            58
1
4
      es
            15
                            30
                            20
2
            10
       a
6
       s
             2
                             4
5
                             2
             1
[1] "4PlAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            22
5
       0
1
            19
                            38
3
             6
                            12
6
                             6
             3
      os
             2
4
      es
                             4
             2
7
       s
                             4
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            24
5
       0
1
            21
                            42
3
             7
                            14
       е
6
             3
                             6
      os
2
             2
                             4
       a
4
             2
                             4
      es
7
             2
       s
                             4
[1] "5PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            29
4
            13
                            26
      es
1
             6
                            12
2
       a
             1
                             2
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            29
3
                            58
4
      es
            13
                            26
1
             6
                            12
             2
2
                             4
       a
                             2
5
             1
       s
[1] "1PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
            46
       a
            20
                            40
1
3
                            20
            10
       е
4
                            10
      es
             5
5
             2
                             4
       s
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            46
2
1
            20
                            40
3
                            26
       е
            13
4
             5
                            10
      es
       s
             2
                             4
[1] "2PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            25
1
            21
                            42
2
             5
                            10
       a
3
             5
                            10
       е
6
      os
             3
                             6
             2
4
      es
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            25
       0
                            42
1
            21
2
             6
                            12
       a
3
             5
                            10
       е
6
      os
             3
                             6
4
             2
                             4
      es
7
       s
[1] "3PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            34
       е
            31
                            62
1
4
      es
            15
                            30
2
            10
                            20
       a
6
             2
                             4
       s
             1
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            34
            31
                            62
1
                            30
4
            15
      es
                            20
2
       a
            10
6
             2
                             4
       s
5
                             2
[1] "4PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            22
                            44
       0
            19
                            38
1
3
             6
                            12
       е
6
             3
                             6
      os
             2
                             4
4
      es
             2
                             4
7
       S
2
       a
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
5
       0
            24
            21
                            42
1
3
             7
                            14
       е
6
      os
             3
                             6
2
             2
                             4
       a
      es
             2
             2
                             4
       s
[1] "5PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            24
4
            11
                            22
      es
1
             6
                            12
2
       a
             1
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            29
                            26
4
            13
      es
                            24
1
            12
       a
             2
                             4
             2
                             4
       s
[1] "1PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            46
1
            20
                            40
3
                            22
            11
       е
             5
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            46
       a
            20
                            40
3
            13
                            26
       е
4
      es
             5
                            10
       S
             2
                             4
[1] "2PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
5
       0
                            50
1
            21
                            42
2
             5
                            10
       a
3
             5
                            10
       е
6
             3
                             6
      os
             2
                             4
      es
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            26
                            52
       0
                            42
1
            21
2
       a
             6
                            12
3
             5
                            10
```

```
6
             3
                             6
      os
4
             2
                             4
      es
7
             2
                             4
       s
[1] "3PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            34
            31
                            62
1
4
      es
            15
                            30
2
            10
                            20
       a
6
       s
             2
                             4
5
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            34
3
            31
                            62
1
4
            15
                            30
      es
                            20
2
            10
       a
6
            2
                             4
       s
                             2
5
             1
[1] "4PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            22
1
            19
                            38
3
       е
            6
                            12
6
      os
             3
                             6
4
      es
             2
                             4
7
             2
                             4
       s
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            24
       0
            21
                            42
1
3
            7
                            14
       е
6
                             6
             3
      os
2
             2
                             4
4
      es
             2
                             4
             2
                             4
[1] "5PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            29
4
      es
            13
                            26
1
             6
                            12
2
                             2
             1
       a
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            29
4
            13
                            26
      es
1
                            24
            12
2
            2
                             4
       a
5
             2
```

s

```
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
           33
                            66
1
3
           26
                           52
       е
5
           25
                           50
       0
4
           12
                            24
      es
6
      os
            3
                            6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
       a
           33
                            66
1
3
           27
                            54
       е
5
           25
                            50
       0
4
           12
                            24
      es
6
            3
                            6
      os
7
            2
                             4
       s
[1] "1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
       a
           20
1
                            40
3
           11
                           22
4
      es
            5
                            10
5
       s
            2
                            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
       a
           20
                            40
1
3
       е
           13
                            26
4
            5
                            10
      es
5
            2
                            4
       s
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
                            92
1
            5
                            10
            1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
1
           12
                            24
3
            2
                            4
       е
                             2
4
             1
       s
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
5
           25
       0
           21
                            42
1
2
            5
                            10
3
            5
                            10
       е
6
            3
                            6
      os
```

```
es
                             4
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           26
1
           21
                            42
2
             6
                            12
       a
3
                            10
             5
       е
6
      os
             3
                             6
4
             2
                             4
      es
7
       s
             2
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           25
            18
1
                            36
2
            5
                            10
       a
5
             3
                             6
      os
3
             2
                             4
       е
             2
6
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           25
       0
1
            18
                            36
2
            6
                            12
5
      os
             3
                             6
3
       е
             2
                             4
6
       s
                             4
[1] "3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           34
1
           31
                            62
4
           15
                            30
      es
2
                            20
       a
           10
6
            2
                             4
       0
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           34
                            68
                            62
1
           31
4
           15
                            30
      es
2
           10
                            20
       a
6
             2
                             4
                             2
       0
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           30
1
3
           26
                            52
       е
4
           12
                            24
      es
2
           10
                            20
6
            2
                             4
       s
5
                             2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
1
3
           27
                            54
4
                            24
      es
           12
2
           10
                            20
       a
6
            2
                             4
       S
5
                             2
[1] "4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           22
       0
1
            19
                            38
3
             6
                            12
6
             3
                             6
      os
             2
4
      es
                             4
7
             2
                             4
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           24
1
           21
                            42
3
            7
                            14
       е
6
      os
             3
                             6
2
             2
                             4
       a
4
      es
             2
                             4
7
       s
             2
                             4
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           22
4
1
            19
                            38
3
            3
                             6
5
                             6
             3
      os
             2
6
                             4
             1
2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       0
           24
                            40
1
           20
3
            3
                             6
       е
5
             3
                             6
      os
6
             2
                             4
       S
2
             1
                             2
       a
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           29
4
           13
                            26
      es
1
             6
                            12
2
                             2
             1
       a
             1
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
3
            29
                            58
       е
4
            13
                            26
      es
                            24
1
            12
2
             2
                             4
       a
5
                             4
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            23
1
            12
                            24
                            22
4
      es
            11
5
             2
                             4
       s
2
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            24
       е
1
            12
                            24
                            22
4
            11
      es
2
             2
                             4
       a
5
                             4
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            33
       е
            24
1
                            48
5
       0
            23
                            46
4
      es
            15
                            30
2
             4
                             8
       a
6
             3
                             6
      os
             2
       s
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
2
            39
                            78
       a
3
            33
                            66
       е
            27
1
                            54
5
            24
                            48
       0
                            30
4
      es
            15
6
      os
             3
                             6
7
             2
                             4
       s
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            26
1
            23
                            46
5
            23
                            46
       0
4
            12
                            24
      es
2
             4
                             8
       a
6
             3
                             6
      os
7
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            39
                            78
       a
3
            27
                            54
       е
1
            23
                            46
```

```
5
           23
                            46
       0
4
           12
                            24
      es
            3
                             6
6
      os
7
             2
                             4
       s
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           39
           12
                            24
1
3
            2
                             4
       е
                             2
            1
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
4
       0
            17
1
                            34
2
                             8
       a
            4
5
      os
            3
                             6
3
             2
       е
6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           23
1
            17
                            34
2
            4
                             8
       a
5
            3
                             6
      os
3
             2
                             4
       е
             2
6
                             4
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           26
4
            12
                            24
      es
1
            11
                            22
       s
            2
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           27
                            54
4
      es
           12
                            24
1
           11
                            22
5
             2
                             4
       s
2
                             2
             1
       a
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           22
       0
                            38
1
            19
3
            3
                             6
       е
            3
5
      os
                             6
6
             2
       s
                             4
```

```
a
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           23
       0
           19
                            38
1
3
            3
                            6
       е
5
            3
      os
6
             2
       s
                             4
2
       a
             1
                             2
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           23
1
           12
                           24
                           22
4
           11
      es
2
                            4
            2
       a
5
             2
                             4
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           46
2
       a
3
           33
                            66
1
           21
                           42
4
           15
                            30
      es
5
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
3
       е
           33
                            66
           25
                           50
1
5
           24
                            48
       0
                            30
4
      es
           15
                             6
6
      os
            3
             2
7
       s
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
3
                           52
           26
1
           14
                            28
4
           12
                            24
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           46
3
           26
                           52
       е
5
           24
                           48
       0
1
           22
                            44
4
           12
                           24
      es
6
      os
            3
                            6
7
             2
                             4
       s
```

```
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           46
      a
           5
1
                          10
3
           1
      е
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a
           46
1
           5
                          10
3
      е
           1
                           2
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      0
           24
1
           16
                          32
2
           4
                          8
      a
3
      е
           2
                           4
5
     os
            2
6
            2
                           4
      s
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
      е
           26
4
           12
                          24
     es
1
           9
                          18
5
            2
                           4
      s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           26
      е
                          24
     es
           12
                          20
1
           10
5
           2
                           4
      a
           1
                           2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
              freq Percent Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           22
      0
                          38
1
           19
3
           3
                           6
      е
5
           3
                           6
     os
6
            2
      s
                           4
                           2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
                                  Percent_Trials
[1] Suffix
                  freq
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
3
1
            12
                            24
4
                            22
      es
           11
5
            2
                             4
       s
                             2
       a
             1
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           33
5
           25
                            50
       0
3
           16
                            32
       е
2
                            28
           14
4
      es
             5
                            10
7
             2
       s
                             4
6
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            34
1
                            50
5
       0
           25
3
       е
           16
                            32
2
           14
                            28
       a
4
      es
             5
                            10
6
             2
                             4
      os
7
       s
             2
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            32
1
           25
5
                            50
       0
2
            14
                            28
3
            7
                            14
6
                             4
             2
       s
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           32
5
           25
                            50
       0
                            28
2
            14
       a
3
            9
                            18
       е
7
             2
                             4
       s
4
             1
                             2
      es
6
             1
                             2
      os
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           25
           17
                            34
1
2
            5
                            10
       a
5
             2
                             4
       s
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
4
           25
                            50
       0
1
            17
                            34
2
                            10
            5
5
             2
                             4
       s
                             2
3
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            30
2
            10
                            20
       a
                            14
3
       е
            7
6
             2
                             4
       s
                             2
4
             1
      es
             1
5
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           30
                            60
                            20
2
            10
3
            8
                            16
       е
             2
6
                             4
             1
                             2
4
      es
       0
             1
                             2
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           24
1
           19
                            38
                             6
3
            3
       е
6
       s
             2
                             4
2
             1
                             2
5
                             2
      os
             1
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           46
                            92
3
           33
                            66
           32
                            64
1
5
                            50
           25
4
           15
                            30
      es
6
      os
             3
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           46
                            92
3
           33
                            66
       е
1
           32
                            64
5
           26
                            52
4
           15
                            30
      es
6
            3
                             6
      os
7
             2
                             4
       s
[1] "1PlAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           46
                            92
1
             5
                            10
3
             1
                             2
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
           46
       a
1
            12
                            24
3
            2
                             4
                             2
4
       s
             1
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           25
            18
                            36
1
2
            5
                            10
       a
5
             3
                             6
      os
3
             2
                             4
       е
             2
6
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           26
       0
1
            19
                            38
2
            6
                            12
5
      os
             3
                             6
3
             2
                             4
       е
6
       s
                             4
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           33
           28
                            56
1
4
           15
                            30
      es
2
                            20
       a
           10
6
                             4
            2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           33
                            66
           28
                            56
1
4
           15
                            30
      es
2
           10
                            20
       a
6
             2
                             4
       s
                             2
       0
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           22
       0
                            44
1
            19
                            38
3
            3
                             6
       е
5
            3
                             6
      os
6
             2
       s
                             4
2
             1
                             2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           24
1
           20
                            40
3
       е
            3
                             6
5
            3
                             6
      os
6
             2
       s
2
                             2
       a
             1
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           28
4
           13
                            26
      es
1
             6
                            12
2
             1
                             2
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           29
                            26
           13
4
      es
1
            6
                            12
2
       a
             2
                             4
                             2
             1
       s
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           33
5
           23
                            46
       0
           20
                            40
1
           15
                            30
      es
2
       a
             4
                             8
6
      os
             3
                             6
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           37
3
           33
                            66
5
           24
                            48
1
           21
                            42
4
           15
                            30
      es
6
      os
            3
                             6
7
             2
                             4
       S
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
                            74
       a
           37
           12
                            24
1
3
            2
                             4
       е
                             2
4
             1
       s
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
4
       0
            23
                            34
1
            17
2
            4
                             8
       a
5
      os
             3
                             6
3
             2
                             4
       е
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
1
            18
                            36
2
            4
                             8
       a
5
            3
                             6
      os
             2
3
                             4
6
       s
             2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
                            66
3
           15
                            30
      es
            2
                             4
1
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           33
       е
3
      es
           15
                            30
1
            2
                             4
4
             1
                             2
       s
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            22
1
            19
                            38
3
                             6
            3
       е
5
             3
                             6
      os
            2
6
                             4
       s
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           22
                            44
                            38
1
            19
3
            3
                             6
       е
5
             3
                             6
      os
6
             2
                             4
       s
                             2
       a
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           28
                           56
           13
                           26
4
      es
1
            6
                            12
```

```
a
5
                            2
       s
            1
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       a
           46
3
       е
           33
                           66
4
           15
                           30
      es
1
            6
                           12
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           46
       a
                           66
3
           33
5
           23
                           46
       0
                           38
1
           19
4
           15
                           30
      es
                            6
6
      os
            3
            2
                            4
7
       s
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           46
       a
            5
1
                           10
            1
                            2
3
[1] "All Endings Included"
 Suffix freq Percent_Trials
           46
       a
            5
                           10
1
            1
                            2
       е
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
       0
           23
                           46
1
           17
                           34
2
                            8
       a
            4
3
            2
                            4
       е
5
            2
      os
6
            2
                            4
       S
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
       е
3
           15
                           30
      es
                            2
1
            1
       s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           33
           15
                           30
3
      es
1
            1
                            2
```

```
s 1
                            2
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
              freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           22
4
       0
1
           19
                           38
3
            3
                            6
       е
5
      os
            3
6
            2
                            4
       s
2
            1
                            2
       a
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           29
4
      es
           13
                           26
1
            6
                           12
2
                            2
            1
       a
                            2
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           31
5
           25
                           50
       0
2
           14
                           28
       a
3
            9
                           18
6
       s
            2
                            4
            1
      es
[1] "All Endings Included"
 Suffix freq Percent_Trials
           31
1
5
       0
           25
                           50
2
           14
                           28
       a
3
                           20
       е
           10
7
            2
                            4
       s
                            2
      es
                            2
6
      os
            1
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           25
4
       0
1
           17
                           34
2
            5
                           10
5
            2
                            4
       s
3
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           25
       0
                           50
1
           17
                           34
```

```
5
                            10
       a
5
            2
                             4
                             2
3
             1
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           28
2
            10
                            20
       a
3
       е
            9
                            18
6
             2
                            4
       s
                             2
      es
             1
5
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           28
2
                            20
       a
            10
3
            9
                            18
       е
6
                            4
4
                             2
             1
      es
                             2
5
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           24
1
            19
                            38
3
                            6
            3
6
            2
                             4
       s
2
                             2
       a
             1
5
      os
             1
                             2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           34
       е
1
           30
                            60
5
       0
           20
                            40
                            30
4
      es
           15
2
            14
                            28
       a
6
      os
            2
                            4
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           34
       е
           30
                            60
1
5
           20
                            40
       0
2
           15
                            30
4
           15
                            30
      es
6
            2
                             4
      os
             2
                             4
       s
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

```
20
                            40
2
            14
                            28
3
            10
                            20
4
             5
                            10
      es
             2
5
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            20
1
2
       a
            15
                            30
                            26
3
            13
       е
4
      es
             5
                            10
5
             2
                             4
       s
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            21
1
5
            20
                            40
       0
3
             5
                            10
2
             2
                             4
       a
             2
4
                             4
             2
6
      os
                             4
       s
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            21
1
5
       0
            20
                            40
3
             5
                            10
       е
2
             3
                             6
       a
             2
4
                             4
      es
6
             2
                             4
      os
7
       s
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            34
       е
            23
                            46
1
4
      es
            15
                            30
2
       a
             5
                            10
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
            34
3
       е
1
            23
                            46
4
            15
                            30
      es
2
             5
                            10
       a
             2
5
                             4
       s
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
1
            19
5
            18
                            36
       0
3
             6
                            12
       е
4
             2
                             4
      es
6
             2
                             4
      os
```

```
s
            2
            1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
5
           19
                            38
       0
3
            7
                            14
       е
2
            2
                             4
       a
4
      es
             2
                             4
6
             2
                             4
      os
7
       s
             2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           29
4
      es
           13
                            26
1
            6
                            12
                             2
2
             1
       a
5
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
           29
4
           13
                           26
      es
1
            6
                            12
2
                             2
             1
5
       s
                             2
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
       е
           20
1
                            40
5
           19
                            38
       0
4
           15
                            30
      es
2
            2
                             4
       a
             2
6
      os
                             4
             2
7
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           33
1
           25
                            50
5
           19
                           38
       0
4
                           30
           15
      es
2
           13
                            26
       a
6
            2
                             4
      os
7
             2
       s
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           19
2
                            26
       a
           13
3
           13
                            26
       е
```

```
5
                           10
      es
5
       s
            2
                             4
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           19
5
       0
           19
                            38
3
            5
                            10
       е
2
       a
            2
                             4
4
             2
                             4
      es
6
      os
             2
7
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           20
5
            19
                            38
       0
3
            5
                            10
       е
2
            2
                             4
       a
4
            2
                             4
      es
             2
6
                             4
      os
             2
                             4
7
       s
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
       е
                            30
3
      es
           15
                             2
1
            1
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           33
       е
3
      es
           15
                            30
1
            1
                             2
4
             1
                             2
       s
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           19
5
            18
                            36
       0
            6
                            12
3
       е
      es
            2
                             4
6
             2
                             4
      os
7
       s
             2
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           20
                            40
5
            18
                            36
3
            6
                            12
       е
4
            2
                             4
      es
6
            2
                             4
      os
7
             2
       S
2
             1
                             2
       a
[1] "m5PlGen"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           29
4
      es
           13
                           26
                           12
1
            6
2
       a
            1
                            2
5
                            2
       s
            1
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           33
       е
1
           20
                           40
                           30
4
      es
           15
2
           14
                           28
       a
5
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       е
           33
1
           24
                           48
5
           19
                           38
       0
2
       a
           15
                           30
4
           15
                           30
      es
6
      os
            2
                            4
7
       s
            2
                            4
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           20
1
2
       a
           14
                           28
3
           10
                           20
                           10
4
            5
      es
            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           20
2
                           30
       a
           15
                           24
3
           12
       е
4
            5
                           10
      es
            2
                            4
5
       S
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           19
       0
                           38
1
           17
                           34
3
                           10
            5
       е
2
            3
                            6
       a
4
            2
      es
                            4
6
            2
      os
                            4
```

```
s
                            4
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           33
3
      es
           15
                           30
1
            1
                            2
4
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           33
3
           15
                           30
      es
1
            1
                            2
                            2
            1
       s
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           19
5
       0
           17
                           34
3
            7
                           14
       е
2
            2
                            4
       a
4
            2
                            4
      es
6
      os
            2
                            4
7
       s
            2
                            4
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           29
       е
                           26
4
      es
           13
                           12
1
            6
2
            1
                            2
       s
            1
                            2
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           28
                           56
5
           20
                           40
       0
3
           16
                           32
       е
2
            6
                           12
       a
4
            5
                           10
      es
7
            2
                            4
       s
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           29
1
5
           20
                           40
       0
3
       е
           16
                           32
2
                           12
            6
```

```
5
                            10
      es
7
            2
                            4
       s
                            2
6
             1
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           20
5
           20
                            40
       0
3
       е
            4
                            8
2
            2
                             4
       a
4
      es
             2
7
             2
                             4
       s
6
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
1
5
            20
                            40
       0
3
            4
                            8
2
            2
                             4
       a
            2
4
                             4
      es
7
             2
       s
                             4
      os
             1
                             2
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           23
3
       е
           16
                            32
2
            5
                            10
       a
4
            5
                            10
      es
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           23
1
3
           16
                            32
       е
2
            5
                            10
4
            5
                            10
      es
            2
5
       s
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           20
                            40
5
           19
                            38
       0
3
            5
                            10
       е
4
            2
                            4
      es
7
            2
                            4
       s
2
                             2
       a
             1
6
             1
                             2
      os
```