

Aggregate Data

Tyler Lau

July 18, 2016

[1] "Common Sound Change, Token Freq T, Number of cases being considered: 5"

[1] "Only considering max suffixes: TRUE"

[1] "Sg"

	Suffix	freq	Percent_Trials
2	e	31	62
1	-	13	26
3	es	3	6
4	i	1	2
5	o	1	2
6	s	1	2

[1] "1SgNom,Acc"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "2SgNom,Acc"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "3SgNom,Acc"

	Suffix	freq	Percent_Trials
2	e	34	68
1	-	16	32

[1] "4SgNom,Acc"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "5SgNom,Acc"

	Suffix	freq	Percent_Trials
2	e	34	68
1	-	14	28
3	es	2	4

[1] "1SgAcc,Abl"

	Suffix	freq	Percent_Trials
2	a	45	90
1	-	5	10

[1] "2SgAcc,Abl"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "3SgAcc,Abl"

	Suffix	freq	Percent_Trials
2	e	48	96
1	-	2	4

[1] "4SgAcc,Abl"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "5SgAcc,Abl"

	Suffix	freq	Percent_Trials
2	e	46	92
1	-	2	4
3	es	2	4
[1] "1SgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
1	a	50	100
[1] "2SgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
1	o	50	100
[1] "3SgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
2	e	47	94
1	-	3	6
[1] "4SgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "5SgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
2	e	46	92
1	-	2	4
3	es	2	4
[1] "1SgGen,Dat"			
	Suffix	freq	Percent_Trials
2	e	26	52
1	-	16	32
3	es	5	10
5	s	2	4
4	i	1	2
[1] "2SgGen,Dat"			
	Suffix	freq	Percent_Trials
1	-	30	60
6	s	8	16
2	e	4	8
5	o	4	8
3	es	2	4
4	i	2	4
[1] "3SgGen,Dat"			
	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2
[1] "4SgGen,Dat"			
	Suffix	freq	Percent_Trials
1	-	30	60
7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

```

[1] "5SgGen,Dat"
  Suffix freq Percent_Trials
2      e   40             80
3     es    6             12
1      -    3              6
4      i    1              2
[1] "Nom"
  Suffix freq Percent_Trials
4      e   23             46
1      -   12             24
7      s    9             18
2      a    2              4
5     es    2              4
3     as    1              2
6      o    1              2
[1] "NomSg"
  Suffix freq Percent_Trials
2      e   20             40
1      -   16             32
3      o   14             28
[1] "1"
  Suffix freq Percent_Trials
2      a   35             70
1      -    6             12
5     es    4              8
4      e    2              4
6      s    2              4
3     as    1              2
[1] "1Sg"
  Suffix freq Percent_Trials
2      a   44             88
1      -    5             10
3      e    1              2
[1] "1SgNom"
  Suffix freq Percent_Trials
1      a   50             100
[1] "2"
  Suffix freq Percent_Trials
1      -   21             42
6      s   15             30
5      o    7             14
2      e    3              6
3     es    3              6
4      i    1              2
[1] "2Sg"
  Suffix freq Percent_Trials
1      o   50             100
[1] "2SgNom"
  Suffix freq Percent_Trials
1      o   50             100
[1] "3"
  Suffix freq Percent_Trials
2      e   40             80
3     es    5             10

```

```

1      -      3          6
4      i      1          2
5      s      1          2
[1] "3Sg"
  Suffix freq Percent_Trials
2      e    43             86
1      -      3             6
3      es     2             4
4      i      1             2
5      s      1             2
[1] "3SgNom"
  Suffix freq Percent_Trials
2      e    33             66
1      -    16             32
3      s     1              2
[1] "4"
  Suffix freq Percent_Trials
1      -    20             40
7      s    15             30
5      o     7             14
2      e     3              6
3      es     3              6
4      i     1              2
6      os     1              2
[1] "4Sg"
  Suffix freq Percent_Trials
1      o    49             98
2      os     1              2
[1] "4SgNom"
  Suffix freq Percent_Trials
1      o    49             98
2      os     1              2
[1] "5"
  Suffix freq Percent_Trials
2      e    42             84
3      es     6             12
1      -      2              4
[1] "5Sg"
  Suffix freq Percent_Trials
2      e    46             92
1      -      2              4
3      es     2              4
[1] "5SgNom"
  Suffix freq Percent_Trials
2      e    33             66
1      -    14             28
3      es     2              4
4      s      1              2
[1] "m"
  Suffix freq Percent_Trials
2      e    20             40
1      -    11             22
6      s    10             20
3      es     5             10

```

```

5      o      3          6
4      i      1          2
[1] "mSg"
  Suffix freq Percent_Trials
2      e    37           74
5      o     6           12
1      -     3            6
3      es     1            2
4      i     1            2
6      os     1            2
7      s     1            2
[1] "mSgNom"
  Suffix freq Percent_Trials
2      o    49           98
1      e     1            2
[1] "m1SgNom"
  Suffix freq Percent_Trials
2      a    46           92
1      -     3            6
3      s     1            2
[1] "m2SgNom"
  Suffix freq Percent_Trials
1      o    50          100
[1] "m3SgNom"
  Suffix freq Percent_Trials
2      e    33           66
1      -    17           34
[1] "m4SgNom"
  Suffix freq Percent_Trials
1      o    49           98
2      os     1            2
[1] "m5SgNom"
  Suffix freq Percent_Trials
2      e    34           68
1      -    14           28
3      es     1            2
4      s     1            2
[1] "f"
  Suffix freq Percent_Trials
2      e    38           76
3      es     6           12
1      -     3            6
5      s     2            4
4      i     1            2
[1] "fSg"
  Suffix freq Percent_Trials
2      e    40           80
3      es     5           10
1      -     3            6
4      i     1            2
5      s     1            2
[1] "fSgNom"
  Suffix freq Percent_Trials
3      e    32           64

```

1	-	14	28
2	a	3	6
4	es	1	2
[1] "f1SgNom"			
Suffix freq Percent_Trials			
1	a	50	100
[1] "f2SgNom"			
Suffix freq Percent_Trials			
1	o	49	98
2	os	1	2
[1] "f3SgNom"			
Suffix freq Percent_Trials			
2	e	32	64
1	-	16	32
3	es	1	2
4	s	1	2
[1] "f4SgNom"			
Suffix freq Percent_Trials			
1	o	49	98
2	os	1	2
[1] "f5SgNom"			
Suffix freq Percent_Trials			
2	e	33	66
1	-	14	28
3	es	2	4
4	s	1	2
[1] "n"			
Suffix freq Percent_Trials			
1	-	21	42
7	s	14	28
4	e	5	10
6	o	5	10
5	es	3	6
2	a	1	2
3	as	1	2
[1] "nSg"			
Suffix freq Percent_Trials			
1	-	22	44
5	o	19	38
2	e	4	8
3	es	2	4
4	i	2	4
6	s	1	2
[1] "nSgNom"			
Suffix freq Percent_Trials			
1	o	50	100
[1] "n2SgNom"			
Suffix freq Percent_Trials			
1	o	50	100
[1] "n3SgNom"			
Suffix freq Percent_Trials			
1	-	28	56
2	e	21	42
3	s	1	2

```

[1] "n4SgNom"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "Acc"
  Suffix freq Percent_Trials
4      e   31             62
7      s    6             12
1      -    3              6
2      a    3              6
6      o    3              6
3     as    2              4
5     es    2              4
[1] "AccSg"
  Suffix freq Percent_Trials
3      o   26             52
2      e   22             44
1      -    2              4
[1] "1SgAcc"
  Suffix freq Percent_Trials
1      a   50            100
[1] "2SgAcc"
  Suffix freq Percent_Trials
1      o   50            100
[1] "3SgAcc"
  Suffix freq Percent_Trials
2      e   48             96
1      -    2              4
[1] "4SgAcc"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "5SgAcc"
  Suffix freq Percent_Trials
2      e   46             92
1      -    2              4
3     es    2              4
[1] "mSgAcc"
  Suffix freq Percent_Trials
2      o   49             98
1      e    1              2
[1] "m1SgAcc"
  Suffix freq Percent_Trials
2      a   46             92
1      -    3              6
3      s    1              2
[1] "m2SgAcc"
  Suffix freq Percent_Trials
1      o   50            100
[1] "m3SgAcc"
  Suffix freq Percent_Trials
2      e   48             96
1      -    2              4
[1] "m4SgAcc"

```

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "m5SgAcc"			
	Suffix	freq	Percent_Trials
2	e	47	94
1	-	2	4
3	es	1	2
[1] "fSgAcc"			
	Suffix	freq	Percent_Trials
3	e	45	90
1	-	2	4
2	a	2	4
4	es	1	2
[1] "f1SgAcc"			
	Suffix	freq	Percent_Trials
1	a	50	100
[1] "f2SgAcc"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "f3SgAcc"			
	Suffix	freq	Percent_Trials
2	e	47	94
1	-	2	4
3	es	1	2
[1] "f4SgAcc"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "f5SgAcc"			
	Suffix	freq	Percent_Trials
2	e	46	92
1	-	2	4
3	es	2	4
[1] "nSgAcc"			
	Suffix	freq	Percent_Trials
1	o	50	100
[1] "n2SgAcc"			
	Suffix	freq	Percent_Trials
1	o	50	100
[1] "n3SgAcc"			
	Suffix	freq	Percent_Trials
1	-	27	54
2	e	23	46
[1] "n4SgAcc"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "Gen"			
	Suffix	freq	Percent_Trials
2	e	23	46
1	-	18	36
3	es	5	10


```

5      s      3      6
4      i      1      2
[1] "GenSg"
  Suffix freq Percent_Trials
2      e    26             52
1      -    16             32
3      es     5             10
5      s     2              4
4      i     1              2
[1] "1SgGen"
  Suffix freq Percent_Trials
2      e    26             52
1      -    16             32
3      es     5             10
5      s     2              4
4      i     1              2
[1] "2SgGen"
  Suffix freq Percent_Trials
1      -    30             60
6      s     8             16
2      e     4              8
5      o     4              8
3      es     2              4
4      i     2              4
[1] "3SgGen"
  Suffix freq Percent_Trials
2      e    40             80
3      es     5             10
1      -     3              6
4      i     1              2
5      s     1              2
[1] "4SgGen"
  Suffix freq Percent_Trials
1      -    30             60
7      s     7             14
5      o     6             12
2      e     2              4
3      es     2              4
4      i     2              4
6      os     1              2
[1] "5SgGen"
  Suffix freq Percent_Trials
2      e    40             80
3      es     5             10
1      -     3              6
4      i     1              2
5      s     1              2
[1] "mSgGen"
  Suffix freq Percent_Trials
1      -    29             58
6      s     7             14
2      e     5             10
5      o     4              8
3      es     3              6

```

```

4      i      2      4
[1] "m1SgGen"
  Suffix freq Percent_Trials
2      e    26      52
1      -    16      32
3      es     5      10
5      s     2       4
4      i     1       2
[1] "m2SgGen"
  Suffix freq Percent_Trials
1      -    29      58
7      s     8      16
5      o     6      12
2      e     3       6
4      i     2       4
3      es     1       2
6      os     1       2
[1] "m3SgGen"
  Suffix freq Percent_Trials
2      e    40      80
3      es     5      10
1      -     3       6
4      i     1       2
5      s     1       2
[1] "m4SgGen"
  Suffix freq Percent_Trials
1      -    30      60
7      s     7      14
5      o     6      12
2      e     2       4
3      es     2       4
4      i     2       4
6      os     1       2
[1] "m5SgGen"
  Suffix freq Percent_Trials
2      e    40      80
3      es     5      10
1      -     3       6
4      i     1       2
5      s     1       2
[1] "fSgGen"
  Suffix freq Percent_Trials
2      e    27      54
1      -    16      32
3      es     5      10
4      i     1       2
5      s     1       2
[1] "f1SgGen"
  Suffix freq Percent_Trials
2      e    26      52
1      -    16      32
3      es     5      10
5      s     2       4
4      i     1       2

```

```

[1] "f2SgGen"
  Suffix freq Percent_Trials
1      -   30             60
7       s    8             16
5       o    6             12
2       e    3              6
3      es    1              2
4       i    1              2
6      os    1              2
[1] "f3SgGen"
  Suffix freq Percent_Trials
2       e   40             80
3      es    5             10
1      -    3              6
4       i    1              2
5       s    1              2
[1] "f4SgGen"
  Suffix freq Percent_Trials
1      -   31             62
7       s    7             14
5       o    6             12
2       e    2              4
3      es    2              4
4       i    1              2
6      os    1              2
[1] "f5SgGen"
  Suffix freq Percent_Trials
2       e   40             80
3      es    5             10
1      -    3              6
4       i    1              2
5       s    1              2
[1] "nSgGen"
  Suffix freq Percent_Trials
1      -   30             60
6       s    8             16
2       e    4              8
5       o    4              8
3      es    2              4
4       i    2              4
[1] "n2SgGen"
  Suffix freq Percent_Trials
1      -   30             60
6       s    8             16
2       e    4              8
5       o    4              8
3      es    2              4
4       i    2              4
[1] "n3SgGen"
  Suffix freq Percent_Trials
1      -   22             44
2       e   20             40
3      es    5             10
4       i    2              4

```

```

5      s      1      2
[1] "n4SgGen"
  Suffix freq Percent_Trials
1      -    29           58
6      s      7           14
2      e      5           10
5      o      4            8
3      es      3            6
4      i      2            4
[1] "Dat"
  Suffix freq Percent_Trials
2      e    27           54
1      -    12           24
3      es      6           12
5      s      4            8
4      i      1            2
[1] "DatSg"
  Suffix freq Percent_Trials
2      e    31           62
1      -    11           22
3      es      5           10
5      s      2            4
4      i      1            2
[1] "1SgDat"
  Suffix freq Percent_Trials
2      e    31           62
1      -    11           22
3      es      5           10
5      s      2            4
4      i      1            2
[1] "2SgDat"
  Suffix freq Percent_Trials
1      -    30           60
6      s      8           16
2      e      4            8
5      o      4            8
3      es      2            4
4      i      2            4
[1] "3SgDat"
  Suffix freq Percent_Trials
2      e    42           84
3      es      6           12
1      -      1            2
4      i      1            2
[1] "4SgDat"
  Suffix freq Percent_Trials
1      -    30           60
7      s      7           14
5      o      6           12
2      e      2            4
3      es      2            4
4      i      2            4
6      os      1            2
[1] "5SgDat"

```

	Suffix	freq	Percent_Trials
2	e	42	84
3	es	6	12
1	-	1	2
4	i	1	2

[1] "mSgDat"

	Suffix	freq	Percent_Trials
1	-	29	58
6	s	7	14
2	e	5	10
5	o	4	8
3	es	3	6
4	i	2	4

[1] "m1SgDat"

	Suffix	freq	Percent_Trials
2	e	32	64
1	-	10	20
3	es	5	10
5	s	2	4
4	i	1	2

[1] "m2SgDat"

	Suffix	freq	Percent_Trials
1	-	29	58
7	s	8	16
5	o	6	12
2	e	3	6
4	i	2	4
3	es	1	2
6	os	1	2

[1] "m3SgDat"

	Suffix	freq	Percent_Trials
2	e	42	84
3	es	6	12
1	-	1	2
4	i	1	2

[1] "m4SgDat"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

[1] "m5SgDat"

	Suffix	freq	Percent_Trials
2	e	42	84
3	es	6	12
1	-	1	2
4	i	1	2

[1] "fSgDat"

	Suffix	freq	Percent_Trials
2	e	33	66
1	-	10	20

```

3     es     6           12
4     i     1           2
[1] "f1SgDat"
  Suffix freq Percent_Trials
2     e    31           62
1     -    11           22
3     es     5           10
5     s     2           4
4     i     1           2
[1] "f2SgDat"
  Suffix freq Percent_Trials
1     -    30           60
7     s     8           16
5     o     6           12
2     e     3           6
3     es     1           2
4     i     1           2
6     os     1           2
[1] "f3SgDat"
  Suffix freq Percent_Trials
2     e    42           84
3     es     6           12
1     -     1           2
4     i     1           2
[1] "f4SgDat"
  Suffix freq Percent_Trials
1     -    31           62
7     s     7           14
5     o     6           12
2     e     2           4
3     es     2           4
4     i     1           2
6     os     1           2
[1] "f5SgDat"
  Suffix freq Percent_Trials
2     e    42           84
3     es     6           12
1     -     1           2
4     i     1           2
[1] "nSgDat"
  Suffix freq Percent_Trials
1     -    30           60
6     s     8           16
2     e     4           8
5     o     4           8
3     es     2           4
4     i     2           4
[1] "n2SgDat"
  Suffix freq Percent_Trials
1     -    30           60
6     s     8           16
2     e     4           8
5     o     4           8
3     es     2           4

```

```

4      i      2      4
[1] "n3SgDat"
  Suffix freq Percent_Trials
2      e    27      54
1      -    15      30
3     es     5      10
4      i     2       4
5      s     1       2
[1] "n4SgDat"
  Suffix freq Percent_Trials
1      -    29      58
6      s     7      14
5      o     5      10
2      e     4       8
3     es     3       6
4      i     2       4
[1] "Abl"
  Suffix freq Percent_Trials
4      e    28      56
1      -     6      12
7      s     6      12
2      a     3       6
6      o     3       6
3     as     2       4
5     es     2       4
[1] "AblSg"
  Suffix freq Percent_Trials
3      o    25      50
2      e    23      46
1      -     2       4
[1] "1SgAbl"
  Suffix freq Percent_Trials
2      a    44      88
1      -     5      10
3      e     1       2
[1] "2SgAbl"
  Suffix freq Percent_Trials
1      o    50     100
[1] "3SgAbl"
  Suffix freq Percent_Trials
2      e    48      96
1      -     2       4
[1] "4SgAbl"
  Suffix freq Percent_Trials
1      o    49      98
2     os     1       2
[1] "5SgAbl"
  Suffix freq Percent_Trials
2      e    46      92
1      -     2       4
3     es     2       4
[1] "mSgAbl"
  Suffix freq Percent_Trials
2      o    49      98

```

```

1      e      1      2
[1] "m1SgAbl"
  Suffix freq Percent_Trials
2      a     40           80
1      -      8           16
3      e      1           2
4      s      1           2
[1] "m2SgAbl"
  Suffix freq Percent_Trials
1      o     50          100
[1] "m3SgAbl"
  Suffix freq Percent_Trials
2      e     48           96
1      -      2            4
[1] "m4SgAbl"
  Suffix freq Percent_Trials
1      o     49           98
2      os      1            2
[1] "m5SgAbl"
  Suffix freq Percent_Trials
2      e     47           94
1      -      2            4
3      es      1            2
[1] "fSgAbl"
  Suffix freq Percent_Trials
3      e     45           90
1      -      2            4
2      a      2            4
4      es      1            2
[1] "f1SgAbl"
  Suffix freq Percent_Trials
2      a     44           88
1      -      5           10
3      e      1            2
[1] "f2SgAbl"
  Suffix freq Percent_Trials
1      o     49           98
2      os      1            2
[1] "f3SgAbl"
  Suffix freq Percent_Trials
2      e     47           94
1      -      2            4
3      es      1            2
[1] "f4SgAbl"
  Suffix freq Percent_Trials
1      o     49           98
2      os      1            2
[1] "f5SgAbl"
  Suffix freq Percent_Trials
2      e     46           92
1      -      2            4
3      es      2            4
[1] "nSgAbl"
  Suffix freq Percent_Trials

```



```

1      o      50      100
[1] "n2SgAbl"
  Suffix freq Percent_Trials
1      o      50      100
[1] "n3SgAbl"
  Suffix freq Percent_Trials
1      -      26      52
2      e      24      48
[1] "n4SgAbl"
  Suffix freq Percent_Trials
1      o      49      98
2     os       1       2
[1] "Pl"
  Suffix freq Percent_Trials
2      e      16      32
1      -      14      28
6      s      10      20
3     es       8      16
4      i       1       2
5      o       1       2
[1] "1PlNom,Acc"
  Suffix freq Percent_Trials
2      a      30      60
3     as      17      34
4      s       2       4
1      -       1       2
[1] "2PlNom,Acc"
  Suffix freq Percent_Trials
1      -      17      34
7      s      13      26
2      a      12      24
3     as       5      10
4      e       1       2
5     es       1       2
6      o       1       2
[1] "3PlNom,Acc"
  Suffix freq Percent_Trials
2      e      21      42
3     es      18      36
1      -       9      18
4      s       2       4
[1] "4PlNom,Acc"
  Suffix freq Percent_Trials
1      -      24      48
6      s      18      36
4      o       5      10
2      e       1       2
3     es       1       2
5     os       1       2
[1] "5PlNom,Acc"
  Suffix freq Percent_Trials
2      e      21      42
3     es      19      38
1      -       9      18

```

```

4      s      1      2
[1] "1PlAcc,Abl"
      Suffix freq Percent_Trials
2      a     26      52
4      as    16      32
1      -      4       8
5      s      3       6
3      ao      1       2
[1] "2PlAcc,Abl"
      Suffix freq Percent_Trials
1      -     19      38
6      s     13      26
2      a     10      20
3      as      5      10
5      o      2       4
4      e      1       2
[1] "3PlAcc,Abl"
      Suffix freq Percent_Trials
2      e     28      56
4      es    19      38
1      -      2       4
3      eo      1       2
[1] "4PlAcc,Abl"
      Suffix freq Percent_Trials
1      -     24      48
6      s     17      34
4      o      6      12
2      e      1       2
3      es      1       2
5      os      1       2
[1] "5PlAcc,Abl"
      Suffix freq Percent_Trials
2      e     29      58
4      es    18      36
1      -      2       4
3      eo      1       2
[1] "1PlNom,Acc,Abl"
      Suffix freq Percent_Trials
2      a     30      60
3      as    17      34
4      s      2       4
1      -      1       2
[1] "2PlNom,Acc,Abl"
      Suffix freq Percent_Trials
1      -     19      38
6      s     14      28
2      a     10      20
3      as      5      10
4      e      1       2
5      o      1       2
[1] "3PlNom,Acc,Abl"
      Suffix freq Percent_Trials
2      e     27      54
3      es    20      40

```

```

1      -      3      6
[1] "4PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      -    24      48
6      s    18      36
4      o     5      10
2      e     1       2
3     es     1       2
5     os     1       2
[1] "5PlNom,Acc,Abl"
  Suffix freq Percent_Trials
2      e    29      58
3     es    19      38
1      -     2       4
[1] "1PlGen,Dat"
  Suffix freq Percent_Trials
3      e    18      36
5     es    12      24
1      -    11      22
7      s     6      12
2      a     1       2
4     eo     1       2
6      i     1       2
[1] "2PlGen,Dat"
  Suffix freq Percent_Trials
1      -    22      44
7      s    16      32
3      e     5      10
4     es     3       6
6      o     2       4
2     as     1       2
5      i     1       2
[1] "3PlGen,Dat"
  Suffix freq Percent_Trials
2      e    27      54
4     es    17      34
1      -     3       6
3     eo     1       2
5      i     1       2
6      s     1       2
[1] "4PlGen,Dat"
  Suffix freq Percent_Trials
1      -    20      40
6      s    16      32
2      e     6      12
3     es     5      10
5      o     2       4
4      i     1       2
[1] "5PlGen,Dat"
  Suffix freq Percent_Trials
2      e    28      56
4     es    17      34
1      -     3       6
3     eo     1       2

```

```

5      i      1      2
[1] "NomPl"
  Suffix freq Percent_Trials
1      -    13           26
4      e    12           24
6      s    12           24
5     es     6           12
2      a     5           10
3     as     2            4
[1] "1Pl"
  Suffix freq Percent_Trials
2      a    25           50
3     as    16           32
1      -     4            8
5      s     4            8
4      e     1            2
[1] "1PlNom"
  Suffix freq Percent_Trials
2      a    30           60
3     as    17           34
4      s     2            4
1      -     1            2
[1] "2Pl"
  Suffix freq Percent_Trials
1      -    24           48
7      s    15           30
4      e     3            6
6      o     3            6
2      a     2            4
5     es     2            4
3     as     1            2
[1] "2PlNom"
  Suffix freq Percent_Trials
1      -    17           34
2      a    13           26
6      s    13           26
3     as     5           10
4      e     1            2
5      o     1            2
[1] "3Pl"
  Suffix freq Percent_Trials
2      e    27           54
4     es    18           36
1      -     3            6
3     eo     1            2
5      i     1            2
[1] "3PlNom"
  Suffix freq Percent_Trials
2      e    21           42
3     es    14           28
1      -     9           18
4      s     6           12
[1] "4Pl"
  Suffix freq Percent_Trials

```

1	-	24	48
6	s	17	34
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "4PlNom"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	18	36
4	o	5	10
2	e	1	2
3	es	1	2
5	os	1	2

[1] "5Pl"

	Suffix	freq	Percent_Trials
2	e	30	60
4	es	17	34
1	-	2	4
3	eo	1	2

[1] "5PlNom"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	15	30
1	-	9	18
4	s	5	10

[1] "mPl"

	Suffix	freq	Percent_Trials
1	-	20	40
5	s	16	32
2	e	7	14
3	es	5	10
4	o	2	4

[1] "mPlNom"

	Suffix	freq	Percent_Trials
1	-	22	44
5	s	18	36
3	es	4	8
2	e	3	6
4	o	3	6

[1] "m1PlNom"

	Suffix	freq	Percent_Trials
2	a	28	56
3	as	19	38
4	s	2	4
1	-	1	2

[1] "m2PlNom"

	Suffix	freq	Percent_Trials
1	-	23	46
8	s	18	36
6	o	4	8
2	a	1	2
3	as	1	2
4	e	1	2

```

5     es    1          2
7     os    1          2
[1] "m3PlNom"
  Suffix freq Percent_Trials
2      e   21          42
3     es   14          28
1      -    9          18
4      s    6          12
[1] "m4PlNom"
  Suffix freq Percent_Trials
1      -   24          48
6      s   18          36
4      o    5          10
2      e    1           2
3     es    1           2
5     os    1           2
[1] "m5PlNom"
  Suffix freq Percent_Trials
2      e   21          42
3     es   15          30
1      -    9          18
4      s    5          10
[1] "fPl"
  Suffix freq Percent_Trials
2      e   27          54
4     es   16          32
1      -    3           6
6      s    2           4
3     eo    1           2
5      i    1           2
[1] "fPlNom"
  Suffix freq Percent_Trials
3      e   21          42
4     es   14          28
1      -    9          18
5      s    5          10
2     as    1           2
[1] "f1PlNom"
  Suffix freq Percent_Trials
2      a   30          60
3     as   17          34
4      s    2           4
1      -    1           2
[1] "f2PlNom"
  Suffix freq Percent_Trials
1      -   22          44
8      s   18          36
2      a    3           6
6      o    3           6
3     as    1           2
4      e    1           2
5     es    1           2
7     os    1           2
[1] "f3PlNom"

```

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	14	28
1	-	9	18
4	s	6	12

[1] "f4PlNom"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	18	36
4	o	4	8
2	e	1	2
3	es	1	2
5	os	1	2

[1] "f5PlNom"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	15	30
1	-	9	18
4	s	5	10

[1] "nP1"

	Suffix	freq	Percent_Trials
1	-	18	36
7	s	13	26
2	a	6	12
3	as	6	12
4	e	4	8
6	o	2	4
5	es	1	2

[1] "nP1Nom"

	Suffix	freq	Percent_Trials
1	-	17	34
2	a	13	26
6	s	13	26
3	as	5	10
4	e	1	2
5	o	1	2

[1] "n2PlNom"

	Suffix	freq	Percent_Trials
1	-	17	34
2	a	13	26
6	s	13	26
3	as	5	10
4	e	1	2
5	o	1	2

[1] "n3PlNom"

	Suffix	freq	Percent_Trials
1	-	13	26
4	e	12	24
2	a	8	16
6	s	8	16
3	as	5	10
5	es	4	8

[1] "n4PlNom"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

1	-	26	52
5	s	17	34
2	e	3	6
4	o	3	6
3	es	1	2

[1] "AccPl"

	Suffix	freq	Percent_Trials
4	e	12	24
1	-	10	20
5	es	9	18
2	a	8	16
6	s	8	16
3	as	3	6

[1] "1PlAcc"

	Suffix	freq	Percent_Trials
2	a	30	60
3	as	17	34
4	s	2	4
1	-	1	2

[1] "2PlAcc"

	Suffix	freq	Percent_Trials
1	-	16	32
6	s	13	26
2	a	12	24
3	as	6	12
5	o	2	4
4	e	1	2

[1] "3PlAcc"

	Suffix	freq	Percent_Trials
2	e	28	56
3	es	20	40
1	-	2	4

[1] "4PlAcc"

	Suffix	freq	Percent_Trials
1	-	23	46
6	s	18	36
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "5PlAcc"

	Suffix	freq	Percent_Trials
2	e	29	58
3	es	19	38
1	-	2	4

[1] "mPlAcc"

	Suffix	freq	Percent_Trials
1	-	21	42
5	s	17	34
3	es	5	10
4	o	4	8
2	e	3	6

[1] "m1PlAcc"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

2	a	29	58
3	as	18	36
4	s	2	4
1	-	1	2

[1] "m2PlAcc"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	18	36
5	o	6	12
2	a	1	2
3	as	1	2
4	es	1	2
6	os	1	2

[1] "m3PlAcc"

	Suffix	freq	Percent_Trials
2	e	28	56
3	es	20	40
1	-	2	4

[1] "m4PlAcc"

	Suffix	freq	Percent_Trials
1	-	23	46
6	s	18	36
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "m5PlAcc"

	Suffix	freq	Percent_Trials
2	e	28	56
3	es	20	40
1	-	2	4

[1] "fPlAcc"

	Suffix	freq	Percent_Trials
4	e	27	54
5	es	19	38
1	-	2	4
2	a	1	2
3	as	1	2

[1] "f1PlAcc"

	Suffix	freq	Percent_Trials
2	a	30	60
3	as	17	34
4	s	2	4
1	-	1	2

[1] "f2PlAcc"

	Suffix	freq	Percent_Trials
1	-	21	42
8	s	18	36
6	o	4	8
2	a	3	6
3	as	1	2
4	e	1	2
5	es	1	2
7	os	1	2

```

[1] "f3PlAcc"
  Suffix freq Percent_Trials
2      e   28             56
3     es   20             40
1      -    2              4
[1] "f4PlAcc"
  Suffix freq Percent_Trials
1      -   24             48
6      s   18             36
4      o    5             10
2      e    1              2
3     es    1              2
5     os    1              2
[1] "f5PlAcc"
  Suffix freq Percent_Trials
2      e   29             58
3     es   19             38
1      -    2              4
[1] "nPlAcc"
  Suffix freq Percent_Trials
1      -   16             32
6      s   13             26
2      a   12             24
3     as    6             12
5      o    2              4
4      e    1              2
[1] "n2PlAcc"
  Suffix freq Percent_Trials
1      -   16             32
6      s   13             26
2      a   12             24
3     as    6             12
5      o    2              4
4      e    1              2
[1] "n3PlAcc"
  Suffix freq Percent_Trials
1      -   13             26
4      e   12             24
2      a    8             16
6      s    7             14
3     as    5             10
5     es    5             10
[1] "n4PlAcc"
  Suffix freq Percent_Trials
1      -   25             50
5      s   17             34
4      o    4              8
2      e    2              4
3     es    2              4
[1] "GenPl"
  Suffix freq Percent_Trials
2      e   20             40
4     es   11             22
1      -   10             20

```

6	s	7	14
3	eo	1	2
5	i	1	2

[1] "1PlGen"

	Suffix	freq	Percent_Trials
3	e	18	36
1	-	11	22
5	es	11	22
7	s	7	14
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "2PlGen"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	16	32
3	e	5	10
4	es	3	6
6	o	2	4
2	as	1	2
5	i	1	2

[1] "3PlGen"

	Suffix	freq	Percent_Trials
2	e	27	54
4	es	17	34
1	-	3	6
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "4PlGen"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "5PlGen"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	16	32
1	-	3	6
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "mPlGen"

	Suffix	freq	Percent_Trials
1	-	19	38
6	s	16	32
2	e	7	14
3	es	5	10
5	o	2	4
4	i	1	2

[1] "m1PlGen"

	Suffix	freq	Percent_Trials
3	e	18	36
1	-	11	22
5	es	11	22
7	s	7	14
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "m2PlGen"

	Suffix	freq	Percent_Trials
1	-	19	38
6	s	17	34
2	e	6	12
3	es	4	8
5	o	3	6
4	i	1	2

[1] "m3PlGen"

	Suffix	freq	Percent_Trials
2	e	27	54
4	es	17	34
1	-	3	6
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "m4PlGen"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "m5PlGen"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	16	32
1	-	3	6
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "fPlGen"

	Suffix	freq	Percent_Trials
2	e	21	42
4	es	15	30
1	-	10	20
6	s	2	4
3	eo	1	2
5	i	1	2

[1] "f1PlGen"

	Suffix	freq	Percent_Trials
3	e	18	36
1	-	11	22
5	es	11	22
7	s	7	14

```

2      a      1      2
4      eo     1      2
6      i      1      2
[1] "f2PlGen"
  Suffix freq Percent_Trials
1      -    19             38
6      s    17             34
2      e     6             12
3      es     4              8
5      o     3              6
4      i     1              2
[1] "f3PlGen"
  Suffix freq Percent_Trials
2      e    27             54
4      es    17             34
1      -     3              6
3      eo     1              2
5      i     1              2
6      s     1              2
[1] "f4PlGen"
  Suffix freq Percent_Trials
1      -    20             40
6      s    16             32
2      e     6             12
3      es     5             10
5      o     2              4
4      i     1              2
[1] "f5PlGen"
  Suffix freq Percent_Trials
2      e    28             56
4      es    16             32
1      -     3              6
3      eo     1              2
5      i     1              2
6      s     1              2
[1] "nP1Gen"
  Suffix freq Percent_Trials
1      -    22             44
7      s    16             32
3      e     5             10
4      es     3              6
6      o     2              4
2      as     1              2
5      i     1              2
[1] "n2PlGen"
  Suffix freq Percent_Trials
1      -    22             44
7      s    16             32
3      e     5             10
4      es     3              6
6      o     2              4
2      as     1              2
5      i     1              2
[1] "n3PlGen"

```

	Suffix	freq	Percent_Trials
1	-	16	32
2	e	16	32
3	es	8	16
6	s	8	16
4	i	1	2
5	o	1	2

[1] "n4PlGen"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	15	30
2	e	7	14
3	es	5	10
5	o	2	4
4	i	1	2

[1] "DatPl"

	Suffix	freq	Percent_Trials
2	e	24	48
4	es	12	24
1	-	6	12
6	s	6	12
3	eo	1	2
5	i	1	2

[1] "1PlDat"

	Suffix	freq	Percent_Trials
3	e	22	44
5	es	12	24
1	-	7	14
7	s	6	12
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "2PlDat"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	16	32
3	e	5	10
4	es	3	6
6	o	2	4
2	as	1	2
5	i	1	2

[1] "3PlDat"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	2	4
3	eo	1	2
5	i	1	2

[1] "4PlDat"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10

```

5      o      2      4
4      i      1      2
[1] "5PlDat"
  Suffix freq Percent_Trials
2      e    29             58
4      es   17             34
1      -     2             4
3      eo     1             2
5      i      1             2
[1] "mPlDat"
  Suffix freq Percent_Trials
1      -    19             38
6      s    16             32
2      e     7             14
3      es     5             10
5      o      2             4
4      i      1             2
[1] "m1PlDat"
  Suffix freq Percent_Trials
3      e    22             44
5      es   13             26
1      -     7             14
7      s     5             10
2      a      1             2
4      eo      1             2
6      i      1             2
[1] "m2PlDat"
  Suffix freq Percent_Trials
1      -    19             38
6      s    17             34
2      e     6             12
3      es     4             8
5      o      3             6
4      i      1             2
[1] "m3PlDat"
  Suffix freq Percent_Trials
2      e    28             56
4      es   18             36
1      -     2             4
3      eo      1             2
5      i      1             2
[1] "m4PlDat"
  Suffix freq Percent_Trials
1      -    20             40
6      s    16             32
2      e     6             12
3      es     5             10
5      o      2             4
4      i      1             2
[1] "m5PlDat"
  Suffix freq Percent_Trials
2      e    29             58
4      es   17             34
1      -     2             4

```

```

3      eo      1          2
5      i      1          2
[1] "fPlDat"
  Suffix freq Percent_Trials
2      e    25          50
4     es    17          34
1      -     6          12
3     eo     1           2
5      i     1           2
[1] "f1PlDat"
  Suffix freq Percent_Trials
3      e    22          44
5     es    12          24
1      -     7          14
7      s     6          12
2      a     1           2
4     eo     1           2
6      i     1           2
[1] "f2PlDat"
  Suffix freq Percent_Trials
1      -    18          36
6      s    16          32
2      e     7          14
3     es     5          10
5      o     3           6
4      i     1           2
[1] "f3PlDat"
  Suffix freq Percent_Trials
2      e    28          56
4     es    18          36
1      -     2           4
3     eo     1           2
5      i     1           2
[1] "f4PlDat"
  Suffix freq Percent_Trials
1      -    20          40
6      s    16          32
2      e     6          12
3     es     5          10
5      o     2           4
4      i     1           2
[1] "f5PlDat"
  Suffix freq Percent_Trials
2      e    29          58
4     es    17          34
1      -     2           4
3     eo     1           2
5      i     1           2
[1] "nP1Dat"
  Suffix freq Percent_Trials
1      -    22          44
7      s    16          32
3      e     5          10
4     es     3           6

```



```

6      o      2      4
2      as     1      2
5      i      1      2
[1] "n2PlDat"
  Suffix freq Percent_Trials
1      -    22             44
7      s    16             32
3      e     5             10
4      es     3              6
6      o     2              4
2      as     1              2
5      i     1              2
[1] "n3PlDat"
  Suffix freq Percent_Trials
2      e    19             38
1      -    13             26
3      es    11             22
6      s     5             10
4      i     1              2
5      o     1              2
[1] "n4PlDat"
  Suffix freq Percent_Trials
1      -    20             40
6      s    15             30
2      e     7             14
3      es     5             10
5      o     2              4
4      i     1              2
[1] "AblPl"
  Suffix freq Percent_Trials
4      e    12             24
1      -    11             22
2      a     8             16
7      s     8             16
5      es     7             14
3      as     3              6
6      o     1              2
[1] "1PlAbl"
  Suffix freq Percent_Trials
2      a    25             50
4      as    15             30
1      -     4              8
6      s     4              8
3      ao     1              2
5      e     1              2
[1] "2PlAbl"
  Suffix freq Percent_Trials
1      -    19             38
6      s    13             26
2      a    10             20
3      as     5             10
5      o     2              4
4      e     1              2
[1] "3PlAbl"

```

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	19	38
1	-	2	4
3	eo	1	2

[1] "4PlAbl"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	17	34
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "5PlAbl"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	18	36
1	-	2	4
3	eo	1	2

[1] "mPlAbl"

	Suffix	freq	Percent_Trials
1	-	23	46
5	s	16	32
3	es	4	8
4	o	4	8
2	e	3	6

[1] "m1PlAbl"

	Suffix	freq	Percent_Trials
2	a	26	52
4	as	14	28
1	-	4	8
6	s	4	8
3	ao	1	2
5	e	1	2

[1] "m2PlAbl"

	Suffix	freq	Percent_Trials
1	-	23	46
8	s	17	34
6	o	5	10
2	a	1	2
3	as	1	2
4	e	1	2
5	es	1	2
7	os	1	2

[1] "m3PlAbl"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	19	38
1	-	2	4
3	eo	1	2

[1] "m4PlAbl"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	17	34

4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "m5PlAbl"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	19	38
1	-	2	4
3	eo	1	2

[1] "fPlAbl"

	Suffix	freq	Percent_Trials
4	e	25	50
6	es	18	36
1	-	4	8
2	a	1	2
3	as	1	2
5	eo	1	2

[1] "f1PlAbl"

	Suffix	freq	Percent_Trials
2	a	25	50
4	as	15	30
1	-	4	8
6	s	4	8
3	ao	1	2
5	e	1	2

[1] "f2PlAbl"

	Suffix	freq	Percent_Trials
1	-	22	44
8	s	17	34
6	o	4	8
2	a	3	6
3	as	1	2
4	e	1	2
5	es	1	2
7	os	1	2

[1] "f3PlAbl"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	19	38
1	-	2	4
3	eo	1	2

[1] "f4PlAbl"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	17	34
4	o	5	10
2	e	1	2
3	es	1	2
5	os	1	2

[1] "f5PlAbl"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	18	36

```


1      -      2      4
3      eo     1      2
[1] "nPlAbl"
  Suffix freq Percent_Trials
1      -     19           38
6      s     13           26
2      a     10           20
3      as     5           10
5      o      2            4
4      e      1            2
[1] "n2PlAbl"
  Suffix freq Percent_Trials
1      -     19           38
6      s     13           26
2      a     10           20
3      as     5           10
5      o      2            4
4      e      1            2
[1] "n3PlAbl"
  Suffix freq Percent_Trials
1      -     14           28
4      e     13           26
2      a      6           12
5      es      6           12
3      as      5           10
7      s      5           10
6      o      1            2
[1] "n4PlAbl"
  Suffix freq Percent_Trials
1      -     26           52
5      s     16           32
4      o      4            8
2      e      2            4
3      es      2            4

[1] "common_system_distrib"
  Percent_Match freq Percent_Trials
1      38.00000    2            4
2      41.33333    1            2
3      43.33333    2            4
4      44.00000    1            2
5      44.66667    5           10
6      46.00000   13           26
7      48.00000    1            2
8      48.66667    1            2
9      49.33333    2            4
10     51.33333    1            2
11     53.33333    1            2
12     54.00000    4            8
13     56.00000    1            2
14     56.66667    1            2
15     60.00000    2            4
16     61.33333    2            4
17     62.00000    2            4

```

18	62.66667	1	2
19	63.33333	3	6
20	66.66667	3	6
21	74.66667	1	2

Percent of common_system_distrib Matching Reality




```
[1] "NPLtoFSG_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	40.00000	1	2
2	41.33333	1	2
3	46.00000	2	4
4	47.33333	1	2
5	48.00000	6	12
6	48.66667	1	2
7	49.33333	11	22
8	50.00000	1	2
9	51.33333	2	4
10	52.66667	1	2
11	53.33333	2	4
12	54.66667	1	2
13	56.00000	1	2
14	56.66667	4	8
15	58.00000	2	4
16	58.66667	1	2
17	59.33333	1	2
18	60.66667	1	2
19	61.33333	1	2
20	62.66667	1	2
21	63.33333	3	6
22	64.00000	1	2

23	66.66667	2	4
24	68.66667	1	2
25	71.33333	1	2


Percent of NPLtoFSG_system_distrib Matching Reality



```
[1] "romanian_system_distrib"
Percent_Match freq Percent_Trials
1      38.00000    2             4
2      41.33333    1             2
3      43.33333    1             2
4      44.00000    1             2
5      44.66667    3             6
6      46.00000    3             6
7      47.33333    1             2
8      48.66667   13            26
9      50.66667    1             2
10     51.33333    1             2
11     52.00000    1             2
12     52.66667    1             2
13     54.00000    1             2
14     54.66667    1             2
15     55.33333    1             2
16     56.00000    1             2
17     56.66667    2             4
18     58.00000    2             4
19     59.33333    3             6
20     60.66667    1             2
21     63.33333    1             2
22     64.00000    1             2
23     65.33333    1             2
```


24	66.00000	5	10
25	74.00000	1	2

Percent of romanian_system_distrib Matching Reality




```
[1] "1_common_system_distrib"
Percent_Match freq Percent_Trials
1      43.33333    2             4
2      46.66667    5            10
3      53.33333   25           50
4      56.66667    1             2
5      60.00000    1             2
6      63.33333    1             2
7      66.66667    2             4
8      73.33333   13            26
```

Percent of 1_common_system_distrib Matching Reality



```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      43.33333    2             4
2      46.66667    5            10
3      53.33333   25           50
4      56.66667    1             2
5      60.00000    1             2
6      63.33333    1             2
7      66.66667    2             4
8      73.33333   13           26
```



Percent of 1_NPLtoFSG_system_distrib Matching Reality



```
[1] "1_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	43.33333	2	4
2	46.66667	3	6
3	53.33333	7	14
4	56.66667	1	2
5	60.00000	4	8
6	66.66667	17	34
7	70.00000	1	2
8	73.33333	5	10
9	76.66667	1	2
10	80.00000	3	6
11	86.66667	6	12

Percent of 1_romanian_system_distrib Matching Reality




```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      30.00000   43             86
2      40.00000    1              2
3      43.33333    2              4
4      50.00000    4              8
```

Percent of 2_common_system_distrib Matching Reality




```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      30.00000   32             64
2      33.33333    2              4
3      36.66667    1              2
4      40.00000    9             18
5      50.00000    1              2
6      53.33333    2              4
7      56.66667    1              2
8      60.00000    1              2
9      66.66667    1              2
```

Percent of 2_NPLtoFSG_system_distrib Matching Reality



```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      30.00000   38             76
2      36.66667    2              4
3      40.00000    2              4
4      43.33333    2              4
5      50.00000    5             10
6      56.66667    1              2
```


Percent of 2_romanian_system_distrib Matching Reality



[1] "3_common_system_distrib"


	Percent_Match	freq	Percent_Trials
1	30.00000	1	2
2	50.00000	28	56
3	60.00000	1	2
4	63.33333	2	4
5	66.66667	1	2
6	70.00000	3	6
7	80.00000	2	4
8	83.33333	3	6
9	90.00000	1	2
10	100.00000	8	16

Percent of 3_common_system_distrib Matching Reality




```
[1] "3_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000    1             2
2      50.00000    1             2
3      53.33333    1             2
4      56.66667    2             4
5      63.33333    4             8
6      66.66667   28            56
7      83.33333    9            18
8      86.66667    1             2
9     100.00000    3             6
```

Percent of 3_NPLtoFSG_system_distrib Matching Reality




```
[1] "3_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      30.00000    1             2
2      50.00000   29            58
3      56.66667    1             2
4      63.33333    3             6
5      66.66667    1             2
6      70.00000    1             2
7      73.33333    2             4
8      83.33333   11            22
9      93.33333    1             2
```

Percent of 3_romanian_system_distrib Matching Reality




```
[1] "4_common_system_distrib"
Percent_Match freq Percent_Trials
1      20.00000    1             2
2      30.00000   43            86
3      43.33333    1             2
4      46.66667    1             2
5      50.00000    4             8
```


Percent of 4_common_system_distrib Matching Reality




```
[1] "4_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    1             2
2      30.00000   40            80
3      33.33333    1             2
4      40.00000    2             4
5      43.33333    1             2
6      50.00000    3             6
7      56.66667    1             2
8      66.66667    1             2
```

Percent of 4_NPLtoFSG_system_distrib Matching Reality



```
[1] "4_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    1             2
2      30.00000   43            86
3      43.33333    1             2
4      46.66667    1             2
5      50.00000    4             8
```


Percent of 4_romanian_system_distrib Matching Reality



[1] "5_common_system_distrib"


	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	46.66667	1	2
3	53.33333	2	4
4	60.00000	5	10
5	66.66667	25	50
6	73.33333	1	2
7	76.66667	1	2
8	80.00000	1	2
9	86.66667	4	8
10	100.00000	9	18

Percent of 5_common_system_distrib Matching Reality



```
[1] "5_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    1             2
2      46.66667    1             2
3      53.33333    2             4
4      60.00000    5            10
5      66.66667   25            50
6      73.33333    1             2
7      76.66667    1             2
8      80.00000    1             2
9      86.66667    4             8
10     100.00000    9            18
```


Percent of 5_NPLtoFSG_system_distrib Matching Reality



```
[1] "5_romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	46.66667	1	2
3	53.33333	2	4
4	60.00000	5	10
5	66.66667	25	50
6	73.33333	1	2
7	76.66667	1	2
8	80.00000	1	2
9	86.66667	4	8
10	100.00000	9	18


Percent of 5_romanian_system_distrib Matching Reality



```
[1] "m_common_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	26	1	2
2	28	2	4
3	32	1	2
4	34	2	4
5	36	5	10
6	38	14	28
7	40	1	2
8	42	1	2
9	46	4	8
10	48	1	2
11	50	3	6
12	56	4	8
13	58	2	4
14	60	1	2
15	62	1	2
16	64	6	12
17	72	1	2


Percent of m_common_system_distrib Matching Reality



```
[1] "m_NPLtoFSG_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	26	1	2
2	28	2	4
3	32	1	2
4	34	2	4
5	36	5	10
6	38	14	28
7	40	1	2
8	42	1	2
9	46	4	8
10	48	1	2
11	50	3	6
12	56	4	8
13	58	2	4
14	60	1	2
15	62	1	2
16	64	6	12
17	72	1	2


Percent of m_NPLtoFSG_system_distrib Matching Reality



```
[1] "m_romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	26	1	2
2	28	2	4
3	32	1	2
4	34	1	2
5	36	3	6
6	38	3	6
7	40	1	2
8	42	13	26
9	44	1	2
10	46	2	4
11	48	1	2
12	50	4	8
13	52	1	2
14	54	1	2
15	56	2	4
16	58	3	6
17	62	3	6
18	64	1	2
19	68	5	10
20	76	1	2


Percent of m_romanian_system_distrib Matching Reality



```
[1] "f_common_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	26	1	2
2	28	1	2
3	34	3	6
4	36	5	10
5	38	15	30
6	40	1	2
7	42	2	4
8	44	1	2
9	46	2	4
10	50	3	6
11	52	3	6
12	56	3	6
13	58	2	4
14	60	1	2
15	64	6	12
16	72	1	2

Percent of f_common_system_distrib Matching Reality



```
[1] "f_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1           26     1             2
2           28     1             2
3           34     3             6
4           36     5            10
5           38    15            30
6           40     1             2
7           42     2             4
8           44     1             2
9           46     2             4
10          50     3             6
11          52     3             6
12          56     3             6
13          58     2             4
14          60     1             2
15          64     6            12
16          72     1             2
```


Percent of f_NPLtoFSG_system_distrib Matching Reality



```
[1] "f_romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	26	1	2
2	28	1	2
3	34	2	4
4	36	3	6
5	38	4	8
6	40	1	2
7	42	14	28
8	44	2	4
9	46	1	2
10	50	4	8
11	54	3	6
12	56	4	8
13	58	2	4
14	60	1	2
15	64	1	2
16	68	5	10
17	76	1	2


Percent of f_romanian_system_distrib Matching Reality



[1] "n_common_system_distrib"

	Percent_Match	freq	Percent_Trials
1	56	1	2
2	58	1	2
3	60	1	2
4	62	31	62
5	64	1	2
6	66	1	2
7	68	2	4
8	70	3	6
9	72	8	16
10	80	1	2


Percent of n_common_system_distrib Matching Reality



[1] "n_NPLtoFSG_system_distrib"

	Percent_Match	freq	Percent_Trials
1	52	1	2
2	56	1	2
3	58	1	2
4	60	1	2
5	62	9	18
6	64	2	4
7	70	2	4
8	72	20	40
9	76	2	4
10	78	7	14
11	80	1	2
12	84	2	4
13	100	1	2


Percent of n_NPLtoFSG_system_distrib Matching Reality



```
[1] "n_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	58	3	6
2	62	36	72
3	64	3	6
4	66	1	2
5	68	2	4
6	70	3	6
7	74	1	2
8	76	1	2

Percent of n_romanian_system_distrib Matching Reality




```
[1] "Nom_common_system_distrib"
  Percent_Match freq Percent_Trials
1      46.66667    1             2
2      50.00000    8            16
3      53.33333    2             4
4      56.66667   18            36
5      60.00000    2             4
6      63.33333    2             4
7      66.66667    2             4
8      70.00000    3             6
9      73.33333    3             6
10     76.66667    3             6
11     80.00000    6            12
```

Percent of Nom_common_system_distrib Matching Reality



```
[1] "Nom_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      50.00000    1             2
2      53.33333    6            12
3      56.66667    5            10
4      60.00000   12            24
5      63.33333    7            14
6      66.66667    3             6
7      70.00000    4             8
8      73.33333    3             6
9      76.66667    6            12
10     80.00000    2             4
11     83.33333    1             2
```



Percent of Nom_NPLtoFSG_system_distrib Matching Reality



```
[1] "Nom_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	46.66667	1	2
2	50.00000	8	16
3	53.33333	1	2
4	56.66667	19	38
5	60.00000	2	4
6	63.33333	3	6
7	70.00000	3	6
8	73.33333	3	6
9	76.66667	9	18
10	83.33333	1	2

Percent of Nom_romanian_system_distrib Matching Reality




```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1      50.00000    1             2
2      53.33333    2             4
3      56.66667   25            50
4      60.00000    1             2
5      63.33333    1             2
6      70.00000    4             8
7      73.33333    4             8
8      76.66667    5            10
9      80.00000    7            14
```

Percent of Acc_common_system_distrib Matching Reality




```
[1] "Acc_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      53.33333    1             2
2      56.66667    2             4
3      60.00000   16            32
4      63.33333    8            16
5      66.66667    2             4
6      70.00000    6            12
7      73.33333    3             6
8      76.66667    8            16
9      80.00000    3             6
10     83.33333    1             2
```

Percent of Acc_NPLtoFSG_system_distrib Matching Reality



```
[1] "Acc_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      50.00000    1             2
2      53.33333    2             4
3      56.66667   26            52
4      63.33333    1             2
5      70.00000    2             4
6      73.33333    4             8
7      76.66667   12            24
8      83.33333    2             4
```


Percent of Acc_romanian_system_distrib Matching Reality



[1] "Gen_common_system_distrib"


	Percent_Match	freq	Percent_Trials
1	13.33333	1	2
2	23.33333	4	8
3	26.66667	1	2
4	30.00000	25	50
5	33.33333	1	2
6	36.66667	2	4
7	40.00000	1	2
8	43.33333	4	8
9	46.66667	7	14
10	50.00000	3	6
11	66.66667	1	2

Percent of Gen_common_system_distrib Matching Reality



```
[1] "Gen_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    1             2
2      20.00000    1             2
3      26.66667    7            14
4      30.00000    1             2
5      33.33333   22            44
6      36.66667    1             2
7      40.00000    2             4
8      43.33333    7            14
9      46.66667    5            10
10     53.33333    1             2
11     60.00000    1             2
12     63.33333    1             2
```


Percent of Gen_NPLtoFSG_system_distrib Matching Reality



```
[1] "Gen_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	13.33333	1	2
2	20.00000	1	2
3	23.33333	3	6
4	26.66667	4	8
5	30.00000	8	16
6	33.33333	1	2
7	36.66667	15	30
8	43.33333	7	14
9	50.00000	7	14
10	56.66667	2	4
11	70.00000	1	2

Percent of Gen_romanian_system_distrib Matching Reality




```
[1] "Dat_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    1             2
2      23.33333    1             2
3      26.66667    1             2
4      30.00000   28            56
5      33.33333    1             2
6      36.66667    1             2
7      40.00000    2             4
8      43.33333    4             8
9      46.66667    7            14
10     50.00000    3             6
11     66.66667    1             2
```


Percent of Dat_common_system_distrib Matching Reality




```
[1] "Dat_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    1             2
2      26.66667    6            12
3      30.00000    1             2
4      33.33333   24            48
5      36.66667    1             2
6      40.00000    1             2
7      43.33333    8            16
8      46.66667    5            10
9      53.33333    1             2
10     60.00000    1             2
11     63.33333    1             2
```

Percent of Dat_NPLtoFSG_system_distrib Matching Reality




```
[1] "Dat_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    1             2
2      23.33333    1             2
3      26.66667    5            10
4      30.00000    6            12
5      33.33333    1             2
6      36.66667   18            36
7      43.33333    6            12
8      46.66667    2             4
9      50.00000    7            14
10     56.66667    2             4
11     70.00000    1             2
```

Percent of Dat_romanian_system_distrib Matching Reality



```
[1] "Abl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      43.33333    1             2
2      50.00000    3             6
3      53.33333    2             4
4      56.66667   24            48
5      60.00000    1             2
6      66.66667    2             4
7      70.00000    4             8
8      73.33333    3             6
9      76.66667    5            10
10     80.00000    5            10
```


Percent of Abl_common_system_distrib Matching Reality



[1] "Abl_NPLtoFSG_system_distrib"


	Percent_Match	freq	Percent_Trials
1	46.66667	1	2
2	53.33333	2	4
3	56.66667	4	8
4	60.00000	16	32
5	63.33333	8	16
6	66.66667	2	4
7	70.00000	4	8
8	73.33333	3	6
9	76.66667	6	12
10	80.00000	3	6
11	83.33333	1	2

Percent of Abl_NPLtoFSG_system_distrib Matching Reality




```
[1] "Abl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      43.33333    1             2
2      50.00000    3             6
3      53.33333    2             4
4      56.66667   25            50
5      63.33333    2             4
6      70.00000    2             4
7      73.33333    3             6
8      76.66667   10            20
9      83.33333    2             4
```

Percent of Abl_romanian_system_distrib Matching Reality



```
[1] "Sg_common_system_distrib"
  Percent_Match freq Percent_Trials
1      41.33333    1             2
2      57.33333    1             2
3      60.00000    1             2
4      62.66667    2             4
5      65.33333    2             4
6      69.33333    1             2
7      72.00000    1             2
8      73.33333    5            10
9      74.66667    1             2
10     76.00000    8            16
11     78.66667   21            42
12     82.66667    1             2
13     84.00000    1             2
14     89.33333    1             2
15     93.33333    1             2
16     94.66667    2             4
```


Percent of Sg_common_system_distrib Matching Reality



```
[1] "Sg_NPLtoFSG_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	41.33333	1	2
2	57.33333	1	2
3	60.00000	1	2
4	62.66667	2	4
5	65.33333	2	4
6	69.33333	1	2
7	72.00000	1	2
8	73.33333	5	10
9	74.66667	1	2
10	76.00000	8	16
11	78.66667	21	42
12	82.66667	1	2
13	84.00000	1	2
14	89.33333	1	2
15	93.33333	1	2
16	94.66667	2	4


Percent of Sg_NPLtoFSG_system_distrib Matching Reality



```
[1] "Sg_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	41.33333	1	2
2	57.33333	1	2
3	60.00000	1	2
4	62.66667	2	4
5	65.33333	2	4
6	69.33333	1	2
7	73.33333	4	8
8	74.66667	2	4
9	76.00000	3	6
10	77.33333	1	2
11	78.66667	6	12
12	81.33333	2	4
13	84.00000	18	36
14	88.00000	1	2
15	89.33333	1	2
16	94.66667	1	2
17	98.66667	1	2
18	100.00000	2	4

Percent of Sg_romanian_system_distrib Matching Reality




```
[1] "Pl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   28             56
2      20.00000    2              4
3      32.00000    1              2
4      34.66667    1              2
5      38.66667    1              2
6      44.00000    1              2
7      46.66667    2              4
8      48.00000    4              8
9      49.33333    2              4
10     50.66667    2              4
11     54.66667    5             10
12     66.66667    1              2
```

Percent of PI_common_system_distrib Matching Reality




```
[1] "PI_NPLtoFSG_system_distrib"
Percent_Match freq Percent_Trials
1      13.33333    1             2
2      17.33333    1             2
3      20.00000   17            34
4      22.66667    2             4
5      24.00000    6            12
6      28.00000    1             2
7      29.33333    1             2
8      33.33333    1             2
9      36.00000    1             2
10     37.33333    2             4
11     40.00000    1             2
12     42.66667    2             4
13     44.00000    1             2
14     45.33333    2             4
15     48.00000    5            10
16     49.33333    1             2
17     52.00000    1             2
18     54.66667    2             4
19     58.66667    1             2
20     64.00000    1             2
```

Percent of PI_NPLtoFSG_system_distrib Matching Reality



```
[1] "Pl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   29             58
2      20.00000    1              2
3      29.33333    1              2
4      34.66667    1              2
5      37.33333    1              2
6      40.00000    2              4
7      42.66667    1              2
8      44.00000    1              2
9      45.33333    1              2
10     48.00000    7             14
11     53.33333    1              2
12     54.66667    2              4
13     56.00000    1              2
14     72.00000    1              2
```


Percent of PI_romanian_system_distrib Matching Reality



[1] "n.Sg,m.Sg"

	Percent_Match	freq	Percent_Trials
1	66.66667	11	22
2	73.33333	7	14
3	80.00000	7	14
4	86.66667	3	6
5	93.33333	1	2
6	100.00000	21	42


Percent of n.Sg,m.Sg Matching Each Other



[1] "n.Pl,m.Pl"

	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	26.66667	1	2
3	33.33333	1	2
4	40.00000	2	4
5	46.66667	1	2
6	53.33333	5	10
7	60.00000	4	8
8	66.66667	9	18
9	73.33333	4	8
10	80.00000	2	4
11	86.66667	3	6
12	93.33333	1	2
13	100.00000	16	32


Percent of n.PI,m.PI Matching Each Other



[1] "n.PI,f.Sg"

	Percent_Match	freq	Percent_Trials
1	0.00000	8	16
2	13.33333	6	12
3	20.00000	1	2
4	26.66667	8	16
5	33.33333	6	12
6	40.00000	5	10
7	46.66667	1	2
8	53.33333	1	2
9	60.00000	12	24
10	66.66667	1	2
11	73.33333	1	2


Percent of n.Pl,f.Sg Matching Each Other



[1] "n.Pl,f.Pl"

	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	1	2
3	40.00000	2	4
4	46.66667	1	2
5	53.33333	4	8
6	60.00000	4	8
7	66.66667	11	22
8	73.33333	4	8
9	80.00000	2	4
10	86.66667	3	6
11	93.33333	1	2
12	100.00000	16	32


Percent of n.PI,f.PI Matching Each Other



[1] "m.PI,f.PI"

	Percent_Match	freq	Percent_Trials
1	76	1	2
2	88	1	2
3	92	2	4
4	96	6	12
5	100	40	80


Percent of m.PI,f.PI Matching Each Other



[1] "1,5"

	Percent_Match	freq	Percent_Trials
1	0	8	16
2	10	2	4
3	20	6	12
4	25	1	2
5	40	30	60
6	60	2	4
7	65	1	2


Percent of 1,5 Matching Each Other



[1] "2,4"


	Percent_Match	freq	Percent_Trials
1	30.00000	1	2
2	56.66667	1	2
3	60.00000	1	2
4	70.00000	4	8
5	73.33333	1	2
6	80.00000	1	2
7	83.33333	1	2
8	90.00000	8	16
9	93.33333	2	4
10	96.66667	2	4
11	100.00000	28	56

Percent of 2,4 Matching Each Other



```
[1] "Nom,Acc"
  Percent_Match freq Percent_Trials
1      57.69231    1             2
2      61.53846    1             2
3      69.23077   11            22
4      76.92308    1             2
5      84.61538    1             2
6      96.15385    1             2
7     100.00000   34            68
```


Percent of Nom,Acc Matching Each Other



[1] "Acc,Abl"

	Percent_Match	freq	Percent_Trials
1	50.00000	1	2
2	76.92308	3	6
3	80.76923	1	2
4	84.61538	4	8
5	100.00000	41	82


Percent of Acc,Abl Matching Each Other



[1] "Nom,Acc,Abl"

	Percent_Match	freq	Percent_Trials
1	46.15385	2	4
2	50.00000	1	2
3	57.69231	1	2
4	61.53846	1	2
5	69.23077	9	18
6	76.92308	1	2
7	80.76923	1	2
8	84.61538	5	10
9	100.00000	29	58


Percent of Nom,Acc,Abl Matching Each Other



[1] "Gen,Dat"

	Percent_Match	freq	Percent_Trials
1	69.23077	2	4
2	76.92308	4	8
3	80.76923	1	2
4	84.61538	2	4
5	92.30769	1	2
6	96.15385	3	6
7	100.00000	37	74


Percent of Gen,Dat Matching Each Other



[1] "nPlmPl_exclusive"


	Percent_Match	freq	Percent_Trials
1	0.000000	48	96
2	6.666667	2	4

Percent of nPlmPI_exclusive Matching Each Other




```
[1] "nPlfPl_exclusive"
Percent_Match freq Percent_Trials
1      0.000000   47             94
2      6.666667    1              2
3     20.000000    1              2
4     40.000000    1              2
```

Percent of nPlfPI_exclusive Matching Each Other




```
[1] "1Sg(Nom|Acc)_a($|,)"
Percent_Match freq Percent_Trials
1          50    4              8
2         100   46             92
```


Percent of 1Sg(Nom|Acc) ending in a(\$|,)




```
[1] "[24]Sg(Nom|Acc)_o($|,)"
Percent_Match freq Percent_Trials
1      33.33333      1           2
2     100.00000     49          98
```

Percent of [24]Sg(Nom|Acc) ending in o(\$|,)




```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
Percent_Match freq Percent_Trials
1      66.66667    2             4
2     100.00000   48            96
```

Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)




```
[1] "3Pl(Nom|Acc)_e?s($|,)"
Percent_Match freq Percent_Trials
1      0.00000   29             58
2     33.33333    1             2
3     66.66667    4             8
4     100.00000   16            32
```

Percent of 3PI(Nom|Acc) ending in e?s(\$|,)



```
[1] "[124]Pl(Nom|Acc)_s($|,)"
Percent_Match freq Percent_Trials
1          0.00  25             50
2         25.00   4              8
3         50.00   1              2
4         75.00   5             10
5         81.25   1              2
6         87.50   2              4
7        100.00  12             24
```


Percent of [124]Pl(Nom|Acc) ending in s(\$|,)



```
[1] "[24]Pl(Nom|Acc)_os($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	49	98
2	66.66667	1	2

Percent of [24]Pl(Nom|Acc) ending in os(\$|,)




```
[1] "1Pl(Nom|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0    31             62
2          25     1              2
3          50     1              2
4         100    17             34
```

Percent of 1Pl(Nom|Acc) ending in as(\$|,)



```
[1] "n.Pl(Nom|Acc)_a($|,)"
Percent_Match freq Percent_Trials
1      0.00000    37             74
2     16.66667     1              2
3     33.33333     4              8
4     66.66667     8             16
```


Percent of n.Pl(Nom|Acc) ending in a(\$|,)



[1] "n.Pl(Nom|Acc)_as(\$|,)"


	Percent_Match	freq	Percent_Trials
1	0.00000	43	86
2	33.33333	3	6
3	50.00000	1	2
4	66.66667	3	6

Percent of n.PI(Nom|Acc) ending in as(\$|,)




```
[1] "n.PI(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1           0     50             100
```

Percent of n.PI(Nom|Acc) ending in os(\$|,)




```
[1] "m.Pl(Nom|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0   31             62
2          10    1              2
3          20   17             34
4          40    1              2
```

Percent of m.Pl(Nom|Acc) ending in as(\$|,)



```
[1] "m.Pl(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          40    1              2
```



Percent of m.PI(Nom|Acc) ending in os(\$|,)



[1] "Pl(Nom|Acc)_s(\$|,)"

	Percent_Match	freq	Percent_Trials
1	0.00000	24	48
2	15.38462	1	2
3	38.46154	1	2
4	46.15385	5	10
5	53.84615	2	4
6	61.53846	2	4
7	76.92308	1	2
8	88.46154	1	2
9	92.30769	2	4
10	96.15385	1	2
11	100.00000	10	20


Percent of PI(Nom|Acc) ending in s(\$|,)



[1] "1Sg(Abl|Acc)_a(\$|,)"


	Percent_Match	freq	Percent_Trials
1	25	1	2
2	50	8	16
3	75	1	2
4	100	40	80

Percent of 1Sg(Abl|Acc) ending in a(\$|,)




```
[1] "[24]Sg(Abl|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2     100.00000   49             98
```

Percent of [24]Sg(Abl|Acc) ending in o(\$|,)




```
[1] "3Sg(Abl|Acc)_[e-]($|,)"
Percent_Match freq Percent_Trials
1      66.66667    1             2
2     100.00000   49            98
```

Percent of 3Sg(Abl|Acc) ending in [e-](\$|,)




```
[1] "3Pl(Abl|Acc)_e?s($|,)"
Percent_Match freq Percent_Trials
1      0.00000   29             58
2     33.33333    1             2
3     50.00000    1             2
4     66.66667    4             8
5     100.00000   15            30
```

Percent of 3PI(Abl|Acc) ending in e?s(\$|,)




```
[1] "[124]PI(Abl|Acc)_s($|,)"
Percent_Match freq Percent_Trials
1          0.00  25             50
2         18.75   1              2
3         25.00   3              6
4         50.00   2              4
5         75.00   6             12
6         93.75   1              2
7        100.00  12             24
```

Percent of [124]PI(Abl|Acc) ending in s(\$|,)




```
[1] "[24]PI(Abl|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2     66.66667    1              2
```

Percent of [24]PI(Abl|Acc) ending in os(\$|,)




```
[1] "1Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1           0    32             64
2          25     1              2
3          50     2              4
4          75     1              2
5         100    14             28
```

Percent of 1Pl(Abl|Acc) ending in as(\$|,)




```
[1] "n.Pl(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1      0.00000    38             76
2     33.33333     6             12
3     66.66667     6             12
```

Percent of n.Pl(Abl|Acc) ending in a(\$|,)




```
[1] "n.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   43             86
2     16.66667    1              2
3     33.33333    2              4
4     66.66667    4              8
```


Percent of n.PI(Abl|Acc) ending in as(\$|,)




```
[1] "n.PI(Abl|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1          0     50          100
```

Percent of n.PI(Abl|Acc) ending in os(\$|,)




```
[1] "m.Pl(Abl|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0   32             64
2          10    4              8
3          20   13             26
4          40    1              2
```

Percent of m.Pl(Abl|Acc) ending in as(\$|,)



```
[1] "m.Pl(Abl|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          40    1              2
```


Percent of m.PI(Abl|Acc) ending in os(\$|,)



[1] "Pl(Abl|Acc)_s(\$|,)"

	Percent_Match	freq	Percent_Trials
1	0.00000	24	48
2	11.53846	1	2
3	38.46154	1	2
4	46.15385	5	10
5	50.00000	1	2
6	53.84615	2	4
7	61.53846	2	4
8	76.92308	1	2
9	84.61538	1	2
10	92.30769	1	2
11	96.15385	1	2
12	100.00000	10	20


Percent of Pl(Abl|Acc) ending in s(\$|,)



[1] "1Sg(Nom|Acc|Abl)_a(\$|,)"


	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	50.00000	3	6
3	66.66667	5	10
4	83.33333	1	2
5	100.00000	40	80

Percent of 1Sg(Nom|Acc|Abl) ending in a(\$|,)




```
[1] "[24]Sg(Nom|Acc|Abl)_o($|,)"
Percent_Match freq Percent_Trials
1      33.33333    1             2
2     100.00000   49            98
```

Percent of [24]Sg(Nom|Acc|Abl) ending in o(\$|,)




```
[1] "3Sg(Nom|Acc|Abl)_[e-]($|,)"
Percent_Match freq Percent_Trials
1      66.66667    1             2
2      77.77778    1             2
3     100.00000   48            96
```

Percent of 3Sg(Nom|Acc|Abl) ending in [e-](\$|,)




```
[1] "3Pl(Nom|Acc|Abl)_e?s($|,)"
Percent_Match freq Percent_Trials
1      0.00000   29             58
2     33.33333    1             2
3     66.66667    5             10
4     100.00000   15             30
```

Percent of 3PI(Nom|Acc|Ab1) ending in e?s(\$|,)




```
[1] "[124]Pl(Nom|Acc|Ab1)_s($|,)"
Percent_Match freq Percent_Trials
1      0.00000    25             50
2     20.83333     1              2
3     25.00000     3              6
4     50.00000     1              2
5     66.66667     1              2
6     75.00000     5             10
7     79.16667     1              2
8     91.66667     2              4
9    100.00000    11             22
```

Percent of [124]PI(Nom|Acc|Abl) ending in s(\$|,)




```
[1] "[24]PI(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2     66.66667    1              2
```

Percent of [24]PI(Nom|Acc|Abl) ending in os(\$|,)





```
[1] "1Pl(Nom|Acc|Abl)_as($|,)"
Percent_Match freq Percent_Trials
1      0.00000   31             62
2     16.66667    1              2
3     33.33333    1              2
4     66.66667    2              4
5     83.33333    1              2
6    100.00000   14             28
```

Percent of 1Pl(Nom|Acc|Abl) ending in as(\$|,)




```
[1] "n.Pl(Nom|Acc|Abl)_a($|,)"
Percent_Match freq Percent_Trials
1      0.00000   37             74
2     11.11111    1              2
3     33.33333    4              8
4     44.44444    2              4
5     66.66667    6             12
```

Percent of n.PI(Nom|Acc|Abl) ending in a(\$|,)




```
[1] "n.PI(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   43             86
2     22.22222    1              2
3     33.33333    2              4
4     55.55556    1              2
5     66.66667    3              6
```

Percent of n.PI(Nom|Acc|Abl) ending in as(\$|,)




```
[1] "n.PI(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1          0     50          100
```

Percent of n.PI(Nom|Acc|Abl) ending in os(\$|,)




```
[1] "m.Pl(Nom|Acc|Abl)_as($|,)"
Percent_Match freq Percent_Trials
1      0.000000  31             62
2      6.666667   1              2
3     13.333333   4              8
4     20.000000  13             26
5     40.000000   1              2
```

Percent of m.Pl(Nom|Acc|Abl) ending in as(\$|,)



```
[1] "m.Pl(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1      0      49             98
2     40      1              2
```


Percent of m.PI(Nom|Acc|Abl) ending in os(\$|,)



[1] "Pl(Nom|Acc|Abl)_s(\$|,)"


	Percent_Match	freq	Percent_Trials
1	0.00000	24	48
2	12.82051	1	2
3	38.46154	1	2
4	46.15385	5	10
5	53.84615	2	4
6	61.53846	2	4
7	66.66667	1	2
8	76.92308	1	2
9	87.17949	1	2
10	94.87179	3	6
11	100.00000	9	18

Percent of Pl(Nom|Acc|Abl) ending in s(\$|,)




```
[1] "1Sg(Gen|Dat)_e($|,)"
Percent_Match freq Percent_Trials
1           0    18             36
2          25     1              2
3          50     5             10
4         100    26             52
```

Percent of 1Sg(Gen|Dat) ending in e(\$|,)




```
[1] "Pl(Gen|Dat)_s($|,)"
Percent_Match freq Percent_Trials
1      0.00000   27             54
2     30.76923    1              2
3     46.15385    4              8
4     53.84615    1              2
5     61.53846    1              2
6     76.92308    1              2
7     84.61538    1              2
8    100.00000   14             28
```

Percent of Pl(Gen|Dat) ending in s(\$|,)



```
[1] "[124]Pl(Gen|Dat)_s($|,)"
Percent_Match freq Percent_Trials
1           0    28           56
2          25     1            2
3          75     5           10
4         100    16           32
```



Percent of [124]PI(Gen|Dat) ending in s(\$|,)



[1] "Sg_not"


	Percent_Match	freq	Percent_Trials
1	32.30769	1	2
2	53.84615	1	2
3	60.00000	2	4
4	69.23077	1	2
5	70.76923	1	2
6	78.46154	1	2
7	81.53846	5	10
8	100.00000	38	76

Percent of Sg ending in nots



```
[1] "Pl_s($|,)"
  Percent_Match freq Percent_Trials
1      0.000000  24             48
2      7.692308   1              2
3     36.923077   1              2
4     40.000000   2              4
5     46.153846   4              8
6     53.846154   1              2
7     61.538462   1              2
8     63.076923   1              2
9     72.307692   1              2
10    76.923077   1              2
11    90.769231   1              2
12    92.307692   1              2
13    96.923077   2              4
14   100.000000   9             18
```


Percent of PI ending in s(\$|,)



```
[1] "[mf].Pl_s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0	24	48
2	10	1	2
3	40	5	10
4	48	1	2
5	52	1	2
6	60	2	4
7	64	1	2
8	76	1	2
9	88	1	2
10	90	1	2
11	96	1	2
12	100	11	22


Percent of [mf].Pl ending in s(\$|,)



```
[1] "[124]Pl_s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.0	24	48
2	12.5	1	2
3	15.0	1	2
4	25.0	1	2
5	30.0	1	2
6	40.0	2	4
7	55.0	1	2
8	75.0	5	10
9	87.5	1	2
10	95.0	2	4
11	100.0	11	22


Percent of [124]PI ending in s(\$|,)



```
[1] "n.Pl_s($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	29	58
2	40.00000	1	2
3	60.00000	2	4
4	66.66667	4	8
5	86.66667	1	2
6	100.00000	13	26

Percent of n.PI ending in s(\$|,)



```
[1] "1Sg_a($|,)"
Percent_Match freq Percent_Trials
1          20    1             2
2          30    3             6
3          40    5            10
4          50    1             2
5          60   40            80
```


Percent of 1Sg ending in a(\$|,)



[1] "[24]Sg_o(\$|,)"

	Percent_Match	freq	Percent_Trials
1	20.00000	1	2
2	60.00000	42	84
3	73.33333	1	2
4	76.66667	1	2
5	86.66667	1	2
6	100.00000	4	8


Percent of [24]Sg ending in o(\$|,)



```
[1] "3Sg_[e-]($|,)"
```

	Percent_Match	freq	Percent_Trials
1	40.00000	1	2
2	46.66667	1	2
3	60.00000	5	10
4	86.66667	1	2
5	100.00000	42	84


Percent of 3Sg ending in [e-](\$|,)



[1] "3Pl_e?s"


	Percent_Match	freq	Percent_Trials
1	0.00000	29	58
2	33.33333	1	2
3	40.00000	2	4
4	66.66667	3	6
5	100.00000	15	30

Percent of 3PI ending in e?s




```
[1] "[24]Pl_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          40    1              2
```

Percent of [24]PI ending in os(\$|,)




```
[1] "1Pl_as($|,)"
Percent_Match freq Percent_Trials
1          0    31             62
2         10     1              2
3         20     1              2
4         40     2              4
5         50     1              2
6         60    14             28
```

Percent of 1Pl ending in as(\$|,)



```
[1] "n.Pl_a($|,)"
Percent_Match freq Percent_Trials
1 0.000000    37             74
2 6.666667     1              2
3 20.000000     4              8
4 26.666667     2              4
5 40.000000     6             12
```


Percent of n.PI ending in a(\$|,)



```
[1] "n.PI_as($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	43	86
2	13.33333	1	2
3	20.00000	1	2
4	33.33333	2	4
5	40.00000	3	6

Percent of n.PI ending in as(\$|,)




```
[1] "n.PI_os($|,)"
Percent_Match freq Percent_Trials
1          0    50          100
```

Percent of n.PI ending in os(\$|,)




```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   31             62
2             4    1              2
3             8    4              8
4            12   13             26
5            24    1              2
```

Percent of m.Pl ending in as(\$|,)



```
[1] "m.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            24    1              2
```

Percent of m.PI ending in os(\$|,)



[1] "Sg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
3	e	48	96
1	-	36	72
8	s	8	16
4	es	6	12
5	i	2	4
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
3	e	48	96
1	-	37	74
8	s	8	16
4	es	6	12
5	i	2	4
7	os	1	2

[1] "1SgNom,Acc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
1	-	3	6

```

3      s      1      2
[1] "2SgNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o      50      100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      50      100
2      os      1      2
[1] "3SgNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      48      96
1      -      29      58
3      es      1      2
4      s      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      48      96
1      -      29      58
3      es      1      2
4      s      1      2
[1] "4SgNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o      49      98
2      os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      49      98
2      os      1      2
[1] "5SgNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      33      66
1      -      2      4
3      es      2      4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      47      94
1      -      14      28
3      es      2      4
4      s      1      2
[1] "1SgAcc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      50      100
1      -      5      10
3      e      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      50      100
1      -      8      16
3      e      1      2

```



```

4      s      1      2
[1] "2SgAcc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o      50      100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      50      100
2      os      1      2
[1] "3SgAcc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      48      96
1      -      27      54
3      es      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      48      96
1      -      27      54
3      es      1      2
[1] "4SgAcc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o      49      98
2      os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      49      98
2      os      1      2
[1] "5SgAcc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      46      92
1      -      2      4
3      es      2      4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      47      94
1      -      2      4
3      es      2      4
[1] "1SgNom,Acc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      50      100
1      -      5      10
3      e      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      50      100
1      -      8      16
3      e      1      2
4      s      1      2
[1] "2SgNom,Acc,Abl"
[1] "Endings occurring 10 times or less excluded"

```

	Suffix	freq	Percent_Trials
1	o	50	100
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
1	o	50	100
2	os	1	2
[1] "3SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	e	48	96
1	-	29	58
3	es	1	2
4	s	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	e	48	96
1	-	29	58
3	es	1	2
4	s	1	2
[1] "4SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "5SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	e	46	92
1	-	2	4
3	es	2	4
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	e	47	94
1	-	14	28
3	es	2	4
4	s	1	2
[1] "1SgGen,Dat"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	e	32	64
1	-	16	32
3	es	5	10
5	s	2	4
4	i	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	e	32	64
1	-	17	34
3	es	5	10
5	s	2	4

```

4      i      1      2
[1] "2SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      30      60
7      s       8      16
5      o       6      12
2      e       4       8
3     es       2       4
4      i       2       4
6     os       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      31      62
7      s       8      16
5      o       6      12
2      e       4       8
3     es       2       4
4      i       2       4
6     os       1       2
[1] "3SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      42      84
1      -      22      44
3     es       6      12
4      i       2       4
5      s       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      42      84
1      -      22      44
3     es       6      12
4      i       2       4
5      s       1       2
[1] "4SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      30      60
7      s       7      14
5      o       6      12
2      e       2       4
3     es       2       4
4      i       2       4
6     os       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      31      62
5      o       7      14
7      s       7      14
2      e       5      10
3     es       3       6
4      i       2       4
6     os       1       2

```

```

[1] "5SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   40           80
3     es    5           10
1      -    1            2
4      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   42           84
3     es    6           12
1      -    3            6
4      i    1            2
5      s    1            2
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50          100
6      o   50          100
1      -   37           74
4      e   33           66
3     as   19           38
8      s   19           38
5     es   14           28
7     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50          100
6      o   50          100
1      -   38           76
4      e   35           70
3     as   19           38
8      s   19           38
5     es   15           30
7     os    2            4
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50          100
5      o   50          100
3      e   33           66
1      -   29           58
4     es    1            2
6     os    1            2
7      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50          100
5      o   50          100
3      e   34           68
1      -   30           60
4     es    2            4
7      s    2            4
6     os    1            2

```

```

[1] "1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
5      e   32            64
4     as   17            34
1      -   16            32
7     es   13            26
9      s    7            14
3     ao    1             2
6     eo    1             2
8      i    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
5      e   32            64
4     as   19            38
1      -   18            36
7     es   13            26
9      s    7            14
3     ao    1             2
6     eo    1             2
8      i    1             2
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
3      e   32            64
1      -   16            32
4     es    5            10
6      s    2             4
5      i    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
3      e   32            64
1      -   18            36
4     es    5            10
6      s    2             4
5      i    1             2
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
1      -    3             6
3      s    1             2
[1] "2"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7      o   50           100
1      -   34            68

```

9	s	19	38
2	a	13	26
3	as	7	14
4	e	6	12
5	es	4	8
6	i	2	4
8	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
7	o	50	100
1	-	36	72
9	s	19	38
2	a	13	26
3	as	7	14
4	e	7	14
5	es	5	10
6	i	2	4
8	os	2	4

[1] "2Sg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
5	o	50	100
1	-	30	60
7	s	8	16
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	50	100
1	-	31	62
7	s	8	16
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "2SgNom"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	o	50	100
2	os	1	2

[1] "3"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	48	96
1	-	29	58
6	es	20	40
9	s	11	22
2	a	8	16
3	as	5	10

7	i	2	4
5	eo	1	2
8	o	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	e	48	96
1	-	29	58
6	es	20	40
9	s	11	22
2	a	8	16
3	as	5	10
7	i	2	4
5	eo	1	2
8	o	1	2
[1] "3Sg"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	48	96
1	-	29	58
3	es	6	12
4	i	2	4
5	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	48	96
1	-	29	58
3	es	6	12
4	i	2	4
5	s	1	2
[1] "3SgNom"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	33	66
1	-	29	58
3	es	1	2
4	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	33	66
1	-	29	58
3	es	1	2
4	s	1	2
[1] "4"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
5	o	49	98
1	-	35	70
7	s	18	36
2	e	6	12
3	es	5	10
4	i	2	4
6	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			

5	o	49	98
1	-	36	72
7	s	19	38
2	e	8	16
3	es	5	10
4	i	2	4
6	os	1	2

[1] "4Sg"

[1] "Endings occurring 10 times or less excluded"

Suffix	freq	Percent_Trials	
5	o	49	98
1	-	30	60
7	s	7	14
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

Suffix	freq	Percent_Trials	
5	o	49	98
1	-	31	62
7	s	7	14
2	e	5	10
3	es	3	6
4	i	2	4
6	os	1	2

[1] "4SgNom"

[1] "Endings occurring 10 times or less excluded"

Suffix	freq	Percent_Trials	
1	o	49	98
2	os	1	2

[1] "All Endings Included"

Suffix	freq	Percent_Trials	
1	o	49	98
2	os	1	2

[1] "5"

[1] "Endings occurring 10 times or less excluded"

Suffix	freq	Percent_Trials	
2	e	46	92
4	es	19	38
1	-	10	20
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "All Endings Included"

Suffix	freq	Percent_Trials	
2	e	47	94
4	es	20	40
1	-	14	28
6	s	5	10
3	eo	1	2
5	i	1	2

[1] "5Sg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	46	92
3	es	5	10
1	-	4	8
4	i	1	2
5	s	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	e	47	94
1	-	14	28
3	es	6	12
4	i	1	2
5	s	1	2
[1] "5SgNom"			
[1] "Endings occuring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	e	33	66
1	-	14	28
3	es	1	2
4	s	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	e	34	68
1	-	14	28
3	es	2	4
4	s	1	2
[1] "m"			
[1] "Endings occuring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
8	o	50	100
4	e	48	96
1	-	37	74
2	a	24	48
6	es	20	40
10	s	19	38
7	i	2	4
3	as	1	2
5	eo	1	2
9	os	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
9	o	50	100
5	e	48	96
2	a	46	92
1	-	38	76
7	es	20	40
4	as	19	38
11	s	19	38
8	i	2	4
10	os	2	4
3	ao	1	2
6	eo	1	2
[1] "mSg"			
[1] "Endings occuring 10 times or less excluded"			

	Suffix	freq	Percent_Trials
5	o	50	100
2	e	48	96
1	-	33	66
7	s	8	16
3	es	6	12
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
6	o	50	100
3	e	48	96
2	a	46	92
1	-	34	68
8	s	8	16
4	es	6	12
5	i	2	4
7	os	1	2

[1] "mSgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	50	100
2	e	33	66
1	-	17	34
4	os	1	2
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	50	100
2	a	46	92
3	e	34	68
1	-	18	36
7	s	2	4
4	es	1	2
6	os	1	2

[1] "m1SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>	(or 0-length row.names)		

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	46	92
1	-	3	6
3	s	1	2

[1] "m2SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "m3SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

```

2      e  33      66
1      -  17      34
3      s   1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e  33      66
1      -  17      34
3      s   1       2
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o  49      98
2     os   1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o  49      98
2     os   1       2
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e  34      68
1      -  14      28
3     es   1       2
4      s   1       2
[1] "f"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a  50     100
5      e  47      94
1      -  29      58
7     es  20      40
4     as  17      34
11     s  17      34
9      o   9      18
3     ao   1       2
6     eo   1       2
8      i   1       2
10    os   1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a  50     100
9      o  49      98
5      e  47      94
1      -  38      76
7     es  20      40
11     s  19      38
4     as  18      36
3     ao   1       2
6     eo   1       2
8      i   1       2
10    os   1       2

```

```

[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
3      e   47           94
1      -   21           42
6      o    7           14
4     es    6           12
8      s    2            4
5      i    1            2
7     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
6      o   49           98
3      e   47           94
1      -   34           68
8      s    8           16
4     es    6           12
5      i    1            2
7     os    1            2
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
3      e   32           64
1      -   16           32
4     es    1            2
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
5      o   49           98
3      e   33           66
1      -   17           34
4     es    2            4
6     os    1            2
7      s    1            2
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a   50           100
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49           98
2     os    1            2
[1] "f3SgNom"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   32             64
1      -   16             32
3     es    1              2
4      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   32             64
1      -   17             34
3     es    1              2
4      s    1              2
[1] "f4SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "f5SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   33             66
1      -   14             28
3     es    2              4
4      s    1              2
[1] "n"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
7      o   50            100
1      -   39             78
4      e   29             58
8      s   17             34
2      a   13             26
5     es   11             22
3     as    7             14
6      i    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
7      o   50            100
1      -   39             78
4      e   31             62
9      s   17             34
2      a   13             26
5     es   11             22
3     as    7             14
6      i    2              4
8     os    1              2
[1] "nSg"
[1] "Endings occurring 10 times or less excluded"

```

	Suffix	freq	Percent_Trials
5	o	50	100
1	-	36	72
2	e	29	58
6	s	8	16
3	es	5	10
4	i	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	50	100
1	-	36	72
2	e	29	58
7	s	8	16
3	es	5	10
4	i	2	4
6	os	1	2

[1] "nSgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	50	100
1	-	28	56
2	e	21	42
4	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	o	50	100
1	-	29	58
2	e	21	42
4	os	1	2
5	s	1	2

[1] "n2SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "n3SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	28	56
2	e	21	42
3	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	29	58
2	e	21	42
3	s	1	2

[1] "n4SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>			(or 0-length row.names)

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

1	o	49	98
2	os	1	2

[1] "Acc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
4	e	48	96
1	-	36	72
5	es	20	40
3	as	19	38
8	s	19	38
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
4	e	48	96
1	-	38	76
5	es	20	40
3	as	19	38
8	s	19	38
7	os	1	2

[1] "AccSg"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	50	100
3	e	48	96
1	-	27	54
4	es	1	2
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	50	100
3	e	48	96
1	-	29	58
4	es	2	4
6	os	1	2
7	s	1	2

[1] "1SgAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
1	-	3	6
3	s	1	2

[1] "2SgAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	50	100

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50             100
2     os    1              2
[1] "3SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   48             96
1      -   27             54
3     es    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   48             96
1      -   27             54
3     es    1              2
[1] "4SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "5SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   46             92
1      -    2              4
3     es    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   47             94
1      -    2              4
3     es    2              4
[1] "mSgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   50             100
2      e   48             96
1      -    2              4
4     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o   50             100
3      e   48             96
2      a   46             92
1      -    5             10
4     es    1              2
6     os    1              2
7      s    1              2
[1] "m1SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials

```



```

<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   46             92
1      -    3              6
3      s    1              2
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50            100
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   48             96
1      -    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   48             96
1      -    2              4
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   47             94
1      -    2              4
3     es    1              2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50            100
3      e   47             94
1      -    2              4
4     es    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50            100
5      o   49             98
3      e   47             94
1      -    3              6
4     es    2              4

```

```

6      os      1          2
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      a      50          100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      a      50          100
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      49          98
2      os      1          2
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      47          94
1      -       2           4
3      es      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      47          94
1      -       3           6
3      es      1           2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      49          98
2      os      1          2
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      46          92
1      -       2           4
3      es      2           4
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o      50          100
1      -      27           54
2      e      23           46
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o      50          100
1      -      27           54

```

```

2      e    23          46
4      os    1          2
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o    50          100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o    50          100
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    27          54
2      e    23          46
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    27          54
2      e    23          46
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o    49          98
2      os    1          2
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e    40          80
1      -    31          62
6      es   17          34
10     s    17          34
8      o     8          16
7      i     2           4
2      a     1           2
3      as    1           2
5      eo    1           2
9      os    1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e    40          80
1      -    32          64
6      es   17          34
10     s    17          34
8      o     8          16
7      i     2           4
2      a     1           2
3      as    1           2
5      eo    1           2
9      os    1           2
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```

2	e	40	80
1	-	31	62
7	s	8	16
5	o	7	14
3	es	5	10
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	40	80
1	-	32	64
7	s	8	16
5	o	7	14
3	es	5	10
4	i	2	4
6	os	1	2

[1] "1SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	26	52
1	-	16	32
3	es	5	10
5	s	2	4
4	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	26	52
1	-	17	34
3	es	5	10
5	s	2	4
4	i	1	2

[1] "2SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	8	16
5	o	6	12
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
7	s	8	16
5	o	6	12
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "3SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	40	80

1	-	22	44
3	es	5	10
4	i	2	4
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	40	80
1	-	22	44
3	es	5	10
4	i	2	4
5	s	1	2

[1] "4SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
7	s	7	14
5	o	6	12
2	e	5	10
3	es	3	6
4	i	2	4
6	os	1	2

[1] "5SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

[1] "mSgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	40	80
1	-	30	60
7	s	8	16
5	o	7	14
3	es	5	10
4	i	2	4

```

6      os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     40      80
1      -     30      60
7      s      8      16
5      o      7      14
3      es     5      10
4      i      2       4
6      os     1       2
[1] "m1SgGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     26      52
1      -     16      32
3      es     5      10
5      s      2       4
4      i      1       2
[1] "m2SgGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     29      58
7      s      8      16
5      o      6      12
2      e      4       8
3      es     2       4
4      i      2       4
6      os     1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     29      58
7      s      8      16
5      o      6      12
2      e      4       8
3      es     2       4
4      i      2       4
6      os     1       2
[1] "m3SgGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     40      80
3      es     5      10
1      -      3       6
4      i      1       2
5      s      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     40      80
3      es     5      10
1      -      3       6
4      i      1       2

```

```

5      s      1      2
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      30      60
7      s      7      14
5      o      6      12
2      e      2      4
3      es     2      4
4      i      2      4
6      os     1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      30      60
7      s      7      14
5      o      6      12
2      e      2      4
3      es     2      4
4      i      2      4
6      os     1      2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     40      80
3      es     5      10
1      -      3       6
4      i      1       2
5      s      1       2
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     40      80
1      -     17      34
3      es     5      10
5      s      2       4
4      i      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     40      80
1      -     31      62
7      s      8      16
5      o      7      14
3      es     5      10
4      i      1       2
6      os     1       2
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     26      52
1      -     16      32
3      es     5      10

```

```

5      s      2      4
4      i      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     26      52
1      -     17      34
3      es      5      10
5      s      2      4
4      i      1      2
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     30      60
7      s      8      16
5      o      6      12
2      e      3      6
3      es      1      2
4      i      1      2
6      os      1      2
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     40      80
3      es      5      10
1      -      3      6
4      i      1      2
5      s      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     40      80
3      es      5      10
1      -      4      8
4      i      1      2
5      s      1      2
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     31      62
7      s      7      14
5      o      6      12
2      e      2      4
3      es      2      4
4      i      1      2
6      os      1      2
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)

```



```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   40             80
3     es    5             10
1      -    3              6
4      i    1              2
5      s    1              2
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   31             62
2      e   20             40
6      s    8             16
3     es    5             10
5      o    4              8
4      i    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31             62
2      e   20             40
6      s    8             16
3     es    5             10
5      o    4              8
4      i    2              4
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
6      s    8             16
2      e    4              8
5      o    4              8
3     es    2              4
4      i    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30             60
6      s    8             16
2      e    4              8
5      o    4              8
3     es    2              4
4      i    2              4
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   22             44
2      e   20             40
3     es    5             10
4      i    2              4
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22             44
2      e   20             40
3     es    5             10

```

```

4      i      2      4
5      s      1      2
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29           58
6      s    7           14
2      e    5           10
5      o    4            8
3      es    3            6
4      i    2            4
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e   42           84
1      -   31           62
6      es   18           36
10     s   17           34
8      o    8           16
7      i    2            4
2      a    1            2
3      as    1            2
5      eo    1            2
9      os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   42           84
1      -   32           64
6      es   18           36
10     s   17           34
8      o    8           16
7      i    2            4
2      a    1            2
3      as    1            2
5      eo    1            2
9      os    1            2
[1] "DatSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   42           84
1      -   31           62
7      s    8           16
5      o    7           14
3      es    6           12
4      i    2            4
6      os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   42           84
1      -   32           64
7      s    8           16

```

5	o	7	14
3	es	6	12
4	i	2	4
6	os	1	2

[1] "1SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	32	64
1	-	11	22
3	es	5	10
5	s	2	4
4	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	32	64
1	-	11	22
3	es	5	10
5	s	2	4
4	i	1	2

[1] "2SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	8	16
5	o	6	12
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
7	s	8	16
5	o	6	12
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "3SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	15	30
3	es	6	12
4	i	2	4
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	15	30
3	es	6	12
4	i	2	4
5	s	1	2

[1] "4SgDat"

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
7      s    7             14
5      o    6             12
2      e    2              4
3     es    2              4
4      i    2              4
6     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31             62
5      o    7             14
7      s    7             14
2      e    4              8
3     es    3              6
4      i    2              4
6     os    1              2
[1] "5SgDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   42             84
3     es    6             12
1      -    1              2
4      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   42             84
3     es    6             12
1      -    1              2
4      i    1              2
[1] "mSgDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   42             84
1      -   30             60
7      s    8             16
5      o    7             14
3     es    6             12
4      i    2              4
6     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   42             84
1      -   30             60
7      s    8             16
5      o    7             14
3     es    6             12
4      i    2              4
6     os    1              2
[1] "m1SgDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   32             64
1      -   10             20
3     es    5             10
5      s    2              4
4      i    1              2
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29             58
7      s    8             16
5      o    6             12
2      e    4              8
3     es    2              4
4      i    2              4
6     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29             58
7      s    8             16
5      o    6             12
2      e    4              8
3     es    2              4
4      i    2              4
6     os    1              2
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   42             84
3     es    6             12
1      -    1              2
4      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   42             84
3     es    6             12
1      -    1              2
4      i    1              2
[1] "m4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
7      s    7             14
5      o    6             12
2      e    2              4
3     es    2              4
4      i    2              4
6     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30             60
5      o    7             14
7      s    7             14

```

```

2      e      2      4
3     es      2      4
4      i      2      4
6     os      1      2
[1] "m5SgDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    42      84
3     es     6     12
1      -     1      2
4      i     1      2
[1] "fSgDat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    42      84
1      -    11     22
3     es     6     12
5      s     2      4
4      i     1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    42      84
1      -    31     62
7      s     8     16
5      o     7     14
3     es     6     12
4      i     1      2
6     os     1      2
[1] "f1SgDat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    32     64
1      -    11     22
3     es     5     10
5      s     2      4
4      i     1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    32     64
1      -    11     22
3     es     5     10
5      s     2      4
4      i     1      2
[1] "f2SgDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    30     60
7      s     8     16

```

```

5      o      6      12
2      e      3      6
3     es      1      2
4      i      1      2
6     os      1      2
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e  42           84
3     es   6           12
1      -   1            2
4      i   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  42           84
3     es   6           12
1      -   1            2
4      i   1            2
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -  31           62
7      s   7           14
5      o   6           12
2      e   2            4
3     es   2            4
4      i   1            2
6     os   1            2
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  42           84
3     es   6           12
1      -   1            2
4      i   1            2
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -  31           62
2      e  27           54
6      s   8           16
3     es   5           10
5      o   4            8
4      i   2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -  31           62
2      e  27           54

```

```

6      s      8      16
3      es     5      10
5      o      5      10
4      i      2       4
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    30          60
6      s      8          16
2      e      4           8
5      o      4           8
3      es     2           4
4      i      2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    30          60
6      s      8          16
2      e      4           8
5      o      4           8
3      es     2           4
4      i      2           4
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e     27          54
1      -     15          30
3      es      5          10
4      i      2           4
5      s      1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e     27          54
1      -     15          30
3      es      5          10
4      i      2           4
5      s      1           2
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -     29          58
6      s      7          14
5      o      5          10
2      e      4           8
3      es      3           6
4      i      2           4
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8      o     50          100
5      e     48           96
2      a     44           88

```


1	-	37	74
7	es	19	38
10	s	18	36
4	as	16	32
3	ao	1	2
6	eo	1	2
9	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
8	o	50	100
5	e	48	96
2	a	44	88
1	-	37	74
7	es	19	38
10	s	18	36
4	as	16	32
3	ao	1	2
6	eo	1	2
9	os	1	2

[1] "AblSg"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
5	o	50	100
3	e	48	96
2	a	44	88
1	-	28	56
4	es	1	2
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	50	100
3	e	48	96
2	a	44	88
1	-	30	60
4	es	2	4
6	os	1	2
7	s	1	2

[1] "1SgAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	44	88
1	-	5	10
3	e	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	44	88
1	-	8	16
3	e	1	2
4	s	1	2

[1] "2SgAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	o	50	100
2	os	1	2
[1] "3SgAbl"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	e	48	96
1	-	26	52
3	es	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	e	48	96
1	-	26	52
3	es	1	2
[1] "4SgAbl"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "5SgAbl"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	e	46	92
1	-	2	4
3	es	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	e	47	94
1	-	2	4
3	es	2	4
[1] "mSgAbl"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
3	o	50	100
2	e	48	96
1	-	2	4
4	os	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
5	o	50	100
3	e	48	96
2	a	41	82
1	-	9	18
4	es	1	2
6	os	1	2
7	s	1	2
[1] "m1SgAbl"			
[1] "Endings occurring 10 times or less excluded"			
[1] Suffix freq Percent_Trials			
<0 rows> (or 0-length row.names)			

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   41             82
1      -    8             16
3      e    1              2
4      s    1              2
[1] "m2SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50            100
[1] "m3SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   48             96
1      -    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   48             96
1      -    2              4
[1] "m4SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "m5SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   47             94
1      -    2              4
3     es    1              2
[1] "fSgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   47             94
2      a   44             88
1      -    6             12
4     es    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o   49             98
3      e   47             94
2      a   44             88
1      -    7             14
4     es    2              4

```

```

6      os      1          2
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     44          88
1      -      5          10
3      e      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     44          88
1      -      5          10
3      e      1           2
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o     49          98
2      os      1           2
[1] "f3SgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     47          94
1      -      2           4
3      es      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     47          94
1      -      3           6
3      es      1           2
[1] "f4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o     49          98
2      os      1           2
[1] "f5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     46          92
1      -      2           4
3      es      2           4
[1] "nSgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o     50          100
1      -     26           52
2      e     24           48

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   50             100
1      -   26             52
2      e   24             48
4     os    1              2
[1] "n2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50             100
[1] "n3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   26             52
2      e   24             48
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26             52
2      e   24             48
[1] "n4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   35             70
5      e   30             60
1      -   28             56
7     es   20             40
4     as   19             38
11     s   19             38
9      o    7             14
3     ao    1              2
6     eo    1              2
8      i    1              2
10    os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   35             70
5      e   31             62
1      -   29             58
7     es   20             40
4     as   19             38
11     s   19             38
9      o    8             16
10    os    2              4

```

3	ao	1	2
6	eo	1	2
8	i	1	2
[1] "1PlNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	30	60
3	as	17	34
4	s	2	4
1	-	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	31	62
3	as	19	38
4	s	2	4
1	-	1	2
[1] "2PlNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	-	25	50
8	s	18	36
2	a	13	26
3	as	6	12
6	o	6	12
4	e	2	4
5	es	2	4
7	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	26	52
8	s	18	36
2	a	13	26
3	as	6	12
6	o	6	12
4	e	2	4
5	es	2	4
7	os	2	4
[1] "3PlNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
4	e	29	58
5	es	20	40
1	-	15	30
6	s	11	22
2	a	8	16
3	as	5	10
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	e	29	58
5	es	20	40
1	-	15	30
6	s	11	22
2	a	8	16
3	as	5	10

```

[1] "4PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24           48
6      s   18           36
4      o    6           12
2      e    1            2
3     es    1            2
5     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26           52
6      s   19           38
4      o    6           12
2      e    4            8
3     es    2            4
5     os    1            2
[1] "5PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   21           42
3     es   15           30
1      -    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   29           58
3     es   20           40
1      -    9           18
4      s    5           10
[1] "1PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   31           62
4     as   17           34
1      -    4            8
6      s    4            8
3     ao    1            2
5      e    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   31           62
4     as   18           36
1      -    4            8
6      s    4            8
3     ao    1            2
5      e    1            2
[1] "2PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25           50
8      s   18           36
2      a   12           24
6      o    7           14
3     as    6           12

```

4	e	2	4
5	es	2	4
7	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	26	52
8	s	18	36
2	a	12	24
6	o	8	16
3	as	6	12
4	e	2	4
5	es	2	4
7	os	1	2
[1] "3PlAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
4	e	29	58
6	es	20	40
1	-	14	28
2	a	8	16
8	s	7	14
3	as	5	10
5	eo	1	2
7	o	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	e	29	58
6	es	20	40
1	-	14	28
2	a	8	16
8	s	7	14
3	as	5	10
5	eo	1	2
7	o	1	2
[1] "4PlAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	-	24	48
6	s	18	36
4	o	7	14
2	e	1	2
3	es	1	2
5	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	26	52
6	s	19	38
4	o	7	14
2	e	3	6
3	es	2	4
5	os	1	2
[1] "5PlAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			

2	e	29	58
3	es	18	36
1	-	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	29	58
4	es	20	40
1	-	2	4
3	eo	1	2
[1] "1PlNom,Acc,Abl"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	31	62
4	as	17	34
1	-	4	8
6	s	4	8
3	ao	1	2
5	e	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	31	62
4	as	19	38
1	-	4	8
6	s	4	8
3	ao	1	2
5	e	1	2
[1] "2PlNom,Acc,Abl"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	-	25	50
8	s	18	36
2	a	13	26
6	o	7	14
3	as	6	12
4	e	2	4
5	es	2	4
7	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	26	52
8	s	18	36
2	a	13	26
6	o	8	16
3	as	6	12
4	e	2	4
5	es	2	4
7	os	2	4
[1] "3PlNom,Acc,Abl"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
4	e	29	58
6	es	20	40
1	-	15	30
8	s	11	22

2	a	8	16
3	as	5	10
5	eo	1	2
7	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	29	58
6	es	20	40
1	-	15	30
8	s	11	22
2	a	8	16
3	as	5	10
5	eo	1	2
7	o	1	2

[1] "4PlNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	18	36
4	o	7	14
2	e	1	2
3	es	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
6	s	19	38
4	o	7	14
2	e	4	8
3	es	2	4
5	os	1	2

[1] "5PlNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	29	58
3	es	19	38
1	-	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	20	40
1	-	9	18
5	s	5	10
3	eo	1	2

[1] "1PlGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	22	44
5	es	13	26
1	-	11	22
7	s	7	14
2	a	1	2
4	eo	1	2
6	i	1	2

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   22             44
5     es   13             26
1      -   12             24
7      s    7             14
2      a    1              2
4     eo    1              2
6      i    1              2
[1] "2PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   22             44
7      s   17             34
3      e    6             12
4     es    4              8
6      o    3              6
2     as    1              2
5      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22             44
7      s   17             34
3      e    7             14
4     es    5             10
6      o    3              6
2     as    1              2
5      i    1              2
[1] "3PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28             56
4     es   18             36
1      -   16             32
7      s    8             16
3     eo    1              2
5      i    1              2
6      o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28             56
4     es   18             36
1      -   16             32
7      s    8             16
3     eo    1              2
5      i    1              2
6      o    1              2
[1] "4PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   20             40
6      s   16             32
2      e    6             12
3     es    5             10

```

```

5      o      2          4
4      i      1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     21          42
6      s     16          32
2      e      7          14
3     es      5          10
5      o      3           6
4      i      1           2
[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     28          56
4     es     16          32
1      -      2           4
3     eo      1           2
5      i      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     29          58
4     es     17          34
1      -      3           6
3     eo      1           2
5      i      1           2
6      s      1           2
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     35          70
1      -     26          52
4      e     21          42
3     as     19          38
8      s     19          38
5     es     14          28
6      o      5          10
7     os      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     35          70
1      -     27          54
4      e     22          44
3     as     19          38
8      s     19          38
5     es     15          30
6      o      5          10
7     os      2           4
[1] "1Pl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     31          62
5      e     22          44
4     as     17          34
7     es     13          26

```

1	-	11	22
9	s	7	14
3	ao	1	2
6	eo	1	2
8	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	31	62
5	e	22	44
4	as	19	38
7	es	13	26
1	-	12	24
9	s	7	14
3	ao	1	2
6	eo	1	2
8	i	1	2

[1] "1PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	30	60
3	as	17	34
4	s	2	4
1	-	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	31	62
3	as	19	38
4	s	2	4
1	-	1	2

[1] "2Pl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	26	52
9	s	19	38
2	a	13	26
3	as	7	14
7	o	7	14
4	e	6	12
5	es	4	8
6	i	1	2
8	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	27	54
9	s	19	38
2	a	13	26
7	o	8	16
3	as	7	14
4	e	7	14
5	es	5	10
8	os	2	4
6	i	1	2

[1] "2PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	24	48
8	s	18	36
2	a	13	26
3	as	5	10
6	o	4	8
4	e	2	4
5	es	2	4
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	25	50
8	s	18	36
2	a	13	26
3	as	5	10
6	o	4	8
4	e	2	4
5	es	2	4
7	os	2	4

[1] "3Pl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
6	es	20	40
1	-	17	34
9	s	11	22
2	a	8	16
3	as	5	10
5	eo	1	2
7	i	1	2
8	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	29	58
6	es	20	40
1	-	17	34
9	s	11	22
2	a	8	16
3	as	5	10
5	eo	1	2
7	i	1	2
8	o	1	2

[1] "3PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	21	42
1	-	15	30
5	es	14	28
6	s	11	22
2	a	8	16
3	as	5	10

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	21	42

1	-	15	30
5	es	14	28
6	s	11	22
2	a	8	16
3	as	5	10

[1] "4Pl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	26	52
7	s	18	36
5	o	7	14
2	e	6	12
3	es	5	10
4	i	1	2
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	27	54
7	s	19	38
2	e	8	16
5	o	7	14
3	es	5	10
4	i	1	2
6	os	1	2

[1] "4PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	18	36
4	o	5	10
2	e	1	2
3	es	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
6	s	19	38
4	o	5	10
2	e	4	8
3	es	2	4
5	os	1	2

[1] "5Pl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	30	60
4	es	19	38
1	-	3	6
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	30	60
4	es	20	40

1	-	9	18
6	s	5	10
3	eo	1	2
5	i	1	2

[1] "5PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	15	30
1	-	9	18
4	s	5	10

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	15	30
1	-	9	18
4	s	5	10

[1] "mPl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
1	-	26	52
6	es	20	40
10	s	19	38
8	o	7	14
2	a	1	2
3	as	1	2
5	eo	1	2
7	i	1	2
9	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	30	60
5	e	30	60
1	-	27	54
7	es	20	40
4	as	19	38
11	s	19	38
9	o	8	16
10	os	2	4
3	ao	1	2
6	eo	1	2
8	i	1	2

[1] "mPlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	25	50
4	e	21	42
8	s	19	38
5	es	14	28
6	o	5	10
2	a	1	2
3	as	1	2
7	os	1	2


```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   28             56
1      -   25             50
4      e   21             42
3     as   19             38
8      s   19             38
5     es   15             30
6      o    5             10
7     os    2              4
[1] "m1PlNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   28             56
3     as   19             38
4      s    2              4
1      -    1              2
[1] "m2PlNom"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   23             46
8      s   18             36
6      o    4              8
4      e    2              4
5     es    2              4
2      a    1              2
3     as    1              2
7     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   24             48
8      s   18             36
6      o    4              8
4      e    2              4
5     es    2              4
7     os    2              4
2      a    1              2
3     as    1              2
[1] "m3PlNom"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   21             42
3     es   14             28
1      -   10             20
4      s    6             12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   21             42
3     es   14             28
1      -   10             20
4      s    6             12

```

```

[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24           48
6      s   18           36
4      o    5           10
2      e    1            2
3     es    1            2
5     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   24           48
6      s   19           38
4      o    5           10
2      e    1            2
3     es    1            2
5     os    1            2
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   21           42
3     es   15           30
1      -    9           18
4      s    5           10
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   31           62
5      e   30           60
1      -   21           42
7     es   20           40
4     as   17           34
10     s   17           34
9      o    2            4
3     ao    1            2
6     eo    1            2
8      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32           64
5      e   30           60
1      -   27           54
7     es   20           40
11     s   19           38
4     as   18           36
9      o    6           12
3     ao    1            2
6     eo    1            2
8      i    1            2
10     os    1            2
[1] "fPlNom"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   30             60
4      e   21             42
3     as   17             34
5     es   14             28
1      -    9             18
6      s    8             16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32             64
1      -   26             52
4      e   21             42
8      s   19             38
3     as   18             36
5     es   15             30
6      o    4              8
7     os    1              2
[1] "f1PlNom"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   30             60
3     as   17             34
4      s    2              4
1      -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   31             62
3     as   18             36
4      s    2              4
1      -    1              2
[1] "f2PlNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22             44
8      s   18             36
2      a    3              6
6      o    3              6
3     as    1              2
4      e    1              2
5     es    1              2
7     os    1              2
[1] "f3PlNom"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   21             42
3     es   14             28
1      -    9             18
4      s    6             12
[1] "All Endings Included"
  Suffix freq Percent_Trials

```

```

2      e    21      42
3     es    14      28
1      -     9      18
4      s     6      12
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    25          50
6      s    18          36
4      o     4           8
2      e     1           2
3     es     1           2
5     os     1           2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    21          42
3     es    15          30
1      -     9          18
4      s     5          10
[1] "nP1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    26          52
4      e    19          38
8      s    17          34
2      a    13          26
5     es    11          22
3     as     7          14
7      o     4           8
6      i     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    28          56
4      e    21          42
8      s    17          34
2      a    13          26
5     es    11          22
3     as     7          14
7      o     5          10
6      i     1           2
[1] "nP1Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    19          38
2      a    13          26
7      s    13          26
4      e    12          24

```

3	as	7	14
5	es	4	8
6	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
7	s	17	34
4	e	16	32
2	a	13	26
3	as	7	14
5	es	6	12
6	o	3	6

[1] "n2PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	17	34
2	a	13	26
6	s	13	26
3	as	5	10
4	e	1	2
5	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	17	34
2	a	13	26
6	s	13	26
3	as	5	10
4	e	1	2
5	o	1	2

[1] "n3PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	13	26
4	e	12	24
2	a	8	16
6	s	8	16
3	as	5	10
5	es	4	8

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	13	26
4	e	12	24
2	a	8	16
6	s	8	16
3	as	5	10
5	es	5	10

[1] "n4PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>			(or 0-length row.names)

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
5	s	17	34

2	e	4	8
4	o	3	6
3	es	1	2

[1] "AccPl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	34	68
4	e	29	58
1	-	26	52
5	es	20	40
3	as	19	38
8	s	19	38
6	o	6	12
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	34	68
4	e	30	60
1	-	28	56
5	es	20	40
3	as	19	38
8	s	19	38
6	o	6	12
7	os	1	2

[1] "1PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	30	60
3	as	17	34
4	s	2	4
1	-	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	30	60
3	as	18	36
4	s	2	4
1	-	1	2

[1] "2PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	23	46
8	s	18	36
2	a	12	24
3	as	6	12
6	o	6	12
4	e	2	4
5	es	2	4
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	25	50
8	s	18	36
2	a	12	24
3	as	6	12

6	o	6	12
4	e	2	4
5	es	2	4
7	os	1	2

[1] "3PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
5	es	20	40
1	-	13	26
2	a	8	16
6	s	7	14
3	as	5	10

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	29	58
5	es	20	40
1	-	13	26
2	a	8	16
6	s	7	14
3	as	5	10

[1] "4PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	23	46
6	s	18	36
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	19	38
4	o	6	12
2	e	3	6
3	es	2	4
5	os	1	2

[1] "5PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	28	56
3	es	19	38
1	-	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	29	58
3	es	20	40
1	-	2	4

[1] "mPlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
1	-	25	50

```

5      es  20          40
8      s  19          38
6      o   6          12
2      a   1           2
3     as   1           2
7     os   1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    29           58
4      e    29           58
1      -    26           52
5     es    20           40
8      s    19           38
3     as    18           36
6      o     6           12
7     os     1            2
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    29           58
3     as    18           36
4      s     2            4
1      -     1            2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    22           44
8      s    18           36
6      o     6           12
4      e     2            4
5     es     2            4
2      a     1            2
3     as     1            2
7     os     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    24           48
8      s    18           36
6      o     6           12
4      e     2            4
5     es     2            4
2      a     1            2
3     as     1            2
7     os     1            2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    29           58
3     es    20           40
1      -     2            4
[1] "All Endings Included"

```


	Suffix	freq	Percent_Trials
2	e	29	58
3	es	20	40
1	-	2	4

[1] "m4PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	23	46
6	s	18	36
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	23	46
6	s	19	38
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "m5PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>	(or 0-length row.names)		

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	28	56
3	es	20	40
1	-	2	4

[1] "fPlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	30	60
4	e	28	56
5	es	20	40
3	as	17	34
1	-	2	4
6	s	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	31	62
4	e	29	58
1	-	26	52
5	es	20	40
8	s	19	38
3	as	17	34
6	o	5	10
7	os	1	2

[1] "f1PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	30	60
3	as	17	34

```

4      s      2      4
1      -      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     30      60
3     as     17      34
4      s      2      4
1      -      1      2
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     21      42
8      s     18      36
6      o      4       8
2      a      3       6
3     as      1       2
4      e      1       2
5     es      1       2
7     os      1       2
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     28      56
3     es     20      40
1      -      2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     28      56
3     es     20      40
1      -      3       6
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     24      48
6      s     18      36
4      o      5      10
2      e      1       2
3     es      1       2
5     os      1       2
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     29      58
3     es     19      38
1      -      2       4

```

```

[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   19           38
7       s   13           26
2       a   12           24
4       e   12           24
3      as    7           14
5      es    5           10
6       o    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26           52
7       s   17           34
4       e   15           30
2       a   12           24
3      as    7           14
5      es    7           14
6       o    4            8
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   16           32
6       s   13           26
2       a   12           24
3      as    6           12
5       o    2            4
4       e    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   16           32
6       s   13           26
2       a   12           24
3      as    6           12
5       o    2            4
4       e    1            2
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   13           26
4       e   12           24
2       a    8           16
6       s    7           14
3      as    5           10
5      es    5           10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   13           26
4       e   12           24
2       a    8           16
6       s    7           14
3      as    5           10
5      es    5           10
[1] "n4PlAcc"

```

```

[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25             50
5      s   17             34
4      o    4              8
2      e    3              6
3     es    2              4
[1] "GenPl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e   27             54
1      -   22             44
6     es   17             34
9      s   17             34
8      o    3              6
2      a    1              2
3     as    1              2
5     eo    1              2
7      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   28             56
1      -   22             44
6     es   17             34
9      s   17             34
8      o    3              6
2      a    1              2
3     as    1              2
5     eo    1              2
7      i    1              2
[1] "1PlGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   18             36
1      -   11             22
5     es   11             22
7      s    7             14
2      a    1              2
4     eo    1              2
6      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   18             36
1      -   12             24
5     es   11             22
7      s    7             14
2      a    1              2
4     eo    1              2
6      i    1              2
[1] "2PlGen"
[1] "Endings occurring 10 times or less excluded"

```

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	17	34
3	e	6	12
4	es	4	8
6	o	3	6
2	as	1	2
5	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	17	34
3	e	6	12
4	es	4	8
6	o	3	6
2	as	1	2
5	i	1	2

[1] "3PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	27	54
4	es	17	34
1	-	16	32
7	s	8	16
3	eo	1	2
5	i	1	2
6	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	27	54
4	es	17	34
1	-	16	32
7	s	8	16
3	eo	1	2
5	i	1	2
6	o	1	2

[1] "4PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	21	42
6	s	16	32
2	e	7	14
3	es	5	10
5	o	3	6
4	i	1	2

[1] "5PlGen"

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28             56
4     es   16             32
1      -    3              6
3     eo    1              2
5      i    1              2
6      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28             56
4     es   16             32
1      -    3              6
3     eo    1              2
5      i    1              2
6      s    1              2
[1] "mPlGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   27             54
1      -   20             40
4     es   17             34
7      s   17             34
6      o    3              6
3     eo    1              2
5      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   28             56
1      -   21             42
5     es   17             34
8      s   17             34
7      o    3              6
2      a    1              2
4     eo    1              2
6      i    1              2
[1] "m1PlGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   18             36
1      -   11             22
5     es   11             22
7      s    7             14
2      a    1              2
4     eo    1              2
6      i    1              2
[1] "m2PlGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   19             38
6      s   17             34

```

```

2      e      6      12
3     es      4      8
5      o      3      6
4      i      1      2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    20             40
6      s    17             34
2      e      6             12
3     es      4              8
5      o      3              6
4      i      1              2
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    27             54
4     es    17             34
1      -      3              6
3     eo      1              2
5      i      1              2
6      s      1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    27             54
4     es    17             34
1      -      3              6
3     eo      1              2
5      i      1              2
6      s      1              2
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    20             40
6      s    16             32
2      e      6             12
3     es      5             10
5      o      2              4
4      i      1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    20             40
6      s    16             32
2      e      6             12
3     es      5             10
5      o      3              6
4      i      1              2
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    28             56
4     es    16             32

```

```

1      -      3      6
3      eo     1      2
5      i      1      2
6      s      1      2
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e    27      54
5      es   17      34
1      -    12      24
7      s     7      14
2      a     1       2
4      eo     1       2
6      i     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    28      56
1      -    21      42
5      es   17      34
8      s   17      34
7      o     3       6
2      a     1       2
4      eo     1       2
6      i     1       2
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e    18      36
1      -    11      22
5      es   11      22
7      s     7      14
2      a     1       2
4      eo     1       2
6      i     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    18      36
1      -    12      24
5      es   11      22
7      s     7      14
2      a     1       2
4      eo     1       2
6      i     1       2
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    19      38
6      s    17      34
2      e     6      12
3      es     4       8
5      o     3       6

```



```

4      i      1      2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     27      54
4     es     17      34
1      -      3       6
3     eo      1       2
5      i      1       2
6      s      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     27      54
4     es     17      34
1      -      4       8
3     eo      1       2
5      i      1       2
6      s      1       2
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     20      40
6      s     16      32
2      e      7      14
3     es      5      10
5      o      2       4
4      i      1       2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     28      56
4     es     16      32
1      -      3       6
3     eo      1       2
5      i      1       2
6      s      1       2
[1] "nP1Gen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     22      44
3      e     16      32
7      s     16      32
4     es      8      16
6      o      2       4
2     as      1       2
5      i      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials

```

1	-	22	44
3	e	17	34
7	s	16	32
4	es	8	16
6	o	2	4
2	as	1	2
5	i	1	2

[1] "n2PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	16	32
3	e	5	10
4	es	3	6
6	o	2	4
2	as	1	2
5	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	16	32
3	e	5	10
4	es	4	8
6	o	2	4
2	as	1	2
5	i	1	2

[1] "n3PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	16	32
2	e	16	32
3	es	8	16
6	s	8	16
4	i	1	2
5	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	16	32
2	e	16	32
3	es	8	16
6	s	8	16
4	i	1	2
5	o	1	2

[1] "n4PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>			(or 0-length row.names)

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	15	30
2	e	7	14
3	es	5	10
5	o	2	4

```

4      i      1      2
[1] "DatPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e    28      56
1      -    22      44
6      es   18      36
9      s    17      34
8      o     3       6
2      a     1       2
3      as    1       2
5      eo    1       2
7      i     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e    29      58
1      -    22      44
6      es   18      36
9      s    17      34
8      o     3       6
2      a     1       2
3      as    1       2
5      eo    1       2
7      i     1       2
[1] "1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e    22      44
5      es   13      26
1      -     7      14
7      s     6      12
2      a     1       2
4      eo    1       2
6      i     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    22      44
5      es   13      26
1      -     7      14
7      s     6      12
2      a     1       2
4      eo    1       2
6      i     1       2
[1] "2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    22      44
7      s    17      34
3      e     6      12
4      es    4       8
6      o     3       6
2      as    1       2
5      i     1       2
[1] "All Endings Included"

```

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	17	34
3	e	7	14
4	es	5	10
6	o	3	6
2	as	1	2
5	i	1	2

[1] "3PlDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	13	26
7	s	5	10
3	eo	1	2
5	i	1	2
6	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	13	26
7	s	5	10
3	eo	1	2
5	i	1	2
6	o	1	2

[1] "4PlDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	21	42
6	s	16	32
2	e	7	14
3	es	5	10
5	o	3	6
4	i	1	2

[1] "5PlDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	17	34
1	-	2	4
3	eo	1	2
5	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

```

2      e      29      58
4      es     17      34
1      -       2       4
3      eo      1       2
5      i       1       2
[1] "mPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e     28      56
1      -     20      40
4      es     18      36
7      s     17      34
6      o      3       6
3      eo      1       2
5      i      1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e     29      58
1      -     21      42
5      es     18      36
8      s     17      34
7      o      3       6
2      a      1       2
4      eo      1       2
6      i      1       2
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e     22      44
5      es     13      26
1      -      7      14
7      s      5      10
2      a      1       2
4      eo      1       2
6      i      1       2
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -     19      38
6      s     17      34
2      e      6      12
3      es      4       8
5      o      3       6
4      i      1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -     19      38
6      s     17      34
2      e      6      12
3      es      4       8
5      o      3       6

```

```

4      i      1      2
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     28      56
4      es    18      36
1      -      2       4
3      eo     1       2
5      i      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     28      56
4      es    18      36
1      -      2       4
3      eo     1       2
5      i      1       2
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     20      40
6      s     16      32
2      e      6      12
3      es      5      10
5      o      2       4
4      i      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     20      40
6      s     16      32
2      e      6      12
3      es      5      10
5      o      3       6
4      i      1       2
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     29      58
4      es    17      34
1      -      2       4
3      eo     1       2
5      i      1       2
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     28      56
5      es    18      36
1      -      7      14
7      s      6      12
2      a      1       2
4      eo     1       2
6      i      1       2

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   29             58
1      -   21             42
5      es   18             36
8      s   17             34
7      o    3              6
2      a    1              2
4      eo    1              2
6      i    1              2
[1] "f1PlDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   22             44
5      es   13             26
1      -    7             14
7      s    6             12
2      a    1              2
4      eo    1              2
6      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   22             44
5      es   13             26
1      -    7             14
7      s    6             12
2      a    1              2
4      eo    1              2
6      i    1              2
[1] "f2PlDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   18             36
6      s   16             32
2      e    7             14
3      es    5             10
5      o    3              6
4      i    1              2
[1] "f3PlDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28             56
4      es   18             36
1      -    2              4
3      eo    1              2
5      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28             56
4      es   18             36
1      -    2              4

```

```

3      eo      1          2
5      i      1          2
[1] "f4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    20          40
6      s    16          32
2      e     7          14
3      es     5          10
5      o     2           4
4      i     1           2
[1] "f5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    29          58
4      es   17          34
1      -     2           4
3      eo     1           2
5      i     1           2
[1] "nP1Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    22          44
3      e    19          38
7      s    16          32
4      es    11          22
6      o     2           4
2      as     1           2
5      i     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    22          44
3      e    20          40
7      s    16          32
4      es    11          22
6      o     2           4
2      as     1           2
5      i     1           2
[1] "n2P1Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    22          44
7      s    16          32
3      e     5          10
4      es     3           6
6      o     2           4
2      as     1           2
5      i     1           2

```



```

[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22             44
7       s   16             32
3       e    5             10
4      es    3              6
6       o    2              4
2      as    1              2
5       i    1              2
[1] "n3PlDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   19             38
1      -   13             26
3      es   11             22
6       s    5             10
4       i    1              2
5       o    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   19             38
1      -   13             26
3      es   11             22
6       s    5             10
4       i    1              2
5       o    1              2
[1] "n4PlDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   20             40
6       s   15             30
2       e    7             14
3      es    5             10
5       o    2              4
4       i    1              2
[1] "AblPl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   29             58
5       e   29             58
1      -   26             52
7      es   19             38
10     s   18             36
4      as   16             32
8       o    6             12
3      ao    1              2
6      eo    1              2
9      os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5       e   30             60

```

2	a	29	58
1	-	27	54
7	es	19	38
10	s	18	36
4	as	16	32
8	o	7	14
3	ao	1	2
6	eo	1	2
9	os	1	2

[1] "1PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	26	52
4	as	15	30
1	-	4	8
6	s	4	8
3	ao	1	2
5	e	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	26	52
4	as	15	30
1	-	4	8
6	s	4	8
3	ao	1	2
5	e	1	2

[1] "2PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	25	50
8	s	17	34
2	a	10	20
3	as	5	10
6	o	5	10
4	e	2	4
5	es	2	4
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	25	50
8	s	17	34
2	a	11	22
6	o	6	12
3	as	5	10
4	e	2	4
5	es	2	4
7	os	1	2

[1] "3PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
6	es	19	38
1	-	14	28
2	a	6	12

3	as	5	10
8	s	5	10
5	eo	1	2
7	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	29	58
6	es	19	38
1	-	14	28
2	a	6	12
3	as	5	10
8	s	5	10
5	eo	1	2
7	o	1	2

[1] "4PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	17	34
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
6	s	17	34
4	o	6	12
2	e	3	6
3	es	2	4
5	os	1	2

[1] "5PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	2	4
3	eo	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	19	38
1	-	2	4
3	eo	1	2

[1] "mPlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
1	-	25	50
6	es	19	38
9	s	18	36
7	o	6	12
2	a	1	2
3	as	1	2

```

5      eo      1          2
8      os      1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5         e  29          58
2         a  26          52
1         -  25          50
7        es  19          38
10        s  18          36
4        as  14          28
8         o   7          14
3        ao   1           2
6        eo   1           2
9        os   1           2
[1] "m1PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2         a  26          52
4        as  14          28
1         -   4           8
6         s   4           8
3        ao   1           2
5         e   1           2
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1         -  24          48
8         s  17          34
6         o   5          10
4         e   2           4
5        es   2           4
2         a   1           2
3        as   1           2
7        os   1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1         -  24          48
8         s  17          34
6         o   6          12
4         e   2           4
5        es   2           4
2         a   1           2
3        as   1           2
7        os   1           2
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2         e  29          58
4        es  19          38
1         -   2           4
3        eo   1           2

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   29             58
4     es   19             38
1      -    2              4
3     eo    1              2
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24             48
6      s   17             34
4      o    6             12
2      e    1              2
3     es    1              2
5     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   24             48
6      s   17             34
4      o    6             12
2      e    1              2
3     es    1              2
5     os    1              2
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28             56
4     es   19             38
1      -    2              4
3     eo    1              2
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      e   28             56
2      a   26             52
7     es   19             38
4     as   15             30
1      -    4              8
8      s    4              8
3     ao    1              2
6     eo    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      e   30             60
2      a   27             54
1      -   26             52
7     es   19             38
10     s   18             36
4     as   15             30
8      o    5             10
3     ao    1              2

```

```

6      eo      1      2
9      os      1      2
[1] "f1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    26           52
4     as    15           30
1      -     4            8
6      s     4            8
3     ao     1            2
5      e     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    26           52
4     as    15           30
1      -     4            8
6      s     4            8
3     ao     1            2
5      e     1            2
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    22           44
8      s    17           34
6      o     4            8
2      a     3            6
3     as     1            2
4      e     1            2
5     es     1            2
7     os     1            2
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    28           56
4     es    19           38
1      -     2            4
3     eo     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    29           58
4     es    19           38
1      -     3            6
3     eo     1            2
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    25           50
6      s    17           34

```

```

4      o      5      10
2      e      1      2
3     es      1      2
5     os      1      2
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    29          58
4     es    19          38
1      -     2           4
3     eo     1           2
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    21          42
4      e    13          26
7      s    13          26
2      a    10          20
5     es     7          14
3     as     6          12
6      o     2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    27          54
7      s    16          32
4      e    15          30
2      a    11          22
5     es     9          18
3     as     6          12
6      o     4           8
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    19          38
6      s    13          26
2      a    10          20
3     as     5          10
5      o     2           4
4      e     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    19          38
6      s    13          26
2      a    11          22
3     as     5          10
5      o     2           4
4      e     1           2
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    14          28

```

4	e	13	26
5	es	7	14
2	a	6	12
3	as	5	10
7	s	5	10
6	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	14	28
4	e	13	26
5	es	8	16
2	a	6	12
3	as	5	10
7	s	5	10
6	o	1	2

[1] "n4PlAbl"

[1] "Endings occuring 10 times or less excluded"

[1]	Suffix	freq	Percent_Trials
<0 rows>	(or 0-length row.names)		

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
5	s	16	32
4	o	4	8
2	e	3	6
3	es	2	4