# Aggregate Data

## Tyler Lau

July 18, 2016

- [1] "No Sound Change, Token Freq T, Number of cases being considered: 3"
- [1] "Only considering max suffixes: FALSE"
- [1] "Dropping suffixes that appear 10 or less times"

		_	
[1] '	'Sø"		
		frea	Percent_Trials
1		24	48
5	0	16	32
6	s	5	10
3	е	2	4
4	es	2	4
2	a	1	2
[1] '	'SgNo	om,Aco	c"
	_		Percent_Trials
2	0	42	84
1	-	8	16
[1] '	'1Sgl	Nom, Ac	cc"
Suf	fix	freq	Percent_Trials
2	a	49	98
1	-	1	2
[1] '	'2Sgl	Nom, Ac	cc"
Suf	fix	freq	Percent_Trials
1	0	50	100
[1] '	'3Sgl	Nom, Ac	cc"
Suf	fix	${\tt freq}$	Percent_Trials
1	-	44	88
2	е	5	10
3	s	1	2
	_	Nom, Ac	
Suf	fix	-	Percent_Trials
1	0	50	100
		Nom, Ac	
	fix	-	Percent_Trials
1	-	43	86
3	е	5	10
2	a	2	4
	_	Nom, Ac	
			Percent_Trials
1	0	50	100
	_	Nom, Ac	
		-	Percent_Trials
2	a	39	78
1	_	8	16
3	е.	. 3	6
[1] '	'nSgl	Nom, Ac	cc"

```
Suffix freq Percent_Trials
   o 50
1
[1] "SgAcc, Gen"
 Suffix freq Percent_Trials
         21
6
         13
                     26
     s
5
     o 9
                     18
3
         3
                      6
     е
4
    es
          3
                      6
          1
                      2
    a
[1] "1SgAcc,Gen"
Suffix freq Percent_Trials
2 a 42
         7
                     14
1
3
     s
          1
                      2
[1] "2SgAcc,Gen"
 Suffix freq Percent_Trials
4 o 24
         21
                      42
1
2
        2
                      4
     е
5
         2
     s
                      4
3
    es
         1
[1] "3SgAcc,Gen"
 Suffix freq Percent_Trials
         29
1
5
     s
        9
                     18
3
     е
          6
                     12
4
   es
          5
                     10
          1
                      2
     a
[1] "4SgAcc,Gen"
 Suffix freq Percent_Trials
4 o 27
1
         17
                      34
2
     e 2
                      4
3
          2
                      4
    es
         2
5
     s
[1] "5SgAcc,Gen"
 Suffix freq Percent_Trials
1 - 36
         12
3
                      24
     е
     a 2
                      4
[1] "mSgAcc,Gen"
Suffix freq Percent_Trials
1 -
         19
                     38
     o 16
                      32
5
     s 8
                      16
2
         4
                      8
     е
3
    es
          3
[1] "fSgAcc,Gen"
Suffix freq Percent_Trials
2
     a
         22
                     44
                     20
1
         10
5
     s 10
                     20
3
     e 6
                      12
```

```
4 es 2
[1] "nSgAcc,Gen"
 Suffix freq Percent_Trials
          22
1
          14
                         28
4
      0
5
          10
                        20
      S
2
           2
                         4
      е
3
           2
                         4
     es
[1] "SgNom, Gen"
 {\tt Suffix\ freq\ Percent\_Trials}
    -
          30
5
          12
                         24
      S
3
           3
                         6
     es
4
           3
                          6
2
      е
           2
[1] "1SgNom,Gen"
 Suffix freq Percent_Trials
  a 42
           7
1
                         14
                         2
3
      s
           1
[1] "2SgNom,Gen"
 Suffix freq Percent_Trials
4
          24
      0
                         48
1
          21
                         42
2
         2
                         4
5
      s
           2
                          4
3
     es
           1
                          2
[1] "3SgNom, Gen"
 Suffix freq Percent_Trials
          43
1
2
           4
                         8
     es
3
      s
           3
                          6
[1] "4SgNom, Gen"
 Suffix freq Percent_Trials
          27
   0
1
          17
                         34
2
      е
         2
                         4
3
     es
           2
                         4
           2
5
      s
[1] "5SgNom,Gen"
 Suffix freq Percent_Trials
1
          39
                        78
5
           5
                         10
      S
3
           3
                         6
      е
2
           2
                          4
      a
                          2
           1
     es
[1] "mSgNom,Gen"
 Suffix freq Percent_Trials
          22
1
                         28
4
          14
      0
5
                         18
           9
      S
3
           3
                         6
     es
2
           2
                         4
      е
[1] "fSgNom, Gen"
```

```
Suffix freq Percent_Trials
          25
1
5
           12
                         24
2
           9
                         18
      a
4
           3
                          6
     es
3
      е
            1
                          2
[1] "nSgNom,Gen"
 Suffix freq Percent_Trials
1
          21
4
          14
                         28
      0
5
                         22
      s
          11
2
           2
                          4
      е
3
           2
                          4
     es
[1] "SgNom, Acc, Gen"
 {\tt Suffix\ freq\ Percent\_Trials}
          24
1
    _
5
          16
                         32
      0
         5
                         10
6
      S
3
           2
                          4
      е
4
           2
                          4
     es
      a
           1
                          2
[1] "1SgNom, Acc, Gen"
 Suffix freq Percent_Trials
2 a 49
      - 1
                          2
1
[1] "2SgNom, Acc, Gen"
Suffix freq Percent_Trials
1 o 50
[1] "3SgNom, Acc, Gen"
 Suffix freq Percent_Trials
          40
1
2
      е
           9
                         18
     s 1
                          2
[1] "4SgNom, Acc, Gen"
 Suffix freq Percent_Trials
    o 50
[1] "5SgNom, Acc, Gen"
 Suffix freq Percent_Trials
   -
          39
1
           5
5
                         10
      s
           3
3
      е
                          6
2
           2
                          4
      a
4
     es
           1
[1] "mSgNom, Acc, Gen"
 {\tt Suffix\ freq\ Percent\_Trials}
          30
3
                         60
      0
1
          17
                          34
2
         2
                          4
                          2
      s
         1
[1] "fSgNom, Acc, Gen"
 Suffix freq Percent_Trials
      a
          30
          13
                         26
1
4
      s
         4
                          8
```

```
3 e 3
[1] "nSgNom, Acc, Gen"
Suffix freq Percent_Trials
3 o 28
- 20
2 e 1
4 e
                  40
                  2
[1] "Nom"
Suffix freq Percent_Trials
1 -
        20
5
    s 18
2 a 7
4 es 3
3 as 2
                 14
                  6
[1] "NomSg"
Suffix freq Percent_Trials
1 - 41
2 o 8
3 s 1
                  16
                  2
[1] "1"
Suffix freq Percent_Trials
2 a 40 80
3
   as 8
                 16
1 - 1
4 es 1
                  2
                   2
[1] "1Sg"
Suffix freq Percent_Trials
2 a 49 98
1 - 1 2
[1] "1SgNom"
Suffix freq Percent_Trials
2 a 49 98
    - 1
[1] "2"
Suffix freq Percent_Trials
1 - 17
6 s 15
                  30
4
   o 11
                  22
2 a 5
                 10
3 as 1
5 os 1
                 2
[1] "2Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "2SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "3"
Suffix freq Percent_Trials
1 - 24
5
                  32
     s 16
4
    es 7
                 14
   e 2
3
                  4
2 as 1
                   2
```

```
[1] "3Sg"
Suffix freq Percent_Trials
1 - 40 80
2
   e 9
                 18
3 s 1
                 2
[1] "3SgNom"
Suffix freq Percent_Trials
1 - 44
2 e 5
3 s 1
                 10
                 2
[1] "4"
Suffix freq Percent_Trials
1 - 20
7
   s 16
                 32
   o 8
5
                 16
4 es 3
                 6
2 as 1
                  2
3 e 1
6 os 1
[1] "4Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "4SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "5"
Suffix freq Percent_Trials
1 - 26 52
5 s 15
4 es 6
                 30
                 12
2 a 2
3 e 1
                 4
                  2
[1] "5Sg"
Suffix freq Percent_Trials
1 - 39 78
5 s 5
3 e 3
                 10
                 6
2
   a 2
                 4
  es 1
4
[1] "5SgNom"
 Suffix freq Percent_Trials
1 - 39 78
5 s 5
3 e 3
                 10
                 6
2
   a 2
4 es 1
[1] "m"
 Suffix freq Percent_Trials
7
       22
  s
1
       20
                 40
4
  es 3
                 6
   o 2
5
                 4
2
   as 1
                  2
3
   e 1
                  2
```

```
6 os 1 2
[1] "mSg"
Suffix freq Percent_Trials
3 o 30
1 - 17
2 e 2
4 s 1
                  34
                  4
[1] "mSgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "m1Sg"
Suffix freq Percent_Trials
2 a 36 72
1 - 14 28
[1] "m1SgNom"
Suffix freq Percent_Trials
2 a 35
   - 15
                  30
[1] "m2Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "m2SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "m3Sg"
Suffix freq Percent_Trials
1 - 40 80
2 e 9
3 s 1
                  18
[1] "m3SgNom"
Suffix freq Percent_Trials
1 - 44
2 e 5
3 s 1
                  10
                  2
[1] "m4Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "m4SgNom"
Suffix freq Percent_Trials
1 o 50
[1] "m5Sg"
Suffix freq Percent_Trials
1 - 38 76
6 s 5
                  10
3
   e 3
2
   a 2
                   4
4
  es
        1
                   2
   o 1
[1] "m5SgNom"
Suffix freq Percent_Trials
1 - 38 76
6
   s 5
                  10
3
   e 3
                  6
2
  a 2
                   4
```

```
4 es 1
5 o 1
[1] "f"
Suffix freq Percent_Trials
2 a 19 38
5 s 15
                   30
   - 9
3 as 4
                  8
4 es
[1] "fSg"
Suffix freq Percent_Trials
2 a 30
1 - 13
4 s 4
3 e 3
                   26
                  8
                   6
[1] "fSgNom"
Suffix freq Percent_Trials
1 - 37 74
   a 9
a 9
3 e 3
4 s 1
2
                  18
                   6
                   2
[1] "f1Sg"
Suffix freq Percent_Trials
2 a 49 98
    - 1
                  2
1
[1] "f1SgNom"
Suffix freq Percent_Trials
2 a 49 98
1 - 1 2
   - 1
[1] "f2Sg"
Suffix freq Percent_Trials
2 o 46 92
1 - 4 8
[1] "f2SgNom"
Suffix freq Percent_Trials
2 o 46 92
1 - 4 8
[1] "f3Sg"
Suffix freq Percent_Trials
1 - 39
                  78
   e 9
                  18
3 es 1
4 s 1
                  2
    s 1
[1] "f3SgNom"
 Suffix freq Percent_Trials
1 - 44 88
2 e 5
3 s 1
                   10
                  2
[1] "f4Sg"
Suffix freq Percent_Trials
2 o 45 90
    - 5
[1] "f4SgNom"
 Suffix freq Percent_Trials
```

```
2 o 46 92
1 - 4 8
[1] "f5Sg"
Suffix freq Percent_Trials
1 - 39 78
5 s 5
3 e 3
                 10
2 a 2
4 es 1
[1] "f5SgNom"
Suffix freq Percent_Trials
1 - 39 78
5 s 5 3 e 3 2 a 2 4 es 1
                 10
                  6
[1] "n"
 Suffix freq Percent_Trials
6 s 21 42
1
    - 17
                 34
2 a 6
                 12
3 as 3
4
   o 2
5 os 1
[1] "nSg"
Suffix freq Percent_Trials
3 o 28 56
1 - 20
2 e 1
4 s 1
                 40
                  2
[1] "nSgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "n2Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "n2SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "n3Sg"
Suffix freq Percent_Trials
1 - 46 92
3 s 3
2 e 1
[1] "n3SgNom"
Suffix freq Percent_Trials
1 - 46 92
2 s 4 8
[1] "n4Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "n4SgNom"
Suffix freq Percent_Trials
1 o 50 100
```

```
[1] "Acc"
 Suffix freq Percent_Trials
4 e 16 32
   s 11
7
                  22
1 - 7
2 a 7
5 es 4
                  14
                  14
3 as 3 6 o 2
                   6
[1] "AccSg"
Suffix freq Percent_Trials
3 o 38 76
1 - 8
2 e 4
                  16
[1] "1SgAcc"
Suffix freq Percent_Trials
2 a 49 98
   - 1
                  2
[1] "2SgAcc"
Suffix freq Percent_Trials
1 o 50 100
[1] "3SgAcc"
Suffix freq Percent_Trials
2 e 39 78
1 - 11 22
    - 11
[1] "4SgAcc"
Suffix freq Percent_Trials
1 o 50 100
[1] "5SgAcc"
Suffix freq Percent_Trials
1 - 28 56
3 e 20
2 a 2
                   40
[1] "mSgAcc"
Suffix freq Percent_Trials
1 o 50 100
[1] "m1SgAcc"
Suffix freq Percent_Trials
2 a 37 74
1 - 12
3 e 1
                   24
[1] "m2SgAcc"
Suffix freq Percent_Trials
1 o 50 100
[1] "m3SgAcc"
Suffix freq Percent_Trials
2 e 40 80
1 - 9
3 s 1
                  18
[1] "m4SgAcc"
Suffix freq Percent_Trials
1 o 50
[1] "m5SgAcc"
 Suffix freq Percent Trials
```

```
1 - 27
3 e 20
                 54
                 40
2 a 2
4 o 1
                 4
                  2
[1] "fSgAcc"
Suffix freq Percent_Trials
2 a 24 48
3 e 18
1 - 8
                  36
[1] "f1SgAcc"
Suffix freq Percent_Trials
2 a 49 98
1 - 1
                 2
[1] "f2SgAcc"
Suffix freq Percent_Trials
2 0 45 90
1 - 5
[1] "f3SgAcc"
Suffix freq Percent_Trials
2 e 40 80
1 - 10
[1] "f4SgAcc"
Suffix freq Percent_Trials
2 o 45 90
1 - 5 10
[1] "f5SgAcc"
Suffix freq Percent_Trials
1 - 28 56
3 e 20
2 a 2
                  40
[1] "nSgAcc"
Suffix freq Percent_Trials
1 o 50
[1] "n2SgAcc"
Suffix freq Percent Trials
1 o 50 100
[1] "n3SgAcc"
Suffix freq Percent_Trials
1 - 46 92
2 e 4
[1] "n4SgAcc"
Suffix freq Percent_Trials
1 o 50 100
[1] "Gen"
Suffix freq Percent_Trials
6 s 20
    - 17
1
                  34
                 10
5 es 5
2
   a 4
                 8
3 as 2
                  4
4
   e 2
[1] "GenSg"
Suffix freq Percent_Trials
1 - 27
```

```
6 s 14
                28
4
    es 5
                 10
3
   e 2
                 4
2
    a 1
                 2
5
        1
                  2
    0
[1] "1SgGen"
Suffix freq Percent_Trials
   a 26
5
    s 9
                 18
   - 7
1
                 14
3 as 7
                14
4
   e 1
                 2
[1] "2SgGen"
Suffix freq Percent_Trials
1 -
       22
4
    o 11
                 22
6 s 11
                 22
2
   e 2
                 4
3 es 2
                  4
   os 2
5
                  4
[1] "3SgGen"
Suffix freq Percent_Trials
1 - 27
    s 12
5
                 24
   es 6
4
                 12
3 e 4
2 a 1
                 8
                  2
[1] "4SgGen"
 Suffix freq Percent_Trials
1 - 19
6
   s 13
                 26
   o 11
4
                 22
3 es 3
                 6
2
   e 2
                  4
  os
        2
5
[1] "5SgGen"
Suffix freq Percent_Trials
1
   - 24
                48
5
    S
       16
                 32
4
    es 5
                 10
   a 3
2
                 6
3
    e 2
                  4
[1] "mSgGen"
Suffix freq Percent_Trials
1 -
       20
4
    o 11
                 22
6
  s 11
                 22
3 es 4
                 8
3
2
os
   e 2
                  4
        2
                  4
[1] "m1SgGen"
Suffix freq Percent_Trials
2 a 17
1
   - 16
                 32
```

```
6 s 8
               16
3
   as 7
                14
4
                2
   e 1
   es
5
       1
                 2
[1] "m2SgGen"
Suffix freq Percent_Trials
       22 44
4
                 22
    o 11
6
   s 11
                 22
   e 2
2
                 4
3 es 2
5
   os
       2
[1] "m3SgGen"
Suffix freq Percent_Trials
1 - 27
5
    s 11
                 22
4
   es 7
                14
  e 4
3
                8
2
   a 1
                 2
[1] "m4SgGen"
Suffix freq Percent_Trials
1 - 19 38
6
   s 13
                 26
4
   o 11
                 22
3 es 3
                6
2 e 2
5 os 2
[1] "m5SgGen"
Suffix freq Percent_Trials
1 - 24
   s 16
5
                 32
4
  es 5
                10
2 a 3
3 e 2
                6
                 4
[1] "fSgGen"
Suffix freq Percent_Trials
1 - 22 44
5
   s 14
                 28
2
   a 7
                14
4
   es 5
                 10
       2
3
   е
[1] "f1SgGen"
Suffix freq Percent_Trials
2 a 26 52
5
   s 9
                18
   - 7
1
                14
   as 7
3
                 14
                2
   e 1
[1] "f2SgGen"
Suffix freq Percent_Trials
1 - 22
                44
                 22
4
    o 11
   s 11
6
                 22
 e 2
2
                4
```

```
3 es 2
5
     os
          2
[1] "f3SgGen"
 Suffix freq Percent_Trials
    - 27
                      24
5
        12
      s
                      12
4
     es 6
3
          4
                       8
     е
2
      a
          1
                       2
[1] "f4SgGen"
 Suffix freq Percent_Trials
         19
1
6
         14
                      28
     S
                      22
4
    o 11
    e 2
2
                      4
3
          2
     es
                       4
5
    os
          2
[1] "f5SgGen"
 Suffix freq Percent_Trials
    - 24
5
         16
                      32
     s
4
     es
        5
                      10
2
          3
                       6
     a
3
          2
     е
[1] "nSgGen"
 Suffix freq Percent_Trials
1
         22
4
    o 11
                      22
6
                      22
    s 11
2
     e 2
                      4
          2
3
     es
5
     os
          2
[1] "n2SgGen"
 Suffix freq Percent_Trials
         22
4
         11
                      22
     0
6
                      22
    s 11
2
     e 2
                       4
3
                       4
     es
          2
5
     os
[1] "n3SgGen"
 Suffix freq Percent_Trials
1
   - 24
5
        18
                      36
      s
4
     es
        4
                       8
2
          2
    a
                       4
          2
     е
[1] "n4SgGen"
 {\tt Suffix\ freq\ Percent\_Trials}
    - 18
1
6
         14
                      28
      S
4
      o 12
                      24
2
     e 2
                      4
3
          2
     es
                       4
```

```
5 os 2 4
[1] "Pl"
 Suffix freq Percent_Trials
 s
       25
       13
                 26
1
2
    a 5
                 10
3
 as 2
5
   es 2
                 4
   е
4
        1
                  2
   o 1
6
                  2
7
  os 1
[1] "PlNom, Acc"
 Suffix freq Percent_Trials
7 s 18
1
   - 12
                 24
2
   a 10
                 20
4
  es 5
                 10
3
  as 3
                 6
5
                  2
   o 1
                  2
6
      1
   os
[1] "1PlNom,Acc"
 Suffix freq Percent_Trials
2 a 31
                 62
3
   as 16
                 32
4
  es 2
                 4
   - 1
[1] "2PlNom,Acc"
Suffix freq Percent_Trials
1 - 16
   s 14
6
                 28
2
                 26
   a 13
3 as 5
                 10
4 o 1
5 os 1
                 2
                  2
[1] "3PlNom, Acc"
Suffix freq Percent_Trials
1 - 15 30
4
  es 15
                 30
5
   s 15
                 30
   e 4
3
                 8
   as 1
[1] "4PlNom, Acc"
Suffix freq Percent_Trials
1 -
       23
                 46
7
   s 19
                 38
4
                  6
   es 3
5
  o 2
                  4
2
                  2
  as 1
3
                  2
   е
       1
  os
6
      1
[1] "5PlNom, Acc"
Suffix freq Percent_Trials
5 es 17
1 - 13
                 26
```

```
s 12
                      24
3
          3
                       6
     as
4
          3
                       6
    е
2
          2
      a
[1] "mPlNom, Acc"
 Suffix freq Percent_Trials
         23
     s
1
         18
                      36
3
                      12
     es
          6
                       2
2
     as
        1
                       2
    0
          1
5
          1
     os
[1] "fPlNom, Acc"
 Suffix freq Percent_Trials
2
     a
         18
5
         12
                      24
     es
6
    S
         10
                      20
   as 6
                      12
3
1
          3
                       6
          1
                       2
4
      е
[1] "nPlNom,Acc"
 Suffix freq Percent_Trials
         16
                      32
1
6
     s
         14
                      28
    a 13
                      26
2
3
                      10
   as
       5
4
    0
          1
                       2
     os
[1] "PlAcc, Gen"
 Suffix freq Percent_Trials
         24
8
     s
1
         13
                      26
2
        6
                      12
3
          2
                       4
     as
5
          2
                       4
     es
4
          1
                       2
     е
6
          1
     0
                       2
7
     os
          1
[1] "1PlAcc,Gen"
 Suffix freq Percent_Trials
         25
   a
3
     as 15
                      30
1
          6
                      12
4
     es
          3
                       6
          1
     s
[1] "2PlAcc,Gen"
 Suffix freq Percent_Trials
         19
7
     s
1
         16
                      32
2
                      22
      a 11
3
                       2
     as 1
4
                       2
     es 1
5
          1
                       2
     0
6
     os
          1
```

```
[1] "3PlAcc,Gen"
 Suffix freq Percent_Trials
  s 19 38
1
        15
                   30
                   20
4
   es 10
3
   e 5
                  10
    as 1
                   2
[1] "4PlAcc,Gen"
 Suffix freq Percent_Trials
        23
1
7
       19
                   38
    S
4
    es 3
                   6
   as 2
2
                    4
                    2
3
   e 1
5
   0
        1
                    2
6
    os
        1
[1] "5PlAcc,Gen"
 Suffix freq Percent_Trials
   es 16
                   32
    - 14
                   28
1
   s 13
6
                   26
4
   е 3
                   6
2
    a 2
                    4
3
        2
    as
[1] "mPlAcc,Gen"
 Suffix freq Percent_Trials
8
   s 26
1
        15
                   30
5
       3
                    6
    es
3
   as 2
2
                    2
   a 1
   e 1
4
                    2
6
   o 1
7
   os
        1
[1] "fPlAcc,Gen"
Suffix freq Percent_Trials
6 s 18 36
2
    a 12
                   24
1
    -
        7
                   14
3
                   12
    as 6
5
   es 6
                   12
    e 1
                   2
[1] "nPlAcc,Gen"
 Suffix freq Percent_Trials
7
   S
        24
        13
                   26
1
       8
2
                   16
    a
   as 2
3
                   4
4
    e 1
                    2
5
        1
                    2
    0
   os
[1] "PlNom, Gen"
Suffix freq Percent_Trials
5 s 26
```

```
16
                           32
2
            4
                            8
       a
3
            2
                            4
      as
4
      es
            2
[1] "1PlNom,Gen"
  Suffix freq Percent_Trials
       a
           20
3
           20
                           40
      as
1
            6
                           12
4
            2
                           4
      es
            2
       s
                            4
[1] "2PlNom, Gen"
  {\tt Suffix\ freq\ Percent\_Trials}
7
           21
       S
                           42
1
           15
                           30
2
           8
                           16
      a
3
            3
                            6
      as
                            2
4
            1
      es
5
                            2
      0
            1
                            2
6
            1
      os
[1] "3PlNom, Gen"
  Suffix freq Percent_Trials
4
       s
           26
                           52
1
           15
                           30
            8
3
      es
                           16
      as
                            2
[1] "4PlNom,Gen"
  Suffix freq Percent_Trials
7
           23
      S
1
           19
                           38
4
            3
                            6
      es
2
      as
            2
                            4
3
            1
                            2
      е
5
                            2
       0
            1
            1
      os
[1] "5PlNom, Gen"
  Suffix freq Percent_Trials
5
       S
           25
1
           14
                           28
4
            7
                           14
      es
3
            3
                            6
      as
            1
                            2
       a
[1] "mPlNom,Gen"
  Suffix freq Percent_Trials
8
       s
           26
1
           15
                           30
5
            3
                            6
      es
3
            2
      as
                            4
2
                            2
       a
            1
                            2
4
            1
6
            1
                            2
       0
            1
      os
[1] "fPlNom,Gen"
  Suffix freq Percent_Trials
```

```
1
            14
                            28
4
                            10
            5
      es
3
             4
                             8
      as
2
             3
                             6
       a
[1] "nPlNom,Gen"
  Suffix freq Percent_Trials
7
            25
       S
1
            12
                            24
2
            7
                            14
       a
                             6
3
      as
             3
                             2
4
             1
       е
5
             1
                             2
       0
                             2
6
      os
             1
[1] "PlNom, Acc, Gen"
  Suffix freq Percent_Trials
8
       s
            25
                            50
            13
                            26
1
2
            5
                            10
       a
3
             2
                             4
      as
5
             2
                             4
      es
4
       е
                             2
6
             1
                             2
       0
      os
             1
[1] "1PlNom, Acc, Gen"
  Suffix freq Percent_Trials
2
       a
            28
3
      as
            19
                            38
4
             2
                             4
      es
                             2
1
             1
[1] "2PlNom, Acc, Gen"
  Suffix freq Percent_Trials
7
            20
       s
            15
                            30
1
2
                            20
            10
       a
3
            2
                             4
      as
                             2
4
      es
             1
5
       0
             1
                             2
             1
6
      os
[1] "3PlNom, Acc, Gen"
  Suffix freq Percent_Trials
            21
                            42
5
       s
4
      es
            14
                            28
1
            13
                            26
2
      as
             1
                             2
3
             1
                             2
       е
[1] "4PlNom, Acc, Gen"
  Suffix freq Percent_Trials
7
            23
       s
                            38
1
            19
4
             3
                             6
      es
2
             2
                             4
      as
3
             1
                             2
       е
5
             1
                             2
       0
```

s

```
6 os 1
[1] "5PlNom, Acc, Gen"
  Suffix freq Percent_Trials
5
      s
           21
           13
                          26
1
4
           12
                          24
      es
3
      as
            3
                           6
2
            1
                           2
       a
[1] "mPlNom,Acc,Gen"
  Suffix freq Percent_Trials
      s
           25
1
           15
                          30
5
            4
                           8
      es
            2
3
                           4
      as
2
       a
            1
                           2
4
            1
6
            1
                           2
       0
7
            1
      os
[1] "fPlNom, Acc, Gen"
 Suffix freq Percent_Trials
5
       s
           17
                          34
2
       a
           12
                          24
1
            8
                          16
3
            7
      as
                          14
4
            6
                          12
      es
[1] "nPlNom,Acc,Gen"
  Suffix freq Percent_Trials
6
       S
           21
           13
                          26
1
2
            9
                          18
      a
3
            5
                          10
      as
4
       0
            1
                           2
      os
[1] "NomPl"
 Suffix freq Percent_Trials
           24
5
      s
                          32
1
           16
2
       a
            4
                           8
3
            3
                           6
      as
            3
      es
[1] "1Pl"
 Suffix freq Percent_Trials
2
      a
           28
                          56
3
           19
                          38
      as
            2
                           4
      es
      -
                           2
            1
1
[1] "1PlNom"
  Suffix freq Percent_Trials
2
           27
       a
                          54
3
           20
                          40
      as
4
            2
                           4
      es
                           2
            1
[1] "2P1"
  Suffix freq Percent_Trials
```

```
7
         20
                      40
1
         15
                      30
2
        10
                      20
3
         2
                      4
     as
4
                       2
     es
5
          1
                       2
     os
[1] "2PlNom"
 Suffix freq Percent_Trials
6
     s
         16
         15
                      30
1
2
        11
                      22
     a
  as
        6
3
                      12
                      2
4
    o 1
5
    os
          1
                       2
[1] "3P1"
 Suffix freq Percent_Trials
         21
4
    es 14
                      28
1
        13
                      26
2
        1
                       2
   as
3
     е
          1
[1] "3PlNom"
 Suffix freq Percent_Trials
4
     s
         22
                      28
1
         14
3
    es
        13
                      26
2
     as
         1
                       2
[1] "4P1"
 Suffix freq Percent_Trials
7
         23
     s
1
         19
                      38
4
        3
                      6
2
          2
                       4
   as
3
                       2
5
          1
                       2
     0
          1
     os
[1] "4PlNom"
 Suffix freq Percent_Trials
7
      s
         24
                      48
                      38
         19
1
4
   es 3
                       6
   as 1
2
                       2
3
    e 1
                       2
5
    0
          1
6
          1
     os
[1] "5P1"
 Suffix freq Percent_Trials
5
         21
                      42
    s
                      26
1
         13
4
     es 12
                      24
3
    as 3
                      6
2
    a
          1
                       2
[1] "5PlNom"
```

```
Suffix freq Percent_Trials
5
        24
     s
        13
                    26
1
4
       9
                    18
    es
3
         3
                    6
    as
                     2
2
     a
         1
[1] "mPl"
 Suffix freq Percent_Trials
8
     s
        25
1
        15
                    30
5
                    8
   es 4
3
   as
         2
                     4
   a 1
2
                     2
4
   e 1
                     2
6
    0
         1
                     2
7
   os
[1] "mPlNom"
 Suffix freq Percent_Trials
6
   S
        24
       17
                    34
1
  es 6
3
                    12
2
   as 1
                    2
4
                     2
    0
         1
5
    os
         1
[1] "m1P1"
Suffix freq Percent_Trials
  a 19
3
   as 17
                    34
1
       8
                    16
5
    s
         4
                    8
         2
4
                     4
    es
[1] "m1PlNom"
 Suffix freq Percent_Trials
  as 19
2
    a 18
                    36
        8
1
                    16
5
    s 3
                    6
4
    es
         2
                     4
[1] "m2P1"
Suffix freq Percent_Trials
        22
7 s
        16
                    32
1
       7
2
    a
                    14
3 as 2
                    4
                     2
4
    es 1
5
                     2
         1
    0
    os
         1
[1] "m2PlNom"
 {\tt Suffix\ freq\ Percent\_Trials}
7
   s 22
        16
                    32
1
2
     a 6
                   12
3
    as 3
                    6
4
    es
         1
                     2
```

```
5 o 1
6 os 1
[1] "m3P1"
 Suffix freq Percent_Trials
  s 20
                    28
4
   es
        14
    - 13
                    26
3
       2
                    4
     е
2
    as
         1
                     2
[1] "m3PlNom"
 Suffix freq Percent_Trials
  s 22
                    28
1
        14
3 es 13
                    26
2
   as 1
                     2
[1] "m4P1"
Suffix freq Percent_Trials
        23
7 s
    - 19
                    38
1
4
                    6
    es 3
2
   as 2
                     4
3
    e 1
5
                     2
     0
         1
6
    os
[1] "m4PlNom"
 Suffix freq Percent_Trials
   s 24
1
        19
                    38
4
       3
                     6
    es
2
   as 1
                     2
3
                     2
    е
         1
5
    0
         1
                     2
   os
[1] "m5Pl"
Suffix freq Percent_Trials
        22
5 s
                    28
1
        14
4
    es
       8
                    16
2
         3
                    6
    a
         3
3
    as
[1] "m5PlNom"
Suffix freq Percent_Trials
5
 s 25
1
        13
                    26
4
   es
       7
                    14
3
                     6
         3
    as
    a
         2
[1] "fPl"
 Suffix freq Percent_Trials
5
   s 17
2
        12
                    24
     a
1
     - 8
                    16
3
    as 7
                    14
4
         6
                    12
    es
```

```
[1] "fPlNom"
 Suffix freq Percent_Trials
5 s 21 42
1
      13
                  26
4
  es 9
                  18
2 a 5
                 10
   as 2
[1] "f1Pl"
Suffix freq Percent_Trials
2 a 28 56
   as 19
                  38
3
4 es 2
1 - 1
                  4
                   2
[1] "f1PlNom"
 Suffix freq Percent_Trials
2 a 27
3
    as
       20
                  40
4
  es 2
                  4
1
   - 1
                   2
[1] "f2P1"
Suffix freq Percent_Trials
7 s
       23
1
       15
                  30
2
    a 7
                  14
3
  as 2
                 4
                  2
4
  es 1
   0
5
        1
                   2
   os
[1] "f2PlNom"
 Suffix freq Percent_Trials
       23
7 s
1
       15
                  30
2
   a 6
                 12
3
  as 3
                  6
  es 1
                  2
4
5
      1
                   2
   0
    os
[1] "f3P1"
Suffix freq Percent_Trials
5 s 20
                  40
   es 14
                  28
4
1
   - 13
                  26
   e 2
3
                  4
    as
       1
                   2
[1] "f3PlNom"
 Suffix freq Percent_Trials
4 s 22
                  44
    - 14
                  28
1
3 es 13
                  26
                  2
2
   as
       1
[1] "f4P1"
Suffix freq Percent_Trials
7 s
       23
   - 19
1
                  38
```

```
4
                            6
      es
2
            2
                            4
      as
3
                            2
            1
5
            1
                            2
       0
6
      os
[1] "f4PlNom"
  Suffix freq Percent_Trials
7
       s
           23
           19
                           38
1
4
                            6
            3
      es
2
            2
      as
                            4
3
            1
                            2
       е
5
            1
                            2
6
            1
      os
[1] "f5P1"
  Suffix freq Percent_Trials
5
       s
           21
                           42
           13
                           26
1
4
           12
                           24
      es
3
           3
                           6
      as
2
            1
                            2
       a
[1] "f5PlNom"
  Suffix freq Percent_Trials
5
           24
           13
                           26
1
4
                           18
      es
           9
3
      as
            3
                            6
2
       a
                            2
[1] "nPl"
  Suffix freq Percent_Trials
           21
6
1
           13
                           26
2
           9
                           18
3
            5
                           10
      as
                            2
4
            1
5
      os
            1
                            2
[1] "nPlNom"
  Suffix freq Percent_Trials
6
       s
           16
1
           15
                           30
2
                           22
           11
3
            6
                           12
      as
4
                            2
5
      os
            1
                            2
[1] "n2P1"
  Suffix freq Percent_Trials
1
           15
6
           15
                           30
       s
2
         12
                           24
       a
3
                           12
            6
      as
4
            1
                            2
       0
            1
                            2
      os
[1] "n2PlNom"
  Suffix freq Percent_Trials
```

```
1 - 15
                30
6
    s 15
                 30
2
                 22
   a 11
3
  as 7
                14
4
                 2
    0
5
   os
       1
                 2
[1] "n3P1"
Suffix freq Percent_Trials
5 s 21
1
       14
                 28
2
   a 8
                16
3 as 6
                12
4
   es 1
[1] "n3PlNom"
 Suffix freq Percent_Trials
5 s 21
1
       14
                 28
3 as 8
                16
2
   a 6
                12
  es
                 2
4
       1
[1] "n4Pl"
 Suffix freq Percent_Trials
7 s
       25
       18
                 36
1
  as 2
2
                 4
  o 2
5
3
   e 1
 es
4
       1
6
       1
   os
[1] "n4PlNom"
Suffix freq Percent_Trials
7 s 25
1
   - 18
                 36
2
  as 2
                4
  0 2
5
                 4
3
   e 1
                 2
4
       1
  es
6
   os
       1
[1] "AccPl"
 Suffix freq Percent_Trials
 s 13 26
    - 12
                 24
1
2
   a 12
                 24
5 es 5
                10
3
  as 3
                 6
4
   е 3
                 6
   0
6
       1
                 2
7
  os 1
[1] "1PlAcc"
Suffix freq Percent_Trials
2 a 31
                 62
3 as 15
                 30
4
  es 3
                6
  - 1
1
                 2
```

```
[1] "2PlAcc"
 Suffix freq Percent_Trials
1
         16
2
         14
                      28
      a
                      26
6
        13
3
   as 5
                      10
    o 1
4
                      2
5
                       2
    os 1
[1] "3P1Acc"
 Suffix freq Percent_Trials
  es
         20
3
     e 16
                      32
        9
5
     s
                      18
         4
1
                      8
2
    as
          1
                       2
[1] "4PlAcc"
 Suffix freq Percent_Trials
  _
         23
7
        19
                      38
     s
4
         3
                      6
     es
     o 2
5
                       4
2
    as 1
3
          1
                       2
     е
6
    os
[1] "5PlAcc"
 Suffix freq Percent_Trials
   es 17
6
     s
        12
                      24
        10
                      20
1
     e 5
                      10
2
         4
                      8
     a
3
     as
          2
                       4
[1] "mPlAcc"
 Suffix freq Percent_Trials
7
                      36
   s 18
1
         16
                      32
4
     es 7
                      14
3
     e 6
                      12
2
                      2
     as
          1
5
    0
          1
                       2
          1
6
    os
[1] "m1PlAcc"
 Suffix freq Percent_Trials
2 a
         23
                      46
                      28
3
    as
         14
1
         7
                      14
5
          3
                       6
     es
6
    s 2
                       4
          1
    е
[1] "m2PlAcc"
Suffix freq Percent_Trials
7 s 20
1
      - 17
                      34
2
     a 9
                      18
```

```
3 as 1
4
  es 1
                 2
5
   o 1
                 2
6
  os
       1
                 2
[1] "m3PlAcc"
Suffix freq Percent_Trials
4 es 20 40
  e 16
3
                32
5
   s 9
                18
1
   - 4
                8
2 as 1
                 2
[1] "m4PlAcc"
 Suffix freq Percent_Trials
1 - 23
   s 19
7
                 38
 es 3
o 2
4
                6
5
                 4
2 as 1
3
   e 1
  os 1
6
[1] "m5PlAcc"
Suffix freq Percent_Trials
5 es 16
6 s 12
                 24
1
   - 10
                20
4
   e 5
                10
2 a 4
3 as 3
                8
[1] "fPlAcc"
 Suffix freq Percent_Trials
5 es 17
  a 16
2
                32
6
   s 9
                18
4
   e 4
                8
   - 3
1
                 6
3
       1
   as
[1] "f1PlAcc"
Suffix freq Percent_Trials
2 a 31 62
3
  as 15
                30
4 es 3
                6
   - 1
1
[1] "f2PlAcc"
Suffix freq Percent_Trials
7 s 20
1
   - 17
                34
2
   a 9
                18
                2
3 as 1
4
  es 1
                 2
5
   o 1
   os
[1] "f3PlAcc"
Suffix freq Percent_Trials
4 es 20
```

```
3 e 16
                   32
5
    s 9
                    18
    - 4
                    8
1
2
         1
                     2
   as
[1] "f4PlAcc"
 Suffix freq Percent_Trials
        24
7
        19
                    38
     s
       3
                     6
4
    es
    as 1
                     2
2
3
   e 1
5
         1
                     2
    0
6
    os
         1
[1] "f5PlAcc"
 {\tt Suffix\ freq\ Percent\_Trials}
5 es 17
6
   s
        12
                    24
    - 10
                    20
1
4
    e 5
                    10
2
                    8
       4
         2
3
    as
[1] "nPlAcc"
 Suffix freq Percent_Trials
1 - 17
2
       13
                    26
     a
   s 13
                    26
6
3
   as 5
                    10
4
    0
       1
                     2
5
         1
    os
[1] "n2PlAcc"
Suffix freq Percent_Trials
1 - 16
2
    a 14
                    28
6
   s 13
                    26
3
   as 5
                    10
4
       1
                    2
    0
         1
    os
[1] "n3PlAcc"
 Suffix freq Percent_Trials
1
        18
                    36
6
       15
                    30
   a 9
2
                    18
       5
3
   as
                    10
4
    е
         2
                    4
    es
[1] "n4PlAcc"
 Suffix freq Percent_Trials
        22
1
8
        21
                    42
     s
6
     o 2
                     4
2
     a 1
                     2
3
    as 1
                     2
4
         1
                     2
    е
5
    es
         1
```

```
7 os 1
[1] "GenPl"
 Suffix freq Percent_Trials
6 s 26
    - 15
                  30
1
2
    a 4
                  8
3 as 2
5
        2
   es
4
   е
       1
[1] "1PlGen"
 Suffix freq Percent_Trials
 a 17
  as
      17
3
                  34
   s 9
5
                  18
1
   - 6
                  12
   es 1
                  2
4
[1] "2PlGen"
 Suffix freq Percent_Trials
       25
   S
                  50
        12
                  24
1
2
      7
                  14
    a
3
    as 2
                   4
4
                   2
    e 1
5
    es
                   2
6
                   2
   0
        1
   os 1
[1] "3PlGen"
Suffix freq Percent_Trials
5 s 27
1
    - 15
                  30
4
    es 6
                  12
2
    as
        1
                   2
3
   e 1
[1] "4PlGen"
Suffix freq Percent_Trials
  s 26
8
                  30
1
        15
5
    es 3
                  6
3
    as
        2
                   4
2
   a 1
                   2
4
   e 1
6
                   2
    0
        1
7
   os
        1
[1] "5PlGen"
 Suffix freq Percent_Trials
6 s 26
                  52
1
        14
                  28
5
    es 5
                  10
2
        2
                  4
    a
        2
3
   as
                   4
        1
    е
[1] "mPlGen"
Suffix freq Percent_Trials
8 s 26
```

```
15
                          30
5
            3
                           6
      es
3
            2
      as
                           4
2
      a
            1
                           2
4
                           2
6
            1
                           2
     os
[1] "m1PlGen"
  Suffix freq Percent_Trials
3
      as
           14
5
           13
                          26
       s
2
           12
                          24
       a
1
           10
                          20
                           2
           1
      es
[1] "m2PlGen"
  Suffix freq Percent_Trials
8
       s
           26
                          52
           14
                          28
1
2
           4
                           8
      a
3
            2
                           4
     as
4
            1
                           2
       е
5
     es
6
            1
                           2
      0
            1
      os
[1] "m3PlGen"
  Suffix freq Percent_Trials
      S
           27
1
           15
                          30
4
           6
                          12
      es
2
     as
            1
                           2
                           2
3
            1
      е
[1] "m4PlGen"
  Suffix freq Percent_Trials
8
           26
      s
                          30
1
           15
5
           3
                           6
      es
           2
3
     as
                           4
2
      a
            1
                           2
4
            1
6
       0
            1
                           2
7
            1
     os
[1] "m5PlGen"
  Suffix freq Percent_Trials
6
  s
           25
                          50
           14
                          28
1
5
          5
                          10
      es
2
            3
                           6
      a
3
            2
      as
                           4
4
      е
            1
[1] "fPlGen"
  Suffix freq Percent_Trials
6
           26
      S
                          52
1
           12
                          24
5
          6
      es
                          12
```

```
2 a 3
                   6
3
        2
                   4
    as
4
   e 1
[1] "f1PlGen"
Suffix freq Percent_Trials
2 a 17
   as 17
3
5
   s 9
                  18
1
        6
                   12
4
       1
                  2
    es
[1] "f2PlGen"
Suffix freq Percent_Trials
8
   s
        25
1
        14
                   28
    a 5
2
                  10
3
    as
        2
                   4
4
   e 1
                   2
5
   es 1
6
                   2
   0
        1
7
                   2
        1
    os
[1] "f3PlGen"
 Suffix freq Percent_Trials
5 s
        27
                   30
1
        15
4
   es 6
                  12
                   2
2 as 1
3
   e 1
                   2
[1] "f4PlGen"
 Suffix freq Percent_Trials
8 s
        24
    _
1
        15
                   30
   es 4
5
                   8
2
   a 2
                   4
3
   as 2
                   4
   е
                   2
4
        1
6
        1
                   2
   0
        1
    os
[1] "f5PlGen"
 Suffix freq Percent_Trials
        26
6 s
                   52
1
    - 14
                   28
5 es 5
                  10
2 a 2
3 as 2
                   4
                   4
    е
        1
[1] "nPlGen"
 Suffix freq Percent_Trials
        25
8 s
1
    - 12
                   24
2
    a 7
                   14
3
    as 2
                   4
4
                   2
    e 1
5
    es 1
                   2
                   2
6
        1
   0
```


```
[1] "n2PlGen"
  {\tt Suffix\ freq\ Percent\_Trials}
8
       s
           25
           12
                            24
1
2
            7
                            14
       a
3
            2
      as
                             4
4
                             2
             1
       е
5
      es
             1
                             2
6
             1
                             2
       0
                             2
7
      os
             1
[1] "n3PlGen"
  Suffix freq Percent_Trials
           26
6
       S
1
           14
                            28
2
                            10
       a
            5
3
             3
                             6
      as
                             2
4
       е
             1
5
                             2
      es
             1
[1] "n4PlGen"
  Suffix freq Percent_Trials
       s
           26
1
           15
                            30
2
            2
                             4
       a
3
             2
                             4
      as
5
      es
             2
4
       е
             1
                             2
6
             1
                             2
       0
7
             1
      os
[1] "common_system_distrib"
   Percent_Match freq Percent_Trials
        58.00000
                     1
                                      2
1
2
                                      6
        59.33333
                     3
3
        60.00000
                     7
                                    14
4
        60.66667
                     2
                                     4
5
        61.33333
                                     8
                     4
6
        62.00000
                                     2
                     1
7
        62.66667
                                     4
                     2
8
        63.33333
                     6
                                    12
9
        64.00000
                     5
                                    10
        64.66667
10
                                     4
11
        65.33333
                     7
                                    14
12
        66.00000
                     3
                                     6
13
                     2
                                     4
        67.33333
14
        68.00000
                     2
                                     4
                                     2
15
        68.66667
                     1
```

7 os 1

70.00000

71.33333


## Percent of common\_system\_distrib Matching Reality



[1]	"NPLto	FSG_sy	/stem_	distrib"
т		M-+-1	f ~ ~ ~	D


	Percent_Match	freq	Percent_Trials
1	59.33333	1	2
2	60.00000	1	2
3	61.33333	4	8
4	62.00000	8	16
5	62.66667	4	8
6	63.33333	9	18
7	64.00000	6	12
8	64.66667	2	4
9	65.33333	3	6
10	66.00000	3	6
11	66.66667	2	4
12	67.33333	3	6
13	68.00000	1	2
14	68.66667	2	4
15	70.00000	1	2

### Percent of NPLtoFSG\_system\_distrib Matching Reality




[1]	"romanian_sys	stem_c	distrib"
I	Percent_Match	freq	Percent_Trials
1	58.00000	1	2
2	59.33333	12	24
3	60.00000	1	2
4	60.66667	2	4
5	61.33333	5	10
6	62.00000	2	4
7	62.66667	3	6
8	63.33333	9	18
9	64.66667	2	4
10	65.33333	4	8
11	66.00000	3	6
12	66.66667	2	4
13	67.33333	2	4
14	72.00000	1	2
15	73.33333	1	2

### Percent of romanian\_system\_distrib Matching Reality




[1] "1_common_system_distrib"			
	${\tt Percent\_Match}$	${\tt freq}$	Percent_Trials
1	60.00000	1	2
2	66.66667	11	22
3	70.00000	18	36
4	73.33333	3	6
5	76.66667	11	22
6	80.00000	6	12

## Percent of 1\_common\_system\_distrib Matching Reality




[1]	] "1_NPLtoFSG_	syste	em_distrib"
]	Percent_Match	freq	Percent_Trials
1	60.00000	1	2
2	66.66667	11	22
3	70.00000	18	36
4	73.33333	3	6
5	76.66667	11	22
6	80.00000	6	12

## Percent of 1\_NPLtoFSG\_system\_distrib Matching Reality




[1	] "1_romanian_	syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	60.00000	1	2
2	66.66667	27	54
3	70.00000	2	4
4	73.33333	6	12
5	76.66667	14	28

## Percent of 1\_romanian\_system\_distrib Matching Reality



[1] "2_common_system_distrib"					
P	ercent_Match	freq	Percent_Trials		
1	53.33333	38	76		
2	60.00000	11	22		
3	73.33333	1	2		


## Percent of 2\_common\_system\_distrib Matching Reality



Percent Matching True System


	1] "2_NPLtoFSG	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	53.33333	27	54
2	56.66667	2	4
3	60.00000	11	22
4	63.33333	7	14
5	70.00000	3	6

## Percent of 2\_NPLtoFSG\_system\_distrib Matching Reality



[1]	"2_romanian_	syste	em_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	53.33333	33	66
2	60.00000	14	28
3	63.33333	1	2
4	73.33333	1	2
5	80.00000	1	2


## Percent of 2\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"3_common_sy	stem_	_distrib"
P	ercent_Match	freq	Percent_Trials
1	70.00000	13	26
2	73.33333	1	2
3	76.66667	4	8
4	80.00000	3	6
5	83.33333	4	8
6	86.66667	2	4
7	90.00000	19	38
8	93.33333	1	2
9	100.00000	3	6


## Percent of 3\_common\_system\_distrib Matching Reality



[1]	"3_NPL	toFSG_s	syster	n_distrib	"כ
I	Percent	Match	freq	Percent	T:

	Percent_Match	freq	Percent_Trials
1	70.00000	2	4
2	73.33333	1	2
3	76.66667	3	6
4	80.00000	26	52
5	83.33333	2	4
6	86.66667	5	10
7	90.00000	4	8
8	93.33333	4	8
9	96.66667	1	2
10	100.00000	2	4


## Percent of 3\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"3_romanian	_syste	em_distrib"
P	ercent_Match	freq	Percent_Trials
1	70.00000	14	28
2	73.33333	2	4
3	76.66667	3	6
4	80.00000	12	24
5	83.33333	5	10
6	86.66667	6	12
7	90.00000	6	12
8	93.33333	1	2
9	96.66667	1	2


## Percent of 3\_romanian\_system\_distrib Matching Reality




Percent Matching True System

[1]	"4_common_sy	stem_	_distrib"
P	ercent_Match	freq	Percent_Trials
1	46.66667	38	76
2	50.00000	11	22
3	56.66667	1	2

### Percent of 4\_common\_system\_distrib Matching Reality



## Percent of 4\_NPLtoFSG\_system\_distrib Matching Reality




[1	l] "4_romanian_	_syste	em_distr:	ib"
	Percent_Match	freq	Percent.	Trials
1	46.66667	38		76
2	50.00000	9		18
3	56.66667	2		4

1

60.00000

4

#### Percent of 4\_romanian\_system\_distrib Matching Reality




[1] "5\_common\_system\_distrib"

Percent\_Match freq Percent\_Trials

1 60 50 100


#### Percent of 5\_common\_system\_distrib Matching Reality



[1] "5\_NPLtoFSG\_system\_distrib"

Percent\_Match freq Percent\_Trials
1 60 50 100


### Percent of 5\_NPLtoFSG\_system\_distrib Matching Reality



[1] "5\_romanian\_system\_distrib"


Percent\_Match freq Percent\_Trials
1 60 50 100

# Percent of 5\_romanian\_system\_distrib Matching Reality




[1] "m\_common\_system\_distrib" Percent\_Match freq Percent\_Trials 

## Percent of m\_common\_system\_distrib Matching Reality




[1] "	m_NPLtoFSG	_syste	em_distrib"
Per	cent_Match	freq	Percent_Trials
1	54	12	24
2	56	4	8
3	58	18	36
4	60	7	14
5	62	4	8
6	64	4	8
7	70	1	2

## Percent of m\_NPLtoFSG\_system\_distrib Matching Reality




[1	] "m_romanian	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	54	12	24
2	56	4	8
3	58	16	32
4	60	8	16
5	62	4	8
6	64	3	6
7	70	1	2
8	72	1	2
9	76	1	2

## Percent of m\_romanian\_system\_distrib Matching Reality




[:	[1] "f_common_system_distrib"						
Percent_Match freq Percent_Trials							
1	46	1	2				
2	50	4	8				
3	52	10	20				
4	54	6	12				
5	56	6	12				
6	58	7	14				
7	60	10	20				
8	62	2	4				
9	64	4	8				

## Percent of f\_common\_system\_distrib Matching Reality




[1	] "f_NPLtoFS0	asyst	em_distrib"
	Percent_Match	freq	Percent_Trials
1	46	5 1	2
2	50	) 4	8
3	52	2 10	20
4	54	<u> 6</u>	12
5	56	6	12
6	58	3 7	14
7	60	10	20
8	62	2 2	4
a	6/	1 1	c

## Percent of f\_NPLtoFSG\_system\_distrib Matching Reality




[1] "f_romanian_	_syste	em_distrib"
Percent_Match	freq	Percent_Trials
1 46	1	2
2 50	12	24
3 52	4	8
4 54	7	14
5 56	7	14
6 58	5	10
7 60	10	20
8 62	4	8

# Percent of f\_romanian\_system\_distrib Matching Reality




[1] "n_common_system_distrib"						
Pe	rcent_Match	freq	Percent_Trials			
1	70	1	2			
2	72	3	6			
3	74	17	34			
4	76	10	20			
5	78	13	26			
6	80	4	8			

## Percent of n\_common\_system\_distrib Matching Reality




[1] "n_NPLtoFSG_system_distrib"						
	Percent_Match	freq	Percent_Trials			
1	70	2	4			
2	72	13	26			
3	74	5	10			
4	76	4	8			
5	78	4	8			
6	80	12	24			
7	82	1	2			
8	84	4	8			
9	86	2	4			
1	0 88	3	6			

## Percent of n\_NPLtoFSG\_system\_distrib Matching Reality




_	_		
[1	] "n_romanian <sub>.</sub>	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	70	2	4
2	72	16	32
3	74	18	36
4	76	6	12
5	78	3	6
6	80	3	6
7	84	1	2
8	88	1	2

## Percent of n\_romanian\_system\_distrib Matching Reality



[	1] "Nom_common	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	36.66667	13	26
3	40.00000	2	4
4	43.33333	11	22
5	46.66667	9	18
6	50.00000	13	26
7	60.00000	1	2


## Percent of Nom\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Nom_NPLtoFS	G_sys	stem_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	33.33333	1	2
2	36.66667	2	4
3	40.00000	9	18
4	43.33333	11	22
5	46.66667	20	40
6	50.00000	6	12
7	53.33333	1	2


## Percent of Nom\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1	] "Nom_romania	an_sys	stem_distrib"
	Percent_Match	freq	Percent_Trials
1	33.33333	2	4
2	36.66667	13	26
3	40.00000	1	2
4	43.33333	12	24
5	46.66667	13	26
6	50.00000	3	6
7	53.33333	4	8
8	56.66667	1	2
9	60.00000	1	2


## Percent of Nom\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	] "Acc_common_	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	36.66667	18	36
3	40.00000	2	4
4	43.33333	10	20
5	46.66667	8	16
6	50.00000	10	20
7	60.00000	1	2


## Percent of Acc\_common\_system\_distrib Matching Reality



Percent Matching True System


[1]	"Acc_NPLtoFS	G_sys	stem_dist	crib"
P	ercent_Match	freq	Percent	Trials
1	36.66667	1		2
2	40.00000	12		24
3	43.33333	14		28
4	46.66667	15		30
5	50.00000	7		14
6	53.33333	1		2

## Percent of Acc\_NPLtoFSG\_system\_distrib Matching Reality



[	[1]	"Acc_romania	an_sys	stem_dist	crib"
	Pe	ercent_Match	freq	Percent_	Trials
1		33.33333	1		2
2	2	36.66667	19		38
3	3	43.33333	14		28
4	Ļ	46.66667	9		18
5	5	50.00000	3		6
6	3	53.33333	3		6
7	,	56 66667	1		2


## Percent of Acc\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "Gen_common_system_distrib"				
Pe	rcent_Match	freq F	ercent_Trials	
1	16.66667	1	2	
2	20.00000	1	2	
3	23.33333	10	20	
4	26.66667	14	28	
5	30.00000	6	12	
6	33.33333	5	10	
7	36.66667	3	6	
8	40.00000	4	8	
9	43.33333	2	4	
10	46.66667	2	4	
11	50.00000	2	4	


## Percent of Gen\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] "Gen_NPLtoFSG_system_distrib"				
]	Percent_Match	freq	Percent_Trials	
1	20.00000	4	8	
2	23.33333	9	18	
3	26.66667	11	22	
4	30.00000	9	18	
5	33.33333	3	6	
6	36.66667	6	12	
7	40.00000	1	2	
8	43.33333	2	4	
9	46.66667	3	6	
10	50.00000	2	4	


## Percent of Gen\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "Gen_romanian_system_distrib"				
I	Percent_Match	freq	Percent_Trials	
1	13.33333	1	2	
2	20.00000	6	12	
3	23.33333	21	42	
4	26.66667	5	10	
5	30.00000	3	6	
6	33.33333	7	14	
7	40.00000	3	6	
8	43.33333	2	4	
9	53.33333	1	2	
10	56.66667	1	2	


## Percent of Gen\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Sg_common_sy	stem_	_distrib"
	Percent_Match	freq	Percent_Trials
1	62.66667	1	2
2	65.33333	1	2
3	66.66667	11	22
4	68.00000	5	10
5	69.33333	3	6
6	70.66667	8	16
7	72.00000	12	24
8	73.33333	1	2
9	74.66667	1	2
10	76.00000	7	14

## Percent of Sg\_common\_system\_distrib Matching Reality




[1]	"Sg_NPLtoFSG_	syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	62.66667	1	2
2	65.33333	1	2
3	66.66667	11	22
4	68.00000	5	10
5	69.33333	3	6
6	70.66667	8	16
7	72.00000	12	24

73.33333

74.66667


76.00000

## Percent of Sg\_NPLtoFSG\_system\_distrib Matching Reality




[1	] "Sg_romaniar	n_syst	tem_distrib"
	Percent_Match	freq	Percent_Trials
1	62.66667	1	2
2	65.33333	1	2
3	66.66667	15	30
4	68.00000	2	4
5	69.33333	3	6
6	70.66667	18	36
7	72.00000	2	4
8	74.66667	8	16

## Percent of Sg\_romanian\_system\_distrib Matching Reality



[1]	"Pl_common_sy	stem_	_distrib"
]	Percent_Match	freq	Percent_Trials
1	48.00000	12	24
2	50.66667	2	4
3	52.00000	1	2
4	53.33333	3	6
5	54.66667	1	2
6	56.00000	4	8
7	57.33333	3	6
8	58.66667	5	10
9	60.00000	6	12
10	61.33333	2	4
11	64.00000	10	20
12	76.00000	1	2


## Percent of PI\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Pl_NPLtoFSG_	_syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	50.66667	1	2
2	52.00000	10	20
3	54.66667	1	2
4	56.00000	6	12
5	57.33333	9	18
6	58.66667	2	4
7	60.00000	13	26
8	61.33333	4	8
9	64.00000	3	6
10	68.00000	1	2

# Percent of PI\_NPLtoFSG\_system\_distrib Matching Reality




[1] "Pl_romanian_system_distrib"				
I	Percent_Match	${\tt freq}$	Percent_Trials	
1	48.00000	13	26	
2	50.66667	1	2	
3	53.33333	3	6	
4	54.66667	2	4	
5	56.00000	12	24	
6	57.33333	2	4	
7	60.00000	9	18	
8	62.66667	3	6	
9	64.00000	1	2	
10	66.66667	1	2	

68.00000

69.33333

72.00000


# Percent of Pl\_romanian\_system\_distrib Matching Reality



Percent Matching True System

1] "n.Sg,m.Sg"		
Percent_Match	freq	Percent_Trials
33.33333	3	6
44.44444	11	22
55.55556	24	48
66.66667	12	24
	Percent_Match 33.33333 44.4444 55.55556	Percent_Match freq 33.33333 3 44.44444 11 55.55556 24


# Percent of n.Sg,m.Sg Matching Each Other



Percent Matching Each Other

[	1] "n.Pl,m.Pl"		
	Percent_Match	freq	Percent_Trials
1	0.00000	2	4
2	11.11111	5	10
3	22.22222	3	6
4	33.33333	5	10
5	44.44444	7	14
6	55.55556	14	28
7	66.66667	14	28


# Percent of n.PI,m.PI Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,f.Sg"		
Pe	ercent_Match	freq	Percent_Trials
1	33.33333	20	40
2	44.44444	14	28
3	55.55556	12	24
4	66.66667	4	8
-	00.00001	_	


# Percent of n.PI,f.Sg Matching Each Other




Percent Matching Each Other

[	1] "n.Pl,f.Pl"		
	Percent_Match	freq	Percent_Trials
1	33.33333	11	22
2	44.44444	9	18
3	55.55556	14	28
4	66.66667	16	32

#### Percent of n.PI,f.PI Matching Each Other




#### Percent of m.PI,f.PI Matching Each Other



[1] "1,5"
 Percent\_Match freq Percent\_Trials
1 50 50 100

#### **Percent of 1,5 Matching Each Other**



[1] "2,4"

Percent\_Match freq Percent\_Trials


1 50.00000 7 14

2 55.55556 6 12

3 61.11111 3 6

4 66.66667 34 68


#### Percent of 2,4 Matching Each Other



[1] "2Sg,4Sg"


Percent\_Match freq Percent\_Trials
1 55.55556 4 8
2 66.66667 46 92

# Percent of 2Sg,4Sg Matching Each Other



#### [1] "2P1,4P1" Percent\_Match freq Percent\_Trials 33.33333 1 2 44.44444 6 12 3 55.55556 2 4 4 66.66667 36 72


#### Percent of 2PI,4PI Matching Each Other



[1] "n.Sg(Nom|Acc),m.Sg(Nom|Acc)"

		, ,	
	${\tt Percent\_Match}$	freq	Percent_Trials
1	33.33333	8	16
2	50.00000	30	60
3	66.66667	12	24


# Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Nom Ad	cc),m	.Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	9	18
2	16.66667	1	2
3	33.33333	11	22
4	50.00000	15	30
5	66.66667	14	28


# Percent of n.PI(Nom|Acc),m.PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[	[1] "n.Pl(Nom Acc),f.Sg(Nom Acc)"				
	Percent_Match	freq	Percent_Trial	.s	
1	33.33333	33	6	6	
2	50.00000	13	2	26	
3	66.66667	4		8	


# Percent of n.PI(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other




Percent Matching Each Other

[1]	"n.Pl(Nom Ad	cc),f	.Pl(Nom Acc)"
Р	ercent_Match	freq	Percent_Trials
1	33.33333	19	38
2	50.00000	15	30
3	66.66667	16	32

#### Percent of n.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other




#### Percent of m.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other



```
[1] "1.*(Nom|Acc),5.*(Nom|Acc)"
  Percent_Match freq Percent_Trials
1     50     50     100
```


# Percent of 1.\*(Nom|Acc),5.\*(Nom|Acc) Matching Each Other



Percent Matching Each Other


	[1] "2.*(Nom Acc),4.*(Nom Acc)"				
	Percent_Match	freq	Percent	Trials	
1	50.00000	12		24	
2	58.33333	2		4	
3	66.66667	36		72	

Percent of 2.\*(Nom|Acc),4.\*(Nom|Acc) Matching Each Other



[1] "2Sg(Nom|Acc),4Sg(Nom|Acc)"
Percent\_Match freq Percent\_Trials
1 66.66667 50 100


#### Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other



[1] "2P1(Nom|Acc),4P1(Nom|Acc)"

	Percent_	_Match	freq	Percent_	_Trials
1	33	.33333	12		24
2	50	.00000	2		4
3	66	66667	36		72


# Percent of 2PI(Nom|Acc),4PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[	l] "n.Sg(Gen A	cc),m	.Sg(Gen Acc)"
	${\tt Percent\_Match}$	freq	Percent_Trials
1	33.33333	9	18
2	50.00000	29	58
3	66.66667	12	24

#### Percent of n.Sg(Gen|Acc),m.Sg(Gen|Acc) Matching Each Other




[1] "n.Pl(Gen|Acc),m.Pl(Gen|Acc)"
 Percent\_Match freq Percent\_Trials
1 0.00000 3 6
2 16.66667 4 8
3 33.33333 9 18

50.00000

66.66667


# Percent of n.PI(Gen|Acc),m.PI(Gen|Acc) Matching Each Other



Percent Matching Each Other


1] "n.Pl(Gen Ao	cc),f	.Sg(Gen Acc)"
Percent_Match	freq	Percent_Trials
33.33333	20	40
50.00000	25	50
66.66667	5	10
	Percent_Match 33.33333 50.00000	50.00000 25

#### Percent of n.PI(Gen|Acc),f.Sg(Gen|Acc) Matching Each Other




2 50.00000 22 44 3 66.66667 16 32

#### Percent of n.PI(Gen|Acc),f.PI(Gen|Acc) Matching Each Other




#### Percent of m.PI(Gen|Acc),f.PI(Gen|Acc) Matching Each Other



```
[1] "1.*(Gen|Acc),5.*(Gen|Acc)"
  Percent_Match freq Percent_Trials
1     50     50     100
```


#### Percent of 1.\*(Gen|Acc),5.\*(Gen|Acc) Matching Each Other



[1] "2.\*(Gen|Acc),4.\*(Gen|Acc)"

Percent\_Match freq Percent\_Trials
1 50.00000 7 14
2 58.33333 9 18
3 66.66667 34 68


#### Percent of 2.\*(Gen|Acc),4.\*(Gen|Acc) Matching Each Other



[1] "2Sg(Gen|Acc),4Sg(Gen|Acc)"


Percent\_Match freq Percent\_Trials
1 50.00000 4 8
2 66.66667 46 92

#### Percent of 2Sg(Gen|Acc),4Sg(Gen|Acc) Matching Each Other




[1] "2Pl(Gen|Acc),4Pl(Gen|Acc)"
Percent\_Match freq Percent\_Trials
1 33.33333 6 12
2 50.00000 7 14
3 66.66667 37 74

#### Percent of 2PI(Gen|Acc),4PI(Gen|Acc) Matching Each Other




# Percent of n.Sg(Nom|Gen),m.Sg(Nom|Gen) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Nom Ge	en),m	.Pl(Nom Gen)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	2	4
2	16.66667	5	10
3	33.33333	8	16
4	50.00000	7	14
5	66.66667	28	56


# Percent of n.PI(Nom|Gen),m.PI(Nom|Gen) Matching Each Other



Percent Matching Each Other

[	[1]	"n.Pl(Nom Ge	en),f	.Sg(Nom Gen)"
	Pe	ercent_Match	freq	Percent_Trials
1		33.33333	21	42
2	2	50.00000	14	28
3	3	66.66667	15	30

#### Percent of n.PI(Nom|Gen),f.Sg(Nom|Gen) Matching Each Other




[1] "n.Pl(Nom|Gen),f.Pl(Nom|Gen)"

Percent\_Match freq Percent\_Trials


1 33.33333 11 22

1	33.33333	11	22
2	50.00000	9	18
3	66.66667	30	60

#### Percent of n.PI(Nom|Gen),f.PI(Nom|Gen) Matching Each Other




#### Percent of m.PI(Nom|Gen),f.PI(Nom|Gen) Matching Each Other



```
[1] "1.*(Nom|Gen),5.*(Nom|Gen)"
  Percent_Match freq Percent_Trials
1     50     50     100
```


# Percent of 1.\*(Nom|Gen),5.\*(Nom|Gen) Matching Each Other




Percent Matching Each Other

	1] "2.*(Nom Ger	ı),4.	*(Nom Gen)"	
	Percent_Match	freq	Percent_Tria	ıls
1	50.00000	8		16
2	58.33333	7		14
3	66.66667	35		70

#### Percent of 2.\*(Nom|Gen),4.\*(Nom|Gen) Matching Each Other




#### Percent of 2Sg(Nom|Gen),4Sg(Nom|Gen) Matching Each Other



# [1] "2Pl(Nom|Gen),4Pl(Nom|Gen)" Percent\_Match freq Percent\_Trials 1 33.33333 6 12 2 50.00000 7 14 3 66.66667 37 74


#### Percent of 2PI(Nom|Gen),4PI(Nom|Gen) Matching Each Other



Percent Matching Each Other

[1]	"Nom, Acc"		
	Percent_Match	freq	Percent_Trials
1	61.53846	2	4
2	65.38462	1	2
3	69.23077	1	2
4	73.07692	2	4
5	76.92308	1	2
6	80.76923	6	12
7	84.61538	12	24
8	88.46154	5	10
9	92.30769	7	14
10	96.15385	1	2
11	100.00000	12	24


# **Percent of Nom,Acc Matching Each Other**



Percent Matching Each Other

[1]	"Acc,Gen"		
F	Percent_Match	freq	Percent_Trials
1	46.15385	1	2
2	53.84615	4	8
3	57.69231	4	8
4	61.53846	6	12
5	65.38462	7	14
6	69.23077	4	8
7	73.07692	10	20
8	76.92308	3	6
9	80.76923	1	2
10	84.61538	2	4
11	88.46154	5	10
12	92.30769	1	2
13	100.00000	2	4


# Percent of Acc, Gen Matching Each Other



Percent Matching Each Other

[1]	"Nom,Gen"		
]	Percent_Match	freq	Percent_Trials
1	50.00000	1	2
2	53.84615	2	4
3	61.53846	4	8
4	65.38462	4	8
5	69.23077	4	8
6	73.07692	9	18
7	76.92308	1	2
8	80.76923	3	6
9	84.61538	4	8
10	88.46154	10	20
11	92.30769	1	2
12	96.15385	1	2
13	100.00000	6	12


# Percent of Nom, Gen Matching Each Other



Percent Matching Each Other

[1]	"Nom, Acc, Gen'	1	
I	Percent_Match	freq	Percent_Trials
1	46.15385	2	4
2	50.00000	1	2
3	53.84615	4	8
4	57.69231	3	6
5	61.53846	7	14
6	65.38462	6	12
7	69.23077	4	8
8	73.07692	11	22
9	76.92308	2	4
10	80.76923	1	2
11	84.61538	1	2
12	88.46154	5	10
13	92.30769	1	2
14	100.00000	2	4


# Percent of Nom, Acc, Gen Matching Each Other




Percent Matching Each Other

	1] "nPlmPl_excl	lusive	e"
	Percent_Match	freq	Percent_Trials
1	0.00000	3	6
2	11.11111	8	16
3	22.22222	1	2
4	33.33333	38	76


#### Percent of nPImPI\_exclusive Matching Each Other




#### Percent of nPlfPl\_exclusive Matching Each Other



# Percent of 1Sg(Nom|Acc) ending in a(\$|,)




# Percent of [24]Sg(Nom|Acc) ending in o(\$|,)




[	1] "3Sg(Nom Aco	c)_[e-	-](\$ ,)"
	Percent_Match	freq	Percent_Trials
1	50.00000	1	2
2	83.33333	3	6
3	100.00000	46	92

# Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)



[1]	"3P1(Nom Aco	c)_e?s	s(\$ ,)"
P	ercent_Match	freq	Percent_Trials
1	0.00000	12	24
2	16.66667	1	2
3	33.33333	1	2
4	50.00000	6	12
5	66.66667	8	16
6	83.33333	1	2
7	100.00000	21	42


# Percent of 3PI(Nom|Acc) ending in e?s(\$|,)




Percent Matching Reality

[1]	"[124]Pl(Non	n Acc)	)_s(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00	17	34
2	6.25	3	6
3	12.50	3	6
4	25.00	8	16
5	37.50	3	6
6	50.00	16	32

#### Percent of [124]PI(Nom|Acc) ending in s(\$|,)




# Percent of [24]PI(Nom|Acc) ending in os(\$|,)



# [1] "1Pl(Nom|Acc)\_as(\$|,)" Percent\_Match freq Percent\_Trials 1 0 29 58 2 25 6 12 3 50 15 30

# Percent of 1PI(Nom|Acc) ending in as(\$|,)




[1] "n.Pl(Nom|Acc)\_a(\$|,)"

Persont Match from Person

	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	36	72
2	16.66667	2	4
3	33.33333	4	8
4	50.00000	1	2
F	66 66667	7	1./


# Percent of n.PI(Nom|Acc) ending in a(\$|,)




Percent Matching Reality

[1] "n.Pl(Nom Acc)_as(\$ ,)"				
Pe	ercent_Match	${\tt freq}$	Percent_Trials	
1	0.00000	40	80	
2	16.66667	3	6	
3	33.33333	3	6	
4	66.66667	4	8	

#### Percent of n.PI(Nom|Acc) ending in as(\$|,)




#### Percent of n.PI(Nom|Acc) ending in os(\$|,)




[1] "m.Pl(Nom|Acc)\_as(\$|,)" Percent\_Match freq Percent\_Trials 

# Percent of m.PI(Nom|Acc) ending in as(\$|,)




# Percent of m.PI(Nom|Acc) ending in os(\$|,)



[1]	"Pl(Nom Acc)	_s(\$ ,)"	
-----	--------------	-----------	--

		_	·
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.000000	12	24
2	7.692308	2	4
3	15.384615	5	10
4	23.076923	2	4
5	26.923077	6	12
6	30.769231	3	6
7	34.615385	1	2
8	46.153846	3	6
9	53.846154	16	32


# Percent of PI(Nom|Acc) ending in s(\$|,)




[1] "1Sg(Gen|Acc)\_a(\$|,)"

Percent\_Match freq Percent\_Trials
1 0 1 2
2 25 23 46
3 50 26 52

# Percent of 1Sg(Gen|Acc) ending in a(\$|,)




#### Percent of [24]Sg(Gen|Acc) ending in o(\$|,)



```
[1] "3Sg(Gen|Acc)_[e-]($|,)"


Percent_Match freq Percent_Trials
1 50.00000 19 38
2 83.33333 5 10
3 100.00000 26 52
```

#### Percent of 3Sg(Gen|Acc) ending in [e-](\$|,)



[1] "3Pl(Gen|Acc)\_e?s(\$|,)" Percent\_Match freq Percent\_Trials 0.00000 16.66667 33.33333 50.00000 66.66667 83.33333 100.00000 


# Percent of 3PI(Gen|Acc) ending in e?s(\$|,)




Percent Matching Reality

[:	l] "[124]Pl(Ge	n Acc)	)_s(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00	16	32
2	6.25	1	2
3	12.50	3	6
4	18.75	1	2
5	25.00	8	16
6	37.50	2	4
7	43.75	3	6
8	50.00	16	32

# Percent of [124]PI(Gen|Acc) ending in s(\$|,)




# Percent of [24]PI(Gen|Acc) ending in os(\$|,)



# [1] "1Pl(Gen|Acc)\_as(\$|,)" Percent\_Match freq Percent\_Trials 1 0 30 60 2 25 6 12 3 50 14 28


# Percent of 1PI(Gen|Acc) ending in as(\$|,)



[1] "n.Pl(Gen|Acc)\_a(\$|,)"

	Percent_Match	freq	Percent_Trials
1	0.00000	36	72
2	16.66667	4	8
3	33.33333	4	8
4	50.00000	1	2
5	66.66667	5	10


# Percent of n.PI(Gen|Acc) ending in a(\$|,)




#### Percent Matching Reality

[1]	"n.Pl(Gen Ad	cc)_as	s(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	43	86
2	16.66667	2	4
3	33.33333	3	6
4	50.00000	1	2
5	66.66667	1	2


# Percent of n.PI(Gen|Acc) ending in as(\$|,)




#### Percent of n.PI(Gen|Acc) ending in os(\$|,)



# Percent of m.PI(Gen|Acc) ending in as(\$|,)




# Percent of m.PI(Gen|Acc) ending in os(\$|,)



[1]	"Pl(Gen Acc)	s(\$	,)"
I	Percent_Match	freq	Percent_Trials
1	0.000000	12	24
2	7.692308	3	6
3	11.538462	1	2
4	15.384615	1	2
5	19.230769	1	2
6	23.076923	2	4
7	26.923077	4	8
8	30.769231	3	6
9	34.615385	3	6
10	42.307692	1	2
11	50.000000	3	6

53.846154


# Percent of PI(Gen|Acc) ending in s(\$|,)




[1] "1Sg(Nom|Gen)\_a(\$|,)"

Percent\_Match freq Percent\_Trials
1 0 1 2
2 25 23 46
3 50 26 52

# Percent of 1Sg(Nom|Gen) ending in a(\$|,)




#### Percent of [24]Sg(Nom|Gen) ending in o(\$|,)



[1]	"3Sg(Nom Ger	ı)_[e-	-](\$ ,)"
P	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	1	2
3	50.00000	17	34
4	66.66667	2	4
5	83.33333	3	6
6	100.00000	26	52


# Percent of 3Sg(Nom|Gen) ending in [e-](\$|,)



Percent Matching Reality

[1]	"3P1(Nom Ger	n)_e?s	s(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	13	26
2	33.33333	3	6
3	66.66667	4	8
4	83.33333	2	4
5	100 00000	28	56


# Percent of 3PI(Nom|Gen) ending in e?s(\$|,)




Percent Matching Reality

[1] "[124]Pl(Nom Gen)_s(\$ ,)"			
Pe	ercent_Match	freq	${\tt Percent\_Trials}$
1	0.00	16	32
2	6.25	1	2
3	12.50	2	4
4	18.75	1	2
5	25.00	4	8
6	31.25	1	2
7	37.50	2	4
8	43.75	3	6
9	50.00	20	40

# Percent of [124]PI(Nom|Gen) ending in s(\$|,)




# Percent of [24]PI(Nom|Gen) ending in os(\$|,)




#### [1] "1P1(Nom|Gen)\_as(\$|,)" Percent\_Match freq Percent\_Trials

# Percent of 1PI(Nom|Gen) ending in as(\$|,)



[1] "n.Pl(Nom|Gen)\_a(\$|,)" Percent\_Match freq Percent\_Trials 0.00000 16.66667 


# Percent of n.PI(Nom|Gen) ending in a(\$|,)




[1]	"n.Pl	(Nom Ge	en)_as	s(\$ ,)"
Pe	ercent	Match	freq	Percent

	Percent_Match	freq	Percent_Trials
1	0.00000	40	80
2	16.66667	5	10
3	33.33333	2	4
4	50.00000	1	2
5	66.66667	2	4

# Percent of n.PI(Nom|Gen) ending in as(\$|,)




#### Percent of n.PI(Nom|Gen) ending in os(\$|,)




[1] "m.Pl(Nom|Gen)\_as(\$|,)" Percent\_Match freq Percent\_Trials 

# Percent of m.PI(Nom|Gen) ending in as(\$|,)




# Percent of m.PI(Nom|Gen) ending in os(\$|,)



[1]	"Pl(Nom Gen)	s(\$	,)"
I	Percent_Match	freq	Percent_Trials
1	0.000000	13	26
2	7.692308	2	4
3	15.384615	1	2
4	19.230769	2	4
5	23.076923	1	2
6	30.769231	2	4
7	34.615385	1	2
8	38.461538	2	4
9	42.307692	2	4
10	46.153846	1	2
11	50.000000	3	6
12	53.846154	20	40


# Percent of PI(Nom|Gen) ending in s(\$|,)



Percent Matching Reality

[1]	"Sg_nots"		
Pe	ercent_Match	freq	Percent_Trials
1	71.79487	1	2
2	79.48718	1	2
3	82.05128	9	18
4	84.61538	2	4
5	87.17949	2	4
6	89.74359	5	10
7	92.30769	1	2
8	94.87179	1	2
9	100.00000	28	56


# Percent of Sg ending in nots



[1]	"Pl_s(\$ ,)"		
	Percent_Match	freq	Percent_Trials
1	0.000000	12	24
2	5.128205	1	2
3	10.256410	2	4
4	12.820513	1	2
5	15.384615	1	2
6	17.948718	1	2
7	23.076923	1	2
8	28.205128	2	4
9	30.769231	3	6
10	33.333333	1	2
11	35.897436	4	8
12	38.461538	1	2
13	41.025641	1	2
14	48.717949	3	6

53.846154


# Percent of PI ending in s(\$|,)



Percent	Matching	Reality
---------	----------	---------

[1]	"[mf].Pl_s(\$	,)"	
	Percent_Match	freq	Percent_Trials
1	0.000000	12	24
2	6.666667	2	4
3	13.333333	2	4
4	20.000000	1	2
5	23.333333	1	2
6	26.666667	2	4
7	30.000000	3	6
8	33.333333	4	8
9	36.666667	1	2
10	40.000000	2	4
11	43.333333	4	8
12	50.000000	16	32


# Percent of [mf].Pl ending in s(\$|,)



Percent Matching Reality

[1]	] "[124]Pl_s(\$		
I	Percent_Match	${\tt freq}$	Percent_Trials
1	0.000000	16	32
2	4.166667	1	2
3	12.500000	3	6
4	16.666667	1	2
5	20.833333	2	4
6	25.000000	2	4
7	33.333333	6	12
8	41.666667	3	6
9	50.000000	16	32


# Percent of [124]PI ending in s(\$|,)



Percent Matching Reality

[	[1] "n.Pl_s(\$ ,)"				
	Percent_Match	freq	Percent_Trials		
1	0.00000	19	38		
2	11.11111	1	2		
3	22.22222	1	2		
4	33.33333	4	8		
5	44.44444	6	12		
6	66.66667	19	38		


# Percent of n.PI ending in s(\$|,)



Percent Matching Reality

[1]	"1Sg_a(\$ ,)'	1	
I	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	23	46
3	50.00000	26	52


# Percent of 1Sg ending in a(\$|,)



[1] "[24]Sg\_o(\$|,)"


Percent\_Match freq Percent\_Trials
1 33.33333 39 78
2 50.00000 11 22

# Percent of [24]Sg ending in o(\$|,)



#### [1] "3Sg\_[e-](\$|,)" Percent\_Match freq Percent\_Trials 33.33333 55.55556 66.66667 77.77778 88.8889 100.00000


## Percent of 3Sg ending in [e-](\$|,)




**Percent Matching Reality** 

[1]	"3P1_e?s"		
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	12	24
2	22.22222	2	4
3	44.44444	2	4
4	55.55556	1	2
5	66.66667	9	18
6	77.77778	2	4
7	88.88889	1	2
8	100.00000	21	42

## Percent of 3PI ending in e?s




## Percent of [24]PI ending in os(\$|,)



### [1] "1Pl\_as(\$|,)" Percent\_Match freq Percent\_Trials 0.00000 1 28 6 2 16.66667 3 3 33.33333 5 10 4 50.00000 14 28


## Percent of 1PI ending in as(\$|,)



Percent Matching Reality

[1] "n.Pl_a(\$ ,)"					
	Percent_Match	freq	Percent_Trials		
1	0.00000	36	72		
2	11.11111	2	4		
3	22.22222	3	6		
4	33.33333	2	4		
5	44.44444	1	2		
6	55.55556	1	2		
7	66.66667	5	10		


# Percent of n.PI ending in a(\$|,)




Percent Matching Reality

[1]	"n.Pl_as(\$ ,	,)"	
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	40	80
2	11.11111	3	6
3	22.22222	2	4
4	44.4444	3	6
5	55.55556	1	2
6	66.66667	1	2

## Percent of n.Pl ending in as(\$|,)




## Percent of n.Pl ending in os(\$|,)




```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
       0.000000
                  47
1
                                   2
2
       6.66667
                   1
                                   2
3
      26.666667
                   1
4
      60.000000
                   1
                                   2
```

## Percent of m.Pl ending in as(\$|,)



### Percent of m.Pl ending in os(\$|,)



```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            50
6
            50
                           100
2
            49
                            98
       a
4
            41
                            82
8
            23
                            46
3
             7
                            14
      as
5
             7
                            14
      es
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
1
6
       0
            50
                           100
2
            49
                            98
                            84
4
       е
            42
8
            25
                            50
       s
3
             7
                            14
      as
5
             7
                            14
      es
7
      os
             2
                             4
[1] "SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
1
            50
                           100
4
       0
2
            49
                            98
       a
                            82
3
       е
            41
5
             4
                             8
       s
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
5
           50
                          100
       0
2
       a
           49
                           98
3
           42
                           84
       е
6
            8
                           16
       s
4
            2
                            4
      es
[1] "1SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           49
                           98
       a
            1
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           49
1
           15
                           30
                            2
3
            1
[1] "2SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       o 50
[1] "All Endings Included"
 Suffix freq Percent Trials
2
           50
       0
                           10
[1] "3SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
1
2
           41
       е
                           82
3
       s
            4
                            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
2
           42
                           84
       е
4
       s
            5
                           10
3
      es
            1
                            2
[1] "4SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
           50
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
       0
            6
                           12
1
2
                            2
       е
            1
[1] "5SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           24
                           48
1
3
            3
                            6
       е
       a
            2
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
           43
1
3
           20
                           40
6
            5
                           10
       s
2
            2
                            4
4
            1
                            2
      es
                            2
       0
[1] "mSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       0
           50
           45
                           90
1
2
           41
                           82
       е
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
       0
           50
                          100
           47
                           94
1
           41
2
                           82
       a
3
           41
                           82
6
            5
                           10
      es
            1
                            2
[1] "fSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       a
           49
1
           46
                           92
3
       е
           40
                           80
                            2
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           49
5
           47
                           94
                           92
1
           46
3
                           84
       е
           42
6
                           12
            6
       S
      es
            2
[1] "nSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
3
                          100
           50
            4
                            8
       е
            4
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
                          100
1
           50
                          100
3
2
            4
                            8
       е
            4
                            8
[1] "SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
6
       o 50
```

```
49
                            98
2
           49
                            98
       a
4
           41
                            82
8
           22
                            44
       s
3
            7
      as
                            14
5
      es
             7
                            14
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
                           100
1
           50
                           100
6
       0
2
           49
                            98
       a
4
           42
                            84
       е
8
           25
                            50
       s
3
            7
                            14
      as
5
             7
      es
                            14
      os
             2
                             4
[1] "1SgAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           49
5
            10
                            20
1
            7
                            14
             7
3
      as
                            14
4
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           49
           18
                            36
1
6
           11
                            22
       s
3
            7
                            14
      as
4
       е
             3
                             6
5
             1
                             2
      es
[1] "2SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
           50
1
           22
                            44
6
            12
                            24
       s
2
            2
                             4
       е
3
             2
      es
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
       0
           25
                            50
1
6
           13
                            26
       s
2
            2
                             4
3
             2
                             4
      es
             2
5
                             4
      os
[1] "3SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       - 48
```

```
41
                            82
5
            18
                            36
4
            7
                            14
      es
2
            2
                            4
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           48
3
           42
                            84
       е
5
       s
           19
                            38
4
            7
                            14
      es
2
       a
             3
                             6
[1] "4SgAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           50
            19
1
                            38
6
            14
                            28
3
            3
                            6
      es
2
            2
                             4
       е
             2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           50
                          100
       0
           22
1
                            44
6
           14
                            28
2
       е
            3
                            6
3
      es
             3
                             6
5
                             4
      os
[1] "5SgAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           16
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           36
3
           22
                           44
6
       S
           17
                           34
                            10
4
      es
            5
2
             4
                            8
       a
                             2
5
             1
[1] "mSgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           50
       0
3
           41
                            82
1
           35
                            70
7
           18
                            36
4
            7
                            14
      es
6
             2
                             4
      os
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
       o 50
                          100
```

```
42
                             84
2
            42
                             84
       a
4
            41
                             82
       е
8
            22
                             44
       S
3
             7
      as
                             14
5
             7
                             14
      es
      os
             2
                              4
[1] "fSgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            49
4
            40
                             80
1
            34
                             68
6
                             34
            17
       s
3
             7
                             14
      as
5
      es
             6
                             12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            49
       a
                             92
6
            46
       0
            43
                             86
1
4
       е
            42
                             84
8
            23
                             46
       S
             7
3
      as
                             14
5
             6
                             12
      es
7
      os
                             4
[1] "nSgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            50
       0
            49
                             98
1
7
            20
                             40
3
             5
                             10
4
                             8
             4
      es
2
             2
                              4
       a
             2
6
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            50
       0
            49
1
                             98
7
            21
                             42
       s
3
             5
                             10
4
             5
                             10
      es
2
             2
                              4
       a
                              4
      os
[1] "SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            50
                           100
       0
1
            49
                             98
2
            49
                             98
       a
8
            23
                             46
       S
4
                             18
       е
             9
3
             7
                             14
      as
```

```
7
                            14
      es
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
            50
1
            49
                            98
2
            49
                            98
       a
                            50
8
            25
       s
4
       е
            10
                            20
3
             7
                            14
      as
5
      es
             7
                            14
7
             2
                             4
      os
[1] "1SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a
            49
5
            10
                            20
       s
             7
                            14
1
3
             7
                            14
      as
             1
4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            49
       a
1
            19
                            38
                            22
6
            11
3
      as
             7
                            14
4
       е
             2
                             4
5
             1
                             2
      es
[1] "2SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            50
1
            22
                            44
6
                            24
            12
       s
2
                             4
3
             2
                             4
      es
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            50
                           100
1
            24
                            48
6
            13
                            26
       s
2
             2
                             4
       е
3
             2
                             4
      es
      os
[1] "3SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            49
1
5
            19
                            38
       s
3
                            18
             9
             7
4
                            14
      es
2
             2
       a
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
1
            49
                            40
5
            20
3
            9
                            18
             7
4
      es
                            14
2
             3
                             6
       a
[1] "4SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            50
                           100
1
            19
                            38
6
            14
                            28
       s
3
             3
                             6
      es
             2
2
                             4
       е
5
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
       0
            21
                            42
1
                            28
6
            14
3
                             6
      es
            3
2
       е
             2
                             4
             2
                             4
      os
[1] "5SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            24
4
             5
                            10
       s
2
             2
                             4
       a
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
            39
1
6
            17
                            34
       s
3
            5
                            10
4
            5
                            10
      es
2
             4
                             8
       0
             1
                             2
[1] "mSgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
5
       0
                           100
1
            45
                            90
7
            18
                            36
       s
3
             9
                            18
       е
4
             7
      es
                            14
6
             2
                             4
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            50
       0
            47
                            94
1
2
            41
                            82
       a
8
            22
                            44
```

```
10
                            20
       е
3
             7
                             14
      as
5
             7
                             14
      es
7
      os
             2
                             4
[1] "fSgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            49
       a
1
            44
                             88
6
            19
                             38
       s
                            18
             7
3
                             14
      as
5
             6
                             12
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            49
6
            47
                             94
       0
                            92
            46
1
8
            23
                            46
       s
4
             9
                             18
3
             7
      as
                             14
5
      es
                             12
7
             2
                              4
      os
[1] "nSgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            50
1
            47
                             94
7
            21
                             42
       s
4
             4
                             8
      es
2
             2
       a
                              4
3
       е
             2
                              4
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            50
                            94
1
            47
7
       S
            22
                            44
             5
                             10
4
      es
2
             2
                              4
       a
             2
3
                              4
       е
6
             2
                              4
      os
[1] "SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
1
6
            50
                           100
       0
2
                            98
            49
4
            41
                            82
       е
8
            23
                             46
3
             7
                             14
      as
             7
5
                             14
      es
7
             2
      os
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
            50
1
            50
                           100
6
2
            49
                            98
       a
4
       е
            42
                            84
8
            25
                            50
       s
3
             7
                            14
      as
             7
5
                            14
      es
7
      os
             2
                             4
[1] "1SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            49
5
            10
                            20
       s
1
            7
                            14
3
             7
      as
                            14
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
            49
       a
1
            19
                            38
6
       s
            11
                            22
3
            7
                            14
      as
4
       е
             3
                             6
             1
                             2
5
      es
[1] "2SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            50
1
            22
                            44
6
            12
                            24
       s
2
       е
             2
                             4
3
             2
                             4
             2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       0
            50
1
            25
                            50
                            26
6
       s
            13
2
            2
                             4
       е
3
      es
             2
                             4
             2
5
      os
                             4
[1] "3SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
1
3
            41
                            82
       е
                            38
5
            19
       S
4
            7
                            14
      es
             2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
                           100
1
3
       е
            42
                            84
```

```
5
            20
                            40
       s
4
             7
                            14
      es
2
             3
                             6
       a
[1] "4SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
            50
1
            19
                            38
6
       s
            14
                            28
3
             3
                             6
      es
             2
2
       е
                             4
5
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            50
            22
1
                            44
6
            14
                            28
       s
2
             3
                             6
3
             3
                             6
      es
             2
5
                             4
      os
[1] "5SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            32
1
5
             5
                            10
3
       е
             3
                             6
2
             2
                             4
       a
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
            43
1
3
       е
            22
                            44
6
            17
                            34
       s
4
             5
                            10
      es
2
             4
                             8
       a
             1
                             2
5
       0
[1] "mSgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
5
                           100
            46
1
                            92
3
            41
                            82
       е
7
            18
                            36
       s
4
             7
                            14
      es
             2
      os
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            50
                           100
       0
1
            48
                            96
2
            42
                            84
       a
4
                            82
            41
8
            22
                            44
       s
3
             7
                            14
      as
```

```
7
                            14
      es
7
            2
                             4
      os
[1] "fSgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           49
1
           46
                            92
4
           40
                            80
       е
6
       s
           19
                            38
3
            7
                            14
      as
5
      es
                            12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           49
       a
1
           47
                            94
6
           47
                            94
       0
4
           42
                            84
       е
8
           23
                            46
3
            7
                            14
      as
5
            6
                            12
      es
7
      os
            2
[1] "nSgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
1
5
       0
           50
                          100
7
       s
           21
                           42
3
            5
                            10
       е
             4
4
                            8
      es
2
             2
                             4
       a
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
5
           50
                          100
       0
7
           22
                           44
       s
3
       е
            5
                           10
4
      es
            5
                            10
2
             2
       a
                            4
6
                             4
      os
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
       0
1
           49
2
           49
                            98
       a
8
           32
                            64
       s
3
           23
                            46
      as
5
           14
                            28
      es
4
            6
                            12
            1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
   o 50
```

```
49
                            98
2
            49
                            98
       a
8
            35
                            70
3
            29
                            58
      as
5
                            28
      es
            14
4
             6
                            12
       е
      os
                             2
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
            50
1
            49
                            98
2
            49
                            98
       a
3
             5
                            10
5
       s
             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            50
       0
            49
                            98
1
2
            49
                            98
       a
6
                            16
            8
3
       е
             5
                            10
4
             1
                             2
      es
[1] "1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            49
3
      as
            22
                            44
6
                            26
            13
       s
1
             9
                            18
5
             3
      es
                             6
4
       е
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
            49
3
            25
                            50
      as
6
       s
            20
                            40
1
            19
                            38
5
             4
                             8
      es
4
             3
                             6
       е
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            49
       a
5
            10
                            20
       s
             7
1
                            14
             7
3
                            14
      as
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            49
       a
                            38
1
            19
6
                            22
       s
            11
3
            7
                            14
      as
```

```
6
       е
5
                            2
      es
            1
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
      a 49
[1] "All Endings Included"
  Suffix freq Percent_Trials
           49
       a
1
           15
                           30
[1] "2"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
       0
           28
1
                           56
8
           28
                           56
       s
2
                           28
       a
           14
3
            7
                           14
      as
5
      es
            3
                            6
4
       е
            2
                            4
      os
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
6
       0
1
           31
                           62
8
       s
           28
                           56
2
           14
                           28
       a
3
            8
                           16
      as
5
            3
                            6
      es
            2
4
       е
                            4
7
      os
            2
                            4
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           50
       0
1
           22
                           44
6
           12
                           24
       s
2
            2
       е
                            4
3
            2
                            4
      es
            2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           50
       0
1
           25
                           50
                           26
6
           13
       s
2
            2
                            4
       е
3
            2
                            4
      es
5
            2
      os
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       o 50
1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
       0
           50
                            8
[1] "3"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
4
           41
                           82
       е
6
       s
           31
                           62
5
           22
                           44
      es
2
       a
            9
                           18
3
            8
                           16
      as
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           50
           42
4
       е
                           84
6
           34
                           68
       s
5
           22
                           44
      es
3
                           22
           11
      as
                           20
2
           10
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
1
3
           41
                           82
5
       s
           19
                           38
4
      es
            7
                           14
            2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
1
                          100
3
       е
           42
                           84
5
           20
                           40
            7
4
                           14
      es
            3
                            6
       a
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           49
1
            5
2
                           10
       e
            4
       s
                            8
[1] "All Endings Included"
 Suffix freq Percent_Trials
           49
1
            5
2
                           10
       е
            5
                           10
3
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
6
           50
       0
           27
                           54
8
       s
                           52
1
           26
5
                            8
      es
            4
2
            2
                            4
       a
```

```
3
      as
4
             2
       е
                             4
            2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           50
1
           29
                           58
8
                           58
           29
       s
5
      es
            5
                            10
2
            3
                             6
       a
4
       е
             3
                             6
3
             2
                             4
      as
7
             2
                             4
      os
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           50
                           100
           19
                            38
1
6
           14
                            28
       S
3
            3
                             6
      es
             2
                             4
2
       е
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           50
       0
1
           22
                           44
6
       s
           14
                            28
2
            3
                             6
       е
            3
                             6
3
      es
5
             2
      os
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       0
           50
                           100
1
                             8
[1] "5"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           32
6
           25
                            50
       S
5
           12
                            24
      es
            9
                            18
       е
2
             3
                             6
       a
             3
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
           43
7
           32
                            64
       s
4
           22
                            44
5
           17
      es
                           34
2
            8
                            16
       a
```

```
14
      as
6
            1
                            2
       0
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           32
            5
5
       s
                           10
3
            3
                            6
       е
2
            2
       a
                            4
            1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
           43
1
3
           22
                           44
6
       s
           17
                           34
4
      es
            5
                           10
2
            4
                            8
       a
                            2
5
            1
       0
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           38
5
            5
                           10
       s
3
            3
       е
                            6
2
            2
                            4
       a
      es
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           39
1
6
            5
                           10
       s
3
            3
                            6
       е
2
       a
            2
                            4
4
            1
                            2
      es
5
                            2
            1
       0
[1] "m"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       0
           50
                          100
1
           47
                           94
4
                           82
           41
       е
                           64
8
           32
5
           22
                           44
      es
2
       a
           14
                           28
3
      as
            3
                            6
            2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
6
       0
                          100
1
           48
                           96
2
           43
                           86
       a
4
                           82
           41
       е
8
           36
                           72
       s
3
           22
                           44
      as
5
           22
                           44
      es
```

```
os
                            4
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
5
       0
           50
1
           46
                           92
3
           41
                           82
       е
7
                           36
       s
           18
4
      es
            7
                           14
6
            2
                            4
      os
2
       a
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           50
1
           48
                           96
2
       a
           42
                           84
4
           41
                           82
       е
8
                           44
           22
3
            7
                           14
      as
5
            7
      es
                           14
7
      os
            2
                            4
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           50
       0
1
           44
                           88
2
            5
                           10
       е
            1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           50
1
           46
                           92
2
           37
                           74
3
            5
                           10
       е
6
            5
                           10
4
      es
            1
                            2
[1] "m1Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           42
1
           19
                           38
6
           11
                           22
       s
3
            7
                           14
      as
            3
                            6
       е
5
            1
                            2
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
```

```
37
                           74
       a
                           30
1
           15
[1] "m2Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
           50
       0
1
           22
                           44
6
                           22
       s
           11
       е
            2
                            4
3
            2
                            4
      es
5
      os
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
4
1
           22
                           44
                           24
6
       s
           12
2
            2
                            4
       е
3
            2
                            4
      es
5
            2
      os
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       o 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           50
                          100
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           45
1
3
           41
       е
                           82
5
       s
           11
                           22
4
            7
                           14
                            2
2
            1
       a
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           45
3
       е
           41
                           82
5
                           24
       s
           12
4
            7
                           14
      es
       a
                            2
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           44
2
            5
                           10
       е
3
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
           44
            5
                           10
2
       е
3
            1
                            2
       s
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
4
       0
           50
           19
                           38
1
6
           14
                           28
       s
3
      es
            3
                            6
2
            2
                            4
       е
      os
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
       0
1
           19
                           38
6
           14
                           28
       s
2
            3
                            6
       е
3
            3
                            6
      es
5
            2
                            4
      os
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      o 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
                                   Percent_Trials
[1] Suffix
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           43
3
           22
                           44
       е
6
                           32
       s
           16
4
      es
            5
                           10
2
            3
                            6
       a
                            2
5
            1
       0
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           38
6
            5
                           10
       S
3
            3
                            6
       е
2
            2
                            4
       a
4
            1
                            2
      es
                            2
5
            1
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           49
       a
                           92
1
           46
4
           40
                           80
8
       S
           30
                           60
3
                           44
      as
           22
```

```
5
            21
                            42
      es
6
             1
                             2
       0
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            49
1
            47
                            94
6
            47
                            94
       0
4
       е
            42
                            84
8
            36
                            72
       s
3
      as
            28
                            56
5
            21
                            42
      es
7
             2
                             4
      os
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            49
                            98
            46
                            92
1
4
            40
                            80
       е
6
            19
                            38
                            14
3
      as
            7
      es
             6
                            12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            49
       a
1
            47
6
       0
            47
                            94
4
            42
                            84
       е
8
            23
                            46
       s
3
            7
                            14
      as
5
                            12
      es
             6
7
      os
             2
                             4
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            49
       a
            44
                            88
1
3
       е
            5
                            10
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            49
       a
                            98
5
       0
            47
                            94
1
            45
                            90
             6
                            12
       s
3
             5
                            10
       е
                             2
      es
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            49
       a
5
                            20
            10
       s
            7
1
                            14
3
            7
                            14
      as
```

```
4 e 1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
          49
      a
                         20
5
          10
1
           8
                         16
3
           7
                         14
     as
                          2
      е
           1
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      a 49
                         98
           1
1
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a 49
1
           2
                          4
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix freq Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      0
          46
                         50
          25
1
6
      s
          11
                         22
2
           2
                          4
      е
3
           2
                          4
     es
           2
                          4
5
     os
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                 Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      o 46
                          8
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
          45
3
          40
                         80
      е
5
          12
                         24
      S
4
           6
                         12
     es
           1
      a
[1] "All Endings Included"
 Suffix freq Percent_Trials
          45
1
3
          42
                         84
      е
5
                         26
      s
          13
4
           6
                         12
     es
           2
      a
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
           44
1
            5
2
                           10
3
            1
                            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
           44
2
            5
                           10
       е
3
       s
            2
                            4
[1] "f4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       0
           47
1
           22
                           44
                           28
6
           14
2
            2
                            4
       е
3
            2
      es
                            4
5
      os
            2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           47
       0
                            8
1
[1] "f5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           32
1
                           64
5
            5
                           10
       s
3
            3
       е
                            6
            2
2
                            4
      es
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           43
1
3
           22
                           44
5
       S
           17
                           34
4
            5
                           10
      es
2
            4
       a
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           39
                           78
1
5
            5
                           10
       s
3
       е
            3
                            6
2
            2
       a
                            4
```

```
2
[1] "n"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
6
           50
                           100
       0
8
           29
                            58
       s
2
                            28
           14
       a
3
      as
            10
                            20
4
             5
                            10
       е
5
      es
             4
                             8
7
             2
                             4
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
6
       0
           50
                           100
8
           32
                            64
       s
2
                            28
       a
           14
3
           13
                            26
      as
4
            5
                            10
5
      es
             5
                            10
7
      os
                             4
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           50
                           100
5
       0
           50
                           100
7
           21
                            42
       s
3
             5
                            10
       е
             4
                             8
      es
2
             2
       a
                             4
6
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
                           100
           50
5
                           100
           50
       0
7
           22
                            44
3
            5
                            10
       е
4
      es
             5
                            10
2
             2
                             4
       a
                             4
6
      os
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
                           100
       0
           46
                            92
1
             4
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
                           100
       0
           50
                            92
1
           46
                             8
3
       s
[1] "n2Sg"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
4
       0
           50
           22
                           44
1
6
           12
                           24
       s
2
                            4
3
            2
                            4
      es
            2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
       0
1
           22
                           44
6
           12
                           24
       s
2
            2
                            4
       е
            2
3
                            4
      es
5
            2
                            4
      os
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       o 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           50
                          100
5
           19
                           38
       s
3
            5
                           10
       е
4
            4
                            8
      es
            2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
1
                           40
5
           20
       s
3
            5
                           10
            5
4
                           10
      es
       a
            2
                            4
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           46
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
           46
2
                            8
            4
       s
[1] "n4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           50
                          100
           18
                           36
```

```
14
                           28
6
       s
2
            2
                            4
       е
3
            2
                            4
5
            2
                            4
      os
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                   Percent Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           50
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           50
           50
6
       0
                          100
2
           49
                           98
       a
                           82
4
           41
8
           25
                           50
       S
5
                           40
           20
3
      as
           16
                           32
      os
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
1
6
       0
           50
                          100
2
           49
                           98
       a
4
           42
                           84
       е
8
           29
                           58
       s
3
           20
                           40
      as
5
      es
           20
                           40
7
      os
            1
                            2
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
           50
       0
2
           49
                           98
1
           46
                           92
3
                           82
       е
           41
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
       0
           50
2
           49
                           98
1
           48
                           96
3
           42
                           84
       е
4
            1
                            2
      es
6
            1
                            2
       s
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
          49
       a
            1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
       a
           49
                          24
1
           12
3
            1
                           2
       e
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      o 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
                          10
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           46
1
2
           41
                           82
       е
                           2
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           46
2
       е
           42
                          84
3
                           2
      es
            1
                           2
       s
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      o 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
       0
                         100
1
            5
                          10
2
            1
                           2
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           27
3
       е
           20
                           40
            2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           28
                          56
3
           20
                           40
       е
2
            2
                           4
                           2
       0
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
       0
           50
                         100
           41
2
                          82
       е
                          20
1
           10
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
```

```
100
      0
          50
2
      a 41
                         82
3
      e 41
                         82
1
          29
                         58
5
      s
                          2
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                 Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a
          41
          12
                         24
1
                          2
3
      е
         1
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1 o 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
      0
         50
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent Trials
2
          41
      е
          10
                         20
      S
           1
                          2
[1] "All Endings Included"
 Suffix freq Percent_Trials
          41
      е
                         24
1
          12
3
      s
           1
                          2
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
    o 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
      o 50
                        100
           1
                          2
      е
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
            freq
                                 Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
          27
                         54
1
3
          20
                         40
2
      a
           2
                          4
                          2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
  a 49
```

```
40
                          80
      е
           11
                          22
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a
           49
5
           46
                          92
3
           42
                          84
      е
                          62
1
           31
4
            1
                           2
      es
6
                           2
      s
            1
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           49
      a
1
           1
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a 49
                           2
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
                 freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
      0
          45
1
           5
                          10
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      е
           40
1
           11
                          22
[1] "All Endings Included"
 Suffix freq Percent_Trials
      е
           42
1
           12
                          24
3
     es
           1
                           2
            1
                           2
      s
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
              freq Percent_Trials
[1] Suffix
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
          46
      0
           5
                          10
1
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           28
                          56
      е
           20
                          40
```

```
a 2
                           4
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       0
           50
1
           46
                          92
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                         100
       0
1
           46
                          92
2
            4
                           8
       е
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      o 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
          50
                         100
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           46
1
       е
            4
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           46
2
                           8
       е
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      0
           50
                         100
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           33
8
           33
                          66
       s
2
           27
                          54
       a
3
           19
                          38
      as
6
                           22
       0
           11
5
           10
                          20
      es
            4
       е
            2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           36
           33
                           66
1
2
           27
                          54
       a
3
                          48
      as
           24
6
       0
           13
                          26
5
                           20
      es
           10
```

```
10
       е
7
             2
                             4
      os
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           33
2
       a
           26
                            52
8
           22
                            44
       s
6
       0
           11
                            22
3
            7
                            14
      as
5
      es
             7
                            14
4
             4
                             8
       е
7
             2
      os
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
           33
1
2
           26
                            52
       a
           25
                            50
8
6
           13
                            26
       0
            7
3
                            14
            7
5
      es
                            14
       е
                            10
7
             2
                             4
      os
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a
           26
5
       s
           10
                            20
            7
                            14
1
             7
3
                            14
      as
       е
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           26
                            32
            16
1
6
           11
                            22
       S
3
      as
            7
                            14
4
       е
             2
                             4
5
                             2
      es
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           22
6
           12
                            24
       s
4
           11
                            22
       0
2
             2
                             4
       е
             2
3
      es
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           22
1
6
                            26
       s
           13
4
           11
                            22
       0
2
            2
                             4
```

```
es
5
            2
                             4
      os
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           27
5
           18
                            36
       S
4
            7
                            14
      es
3
       е
             4
                             8
             2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
            28
1
5
                            38
            19
       s
4
            7
                            14
      es
3
       е
             4
                             8
2
            3
                             6
       a
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            19
6
       s
            14
                            28
4
           11
                            22
       0
3
      es
            3
                             6
2
             2
                             4
       е
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            19
6
           14
                            28
       s
4
                            26
       0
            13
3
      es
            3
                             6
2
             2
                             4
       е
5
             2
                             4
      os
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           22
5
            16
                            32
       s
            5
                            10
4
      es
             2
       a
                             4
            2
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           25
5
            17
                            34
       s
4
            5
                            10
      es
2
             4
                             8
3
             2
                             4
       е
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           32
1
7
       s
           18
                            36
```

```
5
                            22
           11
       0
4
                            14
            7
      es
3
                             8
       е
            4
6
             2
                             4
      os
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           33
1
8
       s
           22
                            44
2
           21
                            42
       a
6
       0
           13
                            26
3
            7
                            14
      as
5
            7
                            14
      es
             5
4
                            10
       е
7
            2
                             4
      os
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           21
1
           16
                           32
                            22
6
       s
           11
3
            7
                            14
      as
4
       е
            2
                             4
5
      es
             1
                             2
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           22
1
4
       0
            11
                            22
6
           11
                            22
2
            2
                             4
       е
             2
3
                             4
      es
            2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            22
6
           12
                            24
       s
                            22
4
           11
       0
2
                             4
            2
3
             2
                             4
      es
5
             2
                             4
      os
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           27
1
5
                            22
       s
           11
4
            7
                            14
      es
3
             4
                             8
       е
             1
       a
[1] "All Endings Included"
```

Suffix freq Percent\_Trials

```
28
                            56
5
            12
                            24
       S
4
                            14
      es
            7
3
             4
                             8
       е
2
                             2
       a
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            19
6
            14
                            28
       s
4
           11
                            22
3
            3
                             6
      es
2
             2
                             4
       е
             2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            19
                            38
1
                            28
6
            14
4
                            26
           13
       0
3
            3
                             6
      es
            2
2
       е
                             4
5
      os
             2
                             4
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           24
5
           16
                            32
       s
4
            5
      es
                            10
2
       a
             3
                             6
3
             2
                             4
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           28
2
       a
           26
                            52
6
                            34
       s
            17
3
            7
                            14
      as
5
      es
             6
                            12
                             8
       е
             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           33
2
           26
                            52
       a
8
           23
                            46
       s
6
            11
                            22
3
                            14
      as
            7
5
             6
                            12
      es
             4
                             8
4
       е
             2
                             4
7
      os
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
2
       a
           26
5
           10
                           20
1
            7
                           14
3
            7
      as
                           14
4
            1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           26
5
           10
                           20
       s
1
            7
                           14
3
            7
                           14
      as
4
            1
                            2
       е
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           22
4
       0
           11
                           22
6
           11
                           22
2
            2
                            4
       е
3
      es
            2
                            4
5
            2
                            4
      os
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           27
5
           12
                           24
       s
                           12
4
      es
            6
3
       е
            4
                            8
            1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           27
1
5
       s
           12
                           24
4
      es
            6
                           12
3
       е
            4
                            8
2
            2
                            4
       a
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           19
                           38
1
                           28
6
           14
4
                           22
       0
           11
2
            2
                            4
       е
            2
3
                            4
      es
            2
5
      os
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix
                                     Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
            25
5
            17
                            34
       S
4
             5
                            10
      es
2
             4
                             8
       a
3
       е
             2
                             4
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
            30
1
7
                            40
            20
       s
5
            11
                            22
       0
4
      es
             4
                             8
2
             2
                             4
       a
3
             2
6
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            30
7
            21
                            42
       s
5
            12
                            24
       0
4
                            10
             5
      es
2
       a
             2
                             4
3
             2
                             4
6
                             4
      os
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            22
6
            12
                            24
                            22
4
            11
       0
2
             2
                             4
3
             2
                             4
      es
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            22
                            44
1
6
            12
                            24
       s
4
                            22
       0
            11
2
             2
                             4
       е
3
             2
                             4
      es
      os
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            24
1
5
            18
                            36
       s
                             8
4
             4
      es
             2
2
                             4
3
             2
       е
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
            24
1
5
            19
                            38
4
            5
                            10
      es
2
            2
                            4
       a
            2
3
       е
                             4
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
1
                            28
6
           14
       s
4
       0
           12
                            24
2
            2
                            4
       е
3
            2
                             4
      es
5
             2
                             4
      os
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
           33
2
           31
                            62
       a
           28
1
                           56
3
           24
                            48
      as
5
      es
           21
                            42
4
       е
           16
                            32
6
            2
                             4
       0
            1
                             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           37
                            74
2
           31
                            62
3
           30
                            60
      as
           28
1
                            56
5
           21
                            42
      es
                            32
4
           16
6
       0
            2
                            4
                             2
      os
[1] "PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
           32
2
           31
                            62
       a
1
           28
                            56
3
           23
                            46
      as
5
           20
                            40
      es
                            32
4
           16
       е
6
            2
                             4
       0
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           35
                            70
       s
2
       a
           31
                            62
```

```
3
            29
                            58
      as
1
            28
                            56
5
            20
                            40
      es
4
            16
                            32
       е
6
             2
                             4
      os
             1
                             2
[1] "1PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            31
                            62
                            42
3
      as
            21
4
             3
                             6
      es
1
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            31
3
            25
                            50
      as
                            18
1
             9
6
             6
                            12
       S
5
             3
                             6
      es
                             2
4
       е
             1
[1] "2PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
            24
       s
1
            19
                            38
2
       a
            14
                            28
3
             7
                            14
      as
4
                             2
             1
      es
                             2
5
             1
       0
6
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       s
            25
                            38
            19
1
2
            14
                            28
       a
3
      as
            7
                            14
5
       0
             2
                             4
4
                             2
      es
                             2
6
      os
             1
[1] "3PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            27
       s
1
            20
                            40
5
            20
                            40
      es
4
            16
                            32
       е
2
             9
                            18
             8
                            16
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            28
       s
            20
                            40
1
5
            20
                            40
      es
```

```
16
                            32
       е
2
            9
                            18
       a
3
                            18
      as
[1] "4PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            24
7
            24
                            48
       s
4
      es
             3
                             6
2
             2
                             4
      as
5
       0
             2
3
                             2
             1
6
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            26
8
       s
1
            24
                            48
5
            3
                             6
      es
2
             2
                             4
       a
             2
3
      as
                             4
6
       0
             2
                             4
       е
                             2
7
             1
                             2
      os
[1] "5PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       s
            12
1
            11
                            22
4
            8
                            16
      es
3
             3
                             6
      as
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            27
5
            17
                            34
      es
1
            13
                            26
3
      as
            6
                            12
4
       е
             6
                            12
             5
                            10
       a
[1] "mPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            31
1
            27
                            54
5
            20
                            40
      es
4
                            32
            16
       е
2
            9
                            18
       a
3
             3
                             6
      as
6
             2
                             4
       0
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            33
       s
1
            28
                            56
```

```
23
                             46
       a
3
            22
                             44
      as
5
            20
                             40
      es
4
            16
                             32
       е
             2
                              4
6
7
             1
                              2
      os
[1] "fPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            31
                             62
                             46
6
       s
            23
3
            21
                             42
      as
5
            20
                             40
      es
            16
                             32
4
1
            15
                             30
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            33
       s
2
            31
                             62
       a
1
            27
                             54
3
                             52
      as
            26
5
      es
            20
                             40
4
            16
                             32
       е
6
       0
             2
                              4
7
             1
                              2
      os
[1] "nPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            23
       s
1
            22
                             44
2
                             28
            14
       a
3
      as
            10
                             20
4
             2
                              4
       е
5
                              2
             1
      es
                              2
6
       0
             1
             1
7
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            32
       s
            26
                             52
1
2
                             28
            14
       a
3
                             22
      as
            11
4
             4
                              8
       е
5
             2
                              4
      es
6
             2
                              4
       0
7
                              2
             1
      os
[1] "PlAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
8
            33
       s
2
            31
                             62
                             56
1
            28
3
                             42
      as
            21
5
            21
                             42
      es
```

```
16
                            32
       е
6
            2
                             4
       0
7
            1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           37
                            62
2
       a
           31
           28
                           56
1
3
      as
           28
                            56
5
           21
                            42
      es
       е
           16
                            32
6
            2
                             4
                             2
7
             1
      os
[1] "1PlAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           31
                            62
           20
                            40
3
      as
5
            9
                            18
       s
1
             6
                            12
      es
            3
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           31
3
           22
                            44
      as
6
       s
           16
                            32
1
           12
                            24
5
      es
            3
                             6
             1
                             2
       е
[1] "2PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           28
                            56
           21
                            42
1
2
                            28
           14
       a
3
                            12
      as
            6
4
       е
            1
                            2
5
      es
             1
                             2
                             2
6
       0
             1
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           28
1
           21
                            42
2
           14
                            28
       a
3
            7
                            14
      as
6
            2
                             4
       0
                             2
4
             1
5
                             2
      es
             1
                             2
7
             1
[1] "3PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       s 31
6
```

```
21
                            42
5
           21
                            42
      es
                            32
4
            16
       е
2
            9
                            18
       a
3
            6
                            12
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
           34
6
       s
1
           21
                            42
5
           21
                            42
      es
                            32
4
       е
           16
2
           10
                            20
       a
3
                            18
      as
[1] "4PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           26
                            52
           24
                            48
1
5
            3
                            6
      es
2
            2
                             4
       a
3
      as
            2
                             4
6
       0
             2
4
             1
                             2
       е
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           28
1
            24
                            48
5
            4
                            8
      es
2
            3
                             6
       a
3
             2
      as
                             4
6
       0
             2
                             4
4
             1
                             2
7
                             2
             1
      os
[1] "5PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       s
           12
1
            10
                            20
4
            5
                            10
      es
            2
3
      as
                            4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s
           30
5
           17
                            34
      es
                            30
1
           15
4
            7
                            14
2
            6
                            12
       a
3
            6
                            12
      as
[1] "mPlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       s 32
8
```

```
1
            27
                            54
5
            21
                             42
      es
                             32
4
            16
       е
2
             9
                             18
       a
3
             2
      as
                             4
6
             2
                             4
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            34
            28
                            56
1
2
            24
                            48
       a
5
            21
                             42
      es
3
                             36
            18
      as
4
       е
            16
                             32
6
             2
       0
                             4
      os
             1
                             2
[1] "fPlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            31
                             62
6
       s
            28
                            56
5
            21
                            42
      es
3
                            40
      as
            20
1
            17
                            34
       е
            16
                             32
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            34
       s
2
            31
                             62
       a
            27
                            54
1
3
      as
            25
                            50
5
            21
                             42
      es
4
                             32
       е
            16
             2
6
                             4
7
             1
                             2
      os
[1] "nPlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            28
8
       s
                            56
            23
                            46
1
2
            14
                             28
       a
3
      as
             7
                             14
4
             3
                             6
       е
5
             2
      es
                             4
6
                             2
             1
       0
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            32
       s
            26
                            52
1
2
            14
                            28
       a
3
            10
                             20
      as
4
             4
                             8
       е
```

```
5
             3
                             6
      es
6
             2
                             4
       0
                             2
7
             1
      os
[1] "PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            33
2
            27
                            54
       a
3
      as
            24
                            48
1
            23
                            46
5
      es
            16
                            32
4
                             2
             1
       е
6
             1
                             2
       0
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            37
                            74
                            60
3
            30
      as
2
            27
                            54
       a
1
            23
                            46
                            32
5
      es
            16
6
       0
             2
                             4
4
             1
                             2
       е
                             2
      os
[1] "1PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            27
                            54
3
            22
                            44
      as
5
             9
                            18
       s
             6
                            12
1
4
      es
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            27
       a
3
            25
                            50
      as
5
            16
                            32
1
            11
                            22
             2
                             4
4
[1] "2PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            28
1
            18
                            36
2
            12
                            24
       a
3
             7
                            14
      as
4
             1
                             2
       е
5
             1
                             2
      es
6
                             2
       0
             1
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            28
                            56
       s
1
            18
                            36
```

```
12
                            24
       a
3
             8
                            16
      as
4
             1
                             2
       е
5
                             2
             1
      es
                             2
6
      os
             1
                             2
[1] "3PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           31
                            62
1
           17
                            34
5
           15
                            30
      es
3
            8
                            16
      as
             7
2
                            14
       a
       е
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           34
6
       s
           17
                            34
1
5
                            30
           15
      es
3
                            22
      as
           11
2
       a
            9
                            18
             1
                             2
       е
[1] "4PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       S
           27
1
           19
                            38
5
                             6
            3
      es
2
             2
                             4
       a
3
             2
      as
4
       е
             1
                             2
6
             1
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           29
1
            19
                            38
5
                             8
      es
             4
2
             2
                             4
       a
3
      as
             2
6
             2
                             4
       0
4
             1
                             2
       е
             1
                             2
      os
[1] "5PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       s
           21
           12
                            24
1
4
             4
                             8
      es
3
             2
                             4
      as
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
6
            32
                             64
       s
1
            15
                             30
5
            12
                             24
      es
3
             7
                             14
      as
2
             3
                              6
       a
4
             1
                              2
       е
[1] "mPlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            32
                             64
            22
                             44
1
5
            16
                             32
      es
2
             7
                             14
       a
3
             3
                              6
      as
4
       е
             1
                              2
6
       0
             1
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
            23
                             46
1
3
      as
            22
                             44
2
            19
                             38
       a
5
      es
            16
                             32
6
             2
                              4
       0
4
       е
             1
                              2
7
      os
             1
                              2
[1] "fPlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            29
6
       s
2
       a
            27
                             54
3
            22
                             44
      as
                             32
1
            16
5
            15
                             30
      es
4
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
       s
3
            28
                             56
      as
2
                            54
       a
            27
            22
                             44
1
5
            16
                             32
      es
4
                              2
             1
       е
                              2
6
       0
             1
7
                              2
             1
      os
[1] "nPlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
8
            28
       s
            19
                             38
1
2
                             22
            11
       a
3
                             20
      as
            10
5
             2
                              4
      es
```

```
е
6
             1
                             2
       0
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           30
1
           23
                            46
3
           13
                            26
      as
2
       a
           11
                            22
5
            3
                             6
      es
6
       0
             2
                             4
4
             1
                             2
       е
7
            1
                             2
      os
[1] "PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           33
                            66
2
                            62
           31
       a
1
           28
                           56
3
           24
                            48
      as
                            42
5
      es
           21
4
       е
           16
                            32
6
            2
                             4
       0
            1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           37
2
       a
           31
                            62
3
                            60
           30
      as
1
           28
                            56
                            42
5
           21
      es
4
       е
           16
                            32
6
            2
                             4
7
                             2
            1
      os
[1] "1PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           31
                            62
3
           22
                            44
      as
5
            9
                            18
       s
            6
                            12
1
            3
                             6
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           31
       a
3
           25
                            50
      as
                            32
6
           16
       s
                            24
1
           12
5
            3
                             6
      es
4
            1
                             2
[1] "2PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s 28
                            56
```

```
1
            21
                            42
2
            14
                             28
       a
3
                             14
             7
      as
4
             1
                             2
       е
5
                              2
      es
6
             1
                              2
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            28
                            56
            21
                            42
1
2
            14
                             28
       a
3
             8
                             16
      as
6
             2
                             4
       0
4
       е
             1
                              2
5
                              2
      es
             1
      os
             1
                              2
[1] "3PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
            31
                             62
1
            21
                            42
5
            21
                            42
      es
4
            16
                             32
       е
2
             9
                             18
       a
      as
                             16
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            34
       s
1
            21
                            42
5
            21
                            42
      es
4
       е
            16
                             32
3
            11
                            22
      as
2
            10
                             20
       a
[1] "4PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            27
                            54
1
            24
                             48
5
             3
                              6
      es
2
             2
       a
                              4
3
             2
                              4
      as
6
       0
             2
                              4
4
       е
             1
                              2
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            29
                             58
1
            24
                             48
5
             4
                             8
      es
2
             3
                              6
       a
3
             2
      as
                              4
6
             2
                              4
       0
4
             1
                              2
       е
```

```
2
      os
[1] "5PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            21
1
            13
                            26
4
      es
            10
                            20
3
             3
                             6
      as
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            32
       s
5
            17
                            34
      es
            15
                            30
1
3
             7
                            14
      as
             7
4
       е
                            14
             6
                            12
       a
[1] "mPlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            32
1
            27
                            54
5
            21
                            42
      es
4
       е
            16
                            32
2
             9
                            18
       a
3
      as
             3
                             6
6
             2
                             4
       0
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            35
8
                            70
1
            28
                            56
2
            24
                            48
       a
3
            22
                            44
      as
5
                            42
      es
            21
4
                            32
            16
       е
6
       0
             2
                             4
7
      os
             1
                             2
[1] "fPlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            31
6
       s
            29
                            58
3
            22
                            44
      as
5
            21
                            42
      es
1
            18
                            36
            16
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
       s
2
                            62
            31
       a
3
            28
                            56
      as
1
            27
                            54
5
            21
                            42
      es
```

```
16
                             32
       е
6
             2
                              4
       0
                              2
7
      os
             1
[1] "nPlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            28
            23
1
                             46
2
       a
            14
                             28
3
            10
                             20
      as
4
       е
             3
                              6
5
             2
                              4
      es
6
             1
                              2
       0
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            32
                             64
                            52
            26
1
2
            14
                            28
       a
3
            13
                             26
      as
4
       е
             4
                             8
5
      es
             3
                              6
6
             2
                              4
       0
                              2
      os
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            32
                             64
2
            27
                             54
       a
3
            23
                            46
      as
            22
                             44
1
5
      es
            14
                             28
4
                              2
       е
             1
6
                              2
             1
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       S
            35
                             70
3
            29
                            58
      as
                            54
2
            27
       a
1
            22
                            44
5
                             28
            14
      es
6
             2
                              4
       0
4
             1
                              2
       е
                              2
      os
[1] "1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            31
       a
                             62
3
            22
                             44
      as
5
             9
                             18
       s
             6
1
                             12
4
             3
      es
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
           31
       a
           25
                            50
3
      as
6
           16
                            32
       s
                            24
1
           12
5
            3
                             6
      es
                             2
       е
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           27
3
           21
                            42
      as
4
             2
                             4
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           27
                            50
3
           25
      as
1
            8
                            16
5
             6
                            12
       s
             2
4
      es
                             4
[1] "2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           28
8
       s
1
           21
                            42
2
       a
           14
                            28
3
            7
                            14
      as
                             2
4
             1
       е
5
                             2
      es
             1
6
       0
             1
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           28
           21
                            42
1
2
       a
           14
                            28
3
      as
            8
                            16
6
             2
       0
                             4
4
             1
                             2
       е
                             2
5
      es
7
                             2
      os
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
           24
       s
1
           16
                            32
                            22
2
           11
3
                            14
      as
            7
4
                             2
      es
             1
5
                             2
             1
       0
             1
      os
[1] "All Endings Included"
```

Suffix freq Percent\_Trials

```
25
                            50
       s
1
            16
                            32
2
            12
                            24
       a
3
             7
                            14
      as
                             2
4
      es
             1
5
             1
                             2
       0
6
      os
                             2
[1] "3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
            31
1
            21
                            42
5
            21
                            42
      es
4
                            32
            16
2
       a
             9
                            18
             8
      as
                            16
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            34
            21
                            42
1
5
                            42
      es
            21
4
       е
            16
                            32
3
            11
                            22
      as
                            20
       a
            10
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       s
            27
                            32
1
            16
            13
                            26
      es
3
             8
      as
                            16
                            14
2
       a
             7
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       s
            28
1
            16
                            32
4
      es
            13
                            26
3
      as
             9
                            18
2
             8
                            16
       a
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            27
1
            24
                            48
5
             3
                             6
      es
2
             2
                             4
       a
3
             2
                             4
      as
6
             2
                             4
4
             1
                             2
       е
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            29
                            58
       s
1
            24
                            48
```

```
5
                             8
      es
2
             3
                             6
       a
3
             2
      as
6
             2
                             4
       0
                             2
4
7
      os
             1
                             2
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
            24
                            48
            19
                            38
1
4
             3
                             6
      es
2
             2
                             4
      as
                             2
3
             1
5
       0
             1
                             2
6
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s
            26
            19
                            38
1
5
             3
                             6
      es
3
      as
             2
                             4
6
             2
                             4
       0
2
       a
                             2
4
                             2
             1
7
      os
[1] "5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            21
       s
1
            13
                            26
4
      es
            10
                            20
3
             3
                             6
      as
2
             1
                             2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            32
5
      es
            17
                            34
                            30
1
            15
                            14
3
             7
      as
4
       е
                            14
2
                            12
       a
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            21
       s
1
            12
                            24
                            12
4
             6
      es
3
             3
                             6
      as
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            27
                            54
       s
1
            13
                            26
```

```
11
                            22
      es
3
             6
                            12
      as
2
             2
                             4
       a
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            32
            27
1
                            54
5
      es
            21
                            42
4
            16
                            32
       е
2
       a
             9
                            18
3
             3
                             6
      as
6
             2
                             4
       0
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            35
8
                            70
            28
                            56
1
2
            24
                            48
       a
3
            22
                            44
5
      es
            21
                            42
4
       е
            16
                            32
6
             2
                             4
       0
                             2
      os
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            31
            22
                            44
1
5
            14
                            28
      es
2
                            12
       a
             6
3
      as
             3
                             6
4
             1
                             2
       е
6
                             2
             1
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            33
                            66
            22
                            44
1
3
            22
                            44
      as
2
       a
            18
                            36
5
                            28
      es
            14
6
             2
                             4
       0
4
             1
                             2
       е
7
             1
                             2
      os
[1] "m1Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            24
                            48
       a
3
            21
                            42
      as
6
            15
                            30
       s
```

```
12
                           24
5
            3
                            6
      es
                            2
4
            1
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
      as
           21
2
       a
           18
                           36
1
            8
                           16
5
            5
                           10
       s
            2
4
                             4
      es
[1] "m2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           27
       s
           20
                           40
1
2
            9
                            18
3
      as
            3
                            6
4
       е
                            2
5
                             2
      es
             1
6
       0
             1
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           27
           21
                           42
1
2
            9
                           18
       a
3
      as
            3
                            6
4
       е
             1
                             2
5
                             2
      es
6
                             2
             1
       0
                             2
7
      os
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
           23
       s
                           32
1
           16
2
                           12
            6
       a
3
            3
                            6
      as
4
      es
             1
                             2
5
             1
                             2
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
7
       s
           16
                           32
1
2
            7
                            14
       a
3
            3
                            6
      as
4
                            2
            1
      es
5
                             2
       0
             1
6
             1
                             2
      os
```

```
[1] "m3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           30
       s
4
      es
           21
                            42
1
           18
                            36
3
           16
                            32
       е
             1
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s
           33
4
           21
                            42
      es
1
           19
                            38
                            32
3
            16
2
            1
                             2
      as
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
                            28
            14
1
           13
                            26
3
      es
      as
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           25
       s
1
            14
                            28
3
           13
                            26
      es
2
             1
                             2
      as
[1] "m4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
           27
            24
                            48
1
5
                             6
             3
      es
2
             2
                             4
       a
3
             2
                             4
      as
6
       0
             2
4
       е
             1
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           27
                            54
1
           24
                            48
5
             3
                             6
      es
2
             2
       a
             2
3
      as
6
             2
                             4
       0
                             2
4
             1
      os
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
           24
       s
1
           19
                            38
```

```
6
4
      es
2
             2
      as
                             4
3
                             2
       е
             1
5
                             2
             1
       0
6
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
7
       s
1
            19
                            38
4
            3
                             6
      es
2
      as
             2
                             4
5
             2
                             4
       0
3
             1
                             2
       е
                             2
6
             1
      os
[1] "m5P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           28
5
      es
            16
                            32
1
            15
                            30
4
             6
                            12
       е
2
                            10
             5
3
      as
             3
                             6
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           25
                            50
            13
                            26
1
4
            7
                            14
      es
3
                             6
      as
            3
2
       a
             2
                             4
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           31
6
           29
                            58
3
           22
                            44
      as
5
           21
                            42
      es
1
            18
                            36
           16
                            32
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           35
       s
2
           31
                            62
       a
3
                            56
      as
           28
1
           27
                            54
5
                            42
      es
           21
4
            16
                            32
```

```
0
7
                            2
      os
            1
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       a
           27
5
       s
           22
                           44
3
           21
                           42
      as
1
           14
                           28
           13
                           26
      es
[1] "All Endings Included"
 Suffix freq Percent_Trials
8
           33
       s
2
                           54
           27
       a
3
           26
                           52
      as
1
           22
                           44
5
           14
                           28
      es
                            2
4
            1
       е
6
                            2
            1
       0
                            2
7
      os
[1] "f1P1"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       a
           31
3
           22
                           44
      as
5
       s
            9
                           18
1
            6
                           12
            3
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           31
3
      as
           24
                           48
5
           10
                           20
       s
            6
                           12
1
            3
                            6
      es
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           27
       a
3
           21
                           42
      as
4
      es
            2
                            4
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           27
       a
3
           23
                           46
      as
4
            2
                            4
      es
                            2
1
            1
                            2
5
       s
            1
[1] "f2P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
8
       s
            25
                            38
            19
1
2
            9
                            18
       a
3
      as
             3
                             6
4
             1
                             2
       е
5
      es
6
                             2
       0
             1
      os
             1
                             2
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       s
           23
1
            15
                            30
2
                            12
            6
3
                             6
             3
      as
                             2
4
      es
             1
5
       0
             1
                             2
6
      os
                             2
[1] "f3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       s
           29
4
      es
           21
                            42
1
            17
                            34
                            32
3
           16
       е
      as
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
6
5
                            42
           21
      es
                            38
1
            19
4
                            32
           16
       е
3
      as
             2
                             4
       a
             1
                             2
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       S
           22
1
            14
                            28
3
           13
                            26
      es
             1
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           23
       s
                            28
1
            14
3
           13
                            26
      es
             1
      as
[1] "f4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           26
1
            24
                            48
5
             4
                             8
      es
2
            2
       a
3
             2
      as
6
       0
             2
                             4
4
                             2
       е
             1
7
      os
             1
                             2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            23
1
            19
                            38
5
                             6
      es
            3
3
      as
            2
                             4
2
       a
4
                             2
       е
             1
6
             1
                             2
       0
                             2
7
             1
      os
[1] "f5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           22
       s
           13
                            26
1
                            24
4
      es
            12
3
      as
            3
                             6
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           32
5
      es
           17
                           34
1
            15
                           30
3
      as
            7
                            14
4
            7
                            14
       е
       a
            5
                           10
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           26
                            52
       s
                            26
1
           13
4
                            22
      es
            11
3
            6
                            12
      as
2
             1
                             2
       a
[1] "nPl"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
8
            28
       s
           23
                            46
1
2
           14
                            28
       a
3
                            20
      as
           10
4
            3
                             6
       е
5
             2
      es
                             4
6
             1
                             2
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           32
                            52
1
           26
2
                            28
           14
       a
3
      as
           13
                            26
4
                             8
       е
            4
5
             3
                             6
      es
6
             2
                             4
       0
7
             1
                             2
      os
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
       s
           23
           18
                            36
1
                            22
2
           11
       a
3
      as
           10
                            20
4
      es
            1
                             2
5
       0
             1
                             2
             1
6
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           30
1
           22
                            44
2
           11
                            22
       a
3
                            22
      as
           11
5
            2
                             4
      es
             2
                             4
6
4
       е
             1
                             2
7
             1
                             2
      os
[1] "n2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
           26
1
           18
                            36
2
                            28
           14
       a
3
            7
                            14
      as
                             2
4
             1
       е
5
                             2
             1
      es
6
             1
                             2
       0
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           26
                            52
1
           19
                            38
```

```
14
                            28
       a
3
             8
                            16
      as
6
             2
                             4
       0
4
             1
                             2
       е
5
                             2
      es
             1
7
      os
             1
                             2
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           16
                            32
                            30
1
            15
2
           11
                            22
       a
3
            7
                            14
      as
                             2
4
             1
5
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            17
6
       s
            15
                            30
1
2
                            22
           11
3
                            14
      as
            7
4
       0
                             2
5
             1
                             2
      os
[1] "n3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       S
           26
1
           19
                            38
2
            9
                            18
3
             8
                            16
      as
4
             3
       е
                             6
5
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           28
       S
           19
                            38
1
3
      as
           10
                            20
2
       a
            9
                            18
4
             4
                             8
                             2
5
             1
      es
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           21
       s
1
           14
                            28
3
             8
                            16
      as
2
                            14
       a
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       s
           21
                            30
1
           15
3
            9
                            18
      as
2
             8
                            16
       a
```

```
2
      es
[1] "n4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                  Percent_Trials
              freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           27
8
       s
1
           23
                           46
2
            3
                           6
       a
3
      as
            2
5
            2
                            4
      es
6
            2
                            4
       0
                            2
4
            1
       е
7
            1
                            2
      os
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
               freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       s
           25
                          36
1
           18
2
            2
                           4
      as
                           4
5
            2
       0
3
       е
            1
                            2
4
            1
                            2
      es
6
      os
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           31
1
           28
                          56
8
           25
                          50
       s
5
      es
           20
                          40
3
           16
                          32
      as
4
           16
                          32
6
       0
            2
                           4
            1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           31
2
       a
8
       s
           29
           28
                          56
1
3
           20
                          40
      as
5
           20
                          40
      es
4
           16
                           32
       е
6
            2
                           4
7
                            2
      os
            1
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           31
       a
3
           15
                          30
      as
```

```
6
      es
             3
             1
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
            31
3
      as
            16
                            32
1
             7
                            14
5
                             6
             3
      es
6
       s
             3
                             6
4
                             2
       е
             1
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
            21
                            42
       s
1
            19
                            38
2
                            28
       a
            14
3
             5
                            10
      as
4
                             2
      es
             1
5
                             2
       0
             1
             1
6
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
            22
       S
                            38
1
            19
2
            14
                            28
3
      as
             5
                            10
5
       0
             2
                             4
4
      es
             1
                             2
                             2
6
             1
      os
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
      es
            20
                            40
            19
                            38
1
6
            17
                            34
       s
4
            16
                            32
       е
2
       a
             9
                            18
3
      as
             5
                            10
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
            20
            19
                            38
1
6
            19
                            38
       S
4
            16
                            32
       е
2
             9
                            18
       a
             5
3
                            10
      as
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
1
            23
7
            19
                            38
       s
4
             3
                             6
      es
5
             2
       0
                             4
2
             1
                             2
      as
```

```
е
            1
6
            1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
8
           21
                            42
       s
5
      es
            3
                            6
6
            2
                             4
       0
2
       a
             1
                             2
3
             1
                             2
      as
       е
             1
7
      os
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
      es
           16
6
       s
           12
                            24
1
            9
                           18
4
             4
                            8
       е
2
             2
                             4
            2
3
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
           17
1
           12
                           24
6
       s
           12
                           24
4
       е
            6
                           12
2
            5
                            10
       a
             4
3
                            8
      as
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           26
                           52
8
           23
                           46
       s
5
           20
                           40
      es
4
                           32
           16
       е
2
            9
                           18
6
       0
            2
                            4
3
                             2
      as
             1
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           27
8
           25
                           50
       s
2
           23
                           46
       a
5
                           40
      es
           20
3
           16
                            32
      as
                            32
4
           16
6
            2
                             4
       0
                             2
7
      os
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           23
3
            14
                            28
      as
            7
1
                            14
5
            3
                             6
      es
6
             2
                             4
       s
                             2
4
             1
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
           20
       s
                            40
1
            18
                            36
2
            9
                            18
3
             1
                             2
      as
                             2
4
      es
             1
5
       0
             1
                             2
6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       s
           21
1
            19
                            38
2
            9
                            18
       a
3
      as
             1
                             2
4
                             2
      es
             1
5
       0
             1
                             2
6
      os
             1
                             2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           20
4
      es
3
       е
            16
                            32
5
            9
                            18
       s
            5
                            10
1
             1
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
      es
           20
3
            16
                            32
       е
                            18
5
            9
       s
1
             6
                            12
2
             1
                             2
      as
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
1
7
            19
                            38
       s
                             6
4
            3
      es
5
            2
                             4
       0
2
             1
                             2
      as
                             2
3
             1
       е
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
23
                            46
7
            19
                            38
       S
4
                             6
      es
            3
5
             2
                             4
       0
2
                             2
      as
3
             1
                             2
      os
                             2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
           16
6
            12
                            24
       s
                            20
1
            10
4
            5
                            10
       е
2
                             8
             4
3
                             6
             3
      as
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           31
       a
5
      es
           20
                            40
4
           16
                            32
       е
3
      as
            15
                            30
6
       s
             9
                            18
             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           31
1
            26
                            52
8
           24
                            48
5
                            40
           20
      es
3
                            36
      as
            18
4
                            32
            16
       е
6
             2
                             4
      os
             1
                             2
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           31
                            62
3
      as
           15
                            30
4
             3
                             6
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           31
3
                            30
      as
           15
4
             3
                             6
      es
             1
                             2
1
             1
                             2
5
       S
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix
                                   Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       s
           20
1
           17
                           34
2
                           18
       a
3
                            2
      as
            1
4
      es
            1
                            2
5
                            2
      0
            1
6
      os
            1
                            2
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      es
           20
3
                           32
       е
           16
5
       s
            9
                           18
            4
                            8
1
            1
      as
[1] "All Endings Included"
 Suffix freq Percent_Trials
      es
           20
3
           16
                           32
       е
5
            9
                           18
            6
                           12
1
2
      as
                            2
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
1
                           48
7
                           38
           19
       S
            3
                            6
4
      es
            2
5
                            4
       0
2
      as
            1
                            2
3
       е
            1
                            2
                            2
6
      os
            1
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
                                   Percent_Trials
[1] Suffix
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           17
      es
                           34
1
           12
                           24
6
           12
                           24
4
                           12
       е
            6
2
            4
                            8
            4
                            8
3
      as
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

```
1
            22
                            44
8
            18
                            36
       s
                            28
2
            14
3
             6
                            12
      as
4
             2
       е
                             4
5
             1
                             2
      es
6
             1
                             2
       0
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s
            27
1
            26
                            52
2
            14
                            28
       a
3
                            12
             6
      as
4
       е
             4
                             8
5
             2
      es
                             4
6
             2
                             4
       0
                             2
7
             1
      os
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            17
2
            14
                            28
       a
6
                            26
       s
            13
3
             5
                            10
      as
4
       0
             1
                             2
5
      os
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            17
2
                            28
            14
       a
6
       s
            14
                            28
3
             5
                            10
      as
4
             2
                             4
       0
                             2
5
      os
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            18
6
            16
                            32
       s
2
                            18
       a
             9
3
             5
                            10
      as
4
       е
             2
                             4
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            18
                            36
6
            18
                            36
       s
2
             9
                            18
       a
3
             5
                            10
      as
4
             3
                             6
       е
                             2
             1
5
      es
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           22
8
           21
                            42
       s
6
            2
                             4
       0
2
                             2
       a
             1
3
      as
             1
                             2
4
             1
                             2
       е
5
      es
             1
                             2
7
             1
                             2
      os
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           33
8
       s
1
           20
                            40
3
            19
                           38
      as
2
           17
                           34
       a
5
                            18
      es
            9
4
       e
             1
                             2
6
       0
             1
                             2
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           36
3
      as
           24
                            48
1
           21
                            42
2
           18
                            36
5
            9
                            18
      es
4
                             2
       е
             1
6
       0
             1
                             2
7
                             2
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
      as
           19
2
       a
            17
                            34
5
            9
                            18
1
            6
                            12
4
             1
                             2
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
      as
           20
2
           18
                            36
       a
5
                           30
           15
1
           10
                            20
4
            1
                             2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           27
                           54
       s
                           30
1
           15
2
            7
                            14
       a
```

```
3
                              4
      as
4
             1
                              2
       е
5
             1
                              2
      es
6
             1
                              2
       0
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            27
8
       s
                             30
1
            15
2
             9
                             18
       a
3
      as
             4
                             8
4
             1
                              2
       е
                              2
5
             1
      es
6
                              2
             1
7
      os
             1
                              2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            31
       s
                            62
            16
                            32
1
5
                            14
      es
             7
2
       a
             5
                            10
3
             3
                             6
      as
       е
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            33
1
            16
                            32
5
             7
                            14
      es
2
             6
                            12
       a
                             12
3
             6
      as
4
       е
             1
                              2
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            26
       s
1
            15
                            30
5
      es
             3
                             6
2
             2
       a
                              4
3
             2
                              4
      as
                              2
4
       е
             1
6
             1
                              2
       0
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            27
                             54
       s
                             32
1
            16
5
                             8
             4
2
             2
                              4
       a
3
             2
                              4
      as
4
                              2
             1
       е
6
                              2
             1
7
                              2
      os
             1
[1] "5PlGen"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
6
                            50
1
            10
                            20
5
      es
             5
                            10
3
             2
                             4
      as
                             2
2
       a
4
       е
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s
            30
            14
                            28
1
5
             6
                            12
      es
3
             5
                            10
      as
2
       a
             3
                             6
                             2
4
       е
             1
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
            32
8
       s
1
            18
                            36
5
      es
             9
                            18
2
             4
                             8
       a
3
      as
             2
                             4
4
                             2
             1
       е
6
       0
             1
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            34
       s
                            42
            21
1
            14
3
      as
                            28
2
            13
                            26
       a
5
             9
                            18
      es
                             2
4
       е
             1
                             2
6
             1
       0
7
      os
             1
                             2
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
                            30
       s
            15
3
      as
            14
                            28
2
                            26
            13
       a
1
            10
                            20
4
            1
                             2
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           26
8
                            52
       s
                            28
1
            14
2
            4
                             8
       a
```

```
3
      as
4
             1
                             2
       е
5
                             2
      es
             1
6
                             2
       0
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           27
8
       s
1
            15
                            30
2
            5
                            10
       a
3
      as
             2
                             4
4
                             2
             1
5
             1
                             2
      es
                             2
6
             1
7
      os
             1
                             2
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           27
1
           15
                            30
4
                            14
      es
            7
2
      as
             1
                             2
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       s
           30
1
           15
                            30
4
            7
                            14
      es
2
                             2
             1
      as
                             2
3
       е
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
           26
            15
                            30
1
5
            3
                             6
      es
            2
2
       a
                             4
3
      as
             2
4
       е
6
             1
                             2
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           26
                            52
       s
1
           16
                            32
5
                             6
             3
      es
2
             2
                             4
       a
3
             2
                             4
      as
4
                             2
       е
             1
                             2
6
      os
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
           25
                            28
1
            14
5
            5
                           10
      es
2
            3
                            6
       a
3
             2
                             4
      as
4
       е
             1
                             2
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           28
       s
                            38
3
           19
      as
2
           17
                            34
       a
                            32
1
            16
5
            7
                            14
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           34
3
      as
           23
                            46
                           38
1
           19
2
           18
                            36
       a
5
                            18
            9
      es
4
       е
             1
                            2
6
             1
                             2
7
                             2
      os
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
      as
            19
2
            17
                            34
5
                            18
            9
       s
             6
                            12
1
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
      as
            20
2
            18
                            36
5
            9
                           18
       s
             6
                            12
1
      es
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           25
       s
           14
                           28
1
2
            5
                            10
3
            2
      as
                            4
4
                             2
       е
```

```
5
      es
6
                            2
       0
            1
                            2
7
            1
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
5
       s
           27
1
           15
                           30
4
      es
            7
                           14
2
            1
                            2
      as
3
       е
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           27
       s
1
           15
                           30
5
            7
      es
                           14
3
            2
                            4
      as
                            2
2
       a
                            2
4
            1
       е
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           25
                           50
1
           15
                           30
5
            4
                            8
      es
2
            2
                            4
       a
3
            2
      as
4
                            2
       е
            1
6
       0
            1
                            2
7
                            2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           30
                           60
       s
                           28
1
           14
5
            6
                           12
      es
3
            5
                           10
      as
2
            2
                            4
       a
                            2
       е
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           28
       s
1
           16
                           32
2
                           14
            7
       a
3
            3
                            6
      as
5
            2
      es
                            4
4
            1
                            2
       е
```

```
0
             1
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           30
1
            18
                            36
2
            7
                            14
       a
3
             7
                            14
      as
5
      es
             3
                             6
4
                             2
       е
             1
                             2
6
             1
7
                             2
      os
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           25
8
       s
1
            13
                            26
2
            7
                            14
3
                             4
             2
      as
4
                             2
5
      es
             1
                             2
6
       0
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           25
1
            14
                            28
2
             7
                            14
       a
3
             4
                             8
      as
             1
                             2
       е
5
                             2
      es
             1
6
       0
             1
                             2
                             2
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
           26
1
            14
                            28
2
            5
                            10
       a
3
             3
                             6
      as
                             2
4
       е
             1
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           26
       s
            14
                            28
1
2
            5
                            10
       a
3
             5
                            10
      as
4
                             2
       е
             1
                             2
5
      es
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
```

[1] "All Endings Included"

Suffix	freq	Percent	Trials

0	S	20	52
1	_	15	30
2	a	2	4
3	as	2	4
5	es	2	4
4	е	1	2

- [1] "mSg and nSg fully match 100% of the time"
- [1] "mPl and nPl fully match 78% of the time"
- [1] "nPl and fSg fully match 26% of the time"
- [1] "Endings that overlap are a,a,-,a,a,a,a,a,a,a,a,a in trials 4,6,8,13,23,26,28,29,33,38,41,47,49"
- [1] "nPl and fPl fully match 38% of the time"
- [1] "mPl and fSg fully match 16% of the time"
- [1] "Endings that overlap are -,a,a,a,a,a,a in trials 8,13,23,28,33,38,41,49"
- [1] "mPl and fPl fully match 20% of the time"
- [1] "Endings that overlap are -,a,as,a,a,a,a,a,a in trials 8,13,14,23,28,33,38,41,46,49"
- [1] "mSg and nSg at least partially match 100% of the time"
- [1] "mPl and nPl at least partially match 100% of the time"
- [1] "fSg and nPl at least partially match 26% of the time"
- [1] "Endings that overlap are a,a,-,a,a,a,a,a,a,a,a,a in trials 4,6,8,13,23,26,28,29,33,38,41,47,49"
- [1] "fPl and nPl at least partially match 38% of the time"
- [1] "fSg and mPl at least partially match 16% of the time"
- [1] "Endings that overlap are -,a,a,a,a,a,a in trials 8,13,23,28,33,38,41,49"
- [1] "fPl and mPl at least partially match 20% of the time"
- [1] "Endings that overlap are -,a,as,a,a,a,a,a,as,a in trials 8,13,14,23,28,33,38,41,46,49"
- [1] "fPl, mPl, and nPl at least partially match 20% of the time"
- [1] "Endings that overlap are -,a,as,a,a,a,a,a,as,a in trials 8,13,14,23,28,33,38,41,46,49"