

Aggregate Data

Tyler Lau

July 18, 2016

[1] "Common Sound Change, Token Freq F, Number of cases being considered: 5"

[1] "Only considering max suffixes: TRUE"

[1] "Sg"

	Suffix	freq	Percent_Trials
2	e	37	74
1	-	7	14
4	o	3	6
3	es	2	4
5	s	1	2

[1] "1SgNom,Acc"

	Suffix	freq	Percent_Trials
2	a	47	94
1	-	2	4
3	as	1	2

[1] "2SgNom,Acc"

	Suffix	freq	Percent_Trials
2	o	45	90
1	-	4	8
3	os	1	2

[1] "3SgNom,Acc"

	Suffix	freq	Percent_Trials
2	e	44	88
1	-	3	6
3	es	2	4
4	s	1	2

[1] "4SgNom,Acc"

	Suffix	freq	Percent_Trials
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2

[1] "5SgNom,Acc"

	Suffix	freq	Percent_Trials
3	e	41	82
1	-	6	12
4	es	2	4
2	a	1	2

[1] "1SgAcc,Abl"

	Suffix	freq	Percent_Trials
2	a	43	86
1	-	4	8
4	e	2	4
3	as	1	2

[1] "2SgAcc,Abl"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

2	o	45	90
1	-	4	8
3	os	1	2
[1] "3SgAcc,Abl"			
Suffix freq Percent_Trials			
2	e	47	94
3	es	2	4
1	-	1	2
[1] "4SgAcc,Abl"			
Suffix freq Percent_Trials			
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2
[1] "5SgAcc,Abl"			
Suffix freq Percent_Trials			
3	e	42	84
1	-	5	10
4	es	2	4
2	a	1	2
[1] "1SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
2	a	47	94
1	-	2	4
3	as	1	2
[1] "2SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
2	o	45	90
1	-	4	8
3	os	1	2
[1] "3SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
2	e	47	94
3	es	2	4
1	-	1	2
[1] "4SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2
[1] "5SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
3	e	42	84
1	-	5	10
4	es	2	4
2	a	1	2
[1] "1SgGen,Dat"			
Suffix freq Percent_Trials			
3	e	31	62
1	-	8	16
2	a	6	12
4	es	3	6
5	s	2	4

```

[1] "2SgGen,Dat"
  Suffix freq Percent_Trials
3      o   24             48
1      -   12             24
2      e    8             16
5      s    5             10
4     os    1              2
[1] "3SgGen,Dat"
  Suffix freq Percent_Trials
2      e   44             88
3     es    4              8
1      -    1              2
4      s    1              2
[1] "4SgGen,Dat"
  Suffix freq Percent_Trials
4      o   21             42
1      -   13             26
2      e    9             18
6      s    5             10
3     es    1              2
5     os    1              2
[1] "5SgGen,Dat"
  Suffix freq Percent_Trials
2      e   41             82
1      -    5             10
3     es    4              8
[1] "Nom"
  Suffix freq Percent_Trials
2      e   36             72
1      -    8             16
4      o    3              6
3     es    2              4
5      s    1              2
[1] "NomSg"
  Suffix freq Percent_Trials
2      e   31             62
4      o    9             18
1      -    7             14
3     es    2              4
5      s    1              2
[1] "1"
  Suffix freq Percent_Trials
2      a   42             84
4      e    4              8
1      -    2              4
3     as    1              2
5     es    1              2
[1] "1Sg"
  Suffix freq Percent_Trials
2      a   43             86
4      e    4              8
1      -    2              4
3     as    1              2
[1] "1SgNom"

```

	Suffix	freq	Percent_Trials
2	a	47	94
1	-	2	4
3	as	1	2
[1]	"2"		
	Suffix	freq	Percent_Trials
3	o	24	48
1	-	14	28
5	s	6	12
2	e	5	10
4	os	1	2
[1]	"2Sg"		
	Suffix	freq	Percent_Trials
2	o	45	90
1	-	4	8
3	os	1	2
[1]	"2SgNom"		
	Suffix	freq	Percent_Trials
2	o	45	90
1	-	4	8
3	os	1	2
[1]	"3"		
	Suffix	freq	Percent_Trials
2	e	44	88
3	es	4	8
1	-	1	2
4	s	1	2
[1]	"3Sg"		
	Suffix	freq	Percent_Trials
2	e	46	92
3	es	2	4
1	-	1	2
4	s	1	2
[1]	"3SgNom"		
	Suffix	freq	Percent_Trials
2	e	44	88
1	-	3	6
3	es	2	4
4	s	1	2
[1]	"4"		
	Suffix	freq	Percent_Trials
3	o	23	46
1	-	14	28
2	e	6	12
5	s	6	12
4	os	1	2
[1]	"4Sg"		
	Suffix	freq	Percent_Trials
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2
[1]	"4SgNom"		
	Suffix	freq	Percent_Trials

3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2

[1] "5"

	Suffix	freq	Percent_Trials
3	e	41	82
1	-	5	10
4	es	3	6
2	a	1	2

[1] "5Sg"

	Suffix	freq	Percent_Trials
3	e	42	84
1	-	5	10
4	es	2	4
2	a	1	2

[1] "5SgNom"

	Suffix	freq	Percent_Trials
3	e	40	80
1	-	6	12
4	es	2	4
2	a	1	2
5	s	1	2

[1] "m"

	Suffix	freq	Percent_Trials
2	e	24	48
4	o	14	28
1	-	6	12
5	s	4	8
3	es	2	4

[1] "mSg"

	Suffix	freq	Percent_Trials
4	o	22	44
2	e	20	40
1	-	5	10
3	es	1	2
5	os	1	2
6	s	1	2

[1] "mSgNom"

	Suffix	freq	Percent_Trials
3	o	42	84
1	-	4	8
2	e	3	6
4	os	1	2

[1] "m1SgNom"

	Suffix	freq	Percent_Trials
2	a	32	64
3	e	12	24
1	-	4	8
4	es	1	2
5	s	1	2

[1] "m2SgNom"

	Suffix	freq	Percent_Trials
2	o	45	90

```

1      -      4      8
3      os     1      2
[1] "m3SgNom"
      Suffix freq Percent_Trials
2      e     44      88
1      -      3       6
3      es     2       4
4      s      1       2
[1] "m4SgNom"
      Suffix freq Percent_Trials
3      o     43      86
1      -      5      10
2      e      1       2
4      os     1       2
[1] "m5SgNom"
      Suffix freq Percent_Trials
3      e     40      80
1      -      6      12
4      es     2       4
2      a      1       2
5      s      1       2
[1] "f"
      Suffix freq Percent_Trials
3      e     41      82
4      es     4       8
1      -      3       6
2      a      1       2
5      s      1       2
[1] "fSg"
      Suffix freq Percent_Trials
3      e     42      84
1      -      3       6
4      es     3       6
2      a      1       2
5      s      1       2
[1] "fSgNom"
      Suffix freq Percent_Trials
3      e     40      80
1      -      4       8
2      a      3       6
4      es     2       4
5      s      1       2
[1] "f1SgNom"
      Suffix freq Percent_Trials
2      a     47      94
1      -      2       4
3      as     1       2
[1] "f2SgNom"
      Suffix freq Percent_Trials
3      o     40      80
1      -      8      16
2      a      1       2
4      os     1       2
[1] "f3SgNom"

```

	Suffix	freq	Percent_Trials
2	e	44	88
1	-	3	6
3	es	2	4
4	s	1	2
[1] "f4SgNom"			
	Suffix	freq	Percent_Trials
3	o	36	72
1	-	12	24
2	e	1	2
4	os	1	2
[1] "f5SgNom"			
	Suffix	freq	Percent_Trials
3	e	40	80
1	-	6	12
4	es	2	4
2	a	1	2
5	s	1	2
[1] "n"			
	Suffix	freq	Percent_Trials
4	o	17	34
1	-	13	26
2	e	12	24
5	s	7	14
3	es	1	2
[1] "nSg"			
	Suffix	freq	Percent_Trials
3	o	29	58
1	-	11	22
2	e	8	16
4	os	1	2
5	s	1	2
[1] "nSgNom"			
	Suffix	freq	Percent_Trials
2	o	45	90
1	-	4	8
3	os	1	2
[1] "n2SgNom"			
	Suffix	freq	Percent_Trials
2	o	45	90
1	-	4	8
3	os	1	2
[1] "n3SgNom"			
	Suffix	freq	Percent_Trials
3	e	31	62
1	-	13	26
2	a	3	6
4	es	2	4
5	s	1	2
[1] "n4SgNom"			
	Suffix	freq	Percent_Trials
3	o	43	86
1	-	5	10
2	e	1	2

```

4      os      1          2
[1] "Acc"
  Suffix freq Percent_Trials
2      e    37          74
1      -     7          14
4      o     4           8
3     es     2           4
[1] "AccSg"
  Suffix freq Percent_Trials
2      e    31          62
4      o    12          24
1      -     5          10
3     es     2           4
[1] "1SgAcc"
  Suffix freq Percent_Trials
2      a    47          94
1      -     2           4
3     as     1           2
[1] "2SgAcc"
  Suffix freq Percent_Trials
2      o    45          90
1      -     4           8
3     os     1           2
[1] "3SgAcc"
  Suffix freq Percent_Trials
2      e    47          94
3     es     2           4
1      -     1           2
[1] "4SgAcc"
  Suffix freq Percent_Trials
3      o    43          86
1      -     5          10
2      e     1           2
4     os     1           2
[1] "5SgAcc"
  Suffix freq Percent_Trials
3      e    42          84
1      -     5          10
4     es     2           4
2      a     1           2
[1] "mSgAcc"
  Suffix freq Percent_Trials
3      o    42          84
1      -     4           8
2      e     3           6
4     os     1           2
[1] "m1SgAcc"
  Suffix freq Percent_Trials
2      a    32          64
3      e    12          24
1      -     4           8
4     es     1           2
5      s     1           2
[1] "m2SgAcc"

```


	Suffix	freq	Percent_Trials
2	o	45	90
1	-	4	8
3	os	1	2
[1] "m3SgAcc"			
	Suffix	freq	Percent_Trials
2	e	47	94
3	es	2	4
1	-	1	2
[1] "m4SgAcc"			
	Suffix	freq	Percent_Trials
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2
[1] "m5SgAcc"			
	Suffix	freq	Percent_Trials
3	e	42	84
1	-	5	10
4	es	2	4
2	a	1	2
[1] "fSgAcc"			
	Suffix	freq	Percent_Trials
3	e	42	84
1	-	3	6
2	a	3	6
4	es	2	4
[1] "f1SgAcc"			
	Suffix	freq	Percent_Trials
2	a	47	94
1	-	2	4
3	as	1	2
[1] "f2SgAcc"			
	Suffix	freq	Percent_Trials
3	o	39	78
1	-	9	18
2	a	1	2
4	os	1	2
[1] "f3SgAcc"			
	Suffix	freq	Percent_Trials
2	e	47	94
3	es	2	4
1	-	1	2
[1] "f4SgAcc"			
	Suffix	freq	Percent_Trials
4	o	35	70
1	-	12	24
2	a	1	2
3	e	1	2
5	os	1	2
[1] "f5SgAcc"			
	Suffix	freq	Percent_Trials
3	e	42	84
1	-	5	10

```

4     es     2           4
2     a     1           2
[1] "nSgAcc"
  Suffix freq Percent_Trials
2     o    45           90
1     -     4            8
3     os     1            2
[1] "n2SgAcc"
  Suffix freq Percent_Trials
2     o    45           90
1     -     4            8
3     os     1            2
[1] "n3SgAcc"
  Suffix freq Percent_Trials
3     e    31           62
1     -    13           26
2     a     3            6
4     es     2            4
5     s     1            2
[1] "n4SgAcc"
  Suffix freq Percent_Trials
3     o    43           86
1     -     5           10
2     e     1            2
4     os     1            2
[1] "Gen"
  Suffix freq Percent_Trials
2     e    37           74
1     -     5           10
3     es     3            6
5     s     3            6
4     o     2            4
[1] "GenSg"
  Suffix freq Percent_Trials
2     e    36           72
1     -     6           12
3     es     3            6
4     o     3            6
5     s     2            4
[1] "1SgGen"
  Suffix freq Percent_Trials
3     e    31           62
1     -     8           16
2     a     6           12
4     es     3            6
5     s     2            4
[1] "2SgGen"
  Suffix freq Percent_Trials
3     o    24           48
1     -    12           24
2     e     8           16
5     s     5           10
4     os     1            2
[1] "3SgGen"

```

	Suffix	freq	Percent_Trials
2	e	44	88
3	es	4	8
1	-	1	2
4	s	1	2

[1] "4SgGen"

	Suffix	freq	Percent_Trials
4	o	21	42
1	-	13	26
2	e	9	18
6	s	5	10
3	es	1	2
5	os	1	2

[1] "5SgGen"

	Suffix	freq	Percent_Trials
2	e	40	80
1	-	5	10
3	es	4	8
4	s	1	2

[1] "mSgGen"

	Suffix	freq	Percent_Trials
4	o	20	40
1	-	12	24
2	e	11	22
6	s	5	10
3	es	1	2
5	os	1	2

[1] "m1SgGen"

	Suffix	freq	Percent_Trials
3	e	30	60
1	-	10	20
2	a	5	10
4	es	3	6
5	s	2	4

[1] "m2SgGen"

	Suffix	freq	Percent_Trials
3	o	24	48
1	-	12	24
2	e	8	16
5	s	5	10
4	os	1	2

[1] "m3SgGen"

	Suffix	freq	Percent_Trials
2	e	44	88
3	es	4	8
1	-	1	2
4	s	1	2

[1] "m4SgGen"

	Suffix	freq	Percent_Trials
4	o	21	42
1	-	13	26
2	e	9	18
6	s	5	10
3	es	1	2

```

5      os      1          2
[1] "m5SgGen"
      Suffix freq Percent_Trials
2      e     39          78
1      -      6          12
3      es      4           8
4      s       1           2
[1] "fSgGen"
      Suffix freq Percent_Trials
3      e     38          76
1      -      6          12
4      es      4           8
2      a       1           2
5      s       1           2
[1] "f1SgGen"
      Suffix freq Percent_Trials
3      e     31          62
1      -      8          16
2      a      6          12
4      es      3           6
5      s       2           4
[1] "f2SgGen"
      Suffix freq Percent_Trials
4      o     22          44
1      -     13          26
3      e      8          16
6      s      5          10
2      a       1           2
5      os      1           2
[1] "f3SgGen"
      Suffix freq Percent_Trials
2      e     44          88
3      es      4           8
1      -       1           2
4      s       1           2
[1] "f4SgGen"
      Suffix freq Percent_Trials
3      o     21          42
1      -     13          26
2      e      9          18
5      s      6          12
4      os      1           2
[1] "f5SgGen"
      Suffix freq Percent_Trials
2      e     40          80
1      -      5          10
3      es      4           8
4      s       1           2
[1] "nSgGen"
      Suffix freq Percent_Trials
3      o     24          48
1      -     12          24
2      e      8          16
5      s      5          10

```

```

4      os      1          2
[1] "n2SgGen"
  Suffix freq Percent_Trials
3      o    24          48
1      -    12          24
2      e     8          16
5      s     5          10
4      os     1           2
[1] "n3SgGen"
  Suffix freq Percent_Trials
2      e    31          62
1      -    14          28
3      es     4           8
4      s     1           2
[1] "n4SgGen"
  Suffix freq Percent_Trials
4      o    20          40
1      -    13          26
2      e    10          20
6      s     5          10
3      es     1           2
5      os     1           2
[1] "Dat"
  Suffix freq Percent_Trials
2      e    38          76
1      -     5          10
3      es     3           6
5      s     3           6
4      o     1           2
[1] "DatSg"
  Suffix freq Percent_Trials
2      e    37          74
1      -     6          12
3      es     3           6
4      o     2           4
5      s     2           4
[1] "1SgDat"
  Suffix freq Percent_Trials
3      e    32          64
1      -     7          14
2      a     6          12
4      es     3           6
5      s     2           4
[1] "2SgDat"
  Suffix freq Percent_Trials
3      o    23          46
1      -    13          26
2      e     8          16
5      s     5          10
4      os     1           2
[1] "3SgDat"
  Suffix freq Percent_Trials
2      e    45          90
3      es     4           8

```

```

1      -      1      2
[1] "4SgDat"
  Suffix freq Percent_Trials
3      o   21           42
1      -   13           26
2      e    9           18
5      s    5           10
4     os    2            4
[1] "5SgDat"
  Suffix freq Percent_Trials
2      e   41           82
1      -    5           10
3     es    4            8
[1] "mSgDat"
  Suffix freq Percent_Trials
4      o   20           40
1      -   12           24
2      e   11           22
6      s    5           10
3     es    1            2
5     os    1            2
[1] "m1SgDat"
  Suffix freq Percent_Trials
3      e   31           62
1      -   10           20
2      a    4            8
4     es    3            6
5      s    2            4
[1] "m2SgDat"
  Suffix freq Percent_Trials
3      o   24           48
1      -   12           24
2      e    8           16
5      s    5           10
4     os    1            2
[1] "m3SgDat"
  Suffix freq Percent_Trials
2      e   45           90
3     es    4            8
1      -    1            2
[1] "m4SgDat"
  Suffix freq Percent_Trials
3      o   21           42
1      -   13           26
2      e    9           18
5      s    5           10
4     os    2            4
[1] "m5SgDat"
  Suffix freq Percent_Trials
2      e   40           80
1      -    6           12
3     es    4            8
[1] "fSgDat"
  Suffix freq Percent_Trials

```

3	e	39	78
1	-	6	12
4	es	4	8
2	a	1	2

[1] "f1SgDat"

	Suffix	freq	Percent_Trials
3	e	32	64
1	-	7	14
2	a	6	12
4	es	3	6
5	s	2	4

[1] "f2SgDat"

	Suffix	freq	Percent_Trials
4	o	22	44
1	-	13	26
3	e	8	16
6	s	5	10
2	a	1	2
5	os	1	2

[1] "f3SgDat"

	Suffix	freq	Percent_Trials
2	e	45	90
3	es	4	8
1	-	1	2

[1] "f4SgDat"

	Suffix	freq	Percent_Trials
3	o	21	42
1	-	13	26
2	e	9	18
5	s	6	12
4	os	1	2

[1] "f5SgDat"

	Suffix	freq	Percent_Trials
2	e	41	82
1	-	5	10
3	es	4	8

[1] "nSgDat"

	Suffix	freq	Percent_Trials
3	o	23	46
1	-	13	26
2	e	8	16
5	s	5	10
4	os	1	2

[1] "n2SgDat"

	Suffix	freq	Percent_Trials
3	o	23	46
1	-	13	26
2	e	8	16
5	s	5	10
4	os	1	2

[1] "n3SgDat"

	Suffix	freq	Percent_Trials
2	e	32	64
1	-	13	26

```

3      es      4      8
4      s      1      2
[1] "n4SgDat"
  Suffix freq Percent_Trials
4      o     20      40
1      -     13      26
2      e     10      20
6      s      5      10
3      es      1       2
5      os      1       2
[1] "Abl"
  Suffix freq Percent_Trials
2      e     37      74
1      -      7      14
4      o      4       8
3      es      2       4
[1] "AblSg"
  Suffix freq Percent_Trials
2      e     31      62
4      o     12      24
1      -      5      10
3      es      2       4
[1] "1SgAbl"
  Suffix freq Percent_Trials
2      a     43      86
1      -      4       8
4      e      2       4
3      as      1       2
[1] "2SgAbl"
  Suffix freq Percent_Trials
2      o     45      90
1      -      4       8
3      os      1       2
[1] "3SgAbl"
  Suffix freq Percent_Trials
2      e     47      94
3      es      2       4
1      -      1       2
[1] "4SgAbl"
  Suffix freq Percent_Trials
3      o     43      86
1      -      5      10
2      e      1       2
4      os      1       2
[1] "5SgAbl"
  Suffix freq Percent_Trials
3      e     42      84
1      -      5      10
4      es      2       4
2      a      1       2
[1] "mSgAbl"
  Suffix freq Percent_Trials
3      o     42      84
1      -      4       8

```


2	e	3	6
4	os	1	2
[1] "m1SgAbl"			
Suffix freq Percent_Trials			
2	a	31	62
3	e	11	22
1	-	6	12
4	es	1	2
5	s	1	2
[1] "m2SgAbl"			
Suffix freq Percent_Trials			
2	o	45	90
1	-	4	8
3	os	1	2
[1] "m3SgAbl"			
Suffix freq Percent_Trials			
2	e	47	94
3	es	2	4
1	-	1	2
[1] "m4SgAbl"			
Suffix freq Percent_Trials			
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2
[1] "m5SgAbl"			
Suffix freq Percent_Trials			
3	e	42	84
1	-	5	10
4	es	2	4
2	a	1	2
[1] "fSgAbl"			
Suffix freq Percent_Trials			
3	e	41	82
1	-	4	8
2	a	3	6
4	es	2	4
[1] "f1SgAbl"			
Suffix freq Percent_Trials			
2	a	43	86
1	-	4	8
4	e	2	4
3	as	1	2
[1] "f2SgAbl"			
Suffix freq Percent_Trials			
3	o	40	80
1	-	8	16
2	a	1	2
4	os	1	2
[1] "f3SgAbl"			
Suffix freq Percent_Trials			
2	e	47	94
3	es	2	4
1	-	1	2

```

[1] "f4SgAbl"
  Suffix freq Percent_Trials
3      o   36             72
1      -   12             24
2      e    1              2
4     os    1              2
[1] "f5SgAbl"
  Suffix freq Percent_Trials
3      e   42             84
1      -    5             10
4     es    2              4
2      a    1              2
[1] "nSgAbl"
  Suffix freq Percent_Trials
2      o   45             90
1      -    4              8
3     os    1              2
[1] "n2SgAbl"
  Suffix freq Percent_Trials
2      o   45             90
1      -    4              8
3     os    1              2
[1] "n3SgAbl"
  Suffix freq Percent_Trials
3      e   31             62
1      -   13             26
2      a    3              6
4     es    2              4
5      s    1              2
[1] "n4SgAbl"
  Suffix freq Percent_Trials
3      o   43             86
1      -    5             10
2      e    1              2
4     os    1              2
[1] "Pl"
  Suffix freq Percent_Trials
2      e   29             58
1      -   11             22
3     es    5             10
5      s    3              6
4      o    2              4
[1] "1PlNom,Acc"
  Suffix freq Percent_Trials
2      a   44             88
3     as    4              8
1      -    2              4
[1] "2PlNom,Acc"
  Suffix freq Percent_Trials
4      o   19             38
1      -   18             36
5      s   10             20
3      e    2              4
2      a    1              2

```

```

[1] "3PlNom,Acc"
  Suffix freq Percent_Trials
2      e   40             80
3     es    6             12
1      -    3              6
4      s    1              2
[1] "4PlNom,Acc"
  Suffix freq Percent_Trials
3      o   18             36
1      -   15             30
5      s    9             18
2      e    7             14
4     os    1              2
[1] "5PlNom,Acc"
  Suffix freq Percent_Trials
3      e   38             76
1      -    5             10
4     es    5             10
2      a    1              2
5      s    1              2
[1] "1PlAcc,Abl"
  Suffix freq Percent_Trials
2      a   40             80
1      -    4              8
3     as    4              8
4      e    2              4
[1] "2PlAcc,Abl"
  Suffix freq Percent_Trials
4      o   19             38
1      -   18             36
5      s   10             20
3      e    2              4
2      a    1              2
[1] "3PlAcc,Abl"
  Suffix freq Percent_Trials
2      e   43             86
3     es    6             12
1      -    1              2
[1] "4PlAcc,Abl"
  Suffix freq Percent_Trials
3      o   18             36
1      -   15             30
5      s    9             18
2      e    7             14
4     os    1              2
[1] "5PlAcc,Abl"
  Suffix freq Percent_Trials
3      e   39             78
4     es    5             10
1      -    4              8
2      a    1              2
5      s    1              2
[1] "1PlNom,Acc,Abl"
  Suffix freq Percent_Trials

```

2	a	44	88
3	as	4	8
1	-	2	4
[1] "2PlNom,Acc,Abl"			
Suffix freq Percent_Trials			
4	o	19	38
1	-	18	36
5	s	10	20
3	e	2	4
2	a	1	2
[1] "3PlNom,Acc,Abl"			
Suffix freq Percent_Trials			
2	e	43	86
3	es	6	12
1	-	1	2
[1] "4PlNom,Acc,Abl"			
Suffix freq Percent_Trials			
3	o	18	36
1	-	15	30
5	s	9	18
2	e	7	14
4	os	1	2
[1] "5PlNom,Acc,Abl"			
Suffix freq Percent_Trials			
3	e	39	78
4	es	5	10
1	-	4	8
2	a	1	2
5	s	1	2
[1] "1PlGen,Dat"			
Suffix freq Percent_Trials			
3	e	29	58
1	-	8	16
2	a	6	12
4	es	5	10
5	s	2	4
[1] "2PlGen,Dat"			
Suffix freq Percent_Trials			
1	-	15	30
3	o	15	30
2	e	10	20
4	s	10	20
[1] "3PlGen,Dat"			
Suffix freq Percent_Trials			
2	e	42	84
3	es	6	12
1	-	1	2
4	s	1	2
[1] "4PlGen,Dat"			
Suffix freq Percent_Trials			
1	-	14	28
4	o	13	26
2	e	12	24
6	s	9	18

```

3      es      1          2
5      os      1          2
[1] "5PlGen,Dat"
      Suffix freq Percent_Trials
2      e     39          78
3      es      6          12
1      -      4           8
4      s      1           2
[1] "NomPl"
      Suffix freq Percent_Trials
2      e     25          50
1      -     13          26
3      es      6          12
4      o      3           6
5      s      3           6
[1] "1Pl"
      Suffix freq Percent_Trials
2      a     40          80
3      as      4           8
4      e      4           8
1      -      2           4
[1] "1PlNom"
      Suffix freq Percent_Trials
2      a     44          88
3      as      4           8
1      -      2           4
[1] "2Pl"
      Suffix freq Percent_Trials
3      o     19          38
1      -     18          36
4      s     10          20
2      e      3           6
[1] "2PlNom"
      Suffix freq Percent_Trials
4      o     19          38
1      -     18          36
5      s     10          20
3      e      2           4
2      a      1           2
[1] "3Pl"
      Suffix freq Percent_Trials
2      e     42          84
3      es      6          12
1      -      1           2
4      s      1           2
[1] "3PlNom"
      Suffix freq Percent_Trials
2      e     40          80
3      es      6          12
1      -      3           6
4      s      1           2
[1] "4Pl"
      Suffix freq Percent_Trials
3      o     18          36

```

```

1      -   15          30
5      s    9          18
2      e    7          14
4      os   1           2
[1] "4PlNom"
  Suffix freq Percent_Trials
3      o   18           36
1      -   15           30
5      s    9           18
2      e    7           14
4      os   1            2
[1] "5Pl"
  Suffix freq Percent_Trials
3      e   39           78
4     es    5           10
1      -    4            8
2      a    1            2
5      s    1            2
[1] "5PlNom"
  Suffix freq Percent_Trials
3      e   37           74
1      -    5           10
4     es    5           10
5      s    2            4
2      a    1            2
[1] "mPl"
  Suffix freq Percent_Trials
1      -   14           28
2      e   13           26
4      o   13           26
5      s    8           16
3     es    2            4
[1] "mPlNom"
  Suffix freq Percent_Trials
4      o   18           36
1      -   14           28
5      s    9           18
2      e    8           16
3     es    1            2
[1] "m1PlNom"
  Suffix freq Percent_Trials
2      a   28           56
4      e   12           24
1      -    4            8
3     as    3            6
6      s    2            4
5     es    1            2
[1] "m2PlNom"
  Suffix freq Percent_Trials
3      o   19           38
1      -   18           36
5      s    9           18
2      e    3            6
4     os    1            2

```

```

[1] "m3PlNom"
  Suffix freq Percent_Trials
2      e   39             78
3     es    7             14
1      -    3              6
4      s    1              2
[1] "m4PlNom"
  Suffix freq Percent_Trials
3      o   18             36
1      -   15             30
5      s    9             18
2      e    7             14
4     os    1              2
[1] "m5PlNom"
  Suffix freq Percent_Trials
3      e   36             72
4     es    6             12
1      -    5             10
5      s    2              4
2      a    1              2
[1] "fPl"
  Suffix freq Percent_Trials
3      e   39             78
4     es    6             12
1      -    3              6
2      a    1              2
5      s    1              2
[1] "fPlNom"
  Suffix freq Percent_Trials
3      e   35             70
2      a    5             10
4     es    5             10
1      -    4              8
5      s    1              2
[1] "f1PlNom"
  Suffix freq Percent_Trials
2      a   44             88
3     as    4              8
1      -    2              4
[1] "f2PlNom"
  Suffix freq Percent_Trials
4      o   19             38
1      -   16             32
5      s    9             18
3      e    4              8
2      a    2              4
[1] "f3PlNom"
  Suffix freq Percent_Trials
2      e   40             80
3     es    6             12
1      -    3              6
4      s    1              2
[1] "f4PlNom"
  Suffix freq Percent_Trials

```

4	o	18	36
1	-	14	28
3	e	8	16
6	s	8	16
2	a	1	2
5	os	1	2

[1] "f5PlNom"

	Suffix	freq	Percent_Trials
3	e	37	74
1	-	5	10
4	es	5	10
5	s	2	4
2	a	1	2

[1] "nPl"

	Suffix	freq	Percent_Trials
1	-	15	30
4	o	15	30
5	s	10	20
3	e	9	18
2	a	1	2

[1] "nPlNom"

	Suffix	freq	Percent_Trials
4	o	19	38
1	-	18	36
5	s	10	20
3	e	2	4
2	a	1	2

[1] "n2PlNom"

	Suffix	freq	Percent_Trials
4	o	19	38
1	-	18	36
5	s	10	20
3	e	2	4
2	a	1	2

[1] "n3PlNom"

	Suffix	freq	Percent_Trials
3	e	24	48
1	-	13	26
4	es	6	12
2	a	4	8
5	s	3	6

[1] "n4PlNom"

	Suffix	freq	Percent_Trials
3	o	19	38
1	-	15	30
4	s	10	20
2	e	6	12

[1] "AccPl"

	Suffix	freq	Percent_Trials
2	e	25	50
1	-	12	24
3	es	6	12
4	o	4	8
5	s	3	6


```

[1] "1PlAcc"
  Suffix freq Percent_Trials
2      a   44             88
3     as    4              8
1      -    2              4
[1] "2PlAcc"
  Suffix freq Percent_Trials
4      o   19             38
1      -   18             36
5      s   10             20
3      e    2              4
2      a    1              2
[1] "3PlAcc"
  Suffix freq Percent_Trials
2      e   43             86
3     es    6             12
1      -    1              2
[1] "4PlAcc"
  Suffix freq Percent_Trials
3      o   18             36
1      -   15             30
5      s    9             18
2      e    7             14
4     os    1              2
[1] "5PlAcc"
  Suffix freq Percent_Trials
3      e   39             78
4     es    5             10
1      -    4              8
2      a    1              2
5      s    1              2
[1] "mPlAcc"
  Suffix freq Percent_Trials
4      o   18             36
1      -   15             30
2      e    8             16
5      s    8             16
3     es    1              2
[1] "m1PlAcc"
  Suffix freq Percent_Trials
2      a   29             58
4      e   12             24
1      -    3              6
3     as    3              6
6      s    2              4
5     es    1              2
[1] "m2PlAcc"
  Suffix freq Percent_Trials
3      o   20             40
1      -   18             36
4      s    9             18
2      e    3              6
[1] "m3PlAcc"
  Suffix freq Percent_Trials

```

2	e	43	86
3	es	6	12
1	-	1	2
[1] "m4PlAcc"			
Suffix freq Percent_Trials			
3	o	18	36
1	-	15	30
5	s	9	18
2	e	7	14
4	os	1	2
[1] "m5PlAcc"			
Suffix freq Percent_Trials			
3	e	38	76
4	es	6	12
1	-	4	8
2	a	1	2
5	s	1	2
[1] "fPlAcc"			
Suffix freq Percent_Trials			
3	e	37	74
2	a	5	10
4	es	5	10
1	-	3	6
[1] "f1PlAcc"			
Suffix freq Percent_Trials			
2	a	44	88
3	as	4	8
1	-	2	4
[1] "f2PlAcc"			
Suffix freq Percent_Trials			
4	o	20	40
1	-	16	32
5	s	8	16
3	e	4	8
2	a	2	4
[1] "f3PlAcc"			
Suffix freq Percent_Trials			
2	e	43	86
3	es	6	12
1	-	1	2
[1] "f4PlAcc"			
Suffix freq Percent_Trials			
4	o	18	36
1	-	13	26
3	e	9	18
6	s	8	16
2	a	1	2
5	os	1	2
[1] "f5PlAcc"			
Suffix freq Percent_Trials			
3	e	39	78
4	es	5	10
1	-	4	8
2	a	1	2

```

5      s      1      2
[1] "nPlAcc"
  Suffix freq Percent_Trials
4      o    19           38
1      -    18           36
5      s    10           20
3      e     2            4
2      a     1            2
[1] "n2PlAcc"
  Suffix freq Percent_Trials
4      o    19           38
1      -    18           36
5      s    10           20
3      e     2            4
2      a     1            2
[1] "n3PlAcc"
  Suffix freq Percent_Trials
3      e    25           50
1      -    12           24
4     es     7           14
2      a     4            8
5      s     2            4
[1] "n4PlAcc"
  Suffix freq Percent_Trials
3      o    19           38
1      -    15           30
4      s    10           20
2      e     6           12
[1] "GenPl"
  Suffix freq Percent_Trials
2      e    33           66
1      -     7           14
3     es     5           10
5      s     3            6
4      o     2            4
[1] "1PlGen"
  Suffix freq Percent_Trials
3      e    29           58
1      -     8           16
2      a     6           12
4     es     5           10
5      s     2            4
[1] "2PlGen"
  Suffix freq Percent_Trials
1      -    15           30
3      o    15           30
2      e    10           20
4      s    10           20
[1] "3PlGen"
  Suffix freq Percent_Trials
2      e    42           84
3     es     6           12
1      -     1            2
4      s     1            2

```

```

[1] "4PlGen"
  Suffix freq Percent_Trials
1      -   14             28
4      o   13             26
2      e   12             24
6      s    9             18
3     es    1              2
5     os    1              2
[1] "5PlGen"
  Suffix freq Percent_Trials
2      e   38             76
3     es    6             12
1      -    4              8
4      s    2              4
[1] "mPlGen"
  Suffix freq Percent_Trials
1      -   14             28
4      o   13             26
2      e   12             24
5      s    9             18
3     es    2              4
[1] "m1PlGen"
  Suffix freq Percent_Trials
3      e   28             56
1      -   10             20
2      a    5             10
4     es    5             10
5      s    2              4
[1] "m2PlGen"
  Suffix freq Percent_Trials
3      o   16             32
1      -   15             30
2      e    9             18
5      s    9             18
4     os    1              2
[1] "m3PlGen"
  Suffix freq Percent_Trials
2      e   42             84
3     es    6             12
1      -    1              2
4      s    1              2
[1] "m4PlGen"
  Suffix freq Percent_Trials
1      -   14             28
4      o   13             26
2      e   12             24
6      s    9             18
3     es    1              2
5     os    1              2
[1] "m5PlGen"
  Suffix freq Percent_Trials
2      e   37             74
3     es    6             12
1      -    5             10

```

```

4      s      2      4
[1] "fPlGen"
  Suffix freq Percent_Trials
3      e    36      72
1      -     6      12
4      es     6      12
2      a     1       2
5      s     1       2
[1] "f1PlGen"
  Suffix freq Percent_Trials
3      e    29      58
1      -     8      16
2      a     6      12
4      es     5      10
5      s     2       4
[1] "f2PlGen"
  Suffix freq Percent_Trials
4      o    16      32
1      -    13      26
3      e    10      20
5      s     9      18
2      a     2       4
[1] "f3PlGen"
  Suffix freq Percent_Trials
2      e    42      84
3      es     6      12
1      -     1       2
4      s     1       2
[1] "f4PlGen"
  Suffix freq Percent_Trials
1      -    14      28
2      e    14      28
4      o    12      24
5      s     9      18
3      es     1       2
[1] "f5PlGen"
  Suffix freq Percent_Trials
2      e    38      76
3      es     6      12
1      -     4       8
4      s     2       4
[1] "nP1Gen"
  Suffix freq Percent_Trials
1      -    15      30
3      o    15      30
2      e    10      20
4      s    10      20
[1] "n2PlGen"
  Suffix freq Percent_Trials
1      -    15      30
3      o    15      30
2      e    10      20
4      s    10      20
[1] "n3PlGen"

```

	Suffix	freq	Percent_Trials
2	e	28	56
1	-	13	26
3	es	7	14
4	s	2	4

[1] "n4PlGen"

	Suffix	freq	Percent_Trials
1	-	15	30
4	o	13	26
2	e	11	22
5	s	10	20
3	es	1	2

[1] "DatPl"

	Suffix	freq	Percent_Trials
2	e	34	68
1	-	7	14
3	es	5	10
5	s	3	6
4	o	1	2

[1] "1PlDat"

	Suffix	freq	Percent_Trials
3	e	30	60
1	-	7	14
2	a	6	12
4	es	5	10
5	s	2	4

[1] "2PlDat"

	Suffix	freq	Percent_Trials
1	-	15	30
3	o	15	30
2	e	10	20
4	s	10	20

[1] "3PlDat"

	Suffix	freq	Percent_Trials
2	e	43	86
3	es	6	12
1	-	1	2

[1] "4PlDat"

	Suffix	freq	Percent_Trials
1	-	14	28
4	o	13	26
2	e	12	24
6	s	9	18
3	es	1	2
5	os	1	2

[1] "5PlDat"

	Suffix	freq	Percent_Trials
2	e	39	78
3	es	6	12
1	-	4	8
4	s	1	2

[1] "mPlDat"

	Suffix	freq	Percent_Trials
1	-	14	28

2	e	13	26
4	o	13	26
5	s	8	16
3	es	2	4

[1] "m1PlDat"

	Suffix	freq	Percent_Trials
3	e	30	60
1	-	8	16
2	a	5	10
4	es	5	10
5	s	2	4

[1] "m2PlDat"

	Suffix	freq	Percent_Trials
3	o	16	32
1	-	15	30
2	e	9	18
5	s	9	18
4	os	1	2

[1] "m3PlDat"

	Suffix	freq	Percent_Trials
2	e	43	86
3	es	6	12
1	-	1	2

[1] "m4PlDat"

	Suffix	freq	Percent_Trials
1	-	14	28
4	o	13	26
2	e	12	24
6	s	9	18
3	es	1	2
5	os	1	2

[1] "m5PlDat"

	Suffix	freq	Percent_Trials
2	e	39	78
3	es	6	12
1	-	4	8
4	s	1	2

[1] "fPlDat"

	Suffix	freq	Percent_Trials
3	e	38	76
4	es	6	12
1	-	5	10
2	a	1	2

[1] "f1PlDat"

	Suffix	freq	Percent_Trials
3	e	30	60
1	-	7	14
2	a	6	12
4	es	5	10
5	s	2	4

[1] "f2PlDat"

	Suffix	freq	Percent_Trials
4	o	16	32
1	-	13	26

3	e	10	20
6	s	8	16
2	a	2	4
5	os	1	2

[1] "f3PlDat"

	Suffix	freq	Percent_Trials
2	e	43	86
3	es	6	12
1	-	1	2

[1] "f4PlDat"

	Suffix	freq	Percent_Trials
1	-	14	28
2	e	14	28
4	o	12	24
6	s	8	16
3	es	1	2
5	os	1	2

[1] "f5PlDat"

	Suffix	freq	Percent_Trials
2	e	39	78
3	es	6	12
1	-	4	8
4	s	1	2

[1] "nP1Dat"

	Suffix	freq	Percent_Trials
1	-	15	30
3	o	15	30
2	e	10	20
4	s	10	20

[1] "n2PlDat"

	Suffix	freq	Percent_Trials
1	-	15	30
3	o	15	30
2	e	10	20
4	s	10	20

[1] "n3PlDat"

	Suffix	freq	Percent_Trials
2	e	30	60
1	-	12	24
3	es	6	12
4	s	2	4

[1] "n4PlDat"

	Suffix	freq	Percent_Trials
1	-	15	30
4	o	13	26
2	e	11	22
5	s	10	20
3	es	1	2

[1] "AblPl"

	Suffix	freq	Percent_Trials
2	e	27	54
1	-	11	22
3	es	6	12
4	o	4	8


```

5      s      2      4
[1] "1PlAbl"
  Suffix freq Percent_Trials
2      a    40      80
1      -     4       8
3     as     4       8
4      e     2       4
[1] "2PlAbl"
  Suffix freq Percent_Trials
4      o    19      38
1      -    18      36
5      s    10      20
3      e     2       4
2      a     1       2
[1] "3PlAbl"
  Suffix freq Percent_Trials
2      e    43      86
3     es     6      12
1      -     1       2
[1] "4PlAbl"
  Suffix freq Percent_Trials
3      o    18      36
1      -    15      30
5      s     9      18
2      e     7      14
4     os     1       2
[1] "5PlAbl"
  Suffix freq Percent_Trials
3      e    39      78
4     es     5      10
1      -     4       8
2      a     1       2
5      s     1       2
[1] "mPlAbl"
  Suffix freq Percent_Trials
4      o    18      36
1      -    14      28
2      e     9      18
5      s     8      16
3     es     1       2
[1] "m1PlAbl"
  Suffix freq Percent_Trials
2      a    28      56
4      e    11      22
1      -     5      10
3     as     3       6
6      s     2       4
5     es     1       2
[1] "m2PlAbl"
  Suffix freq Percent_Trials
3      o    20      40
1      -    19      38
4      s     8      16
2      e     3       6

```

```

[1] "m3PlAbl"
  Suffix freq Percent_Trials
2      e   43             86
3     es    6             12
1      -    1              2
[1] "m4PlAbl"
  Suffix freq Percent_Trials
3      o   18             36
1      -   15             30
5      s    9             18
2      e    7             14
4     os    1              2
[1] "m5PlAbl"
  Suffix freq Percent_Trials
3      e   38             76
4     es    6             12
1      -    4              8
2      a    1              2
5      s    1              2
[1] "fPlAbl"
  Suffix freq Percent_Trials
3      e   36             72
2      a    5             10
4     es    5             10
1      -    4              8
[1] "f1PlAbl"
  Suffix freq Percent_Trials
2      a   40             80
1      -    4              8
3     as    4              8
4      e    2              4
[1] "f2PlAbl"
  Suffix freq Percent_Trials
4      o   19             38
1      -   16             32
6      s    8             16
3      e    4              8
2      a    2              4
5     os    1              2
[1] "f3PlAbl"
  Suffix freq Percent_Trials
2      e   43             86
3     es    6             12
1      -    1              2
[1] "f4PlAbl"
  Suffix freq Percent_Trials
4      o   18             36
1      -   13             26
3      e    9             18
6      s    8             16
2      a    1              2
5     os    1              2
[1] "f5PlAbl"
  Suffix freq Percent_Trials

```

3	e	39	78
4	es	5	10
1	-	4	8
2	a	1	2
5	s	1	2

[1] "nP1Abl"

	Suffix	freq	Percent_Trials
4	o	19	38
1	-	18	36
5	s	10	20
3	e	2	4
2	a	1	2

[1] "n2P1Abl"

	Suffix	freq	Percent_Trials
4	o	19	38
1	-	18	36
5	s	10	20
3	e	2	4
2	a	1	2

[1] "n3P1Abl"

	Suffix	freq	Percent_Trials
3	e	25	50
1	-	12	24
4	es	7	14
2	a	4	8
5	s	2	4

[1] "n4P1Abl"


	Suffix	freq	Percent_Trials
3	o	19	38
1	-	15	30
4	s	10	20
2	e	6	12

[1] "common_system_distrib"

	Percent_Match	freq	Percent_Trials
1	31.33333	2	4
2	32.66667	1	2
3	33.33333	2	4
4	34.00000	2	4
5	37.33333	1	2
6	41.33333	3	6
7	42.00000	3	6
8	43.33333	3	6
9	44.00000	4	8
10	46.00000	4	8
11	47.33333	1	2
12	49.33333	1	2
13	50.00000	1	2
14	50.66667	1	2
15	52.00000	7	14
16	52.66667	1	2
17	54.00000	4	8
18	55.33333	1	2
19	56.00000	1	2

20	56.66667	3	6
21	60.00000	1	2
22	63.33333	1	2
23	66.66667	1	2
24	74.66667	1	2

Percent of common_system_distrib Matching Reality




```
[1] "NPLtoFSG_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	34.66667	2	4
2	36.00000	1	2
3	36.66667	2	4
4	37.33333	2	4
5	38.00000	2	4
6	40.66667	1	2
7	44.66667	1	2
8	45.33333	3	6
9	46.66667	3	6
10	47.33333	1	2
11	48.66667	1	2
12	49.33333	2	4
13	50.66667	1	2
14	51.33333	4	8
15	53.33333	3	6
16	55.33333	1	2
17	56.66667	1	2
18	57.33333	1	2
19	58.00000	1	2
20	60.00000	2	4
21	60.66667	1	2

22	62.00000	4	8
23	62.66667	2	4
24	63.33333	1	2
25	64.00000	4	8
26	66.66667	2	4
27	71.33333	1	2


Percent of NPLtoFSG_system_distrib Matching Reality



[1] "romanian_system_distrib"			
	Percent_Match	freq	Percent_Trials
1	33.33333	2	4
2	34.00000	2	4
3	35.33333	2	4
4	36.66667	2	4
5	37.33333	1	2
6	38.00000	1	2
7	41.33333	1	2
8	42.00000	2	4
9	44.66667	2	4
10	46.00000	3	6
11	46.66667	4	8
12	48.66667	6	12
13	50.00000	1	2
14	53.33333	1	2
15	54.00000	6	12
16	54.66667	6	12
17	55.33333	1	2
18	56.66667	4	8
19	60.00000	1	2
20	66.00000	1	2


21 74.00000 1 2

Percent of romanian_system_distrib Matching Reality




```
[1] "1_common_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    2             4
2      40.00000    4             8
3      43.33333   11            22
4      50.00000    2             4
5      53.33333   23            46
6      63.33333    1             2
7      66.66667    4             8
8      73.33333    3             6
```

Percent of 1_common_system_distrib Matching Reality



```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    2             4
2      40.00000    4             8
3      43.33333   11            22
4      50.00000    2             4
5      53.33333   23            46
6      63.33333    1             2
7      66.66667    4             8
8      73.33333    3             6
```


Percent of 1_NPLtoFSG_system_distrib Matching Reality



```
[1] "1_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	33.33333	2	4
2	43.33333	3	6
3	50.00000	2	4
4	53.33333	14	28
5	56.66667	8	16
6	60.00000	3	6
7	66.66667	15	30
8	73.33333	1	2
9	86.66667	2	4

Percent of 1_romanian_system_distrib Matching Reality




```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      0.00000    5             10
2     20.00000    5             10
3     30.00000   16             32
4     40.00000    2              4
5     50.00000   21             42
6     66.66667    1              2
```

Percent of 2_common_system_distrib Matching Reality



```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      0.00000    5             10
2     20.00000    5             10
3     30.00000   12             24
4     40.00000    6             12
5     50.00000    5             10
6     60.00000    1              2
7     66.66667   16             32
```


Percent of 2_NPLtoFSG_system_distrib Matching Reality



```
[1] "2_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	5	10
2	20.00000	5	10
3	30.00000	16	32
4	40.00000	2	4
5	50.00000	21	42
6	66.66667	1	2

Percent of 2_romanian_system_distrib Matching Reality




```
[1] "3_common_system_distrib"
  Percent_Match freq Percent_Trials
1    40.00000    3             6
2    50.00000   41            82
3    66.66667    2             4
4    80.00000    2             4
5   100.00000    2             4
```

Percent of 3_common_system_distrib Matching Reality




```
[1] "3_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    3             6
2      50.00000    1             2
3      56.66667    4             8
4      63.33333    2             4
5      66.66667   38            76
6      83.33333    2             4
```

Percent of 3_NPLtoFSG_system_distrib Matching Reality




```
[1] "3_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    3              6
2      40.00000    3              6
3      50.00000   39             78
4      53.33333    1              2
5      63.33333    2              4
6      83.33333    2              4
```

Percent of 3_romanian_system_distrib Matching Reality




```
[1] "4_common_system_distrib"
Percent_Match freq Percent_Trials
1      0.00000    7          14
2     20.00000    7          14
3     26.66667    1           2
4     30.00000   13          26
5     36.66667    1           2
6     43.33333    2           4
7     50.00000   18          36
8     80.00000    1           2
```

Percent of 4_common_system_distrib Matching Reality



```
[1] "4_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      0.00000    7             14
2     20.00000    7             14
3     26.66667    1              2
4     30.00000   10             20
5     40.00000    3              6
6     43.33333    1              2
7     46.66667    1              2
8     50.00000    4              8
9     53.33333    1              2
10    60.00000    1              2
11    66.66667   13             26
12    80.00000    1              2
```



Percent of 4_NPLtoFSG_system_distrib Matching Reality



```
[1] "4_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	7	14
2	20.00000	7	14
3	26.66667	1	2
4	30.00000	13	26
5	36.66667	1	2
6	43.33333	2	4
7	50.00000	18	36
8	80.00000	1	2

Percent of 4_romanian_system_distrib Matching Reality




```
[1] "5_common_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    5             10
2      53.33333    1              2
3      60.00000    2              4
4      66.66667   38             76
5      76.66667    1              2
6      86.66667    1              2
7     100.00000    2              4
```

Percent of 5_common_system_distrib Matching Reality



```
[1] "5_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    5             10
2      53.33333    1              2
3      60.00000    2              4
4      66.66667   38             76
5      76.66667    1              2
6      86.66667    1              2
7     100.00000    2              4
```


Percent of 5_NPLtoFSG_system_distrib Matching Reality



```
[1] "5_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	33.33333	5	10
2	53.33333	1	2
3	60.00000	2	4
4	66.66667	38	76
5	76.66667	1	2
6	86.66667	1	2
7	100.00000	2	4

Percent of 5_romanian_system_distrib Matching Reality




```
[1] "m_common_system_distrib"
  Percent_Match freq Percent_Trials
1          20    2             4
2          22    3             6
3          26    2             4
4          28    2             4
5          32    6            12
6          36    5            10
7          38    7            14
8          40    5            10
9          42    1             2
10         44    2             4
11         46    7            14
12         48    1             2
13         50    3             6
14         56    1             2
15         62    1             2
16         64    1             2
17         72    1             2
```

Percent of m_common_system_distrib Matching Reality



```
[1] "m_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1           20     2             4
2           22     3             6
3           26     2             4
4           28     2             4
5           32     6            12
6           36     5            10
7           38     7            14
8           40     5            10
9           42     1             2
10          44     2             4
11          46     7            14
12          48     1             2
13          50     3             6
14          56     1             2
15          62     1             2
16          64     1             2
17          72     1             2
```


Percent of m_NPLtoFSG_system_distrib Matching Reality



```
[1] "m_romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	22	2	4
2	24	2	4
3	26	1	2
4	28	3	6
5	30	2	4
6	36	9	18
7	38	2	4
8	40	1	2
9	42	5	10
10	44	6	12
11	46	7	14
12	50	6	12
13	56	1	2
14	62	1	2
15	68	1	2
16	76	1	2


Percent of m_romanian_system_distrib Matching Reality



[1] "f_common_system_distrib"

	Percent_Match	freq	Percent_Trials
1	16	2	4
2	20	1	2
3	22	1	2
4	24	2	4
5	26	6	12
6	30	2	4
7	34	1	2
8	36	4	8
9	38	7	14
10	42	1	2
11	44	2	4
12	46	13	26
13	50	4	8
14	56	1	2
15	58	1	2
16	64	1	2
17	72	1	2


Percent of f_common_system_distrib Matching Reality



```
[1] "f_NPLtoFSG_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	16	2	4
2	20	1	2
3	22	1	2
4	24	2	4
5	26	6	12
6	30	2	4
7	34	1	2
8	36	4	8
9	38	7	14
10	42	1	2
11	44	2	4
12	46	13	26
13	50	4	8
14	56	1	2
15	58	1	2
16	64	1	2
17	72	1	2


Percent of f_NPLtoFSG_system_distrib Matching Reality



```
[1] "f_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	16	3	6
2	22	1	2
3	26	2	4
4	28	2	4
5	30	5	10
6	34	2	4
7	38	1	2
8	40	4	8
9	42	7	14
10	44	1	2
11	46	7	14
12	50	11	22
13	56	1	2
14	58	1	2
15	68	1	2
16	76	1	2

Percent of f_romanian_system_distrib Matching Reality



```
[1] "n_common_system_distrib"
  Percent_Match freq Percent_Trials
1           50    5             10
2           60    2              4
3           62   17             34
4           64    3              6
5           66    2              4
6           68    3              6
7           70   14             28
8           72    2              4
9           78    1              2
10          80    1              2
```


Percent of n_common_system_distrib Matching Reality



[1] "n_NPLtoFSG_system_distrib"

	Percent_Match	freq	Percent_Trials
1	52	1	2
2	58	2	4
3	60	6	12
4	62	2	4
5	70	2	4
6	72	14	28
7	74	1	2
8	78	2	4
9	80	2	4
10	84	3	6
11	88	1	2
12	90	2	4
13	94	1	2
14	100	11	22


Percent of n_NPLtoFSG_system_distrib Matching Reality



```
[1] "n_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	50	5	10
2	52	1	2
3	56	1	2
4	58	2	4
5	60	3	6
6	62	18	36
7	64	3	6
8	66	1	2
9	68	1	2
10	70	15	30

Percent of n_romanian_system_distrib Matching Reality




```
[1] "Nom_common_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    2             4
2      36.66667    3             6
3      40.00000    2             4
4      46.66667    5            10
5      50.00000    5            10
6      53.33333   15            30
7      56.66667   12            24
8      60.00000    1             2
9      66.66667    2             4
10     80.00000    3             6
```

Percent of Nom_common_system_distrib Matching Reality



```
[1] "Nom_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667    2             4
2      40.00000    3             6
3      43.33333    4             8
4      50.00000    2             4
5      53.33333    4             8
6      56.66667    8            16
7      60.00000    5            10
8      63.33333   12            24
9      66.66667    7            14
10     76.66667    3             6
```


Percent of Nom_NPLtoFSG_system_distrib Matching Reality



```
[1] "Nom_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	33.33333	2	4
2	36.66667	3	6
3	40.00000	2	4
4	43.33333	2	4
5	46.66667	3	6
6	50.00000	6	12
7	53.33333	14	28
8	56.66667	13	26
9	63.33333	2	4
10	76.66667	3	6

Percent of Nom_romanian_system_distrib Matching Reality




```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    2              4
2      36.66667    3              6
3      40.00000    2              4
4      43.33333    1              2
5      46.66667    3              6
6      50.00000    5             10
7      53.33333   15             30
8      56.66667   14             28
9      63.33333    1              2
10     66.66667    1              2
11     80.00000    3              6
```

Percent of Acc_common_system_distrib Matching Reality




```
[1] "Acc_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667    2             4
2      40.00000    3             6
3      43.33333    3             6
4      46.66667    1             2
5      50.00000    2             4
6      53.33333    6            12
7      56.66667    6            12
8      60.00000    5            10
9      63.33333   11            22
10     66.66667    8            16
11     76.66667    3             6
```

Percent of Acc_NPLtoFSG_system_distrib Matching Reality




```
[1] "Acc_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    2              4
2      36.66667    3              6
3      40.00000    2              4
4      43.33333    2              4
5      46.66667    2              4
6      50.00000    7             14
7      53.33333   14             28
8      56.66667   13             26
9      60.00000    1              2
10     63.33333    1              2
11     76.66667    3              6
```

Percent of Acc_romanian_system_distrib Matching Reality




```
[1] "Gen_common_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333    4              8
2      26.66667    1              2
3      30.00000   19             38
4      33.33333    1              2
5      36.66667    1              2
6      40.00000    1              2
7      43.33333    2              4
8      46.66667    3              6
9      50.00000   11             22
10     53.33333    1              2
11     56.66667    5             10
12     66.66667    1              2
```

Percent of Gen_common_system_distrib Matching Reality




```
[1] "Gen_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    1             2
2      26.66667    5            10
3      30.00000    2             4
4      33.33333   17            34
5      40.00000    1             2
6      43.33333    2             4
7      46.66667    1             2
8      50.00000    3             6
9      53.33333    3             6
10     56.66667    1             2
11     60.00000   10            20
12     63.33333    2             4
13     66.66667    2             4
```

Percent of Gen_NPLtoFSG_system_distrib Matching Reality




```
[1] "Gen_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    1             2
2      23.33333    4             8
3      26.66667    2             4
4      30.00000    2             4
5      33.33333    2             4
6      36.66667   15            30
7      40.00000    1             2
8      43.33333    3             6
9      46.66667    7            14
10     50.00000    2             4
11     53.33333    2             4
12     56.66667   10            20
13     60.00000    1             2
```

Percent of Gen_romanian_system_distrib Matching Reality




```
[1] "Dat_common_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333    3              6
2      26.66667    1              2
3      30.00000   20             40
4      33.33333    1              2
5      36.66667    1              2
6      40.00000    1              2
7      43.33333    3              6
8      46.66667    2              4
9      50.00000   12             24
10     53.33333    1              2
11     56.66667    3              6
12     63.33333    1              2
13     66.66667    1              2
```

Percent of Dat_common_system_distrib Matching Reality




```
[1] "Dat_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667    6             12
2      30.00000    2              4
3      33.33333   17             34
4      40.00000    1              2
5      43.33333    2              4
6      46.66667    2              4
7      50.00000    1              2
8      53.33333    3              6
9      56.66667    1              2
10     60.00000   12             24
11     63.33333    1              2
12     66.66667    2              4
```


Percent of Dat_NPLtoFSG_system_distrib Matching Reality




```
[1] "Dat_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333    4             8
2      26.66667    3             6
3      30.00000    2             4
4      33.33333    2             4
5      36.66667   15            30
6      40.00000    1             2
7      43.33333    1             2
8      46.66667    2             4
9      50.00000    6            12
10     53.33333    1             2
11     56.66667   11            22
12     60.00000    1             2
13     70.00000    1             2
```

Percent of Dat_romanian_system_distrib Matching Reality




```
[1] "Abl_common_system_distrib"
Percent_Match freq Percent_Trials
1      30.00000    2             4
2      36.66667    3             6
3      40.00000    2             4
4      46.66667    5            10
5      50.00000    5            10
6      53.33333   14            28
7      56.66667   14            28
8      66.66667    2             4
9      80.00000    3             6
```

Percent of Abl_common_system_distrib Matching Reality




```
[1] "Abl_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    2              4
2      40.00000    3              6
3      43.33333    3              6
4      50.00000    4              8
5      53.33333    6             12
6      56.66667    5             10
7      60.00000    4              8
8      63.33333   12             24
9      66.66667    8             16
10     76.66667    3              6
```

Percent of Abl_NPLtoFSG_system_distrib Matching Reality



```
[1] "Abl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      30.00000    2             4
2      36.66667    3             6
3      40.00000    2             4
4      43.33333    1             2
5      46.66667    4             8
6      50.00000    7            14
7      53.33333   13            26
8      56.66667   13            26
9      63.33333    2             4
10     76.66667    3             6
```


Percent of Abl_romanian_system_distrib Matching Reality



[1] "Sg_common_system_distrib"

	Percent_Match	freq	Percent_Trials
1	49.33333	2	4
2	52.00000	2	4
3	53.33333	2	4
4	54.66667	2	4
5	57.33333	1	2
6	61.33333	3	6
7	62.66667	1	2
8	65.33333	1	2
9	69.33333	1	2
10	70.66667	4	8
11	73.33333	3	6
12	74.66667	3	6
13	78.66667	5	10
14	81.33333	1	2
15	86.66667	1	2
16	88.00000	1	2
17	90.66667	7	14
18	92.00000	1	2
19	94.66667	5	10
20	98.66667	1	2
21	100.00000	3	6


Percent of Sg_common_system_distrib Matching Reality



[1] "Sg_NPLtoFSG_system_distrib"

	Percent_Match	freq	Percent_Trials
1	49.33333	2	4
2	52.00000	2	4
3	53.33333	2	4
4	54.66667	2	4
5	57.33333	1	2
6	61.33333	3	6
7	62.66667	1	2
8	65.33333	1	2
9	69.33333	1	2
10	70.66667	4	8
11	73.33333	3	6
12	74.66667	3	6
13	78.66667	5	10
14	81.33333	1	2
15	86.66667	1	2
16	88.00000	1	2
17	90.66667	7	14
18	92.00000	1	2
19	94.66667	5	10
20	98.66667	1	2
21	100.00000	3	6


Percent of Sg_NPLtoFSG_system_distrib Matching Reality



```
[1] "Sg_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	52.00000	1	2
2	53.33333	2	4
3	54.66667	2	4
4	57.33333	3	6
5	60.00000	2	4
6	61.33333	3	6
7	65.33333	1	2
8	69.33333	1	2
9	70.66667	2	4
10	76.00000	3	6
11	78.66667	2	4
12	80.00000	3	6
13	84.00000	6	12
14	86.66667	1	2
15	93.33333	1	2
16	94.66667	6	12
17	96.00000	7	14
18	100.00000	4	8

Percent of Sg_romanian_system_distrib Matching Reality



```
[1] "Pl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   40             80
2      17.33333    1              2
3      20.00000    2              4
4      25.33333    1              2
5      42.66667    1              2
6      46.66667    1              2
7      54.66667    3              6
8      65.33333    1              2
```



Percent of PI_common_system_distrib Matching Reality



[1] "PI_NPLtoFSG_system_distrib"


	Percent_Match	freq	Percent_Trials
1	13.33333	1	2
2	16.00000	1	2
3	18.66667	1	2
4	20.00000	21	42
5	24.00000	1	2
6	26.66667	2	4
7	28.00000	3	6
8	30.66667	1	2
9	32.00000	1	2
10	33.33333	12	24
11	36.00000	1	2
12	48.00000	3	6
13	50.66667	1	2
14	58.66667	1	2

Percent of PI_NPLtoFSG_system_distrib Matching Reality



```
[1] "Pl_romanian_system_distrib"
Percent_Match freq Percent_Trials
1      13.33333   41           82
2      14.66667    1            2
3      17.33333    1            2
4      18.66667    1            2
5      36.00000    1            2
6      40.00000    1            2
7      48.00000    3            6
8      58.66667    1            2
```


Percent of PI_romanian_system_distrib Matching Reality



[1] "n.Sg,m.Sg"

	Percent_Match	freq	Percent_Trials
1	66.66667	10	20
2	73.33333	1	2
3	80.00000	5	10
4	86.66667	2	4
5	93.33333	2	4
6	100.00000	30	60


Percent of n.Sg,m.Sg Matching Each Other



[1] "n.Pl,m.Pl"

	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	60.00000	2	4
3	66.66667	11	22
4	73.33333	2	4
5	80.00000	5	10
6	86.66667	1	2
7	100.00000	28	56


Percent of n.PI,m.PI Matching Each Other



[1] "n.PI,f.Sg"

	Percent_Match	freq	Percent_Trials
1	0.000000	2	4
2	6.666667	1	2
3	13.333333	3	6
4	26.666667	1	2
5	33.333333	3	6
6	40.000000	4	8
7	46.666667	1	2
8	53.333333	1	2
9	60.000000	5	10
10	66.666667	8	16
11	73.333333	1	2
12	80.000000	4	8
13	86.666667	2	4
14	100.000000	14	28


Percent of n.Pl,f.Sg Matching Each Other



[1] "n.Pl,f.Pl"


	Percent_Match	freq	Percent_Trials
1	6.666667	1	2
2	13.333333	1	2
3	33.333333	1	2
4	53.333333	1	2
5	60.000000	1	2
6	66.666667	10	20
7	73.333333	1	2
8	80.000000	5	10
9	86.666667	2	4
10	100.000000	27	54

Percent of n.PI,f.PI Matching Each Other



```
[1] "m.PI,f.PI"
  Percent_Match freq Percent_Trials
1           44    1             2
2           60    1             2
3           72    1             2
4           76    1             2
5           80    1             2
6           84    1             2
7           88   10            20
8           92    8            16
9           96    1             2
10          100   25            50
```


Percent of m.PI,f.PI Matching Each Other



[1] "1,5"

	Percent_Match	freq	Percent_Trials
1	0	10	20
2	20	3	6
3	30	1	2
4	40	20	40
5	50	1	2
6	60	1	2
7	70	9	18
8	80	3	6
9	100	2	4


Percent of 1,5 Matching Each Other



[1] "2,4"

	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	50.00000	1	2
3	60.00000	1	2
4	66.66667	1	2
5	70.00000	2	4
6	80.00000	2	4
7	86.66667	2	4
8	90.00000	6	12
9	100.00000	34	68


Percent of 2,4 Matching Each Other



[1] "Nom,Acc"

	Percent_Match	freq	Percent_Trials
1	69.23077	2	4
2	84.61538	1	2
3	92.30769	2	4
4	96.15385	5	10
5	100.00000	40	80


Percent of Nom,Acc Matching Each Other



[1] "Acc,Abl"

	Percent_Match	freq	Percent_Trials
1	84.61538	1	2
2	92.30769	4	8
3	96.15385	4	8
4	100.00000	41	82


Percent of Acc,Abl Matching Each Other



[1] "Nom,Acc,Abl"

	Percent_Match	freq	Percent_Trials
1	69.23077	2	4
2	84.61538	2	4
3	92.30769	6	12
4	96.15385	5	10
5	100.00000	35	70


Percent of Nom,Acc,Abl Matching Each Other



```
[1] "Gen,Dat"
```


	Percent_Match	freq	Percent_Trials
1	69.23077	1	2
2	76.92308	1	2
3	92.30769	2	4
4	96.15385	4	8
5	100.00000	42	84

Percent of Gen,Dat Matching Each Other




```
[1] "nPImPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.00000   46             92
2     13.33333    1              2
3     33.33333    1              2
4     53.33333    1              2
5     66.66667    1              2
```

Percent of nPlfPl_exclusive Matching Each Other



```
[1] "nPlfPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.000000   48             96
2      6.666667    1              2
3     20.000000    1              2
```


Percent of nPIfPI_exclusive Matching Each Other



```
[1] "1Sg(Nom|Acc)_a($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0	3	6
2	50	15	30
3	100	32	64


Percent of 1Sg(Nom|Acc) ending in a(\$|,)



```
[1] "[24]Sg(Nom|Acc)_o($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	5	10
2	41.66667	1	2
3	50.00000	1	2
4	66.66667	4	8
5	75.00000	1	2
6	83.33333	3	6
7	100.00000	35	70


Percent of [24]Sg(Nom|Acc) ending in o(\$|,)



```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	2	4
2	33.33333	1	2
3	66.66667	3	6
4	100.00000	44	88

Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)




```
[1] "3Pl(Nom|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   41             82
2     33.33333    1              2
3     50.00000    1              2
4     66.66667    1              2
5    100.00000    6             12
```

Percent of 3PI(Nom|Acc) ending in e?s(\$|,)



```
[1] "[124]PI(Nom|Acc)_s($|,)"
Percent_Match freq Percent_Trials
1          0.0   38             76
2         12.5    2              4
3         50.0    1              2
4         62.5    1              2
5         75.0    3              6
6         87.5    2              4
7        100.0    3              6
```


Percent of [124]Pl(Nom|Acc) ending in s(\$|,)



```
[1] "[24]Pl(Nom|Acc)_os($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	49	98
2	41.66667	1	2

Percent of [24]Pl(Nom|Acc) ending in os(\$|,)




```
[1] "1Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1           0    46             92
2          50     1              2
3         100     3              6
```

Percent of 1Pl(Nom|Acc) ending in as(\$|,)




```
[1] "n.Pl(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1      0.00000    46             92
2     33.33333     3              6
3     66.66667     1              2
```

Percent of n.PI(Nom|Acc) ending in a(\$|,)




```
[1] "n.PI(Nom|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0     50           100
```

Percent of n.PI(Nom|Acc) ending in as(\$|,)




```
[1] "n.Pl(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1              0    50             100
```

Percent of n.Pl(Nom|Acc) ending in os(\$|,)




```
[1] "m.Pl(Nom|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1              0    47             94
2             20     3              6
```


Percent of m.PI(Nom|Acc) ending in as(\$|,)




```
[1] "m.PI(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          30    1              2
```

Percent of m.PI(Nom|Acc) ending in os(\$|,)




```
[1] "Pl(Nom|Acc)_s($|,)"
Percent_Match freq Percent_Trials
1      0.000000  38             76
2      7.692308   1              2
3     42.307692   1              2
4     46.153846   3              6
5     69.230769   1              2
6     76.923077   2              4
7     84.615385   1              2
8    100.000000   3              6
```

Percent of Pl(Nom|Acc) ending in s(\$|,)




```
[1] "1Sg(Abl|Acc)_a($|,)"
Percent_Match freq Percent_Trials
1      0      3              6
2     25      4              8
3     50     11             22
4     75      1              2
5    100     31             62
```

Percent of 1Sg(Abl|Acc) ending in a(\$|,)



```
[1] "[24]Sg(Abl|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      0.00000    5             10
2     41.66667    1              2
3     50.00000    1              2
4     66.66667    4              8
5     75.00000    1              2
6     83.33333    3              6
7    100.00000   35             70
```


Percent of [24]Sg(Abl|Acc) ending in o(\$|,)



```
[1] "3Sg(Abl|Acc)_[e-]($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	2	4
2	66.66667	4	8
3	100.00000	44	88


Percent of 3Sg(Abl|Acc) ending in [e-](\$|,)



```
[1] "3Pl(Abl|Acc)_e?s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	41	82
2	33.33333	3	6
3	100.00000	6	12


Percent of 3PI(Abl|Acc) ending in e?s(\$|,)



```
[1] "[124]Pl(Abl|Acc)_s($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00	38	76
2	12.50	2	4
3	50.00	1	2
4	56.25	1	2
5	68.75	1	2
6	75.00	2	4
7	87.50	2	4
8	100.00	3	6

Percent of [124]PI(Abl|Acc) ending in s(\$|,)




```
[1] "[24]Pl(Abl|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2    41.66667    1              2
```

Percent of [24]PI(Abl|Acc) ending in os(\$|,)




```
[1] "1Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1           0    46             92
2          50     1              2
3         100     3              6
```




```
[1] "n.Pl(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1    0.00000    46             92
2   33.33333     3              6
3   66.66667     1              2
```


Percent of n.PI(Abl|Acc) ending in a(\$|,)




```
[1] "n.PI(Abl|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1          0     50          100
```

Percent of n.PI(Abl|Acc) ending in as(\$|,)




```
[1] "n.Pl(Abl|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1              0    50             100
```

Percent of n.Pl(Abl|Acc) ending in os(\$|,)




```
[1] "m.Pl(Abl|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1              0    47             94
2             20     3              6
```

Percent of m.PI(Abl|Acc) ending in as(\$|,)




```
[1] "m.PI(Abl|Acc)_os($|,)"  
Percent_Match freq Percent_Trials  
1           0    49             98  
2          20     1              2
```

Percent of m.PI(Abl|Acc) ending in os(\$|,)




```
[1] "Pl(Abl|Acc)_s($|,)"
Percent_Match freq Percent_Trials
1      0.000000   38             76
2      7.692308    1              2
3     38.461538    1              2
4     46.153846    3              6
5     61.538462    1              2
6     65.384615    1              2
7     73.076923    1              2
8     84.615385    1              2
9    100.000000    3              6
```

Percent of Pl(Abl|Acc) ending in s(\$|,)



```
[1] "1Sg(Nom|Acc|Abl)_a($|,)"
Percent_Match freq Percent_Trials
1      0.000000    3              6
2     33.333333    4              8
3     50.000000   11             22
4     83.333333    1              2
5    100.000000   31             62
```


Percent of 1Sg(Nom|Acc|Abl) ending in a(\$|,)



```
[1] "[24]Sg(Nom|Acc|Abl)_o($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	5	10
2	44.44444	1	2
3	50.00000	1	2
4	66.66667	4	8
5	77.77778	1	2
6	83.33333	3	6
7	100.00000	35	70


Percent of [24]Sg(Nom|Acc|Abl) ending in o(\$|,)



```
[1] "3Sg(Nom|Acc|Abl)_[e-]($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	2	4
2	44.44444	1	2
3	66.66667	3	6
4	100.00000	44	88


Percent of 3Sg(Nom|Acc|Abl) ending in [e-](\$|,)



```
[1] "3Pl(Nom|Acc|Abl)_e?s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	41	82
2	33.33333	1	2
3	44.44444	1	2
4	55.55556	1	2
5	100.00000	6	12


Percent of 3PI(Nom|Acc|Abl) ending in e?s(\$|,)



```
[1] "[124]Pl(Nom|Acc|Abl)_s($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	38	76
2	12.50000	2	4
3	50.00000	1	2
4	62.50000	1	2
5	70.83333	1	2
6	75.00000	2	4
7	87.50000	2	4
8	100.00000	3	6

Percent of [124]PI(Nom|Acc|Abl) ending in s(\$|,)




```
[1] "[24]PI(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2    44.44444    1              2
```

Percent of [24]PI(Nom|Acc|Abl) ending in os(\$|,)




```
[1] "1Pl(Nom|Acc|Abl)_as($|,)"
Percent_Match freq Percent_Trials
1          0    46             92
2         50     1              2
3        100     3              6
```

Percent of 1Pl(Nom|Acc|Abl) ending in as(\$|,)




```
[1] "n.Pl(Nom|Acc|Abl)_a($|,)"
Percent_Match freq Percent_Trials
1    0.00000    46             92
2   33.33333     3              6
3   66.66667     1              2
```

Percent of n.PI(Nom|Acc|Abl) ending in a(\$|,)




```
[1] "n.PI(Nom|Acc|Abl)_as($|,)"
Percent_Match freq Percent_Trials
1          0     50             100
```

Percent of n.PI(Nom|Acc|Abl) ending in as(\$|,)




```
[1] "n.Pl(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1              0    50             100
```

Percent of n.Pl(Nom|Acc|Abl) ending in os(\$|,)




```
[1] "m.Pl(Nom|Acc|Abl)_as($|,)"
Percent_Match freq Percent_Trials
1              0    47             94
2             20     3              6
```

Percent of m.Pl(Nom|Acc|Abl) ending in as(\$|,)




```
[1] "m.Pl(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2     26.66667    1              2
```

Percent of m.Pl(Nom|Acc|Abl) ending in os(\$|,)




```
[1] "Pl(Nom|Acc|Abl)_s($|,)"
Percent_Match freq Percent_Trials
1      0.000000  38             76
2      7.692308   1              2
3     41.025641   1              2
4     46.153846   3              6
5     66.666667   1              2
6     71.794872   1              2
7     76.923077   1              2
8     84.615385   1              2
9    100.000000   3              6
```

Percent of Pl(Nom|Acc|Abl) ending in s(\$|,)




```
[1] "1Sg(Gen|Dat)_e($|,)"
Percent_Match freq Percent_Trials
1      0      17             34
2     50       4              8
3    100     29             58
```

Percent of 1Sg(Gen|Dat) ending in e(\$|,)




```
[1] "Pl(Gen|Dat)_s($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   39             78
2     34.61538    1              2
3     46.15385    2              4
4     69.23077    1              2
5     76.92308    1              2
6     84.61538    1              2
7    100.00000    5             10
```

Percent of Pl(Gen|Dat) ending in s(\$|,)



```
[1] "[124]Pl(Gen|Dat)_s($|,)"
Percent_Match freq Percent_Trials
1          0.0   39             78
2          50.0    1              2
3          62.5    1              2
4          75.0    3              6
5         100.0    6             12
```



Percent of [124]PI(Gen|Dat) ending in s(\$|,)



[1] "Sg_not"


	Percent_Match	freq	Percent_Trials
1	44.61538	1	2
2	50.76923	1	2
3	53.84615	1	2
4	55.38462	1	2
5	60.00000	2	4
6	81.53846	2	4
7	95.38462	1	2
8	96.92308	1	2
9	100.00000	40	80

Percent of Sg ending in nots




```
[1] "Pl_s($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   38             76
2      4.615385    1              2
3     38.461538    1              2
4     46.153846    2              4
5     58.461538    1              2
6     67.692308    1              2
7     76.923077    1              2
8     86.153846    1              2
9     90.769231    1              2
10    100.000000    3              6
```

Percent of PI ending in s(\$|,)



```
[1] "[mf].Pl_s($|,)"
Percent_Match freq Percent_Trials
1           0    38           76
2           6     1            2
3          22     1            2
4          40     2            4
5          58     1            2
6          62     1            2
7          70     1            2
8          82     1            2
9          88     1            2
10         100     3            6
```


Percent of [mf].Pl ending in s(\$|,)



```
[1] "[124]Pl_s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.0	38	76
2	7.5	1	2
3	32.5	1	2
4	50.0	1	2
5	72.5	1	2
6	75.0	2	4
7	77.5	1	2
8	92.5	2	4
9	100.0	3	6


Percent of [124]PI ending in s(\$|,)



[1] "n.Pl_s(\$|,)"

	Percent_Match	freq	Percent_Trials
1	0.00000	39	78
2	46.66667	1	2
3	66.66667	2	4
4	93.33333	1	2
5	100.00000	7	14


Percent of n.PI ending in s(\$|,)



[1] "1Sg_a(\$|,)"

	Percent_Match	freq	Percent_Trials
1	0	3	6
2	20	4	8
3	30	10	20
4	50	2	4
5	60	26	52
6	90	1	2
7	100	4	8


Percent of 1Sg ending in a(\$|,)



```
[1] "[24]Sg_o($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	5	10
2	40.00000	5	10
3	46.66667	1	2
4	50.00000	4	8
5	60.00000	13	26
6	83.33333	1	2
7	86.66667	1	2
8	93.33333	1	2
9	100.00000	19	38


Percent of [24]Sg ending in o(\$|,)



```
[1] "3Sg_[e-]($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0	2	4
2	40	1	2
3	60	2	4
4	80	3	6
5	100	42	84


Percent of 3Sg ending in [e-](\$|,)



[1] "3Pl_e?s"


	Percent_Match	freq	Percent_Trials
1	0.00000	41	82
2	33.33333	2	4
3	60.00000	1	2
4	100.00000	6	12

Percent of 3PI ending in e?s




```
[1] "[24]Pl_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2    46.66667    1              2
```

Percent of [24]PI ending in os(\$|,)




```
[1] "1Pl_as($|,)"
  Percent_Match freq Percent_Trials
1           0    46             92
2          30     1              2
3          60     3              6
```

Percent of 1Pl ending in as(\$|,)




```
[1] "n.Pl_a($|,)"
  Percent_Match freq Percent_Trials
1           0    46             92
2          20     3              6
3          40     1              2
```

Percent of n.PI ending in a(\$|,)




```
[1] "n.PI_as($|,)"
Percent_Match freq Percent_Trials
1          0    50          100
```

Percent of n.PI ending in as(\$|,)




```
[1] "n.Pl_os($|,)"
Percent_Match freq Percent_Trials
1              0    50             100
```

Percent of n.Pl ending in os(\$|,)




```
[1] "m.Pl_as($|,)"
Percent_Match freq Percent_Trials
1              0    47             94
2             12     3              6
```

Percent of m.PI ending in as(\$|,)



```
[1] "m.PI_os($|,)"
Percent_Match freq Percent_Trials
1             0    49             98
2            32     1              2
```

Percent of m.PI ending in os(\$|,)



```

[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   47           94
4      e   47           94
6      o   45           90
1      -   19           38
8      s    5           10
5     es    4            8
7     os    2            4
3     as    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   47           94
4      e   47           94
6      o   45           90
1      -   22           44
8      s    6           12
5     es    4            8
7     os    2            4
3     as    1            2
[1] "1SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   47           94
1      -    2            4
3     as    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   47           94
4      e   13           26
1      -    6           12
6      s    2            4
3     as    1            2
5     es    1            2
[1] "2SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   45           90
1      -    5           10
3     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   45           90
1      -   10           20
2      a    1            2
4     os    1            2
[1] "3SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   47           94
1      -   14           28
2      a    3            6
4     es    2            4

```

5	s	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
3	e	47	94
1	-	15	30
2	a	4	8
4	es	2	4
5	s	1	2
[1] "4SgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
4	o	43	86
1	-	12	24
2	a	1	2
3	e	1	2
5	os	1	2
[1] "5SgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
3	e	40	80
1	-	5	10
4	es	2	4
2	a	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
3	e	43	86
1	-	6	12
4	es	2	4
5	s	2	4
2	a	1	2
[1] "1SgAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	a	47	94
1	-	4	8
4	e	2	4
3	as	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	a	47	94
4	e	13	26
1	-	8	16
6	s	2	4
3	as	1	2
5	es	1	2
[1] "2SgAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials

2	o	45	90
1	-	5	10
3	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	o	45	90
1	-	10	20
2	a	1	2
4	os	1	2
[1] "3SgAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	e	47	94
1	-	13	26
2	a	3	6
4	es	2	4
5	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	47	94
1	-	15	30
2	a	4	8
4	es	2	4
5	s	1	2
[1] "4SgAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	o	43	86
1	-	12	24
2	a	1	2
3	e	1	2
5	os	1	2
[1] "5SgAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	e	42	84
1	-	5	10
4	es	2	4
2	a	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	43	86
1	-	5	10
4	es	2	4
2	a	1	2
[1] "1SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			

2	a	47	94
1	-	5	10
4	e	2	4
3	as	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	47	94
4	e	13	26
1	-	8	16
6	s	2	4
3	as	1	2
5	es	1	2
[1] "2SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	o	45	90
1	-	5	10
3	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	o	45	90
1	-	10	20
2	a	1	2
4	os	1	2
[1] "3SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	e	47	94
1	-	14	28
2	a	3	6
4	es	2	4
5	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	47	94
1	-	15	30
2	a	4	8
4	es	2	4
5	s	1	2
[1] "4SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	o	43	86
1	-	12	24
2	a	1	2
3	e	1	2
5	os	1	2
[1] "5SgNom,Acc,Abl"			

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   42             84
1      -    5             10
4     es    2              4
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   43             86
1      -    6             12
4     es    2              4
5      s    2              4
2      a    1              2
[1] "1SgGen,Dat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   32             64
1      -    9             18
2      a    6             12
4     es    3              6
5      s    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   34             68
1      -   13             26
2      a    6             12
4     es    3              6
5      s    2              4
[1] "2SgGen,Dat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   24             48
1      -   14             28
2      e    8             16
5      s    5             10
4     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   24             48
1      -   14             28
3      e    8             16
6      s    5             10
2      a    1              2
5     os    1              2
[1] "3SgGen,Dat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   45             90
1      -   14             28
3     es    4              8
4      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   45             90

```

1	-	14	28
3	es	4	8
4	s	1	2
[1] "4SgGen,Dat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
4	o	22	44
1	-	13	26
2	e	9	18
6	s	5	10
5	os	2	4
3	es	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	o	22	44
1	-	14	28
2	e	10	20
6	s	6	12
5	os	2	4
3	es	1	2
[1] "5SgGen,Dat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	40	80
1	-	5	10
3	es	4	8
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	42	84
1	-	6	12
3	es	4	8
4	s	1	2
[1] "Nom"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	47	94
6	o	45	90
4	e	44	88
1	-	22	44
8	s	10	20
5	es	7	14
3	as	4	8
7	os	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	47	94
6	o	45	90
4	e	44	88
1	-	24	48
8	s	10	20
5	es	7	14
3	as	5	10
7	os	2	4
[1] "NomSg"			

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	47	94
6	o	45	90
4	e	44	88
1	-	15	30
5	es	2	4
3	as	1	2
7	os	1	2
8	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	47	94
6	o	45	90
4	e	44	88
1	-	20	40
8	s	3	6
5	es	2	4
3	as	1	2
7	os	1	2

[1] "1"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	47	94
4	e	34	68
1	-	12	24
5	es	5	10
3	as	4	8
6	s	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	47	94
4	e	34	68
1	-	17	34
3	as	5	10
5	es	5	10
6	s	2	4

[1] "1Sg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	47	94
4	e	32	64
1	-	11	22
5	es	3	6
6	s	2	4
3	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	47	94
4	e	34	68
1	-	17	34
5	es	3	6
6	s	2	4
3	as	1	2

```

[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   47           94
1      -    2            4
3     as    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   47           94
4      e   13           26
1      -    6           12
6      s    2            4
3     as    1            2
5     es    1            2
[1] "2"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      o   45           90
1      -   20           40
3      e   10           20
6      s   10           20
5     os    2            4
2      a    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   45           90
1      -   21           42
3      e   11           22
6      s   10           20
2      a    3            6
5     os    2            4
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   45           90
1      -   14           28
2      e    8           16
5      s    5           10
4     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   45           90
1      -   14           28
3      e    8           16
6      s    5           10
2      a    1            2
5     os    1            2
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   45           90
1      -    5           10
3     os    1            2
[1] "All Endings Included"

```

	Suffix	freq	Percent_Trials
3	o	45	90
1	-	10	20
2	a	1	2
4	os	1	2

[1] "3"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	47	94
1	-	14	28
4	es	7	14
2	a	5	10
5	s	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	47	94
1	-	15	30
4	es	7	14
2	a	5	10
5	s	3	6

[1] "3Sg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	47	94
1	-	14	28
4	es	4	8
2	a	3	6
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	47	94
1	-	15	30
2	a	4	8
4	es	4	8
5	s	1	2

[1] "3SgNom"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	44	88
1	-	14	28
2	a	3	6
4	es	2	4
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	44	88
1	-	14	28
2	a	4	8
4	es	2	4
5	s	1	2

[1] "4"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	o	43	86

1	-	16	32
2	e	12	24
6	s	10	20
5	os	3	6
3	es	1	2

[1] "All Endings Included"

Suffix	freq	Percent_Trials	
5	o	43	86
1	-	17	34
3	e	15	30
7	s	10	20
6	os	3	6
2	a	1	2
4	es	1	2

[1] "4Sg"

[1] "Endings occurring 10 times or less excluded"

Suffix	freq	Percent_Trials	
4	o	43	86
1	-	13	26
2	e	9	18
6	s	5	10
5	os	2	4
3	es	1	2

[1] "All Endings Included"

Suffix	freq	Percent_Trials	
5	o	43	86
1	-	14	28
3	e	10	20
7	s	6	12
6	os	2	4
2	a	1	2
4	es	1	2

[1] "4SgNom"

[1] "Endings occurring 10 times or less excluded"

Suffix	freq	Percent_Trials	
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2

[1] "All Endings Included"

Suffix	freq	Percent_Trials	
3	o	43	86
1	-	12	24
2	e	1	2
4	os	1	2

[1] "5"

[1] "Endings occurring 10 times or less excluded"

Suffix	freq	Percent_Trials	
3	e	43	86
1	-	6	12
4	es	6	12
5	s	2	4
2	a	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	45	90
1	-	7	14
4	es	6	12
5	s	2	4
2	a	1	2

[1] "5Sg"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	43	86
1	-	5	10
4	es	4	8
2	a	1	2
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	44	88
1	-	7	14
4	es	4	8
5	s	2	4
2	a	1	2

[1] "5SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	40	80
1	-	4	8
4	es	2	4
2	a	1	2
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	41	82
1	-	6	12
4	es	2	4
5	s	2	4
2	a	1	2

[1] "m"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	47	94
5	o	45	90
2	a	28	56
1	-	22	44
7	s	10	20
4	es	7	14
6	os	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	47	94
6	o	45	90
2	a	32	64
1	-	24	48
8	s	10	20
5	es	7	14

```

3      as      3          6
7      os      3          6
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e  47          94
4      o  45          90
1      -  15          30
6      s   5          10
3     es   4           8
5     os   2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e  47          94
5      o  45          90
2      a  32          64
1      -  20          40
7      s   5          10
4     es   4           8
6     os   2           4
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      o  45          90
2      e  44          88
1      -   9          18
3     es   2           4
5     os   1           2
6      s   1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o  45          90
3      e  44          88
2      a  32          64
1      -  13          26
4     es   2           4
7      s   2           4
6     os   1           2
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a  32          64
3      e  13          26
1      -   4           8
5      s   2           4
4     es   1           2
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o  45          90
1      -   5          10

```

```

3      os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o     45      90
1      -      6     12
3      os      1      2
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     44     88
1      -      3      6
3      es      2      4
4      s      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     44     88
1      -      3      6
3      es      2      4
4      s      1      2
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o     43     86
1      -      5     10
2      e      1      2
4      os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o     43     86
1      -      5     10
2      e      1      2
4      os      1      2
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     40     80
1      -      6     12
4      es      2      4
2      a      1      2
5      s      1      2
[1] "f"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     47     94
4      e     47     94
6      o     24     48
1      -     19     38
8      s      8     16
5      es      6     12
3      as      4      8
7      os      1      2

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   47             94
4      e   47             94
6      o   41             82
1      -   21             42
8      s    9             18
5     es    6             12
3     as    5             10
7     os    2              4
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   47             94
4      e   47             94
6      o   21             42
1      -   17             34
5     es    4              8
8      s    2              4
3     as    1              2
7     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   47             94
4      e   47             94
6      o   41             82
1      -   18             36
8      s    6             12
5     es    4              8
3     as    1              2
7     os    1              2
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   47             94
4      e   44             88
1      -    4              8
5     es    2              4
3     as    1              2
6      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   47             94
4      e   44             88
6      o   41             82
1      -   15             30
5     es    2              4
8      s    2              4
3     as    1              2
7     os    1              2
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   47             94

```

```

1      -      2      4
3      as     1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     47           94
1      -      4           8
3      as     1           2
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o     40           80
1      -      8           16
2      a      1           2
4      os     1           2
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     44           88
1      -      3           6
3      es     2           4
4      s      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     44           88
1      -      3           6
3      es     2           4
4      s      1           2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o     37           74
1      -     12           24
2      e      1           2
4      os     1           2
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     41           82
1      -      6           12
4      es     2           4
5      s      2           4
2      a      1           2
[1] "n"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```

5	o	45	90
3	e	35	70
1	-	21	42
7	s	10	20
4	es	7	14
2	a	5	10
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	45	90
3	e	36	72
1	-	22	44
7	s	10	20
4	es	7	14
2	a	5	10
6	os	1	2

[1] "nSg"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
5	o	45	90
3	e	35	70
1	-	17	34
7	s	5	10
4	es	4	8
2	a	3	6
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	45	90
3	e	35	70
1	-	18	36
7	s	5	10
2	a	4	8
4	es	4	8
6	os	1	2

[1] "nSgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
5	o	45	90
3	e	31	62
1	-	14	28
2	a	3	6
4	es	2	4
6	os	1	2
7	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	45	90
3	e	31	62
1	-	15	30
2	a	4	8
4	es	2	4
6	os	1	2
7	s	1	2

```

[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   45           90
1      -    4            8
3     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   45           90
1      -    4            8
3     os    1            2
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   31           62
1      -   14           28
2      a    3            6
4     es    2            4
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   31           62
1      -   14           28
2      a    4            8
4     es    2            4
5      s    1            2
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   43           86
1      -    5           10
2      e    1            2
4     os    1            2
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   47           94
4      e   47           94
6      o   45           90
1      -   22           44
8      s   10           20
5     es    7           14
3     as    4            8
7     os    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   47           94
4      e   47           94
6      o   45           90
1      -   24           48
8      s   10           20

```

5	es	7	14
3	as	4	8
7	os	2	4

[1] "AccSg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	47	94
4	e	47	94
6	o	45	90
1	-	14	28
5	es	2	4
3	as	1	2
7	os	1	2
8	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	47	94
4	e	47	94
6	o	45	90
1	-	21	42
5	es	2	4
8	s	2	4
3	as	1	2
7	os	1	2

[1] "1SgAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	47	94
1	-	2	4
3	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	47	94
4	e	13	26
1	-	6	12
6	s	2	4
3	as	1	2
5	es	1	2

[1] "2SgAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	o	45	90
1	-	5	10
3	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	o	45	90
1	-	10	20
2	a	1	2
4	os	1	2

[1] "3SgAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	47	94

1	-	13	26
2	a	3	6
4	es	2	4
5	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	47	94
1	-	15	30
2	a	4	8
4	es	2	4
5	s	1	2
[1] "4SgAcc"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	43	86
1	-	5	10
2	e	1	2
4	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	o	43	86
1	-	12	24
2	a	1	2
3	e	1	2
5	os	1	2
[1] "5SgAcc"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	e	42	84
1	-	4	8
4	es	2	4
2	a	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	43	86
1	-	5	10
4	es	2	4
2	a	1	2
[1] "mSgAcc"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	47	94
4	o	45	90
1	-	7	14
3	es	2	4
5	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	47	94
5	o	45	90
2	a	32	64
1	-	12	24
4	es	2	4
7	s	2	4

```

6      os      1          2
[1] "m1SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    32          64
3      e    13          26
1      -     4           8
5      s     2           4
4      es     1           2
[1] "m2SgAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      o    45          90
1      -     5          10
3      os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o    45          90
1      -     6          12
3      os     1           2
[1] "m3SgAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    47          94
3      es     2           4
1      -     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    47          94
3      es     2           4
1      -     1           2
[1] "m4SgAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o    43          86
1      -     5          10
2      e     1           2
4      os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o    43          86
1      -     5          10
2      e     1           2
4      os     1           2
[1] "m5SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    42          84

```

```

1      -      5      10
4      es     2      4
2      a      1      2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a     47          94
4      e     47          94
1      -      3           6
5      es     2           4
3      as     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a     47          94
4      e     47          94
6      o     40          80
1      -     14          28
5      es     2           4
3      as     1           2
7      os     1           2
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a     47          94
1      -      2           4
3      as     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a     47          94
1      -      4           8
3      as     1           2
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o     39          78
1      -      9          18
2      a      1           2
4      os     1           2
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e     47          94
3      es     2           4
1      -      1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e     47          94
3      es     2           4
1      -      1           2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"

```

```

[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o    37           74
1      -    12           24
2      a     1            2
3      e     1            2
5     os     1            2
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    43           86
1      -     5           10
4     es     2            4
2      a     1            2
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
5      o    45           90
3      e    31           62
1      -    13           26
2      a     3            6
4     es     2            4
6     os     1            2
7      s     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      o    45           90
3      e    31           62
1      -    16           32
2      a     4            8
4     es     2            4
6     os     1            2
7      s     1            2
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      o    45           90
1      -     4            8
3     os     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o    45           90
1      -     4            8
3     os     1            2
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e    31           62
1      -    13           26

```

```

2      a      3      6
4      es     2      4
5      s      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     31      62
1      -     15      30
2      a      4       8
4      es     2       4
5      s      1       2
[1] "n4SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o     43      86
1      -      5      10
2      e      1       2
4      os     1       2
[1] "Gen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     44      88
5      o     24      48
1      -     20      40
7      s     10      20
4      es      7      14
2      a      6      12
6      os      3       6
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     44      88
5      o     24      48
1      -     21      42
7      s     10      20
2      a      7      14
4      es      7      14
6      os      3       6
[1] "GenSg"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     44      88
5      o     24      48
1      -     18      36
2      a      6      12
7      s      5      10
4      es      4       8
6      os      2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     44      88
5      o     24      48
1      -     18      36

```

2	a	7	14
7	s	6	12
4	es	4	8
6	os	2	4

[1] "1SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	31	62
1	-	9	18
2	a	6	12
4	es	3	6
5	s	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	32	64
1	-	12	24
2	a	6	12
4	es	3	6
5	s	2	4

[1] "2SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	24	48
1	-	14	28
2	e	8	16
5	s	5	10
4	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	o	24	48
1	-	14	28
3	e	8	16
6	s	5	10
2	a	1	2
5	os	1	2

[1] "3SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	44	88
1	-	14	28
3	es	4	8
4	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	44	88
1	-	14	28
3	es	4	8
4	s	1	2

[1] "4SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	o	21	42
1	-	13	26
2	e	9	18

```

6      s      5      10
5     os      2       4
3     es      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o     22          44
1      -     14          28
2      e     10          20
6      s      6          12
5     os      2           4
3     es      1           2
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     39          78
1      -      4           8
3     es      4           8
4      s      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     41          82
1      -      6          12
3     es      4           8
4      s      1           2
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     44          88
4      o     24          48
1      -     14          28
6      s      5          10
3     es      4           8
5     os      2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     44          88
5      o     24          48
1      -     17          34
2      a      5          10
7      s      5          10
4     es      4           8
6     os      2           4
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     31          62
1      -     10          20
2      a      5          10
4     es      3           6
5      s      2           4
[1] "m2SgGen"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   24             48
1      -   14             28
2      e    8             16
5      s    5             10
4     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   24             48
1      -   14             28
2      e    8             16
5      s    5             10
4     os    1              2
[1] "m3SgGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   44             88
3     es    4              8
1      -    1              2
4      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   44             88
3     es    4              8
1      -    1              2
4      s    1              2
[1] "m4SgGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
4      o   21             42
1      -   13             26
2      e    9             18
6      s    5             10
5     os    2              4
3     es    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   22             44
1      -   13             26
2      e    9             18
6      s    5             10
5     os    2              4
3     es    1              2
[1] "m5SgGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   39             78
1      -    6             12
3     es    4              8
4      s    1              2

```



```

[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e  44           88
1      -  10           20
2      a   6           12
4     es   4            8
5      s   2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e  44           88
5      o  22           44
1      -  17           34
2      a   7           14
7      s   6           12
4     es   4            8
6     os   1            2
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e  31           62
1      -   9           18
2      a   6           12
4     es   3            6
5      s   2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e  31           62
1      -  11           22
2      a   6           12
4     es   3            6
5      s   2            4
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o  22           44
1      -  13           26
3      e   8           16
6      s   5           10
2      a   1            2
5     os   1            2
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e  44           88
3     es   4            8
1      -   1            2
4      s   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  44           88

```

```

3      es      4          8
1      -      1          2
4      s      1          2
[1] "f4SgGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o    21          42
1      -    13          26
2      e     9          18
5      s     6          12
4      os     1           2
[1] "f5SgGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    41          82
1      -     5          10
3      es     4           8
4      s     1           2
[1] "nSgGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    31          62
4      o    24          48
1      -    16          32
6      s     5          10
3      es     4           8
5      os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    32          64
4      o    24          48
1      -    17          34
6      s     5          10
3      es     4           8
5      os     1           2
[1] "n2SgGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o    24          48
1      -    13          26
2      e     8          16
5      s     5          10
4      os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o    24          48
1      -    13          26
2      e     8          16

```

```

5      s      5      10
4      os     1      2
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     31      62
1      -     14      28
3      es     4       8
4      s      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     32      64
1      -     14      28
3      es     4       8
4      s      1       2
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o     20      40
1      -     13      26
2      e     10      20
6      s      5      10
3      es     1       2
5      os     1       2
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     45      90
5      o     24      48
1      -     19      38
7      s     10      20
4      es      7      14
2      a      6      12
6      os      3       6
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     45      90
5      o     24      48
1      -     21      42
7      s     10      20
2      a      7      14
4      es      7      14
6      os      3       6
[1] "DatSg"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     45      90
5      o     24      48
1      -     17      34
2      a      6      12
7      s      5      10

```

4	es	4	8
6	os	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	45	90
5	o	24	48
1	-	18	36
2	a	7	14
7	s	6	12
4	es	4	8
6	os	2	4
[1] "1SgDat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	e	32	64
1	-	7	14
2	a	6	12
4	es	3	6
5	s	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	34	68
1	-	11	22
2	a	6	12
4	es	3	6
5	s	2	4
[1] "2SgDat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	24	48
1	-	14	28
2	e	8	16
5	s	5	10
4	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	o	24	48
1	-	14	28
3	e	8	16
6	s	5	10
2	a	1	2
5	os	1	2
[1] "3SgDat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	45	90
1	-	13	26
3	es	4	8
4	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	45	90
1	-	13	26
3	es	4	8

```

4      s      1      2
[1] "4SgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      o     22      44
1      -     13      26
2      e      9      18
6      s      5      10
5      os     2       4
3      es     1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o     22      44
1      -     14      28
2      e     10      20
6      s      6      12
5      os     2       4
3      es     1       2
[1] "5SgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     40      80
1      -      4       8
3      es     4       8
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     42      84
1      -      6      12
3      es     4       8
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     45      90
4      o     24      48
1      -     14      28
6      s      5      10
3      es     4       8
5      os     2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     45      90
5      o     24      48
1      -     17      34
2      a      5      10
7      s      5      10
4      es     4       8
6      os     2       4
[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     34      68

```

1	-	10	20
2	a	5	10
4	es	3	6
5	s	2	4

[1] "m2SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	24	48
1	-	14	28
2	e	8	16
5	s	5	10
4	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	o	24	48
1	-	14	28
2	e	8	16
5	s	5	10
4	os	1	2

[1] "m3SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	45	90
3	es	4	8
1	-	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	45	90
3	es	4	8
1	-	1	2

[1] "m4SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	o	21	42
1	-	13	26
2	e	9	18
6	s	5	10
5	os	2	4
3	es	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	o	22	44
1	-	13	26
2	e	9	18
6	s	5	10
5	os	2	4
3	es	1	2

[1] "m5SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>			(or 0-length row.names)

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	40	80

```

1      -      6      12
3      es     4      8
[1] "fSgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     45      90
1      -      8      16
2      a      6      12
4      es     4      8
5      s      2      4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     45      90
5      o     22      44
1      -     16      32
2      a      7      14
7      s      6      12
4      es     4      8
6      os     1      2
[1] "f1SgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     32      64
1      -      7      14
2      a      6      12
4      es     3      6
5      s      2      4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     33      66
1      -      9      18
2      a      6      12
4      es     3      6
5      s      2      4
[1] "f2SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o     22      44
1      -     13      26
3      e      8      16
6      s      5      10
2      a      1      2
5      os     1      2
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     45      90
3      es     4      8
1      -      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials

```

```

2      e    45          90
3      es   4           8
1      -    1           2
[1] "f4SgDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o    21          42
1      -    13          26
2      e     9          18
5      s     6          12
4      os    1           2
[1] "f5SgDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    42          84
1      -     5          10
3      es    4           8
[1] "nSgDat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    33          66
4      o    24          48
1      -    15          30
6      s     5          10
3      es    4           8
5      os    1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    33          66
4      o    24          48
1      -    16          32
6      s     5          10
3      es    4           8
5      os    1           2
[1] "n2SgDat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o    24          48
1      -    13          26
2      e     8          16
5      s     5          10
4      os    1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o    24          48
1      -    14          28
2      e     8          16
5      s     5          10

```



```

4      os      1          2
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     33          66
1      -     13          26
3      es      4           8
4      s      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     33          66
1      -     13          26
3      es      4           8
4      s      1           2
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o     20          40
1      -     13          26
2      e     10          20
6      s      5          10
3      es      1           2
5      os      1           2
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e     47          94
6      o     45          90
2      a     43          86
1      -     22          44
8      s     10          20
5      es      7          14
3      as      4           8
7      os      2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e     47          94
6      o     45          90
2      a     43          86
1      -     24          48
8      s     10          20
5      es      7          14
3      as      4           8
7      os      2           4
[1] "AblSg"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e     47          94
6      o     45          90
2      a     43          86
1      -     15          30

```

5	es	2	4
3	as	1	2
7	os	1	2
8	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	47	94
6	o	45	90
2	a	43	86
1	-	21	42
5	es	2	4
8	s	2	4
3	as	1	2
7	os	1	2

[1] "1SgAbl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	43	86
1	-	4	8
4	e	2	4
3	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	43	86
4	e	13	26
1	-	8	16
6	s	2	4
3	as	1	2
5	es	1	2

[1] "2SgAbl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	o	45	90
1	-	5	10
3	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	o	45	90
1	-	10	20
2	a	1	2
4	os	1	2

[1] "3SgAbl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	47	94
1	-	13	26
2	a	3	6
4	es	2	4
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	47	94
1	-	14	28
2	a	4	8

```

4      es      2          4
5      s       1          2
[1] "4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o    43          86
1      -     5          10
2      e     1           2
4     os     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o    43          86
1      -    12          24
2      e     1           2
4     os     1           2
[1] "5SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e    42          84
1      -     5          10
4     es     2           4
2      a     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    42          84
1      -     5          10
4     es     2           4
2      a     1           2
[1] "mSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    47          94
4      o    45          90
1      -     7          14
3     es     2           4
5     os     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    47          94
5      o    45          90
2      a    31          62
1      -    13          26
4     es     2           4
7      s     2           4
6     os     1           2
[1] "m1SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    31          62
3      e    13          26
1      -     6          12

```

```

5      s      2      4
4      es     1      2
[1] "m2SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o    45           90
1      -     5           10
3      os     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    45           90
1      -     6           12
3      os     1           2
[1] "m3SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    47           94
3      es     2           4
1      -     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    47           94
3      es     2           4
1      -     1           2
[1] "m4SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o    43           86
1      -     5           10
2      e     1           2
4      os     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o    43           86
1      -     5           10
2      e     1           2
4      os     1           2
[1] "m5SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    42           84
1      -     5           10
4      es     2           4
2      a     1           2
[1] "fSgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e    47           94
2      a    43           86
1      -     5           10
5      es     2           4

```

```

3      as      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e     47           94
2      a     43           86
6      o     41           82
1      -     14           28
5      es      2           4
3      as      1           2
7      os      1           2
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     43           86
1      -      4            8
4      e      2            4
3      as      1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     43           86
1      -      5           10
4      e      2            4
3      as      1            2
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o     40           80
1      -      8           16
2      a      1            2
4      os      1            2
[1] "f3SgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     47           94
3      es      2            4
1      -      1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     47           94
3      es      2            4
1      -      1            2
[1] "f4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o     37           74
1      -     12           24
2      e      1            2
4      os      1            2

```

```

[1] "f5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e  42           84
1      -   5           10
4      es   2            4
2      a   1            2
[1] "nSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      o  45           90
3      e  31           62
1      -  13           26
2      a   3            6
4      es   2            4
6      os   1            2
7      s   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o  45           90
3      e  31           62
1      -  15           30
2      a   4            8
4      es   2            4
6      os   1            2
7      s   1            2
[1] "n2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o  45           90
1      -   4            8
3      os   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o  45           90
1      -   4            8
3      os   1            2
[1] "n3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e  31           62
1      -  13           26
2      a   3            6
4      es   2            4
5      s   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e  31           62
1      -  14           28
2      a   4            8
4      es   2            4

```

```

5      s      1      2
[1] "n4SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o    43           86
1      -     5           10
2      e     1            2
4     os     1            2
[1] "P1"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a    44           88
4      e    44           88
1      -    23           46
6      o    21           42
8      s    10           20
5     es     7           14
3     as     4            8
7     os     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    44           88
4      e    44           88
1      -    24           48
6      o    22           44
8      s    10           20
5     es     7           14
3     as     5           10
7     os     1            2
[1] "1PlNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a    44           88
3     as     4            8
1      -     2            4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    44           88
4      e    12           24
1      -     6           12
3     as     5           10
6      s     2            4
5     es     1            2
[1] "2PlNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
4      o    20           40
1      -    19           38
6      s    10           20
3      e     3            6
2      a     1            2

```

```

5      os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      20      40
4      o      20      40
6      s      10      20
3      e       4       8
2      a       3       6
5      os      1      2
[1] "3PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e      43      86
1      -      13      26
4      es       7      14
2      a       4       8
5      s       3       6
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e      43      86
1      -      13      26
4      es       7      14
2      a       5      10
5      s       3       6
[1] "4PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o      19      38
1      -      15      30
5      s       9      18
2      e       7      14
4      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o      21      42
1      -      15      30
6      s      10      20
3      e       9      18
2      a       1       2
5      os      1       2
[1] "5PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e      37      74
4      es       5      10
1      -       4       8
2      a       1       2
5      s       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e      39      78
4      es       6      12
1      -       5      10
5      s       2       4

```



```

2      a      1      2
[1] "1PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      44      88
1      -      4       8
3      as     4       8
4      e      2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      44      88
4      e      12      24
1      -      7      14
3      as     4       8
6      s      2       4
5      es     1       2
[1] "2PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      o      20      40
1      -      19      38
5      s      10      20
3      e       3       6
2      a       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      20      40
4      o      20      40
6      s      10      20
3      e       5      10
2      a       3       6
5      os     1       2
[1] "3PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e      43      86
1      -      13      26
4      es     7      14
2      a       4       8
5      s       2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e      43      86
1      -      13      26
4      es     7      14
2      a       5      10
5      s       3       6
[1] "4PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o      19      38
1      -      15      30
5      s       9      18
2      e       7      14

```

```

4      os      1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o      21          42
1      -      15          30
6      s      10          20
3      e       9          18
2      a       1           2
5      os      1           2
[1] "5PlAcc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e      39          78
4      es       5          10
1      -       4           8
2      a       1           2
5      s       1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e      39          78
4      es       6          12
1      -       5          10
2      a       1           2
5      s       1           2
[1] "1PlNom,Acc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      44          88
1      -       5          10
3      as       4           8
4      e       2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      44          88
4      e      12          24
1      -       7          14
3      as       5          10
6      s       2           4
5      es       1           2
[1] "2PlNom,Acc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
4      o      20          40
1      -      19          38
6      s      10          20
3      e       3           6
2      a       1           2
5      os      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      20          40
4      o      20          40
6      s      10          20
3      e       5          10

```

2	a	3	6
5	os	1	2
[1] "3PlNom,Acc,Abl"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	e	43	86
1	-	13	26
4	es	7	14
2	a	4	8
5	s	3	6
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	43	86
1	-	13	26
4	es	7	14
2	a	5	10
5	s	3	6
[1] "4PlNom,Acc,Abl"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	19	38
1	-	15	30
5	s	9	18
2	e	7	14
4	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	o	21	42
1	-	15	30
6	s	10	20
3	e	9	18
2	a	1	2
5	os	1	2
[1] "5PlNom,Acc,Abl"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	e	39	78
4	es	5	10
1	-	4	8
2	a	1	2
5	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	39	78
1	-	6	12
4	es	6	12
5	s	2	4
2	a	1	2
[1] "1PlGen,Dat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	e	31	62
1	-	9	18
2	a	6	12

4	es	5	10
5	s	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	32	64
1	-	11	22
2	a	6	12
4	es	5	10
5	s	2	4
[1] "2PlGen,Dat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	16	32
1	-	15	30
2	e	10	20
5	s	10	20
4	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	17	34
4	o	16	32
3	e	11	22
6	s	10	20
2	a	2	4
5	os	1	2
[1] "3PlGen,Dat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	43	86
1	-	13	26
3	es	7	14
4	s	3	6
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	43	86
1	-	13	26
3	es	7	14
4	s	3	6
[1] "4PlGen,Dat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	-	14	28
4	o	13	26
2	e	12	24
6	s	9	18
3	es	1	2
5	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	15	30
2	e	15	30
4	o	14	28
6	s	10	20
3	es	1	2

```

5      os      1          2
[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     38          76
3     es      6          12
1      -      4           8
4      s      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     40          80
1      -      6          12
3     es      6          12
4      s      2           4
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     44          88
4      e     40          80
1      -     20          40
6      o     20          40
8      s     10          20
5     es      7          14
3     as      4           8
7     os      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     44          88
4      e     41          82
1      -     23          46
6      o     22          44
8      s     10          20
5     es      7          14
3     as      5          10
7     os      1           2
[1] "1Pl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     44          88
4      e     31          62
1      -     11          22
5     es      5          10
3     as      4           8
6      s      2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     44          88
4      e     32          64
1      -     14          28
3     as      5          10
5     es      5          10
6      s      2           4
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"

```

	Suffix	freq	Percent_Trials
2	a	44	88
3	as	4	8
1	-	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	44	88
4	e	12	24
1	-	6	12
3	as	5	10
6	s	2	4
5	es	1	2

[1] "2Pl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	20	40
4	o	20	40
3	e	10	20
6	s	10	20
2	a	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	21	42
4	o	20	40
3	e	11	22
6	s	10	20
2	a	3	6
5	os	1	2

[1] "2PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	o	20	40
1	-	18	36
6	s	10	20
3	e	3	6
2	a	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	o	20	40
1	-	19	38
6	s	10	20
3	e	4	8
2	a	3	6
5	os	1	2

[1] "3Pl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	43	86
1	-	13	26
4	es	7	14
2	a	4	8
5	s	3	6

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   43             86
1      -   13             26
4      es    7             14
2      a    5             10
5      s    3              6

[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   40             80
1      -   13             26
4      es    7             14
2      a    4              8
5      s    3              6

[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   40             80
1      -   13             26
4      es    7             14
2      a    5             10
5      s    3              6

[1] "4Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      o   19             38
1      -   15             30
2      e   12             24
6      s   10             20
3      es    1              2
5      os    1              2

[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o   21             42
1      -   16             32
3      e   15             30
7      s   10             20
2      a    1              2
4      es    1              2
6      os    1              2

[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   18             36
1      -   15             30
5      s    9             18
2      e    7             14
4      os    1              2

[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   20             40
1      -   15             30
6      s   10             20
3      e    9             18

```

```

2      a      1      2
5      os     1      2
[1] "5Pl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     40      80
4      es     6      12
1      -     4       8
5      s     2       4
2      a     1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     41      82
1      -     7      14
4      es     6      12
5      s     2       4
2      a     1       2
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     36      72
1      -     5      10
4      es     5      10
5      s     2       4
2      a     1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     37      74
4      es     6      12
1      -     5      10
5      s     2       4
2      a     1       2
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     43      86
1      -     21      42
4      o     21      42
6      s     10      20
3      es     7      14
5      os     1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e     43      86
2      a     29      58
1      -     23      46
6      o     21      42
8      s     10      20
5      es     7      14
3      as     3       6
7      os     1       2
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```



```

2      e  40      80
4      o  20      40
1      -  19      38
6      s  10      20
3     es   7      14
5     os   1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e  40      80
2      a  29      58
1      -  22      44
6      o  21      42
8      s  10      20
5     es   7      14
3     as   3       6
7     os   1       2
[1] "m1PlNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a  29      58
4      e  12      24
1      -   4       8
3     as   3       6
6      s   2       4
5     es   1       2
[1] "m2PlNom"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o  20      40
1      -  18      36
5      s  10      20
2      e   3       6
4     os   1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o  20      40
1      -  19      38
5      s  10      20
2      e   3       6
4     os   1       2
[1] "m3PlNom"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e  40      80
3     es   7      14
1      -   3       6
4      s   1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e  40      80
3     es   7      14

```

```

1      -      3          6
4      s      1          2
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o  18          36
1      -  15          30
5      s   9          18
2      e   7          14
4     os   1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o  19          38
1      -  15          30
5      s   9          18
2      e   7          14
4     os   1           2
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e  36          72
4     es   6          12
1      -   5          10
5      s   2           4
2      a   1           2
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a  44          88
4      e  44          88
1      -  17          34
6      o  15          30
7      s   8          16
5     es   6          12
3     as   4           8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a  44          88
4      e  44          88
1      -  21          42
6      o  20          40
8      s   9          18
5     es   6          12
3     as   5          10
7     os   1           2
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a  44          88
4      e  40          80
5     es   6          12

```

```

1      -      4      8
3      as     4      8
6      s      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     44      88
4      e     41      82
6      o     19      38
1      -     18      36
8      s      9      18
5      es      6      12
3      as      5      10
7      os      1       2
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     44      88
3      as      4       8
1      -      2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     44      88
3      as      5      10
1      -      4       8
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o     19      38
1      -     16      32
5      s      9      18
3      e      4       8
2      a      2       4
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     40      80
3      es      6      12
1      -      3       6
4      s      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     40      80
3      es      6      12
1      -      3       6
4      s      1       2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials

```

```

4      o    18          36
1      -    14          28
3      e     9          18
6      s     9          18
2      a     1           2
5     os     1           2
[1] "f5PlNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    37          74
4     es     6          12
1      -     5          10
5      s     2           4
2      a     1           2
[1] "nP1"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e    31          62
1      -    20          40
5      o    19          38
6      s    10          20
4     es     7          14
2      a     4           8
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    32          64
1      -    21          42
5      o    20          40
6      s    10          20
4     es     7          14
2      a     5          10
[1] "nP1Nom"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e    25          50
1      -    20          40
5      o    19          38
6      s    10          20
4     es     6          12
2      a     4           8
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    26          52
1      -    20          40
5      o    20          40
6      s    10          20
4     es     7          14
2      a     5          10
[1] "n2PlNom"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials

```

```

4      o      19      38
1      -      18      36
5      s      10      20
3      e       2       4
2      a       1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o      19      38
1      -      18      36
5      s      10      20
3      e       2       4
2      a       1       2
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e      25      50
1      -      13      26
4     es       6      12
2      a       4       8
5      s       3       6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e      25      50
1      -      13      26
4     es       7      14
2      a       5      10
5      s       3       6
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o      19      38
1      -      15      30
4      s      10      20
2      e       6      12
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a      44      88
4      e      43      86
1      -      21      42
6      o      20      40
8      s      10      20
5     es       7      14
3     as       4       8
7     os       1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a      44      88
4      e      44      88
1      -      23      46
6      o      22      44

```

8	s	10	20
5	es	7	14
3	as	4	8
7	os	1	2

[1] "1PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	44	88
3	as	4	8
1	-	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	44	88
4	e	12	24
1	-	5	10
3	as	4	8
6	s	2	4
5	es	1	2

[1] "2PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	o	20	40
1	-	19	38
5	s	10	20
3	e	3	6
2	a	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	20	40
4	o	20	40
6	s	10	20
3	e	4	8
2	a	3	6
5	os	1	2

[1] "3PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	43	86
1	-	13	26
4	es	7	14
2	a	4	8
5	s	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	43	86
1	-	13	26
4	es	7	14
2	a	5	10
5	s	3	6

[1] "4PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	18	36
1	-	15	30

5	s	9	18
2	e	7	14
4	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	o	21	42
1	-	15	30
6	s	10	20
3	e	9	18
2	a	1	2
5	os	1	2

[1] "5PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	38	76
4	es	5	10
1	-	4	8
2	a	1	2
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	39	78
4	es	6	12
1	-	4	8
2	a	1	2
5	s	1	2

[1] "mPlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	43	86
4	o	20	40
1	-	19	38
6	s	10	20
3	es	6	12
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	43	86
2	a	29	58
1	-	21	42
6	o	21	42
8	s	10	20
5	es	6	12
3	as	3	6
7	os	1	2

[1] "m1PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>	(or 0-length row.names)		

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	29	58
4	e	12	24
1	-	3	6

```

3      as      3          6
6      s       2          4
5      es      1          2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o    20          40
1      -    19          38
4      s    10          20
2      e     3           6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    20          40
3      o    20          40
5      s    10          20
2      e     3           6
4     os     1           2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    43          86
3     es     6          12
1      -     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    43          86
3     es     6          12
1      -     1           2
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o    18          36
1      -    15          30
5      s     9          18
2      e     7          14
4     os     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o    20          40
1      -    15          30
5      s     9          18
2      e     7          14
4     os     1           2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    38          76
4     es     6          12
1      -     4           8
2      a     1           2
5      s     1           2

```



```

[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   44           88
4      e   43           86
5     es    6           12
3     as    4            8
1      -    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   44           88
4      e   44           88
6      o   20           40
1      -   17           34
8      s    8           16
5     es    6           12
3     as    4            8
7     os    1            2
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   44           88
3     as    4            8
1      -    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   44           88
1      -    4            8
3     as    4            8
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   20           40
1      -   16           32
5      s    8           16
3      e    4            8
2      a    2            4
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   43           86
3     es    6           12
1      -    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   43           86
3     es    6           12
1      -    1            2
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials

```

```

<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   18             36
1      -   13             26
3      e    9             18
6      s    8             16
2      a    1              2
5     os    1              2
[1] "f5PlAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   39             78
4     es    5             10
1      -    4              8
2      a    1              2
5      s    1              2
[1] "nPlAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   25             50
1      -   20             40
5      o   19             38
6      s   10             20
4     es    7             14
2      a    4              8
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   27             54
1      -   20             40
5      o   20             40
6      s   10             20
4     es    7             14
2      a    5             10
[1] "n2PlAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
4      o   19             38
1      -   18             36
5      s   10             20
3      e    2              4
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   19             38
1      -   18             36
5      s   10             20
3      e    2              4
2      a    1              2
[1] "n3PlAcc"
[1] "Endings occurring 10 times or less excluded"

```

```

      Suffix freq Percent_Trials
3      e    25           50
1      -    13           26
4     es     7           14
2      a     4            8
5      s     2            4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    26           52
1      -    13           26
4     es     7           14
2      a     5           10
5      s     3            6
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o    19           38
1      -    15           30
4      s    10           20
2      e     6           12
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e    42           84
1      -    18           36
5      o    16           32
7      s    10           20
4     es     7           14
2      a     6           12
6     os     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    42           84
1      -    20           40
5      o    17           34
7      s    10           20
2      a     7           14
4     es     7           14
6     os     1            2
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e    29           58
1      -     9           18
2      a     6           12
4     es     5           10
5      s     2            4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    30           60
1      -    11           22

```

2	a	6	12
4	es	5	10
5	s	2	4

[1] "2PlGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	16	32
1	-	15	30
2	e	10	20
5	s	10	20
4	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	16	32
4	o	16	32
3	e	11	22
6	s	10	20
2	a	2	4
5	os	1	2

[1] "3PlGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	13	26
3	es	7	14
4	s	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	13	26
3	es	7	14
4	s	3	6

[1] "4PlGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	14	28
4	o	13	26
2	e	12	24
6	s	9	18
3	es	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	15	30
2	e	15	30
4	o	14	28
6	s	10	20
3	es	1	2
5	os	1	2

[1] "5PlGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	37	74
3	es	6	12

```

1      -      4      8
4      s      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     38      76
1      -      6     12
3      es      6     12
4      s      2      4
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     42     84
4      o     16     32
1      -     15     30
6      s     10     20
3      es      6     12
5      os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     42     84
1      -     18     36
5      o     16     32
7      s     10     20
4      es      6     12
2      a      5     10
6      os      1      2
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     29     58
1      -     10     20
2      a      5     10
4      es      5     10
5      s      2      4
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o     16     32
1      -     15     30
5      s     10     20
2      e      9     18
4      os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o     16     32
1      -     15     30
5      s     10     20
2      e      9     18
4      os      1      2
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"

```

```

      Suffix freq Percent_Trials
2      e    42          84
3     es     6          12
1      -     1           2
4      s     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    42          84
3     es     6          12
1      -     1           2
4      s     1           2
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    14          28
4      o    13          26
2      e    12          24
6      s     9          18
3     es     1           2
5     os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    14          28
4      o    13          26
2      e    12          24
6      s     9          18
3     es     1           2
5     os     1           2
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    37          74
3     es     6          12
1      -     5          10
4      s     2           4
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e    42          84
1      -     9          18
2      a     6          12
4     es     6          12
5      s     2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    42          84
1      -    18          36
5      o    16          32
6      s     9          18
2      a     7          14
4     es     6          12

```

```

[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   29           58
1      -    9           18
2      a    6           12
4     es    5           10
5      s    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   29           58
1      -   10           20
2      a    6           12
4     es    5           10
5      s    2            4
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   16           32
1      -   13           26
3      e   10           20
5      s    9           18
2      a    2            4
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   42           84
3     es    6           12
1      -    1            2
4      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   42           84
3     es    6           12
1      -    1            2
4      s    1            2
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   15           30
1      -   14           28
4      o   12           24
5      s    9           18
3     es    1            2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   38             76
3     es    6             12
1      -    5             10
4      s    2              4
[1] "nP1Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28             56
1      -   17             34
4      o   15             30
5      s   10             20
3     es    7             14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28             56
1      -   18             36
4      o   16             32
5      s   10             20
3     es    7             14
[1] "n2P1Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   15             30
3      o   15             30
2      e   10             20
4      s   10             20
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   16             32
3      o   15             30
2      e   10             20
4      s   10             20
[1] "n3P1Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28             56
1      -   13             26
3     es    7             14
4      s    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28             56
1      -   13             26
3     es    7             14
4      s    3              6
[1] "n4P1Gen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   15             30

```


4	o	13	26
2	e	11	22
5	s	10	20
3	es	1	2

[1] "DatPl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	43	86
1	-	17	34
5	o	16	32
7	s	10	20
4	es	7	14
2	a	6	12
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	43	86
1	-	19	38
5	o	17	34
7	s	10	20
2	a	7	14
4	es	7	14
6	os	1	2

[1] "1PlDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	31	62
1	-	7	14
2	a	6	12
4	es	5	10
5	s	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	32	64
1	-	10	20
2	a	6	12
4	es	5	10
5	s	2	4

[1] "2PlDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	16	32
1	-	15	30
2	e	10	20
5	s	10	20
4	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	17	34
4	o	16	32
3	e	11	22
6	s	10	20
2	a	2	4
5	os	1	2

```

[1] "3PlDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   43           86
1      -   12           24
3     es    7           14
4      s    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   43           86
1      -   12           24
3     es    7           14
4      s    2            4
[1] "4PlDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   14           28
4      o   13           26
2      e   12           24
6      s    9           18
3     es    1            2
5     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   15           30
2      e   14           28
4      o   14           28
6      s   10           20
3     es    1            2
5     os    1            2
[1] "5PlDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   38           76
3     es    6           12
1      -    3            6
4      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   40           80
3     es    6           12
1      -    5           10
4      s    1            2
[1] "mPlDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   43           86
4      o   16           32
1      -   15           30
6      s   10           20
3     es    6           12
5     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials

```

```

3      e   43      86
1      -   18      36
5      o   16      32
7      s   10      20
4      es    6      12
2      a    5      10
6      os    1       2
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e   31      62
1      -    8      16
2      a    5      10
4      es    5      10
5      s    2       4
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o   16      32
1      -   15      30
5      s   10      20
2      e    9      18
4      os    1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -   16      32
3      o   16      32
2      e   10      20
5      s   10      20
4      os    1       2
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e   43      86
3      es    6      12
1      -    1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e   43      86
3      es    6      12
1      -    1       2
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -   14      28
4      o   13      26
2      e   12      24
6      s    9      18
3      es    1       2
5      os    1       2
[1] "All Endings Included"

```

```

      Suffix freq Percent_Trials
1      -    14             28
4      o    13             26
2      e    12             24
6      s     9             18
3     es     1              2
5     os     1              2
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    39             78
3     es     6             12
1      -     4              8
4      s     1              2
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e    43             86
1      -     8             16
2      a     6             12
4     es     6             12
5      s     2              4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    43             86
1      -    16             32
5      o    16             32
7      s     9             18
2      a     7             14
4     es     6             12
6     os     1              2
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e    31             62
1      -     7             14
2      a     6             12
4     es     5             10
5      s     2              4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    31             62
1      -     9             18
2      a     6             12
4     es     5             10
5      s     2              4
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"

```

```

      Suffix freq Percent_Trials
4      o    16           32
1      -    13           26
3      e    10           20
6      s     8           16
2      a     2            4
5     os     1            2
[1] "f3PlDat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    43           86
3     es     6           12
1      -     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    43           86
3     es     6           12
1      -     1            2
[1] "f4PlDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    14           28
2      e    14           28
4      o    12           24
6      s     9           18
3     es     1            2
5     os     1            2
[1] "f5PlDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    40           80
3     es     6           12
1      -     4            8
4      s     1            2
[1] "nP1Dat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    30           60
1      -    16           32
4      o    15           30
5      s    10           20
3     es     7           14
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    32           64
1      -    17           34
4      o    17           34
5      s    10           20

```

```

3      es      7      14
[1] "n2PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    15      30
3      o    15      30
2      e    10      20
4      s    10      20
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    16      32
3      o    16      32
2      e    10      20
4      s    10      20
[1] "n3PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    30      60
1      -    12      24
3      es     7      14
4      s     2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    32      64
1      -    12      24
3      es     7      14
4      s     2       4
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    15      30
4      o    13      26
2      e    11      22
5      s    10      20
3      es     1       2
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e    43      86
2      a    40      80
1      -    21      42
6      o    20      40
8      s    10      20
5      es     7      14
3      as     4       8
7      os     1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e    44      88
2      a    40      80
1      -    23      46

```

6	o	22	44
8	s	10	20
5	es	7	14
3	as	4	8
7	os	1	2

[1] "1PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	40	80
1	-	4	8
3	as	4	8
4	e	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	40	80
4	e	12	24
1	-	7	14
3	as	4	8
6	s	2	4
5	es	1	2

[1] "2PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	o	20	40
1	-	19	38
5	s	10	20
3	e	3	6
2	a	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	20	40
4	o	20	40
6	s	10	20
3	e	5	10
2	a	3	6
5	os	1	2

[1] "3PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	43	86
1	-	12	24
4	es	7	14
2	a	4	8
5	s	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	43	86
1	-	13	26
4	es	7	14
2	a	5	10
5	s	3	6

[1] "4PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

3	o	18	36
1	-	15	30
5	s	9	18
2	e	7	14
4	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	o	21	42
1	-	15	30
6	s	10	20
3	e	9	18
2	a	1	2
5	os	1	2

[1] "5PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	38	76
4	es	5	10
1	-	4	8
2	a	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	39	78
4	es	6	12
1	-	5	10
2	a	1	2
5	s	1	2

[1] "mPlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	43	86
4	o	20	40
1	-	19	38
6	s	10	20
3	es	6	12
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	43	86
2	a	28	56
1	-	21	42
6	o	21	42
8	s	10	20
5	es	6	12
3	as	3	6
7	os	1	2

[1] "m1PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>	(or 0-length row.names)		

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	28	56
4	e	12	24


```

1      -      5      10
3      as     3      6
6      s      2      4
5      es     1      2
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o    20      40
1      -    19      38
4      s    10      20
2      e     3       6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    20      40
3      o    20      40
5      s    10      20
2      e     4       8
4      os     1       2
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    43      86
3      es     6      12
1      -     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    43      86
3      es     6      12
1      -     1       2
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o    18      36
1      -    15      30
5      s     9      18
2      e     7      14
4      os     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o    20      40
1      -    15      30
5      s     9      18
2      e     7      14
4      os     1       2
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    38      76
4      es     6      12
1      -     4       8
2      a     1       2

```

```

5      s      1      2
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e  43      86
2      a  40      80
5     es   6      12
1      -   5      10
3     as   4       8
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e  44      88
2      a  40      80
6      o  19      38
1      -  18      36
8      s   9      18
5     es   6      12
3     as   4       8
7     os   1       2
[1] "f1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a  40      80
1      -   4       8
3     as   4       8
4      e   2       4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a  40      80
1      -   5      10
3     as   4       8
4      e   2       4
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o  19      38
1      -  16      32
6      s   8      16
3      e   4       8
2      a   2       4
5     os   1       2
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e  43      86
3     es   6      12
1      -   1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  43      86
3     es   6      12

```

```

1      -      1      2
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o    18          36
1      -    13          26
3      e     9          18
6      s     9          18
2      a     1           2
5     os     1           2
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    39          78
1      -     5          10
4     es     5          10
2      a     1           2
5      s     1           2
[1] "nP1Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e    25          50
1      -    20          40
5      o    19          38
6      s    10          20
4     es     7          14
2      a     4           8
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    27          54
1      -    20          40
5      o    20          40
6      s    10          20
4     es     7          14
2      a     5          10
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      o    19          38
1      -    18          36
5      s    10          20
3      e     2           4
2      a     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o    19          38
1      -    18          36
5      s    10          20

```

```

3      e      2      4
2      a      1      2
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e    25           50
1      -    12           24
4      es     7           14
2      a     4            8
5      s     2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    26           52
1      -    13           26
4      es     7           14
2      a     5           10
5      s     3            6
[1] "n4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o    19           38
1      -    15           30
4      s    10           20
2      e     6           12

```