

Aggregate Data

Tyler Lau

July 18, 2016

[1] "No Sound Change, Token Freq T, Number of cases being considered: 3"

[1] "Only considering max suffixes: TRUE"

[1] "Sg"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 24 | 48 |
| 5 | o | 16 | 32 |
| 6 | s | 5 | 10 |
| 3 | e | 2 | 4 |
| 4 | es | 2 | 4 |
| 2 | a | 1 | 2 |

[1] "1SgNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |
| 1 | - | 1 | 2 |

[1] "2SgNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | o | 50 | 100 |

[1] "3SgNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 44 | 88 |
| 2 | e | 5 | 10 |
| 3 | s | 1 | 2 |

[1] "4SgNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | o | 50 | 100 |

[1] "5SgNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 43 | 86 |
| 3 | e | 5 | 10 |
| 2 | a | 2 | 4 |

[1] "1SgAcc,Gen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 42 | 84 |
| 1 | - | 7 | 14 |
| 3 | s | 1 | 2 |

[1] "2SgAcc,Gen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 24 | 48 |
| 1 | - | 21 | 42 |
| 2 | e | 2 | 4 |
| 5 | s | 2 | 4 |
| 3 | es | 1 | 2 |

[1] "3SgAcc,Gen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 29 | 58 |

| | | | |
|----------------------------|----|----|-----|
| 5 | s | 9 | 18 |
| 3 | e | 6 | 12 |
| 4 | es | 5 | 10 |
| 2 | a | 1 | 2 |
| [1] "4SgAcc,Gen" | | | |
| Suffix freq Percent_Trials | | | |
| 4 | o | 27 | 54 |
| 1 | - | 17 | 34 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | s | 2 | 4 |
| [1] "5SgAcc,Gen" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 36 | 72 |
| 3 | e | 12 | 24 |
| 2 | a | 2 | 4 |
| [1] "1SgNom,Gen" | | | |
| Suffix freq Percent_Trials | | | |
| 2 | a | 42 | 84 |
| 1 | - | 7 | 14 |
| 3 | s | 1 | 2 |
| [1] "2SgNom,Gen" | | | |
| Suffix freq Percent_Trials | | | |
| 4 | o | 24 | 48 |
| 1 | - | 21 | 42 |
| 2 | e | 2 | 4 |
| 5 | s | 2 | 4 |
| 3 | es | 1 | 2 |
| [1] "3SgNom,Gen" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 43 | 86 |
| 2 | es | 4 | 8 |
| 3 | s | 3 | 6 |
| [1] "4SgNom,Gen" | | | |
| Suffix freq Percent_Trials | | | |
| 4 | o | 27 | 54 |
| 1 | - | 17 | 34 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | s | 2 | 4 |
| [1] "5SgNom,Gen" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 39 | 78 |
| 5 | s | 5 | 10 |
| 3 | e | 3 | 6 |
| 2 | a | 2 | 4 |
| 4 | es | 1 | 2 |
| [1] "1SgNom,Acc,Gen" | | | |
| Suffix freq Percent_Trials | | | |
| 2 | a | 49 | 98 |
| 1 | - | 1 | 2 |
| [1] "2SgNom,Acc,Gen" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | o | 50 | 100 |

```

[1] "3SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   40             80
2       e    9             18
3       s    1              2
[1] "4SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1       o   50            100
[1] "5SgNom,Acc,Gen"
  Suffix freq Percent_Trials
1      -   39             78
5       s    5             10
3       e    3              6
2       a    2              4
4      es    1              2
[1] "Nom"
  Suffix freq Percent_Trials
1      -   20             40
5       s   18             36
2       a    7             14
4      es    3              6
3      as    2              4
[1] "NomSg"
  Suffix freq Percent_Trials
1      -   41             82
2       o    8             16
3       s    1              2
[1] "1"
  Suffix freq Percent_Trials
2       a   40             80
3      as    8             16
1      -    1              2
4      es    1              2
[1] "1Sg"
  Suffix freq Percent_Trials
2       a   49             98
1      -    1              2
[1] "1SgNom"
  Suffix freq Percent_Trials
2       a   49             98
1      -    1              2
[1] "2"
  Suffix freq Percent_Trials
1      -   17             34
6       s   15             30
4       o   11             22
2       a    5             10
3      as    1              2
5      os    1              2
[1] "2Sg"
  Suffix freq Percent_Trials
1       o   50            100
[1] "2SgNom"
  Suffix freq Percent_Trials

```

```

1      o      50      100
[1] "3"
      Suffix freq Percent_Trials
1      -      24      48
5      s      16      32
4      es      7      14
3      e       2       4
2      as      1       2
[1] "3Sg"
      Suffix freq Percent_Trials
1      -      40      80
2      e       9      18
3      s       1       2
[1] "3SgNom"
      Suffix freq Percent_Trials
1      -      44      88
2      e       5      10
3      s       1       2
[1] "4"
      Suffix freq Percent_Trials
1      -      20      40
7      s      16      32
5      o       8      16
4      es       3       6
2      as       1       2
3      e       1       2
6      os       1       2
[1] "4Sg"
      Suffix freq Percent_Trials
1      o      50      100
[1] "4SgNom"
      Suffix freq Percent_Trials
1      o      50      100
[1] "5"
      Suffix freq Percent_Trials
1      -      26      52
5      s      15      30
4      es       6      12
2      a       2       4
3      e       1       2
[1] "5Sg"
      Suffix freq Percent_Trials
1      -      39      78
5      s       5      10
3      e       3       6
2      a       2       4
4      es       1       2
[1] "5SgNom"
      Suffix freq Percent_Trials
1      -      39      78
5      s       5      10
3      e       3       6
2      a       2       4
4      es       1       2

```

```

[1] "m"
  Suffix freq Percent_Trials
7      s   22             44
1      -   20             40
4      es    3              6
5      o    2              4
2      as    1              2
3      e    1              2
6      os    1              2
[1] "mSg"
  Suffix freq Percent_Trials
3      o   30             60
1      -   17             34
2      e    2              4
4      s    1              2
[1] "mSgNom"
  Suffix freq Percent_Trials
1      o   50            100
[1] "m1SgNom"
  Suffix freq Percent_Trials
2      a   35             70
1      -   15             30
[1] "m2SgNom"
  Suffix freq Percent_Trials
1      o   50            100
[1] "m3SgNom"
  Suffix freq Percent_Trials
1      -   44             88
2      e    5             10
3      s    1              2
[1] "m4SgNom"
  Suffix freq Percent_Trials
1      o   50            100
[1] "m5SgNom"
  Suffix freq Percent_Trials
1      -   38             76
6      s    5             10
3      e    3              6
2      a    2              4
4      es    1              2
5      o    1              2
[1] "f"
  Suffix freq Percent_Trials
2      a   19             38
5      s   15             30
1      -    9             18
3      as    4              8
4      es    3              6
[1] "fSg"
  Suffix freq Percent_Trials
2      a   30             60
1      -   13             26
4      s    4              8
3      e    3              6

```

```

[1] "fSgNom"
  Suffix freq Percent_Trials
1      -   37             74
2      a    9             18
3      e    3              6
4      s    1              2
[1] "f1SgNom"
  Suffix freq Percent_Trials
2      a   49             98
1      -    1              2
[1] "f2SgNom"
  Suffix freq Percent_Trials
2      o   46             92
1      -    4              8
[1] "f3SgNom"
  Suffix freq Percent_Trials
1      -   44             88
2      e    5             10
3      s    1              2
[1] "f4SgNom"
  Suffix freq Percent_Trials
2      o   46             92
1      -    4              8
[1] "f5SgNom"
  Suffix freq Percent_Trials
1      -   39             78
5      s    5             10
3      e    3              6
2      a    2              4
4     es    1              2
[1] "n"
  Suffix freq Percent_Trials
6      s   21             42
1      -   17             34
2      a    6             12
3     as    3              6
4      o    2              4
5     os    1              2
[1] "nSg"
  Suffix freq Percent_Trials
3      o   28             56
1      -   20             40
2      e    1              2
4      s    1              2
[1] "nSgNom"
  Suffix freq Percent_Trials
1      o   50             100
[1] "n2SgNom"
  Suffix freq Percent_Trials
1      o   50             100
[1] "n3SgNom"
  Suffix freq Percent_Trials
1      -   46             92
2      s    4              8

```

```

[1] "n4SgNom"
  Suffix freq Percent_Trials
1      o   50             100
[1] "Acc"
  Suffix freq Percent_Trials
4      e   16             32
7      s   11             22
1      -    7             14
2      a    7             14
5     es    4              8
3     as    3              6
6      o    2              4
[1] "AccSg"
  Suffix freq Percent_Trials
3      o   38             76
1      -    8             16
2      e    4              8
[1] "1SgAcc"
  Suffix freq Percent_Trials
2      a   49             98
1      -    1              2
[1] "2SgAcc"
  Suffix freq Percent_Trials
1      o   50             100
[1] "3SgAcc"
  Suffix freq Percent_Trials
2      e   39             78
1      -   11             22
[1] "4SgAcc"
  Suffix freq Percent_Trials
1      o   50             100
[1] "5SgAcc"
  Suffix freq Percent_Trials
1      -   28             56
3      e   20             40
2      a    2              4
[1] "mSgAcc"
  Suffix freq Percent_Trials
1      o   50             100
[1] "m1SgAcc"
  Suffix freq Percent_Trials
2      a   37             74
1      -   12             24
3      e    1              2
[1] "m2SgAcc"
  Suffix freq Percent_Trials
1      o   50             100
[1] "m3SgAcc"
  Suffix freq Percent_Trials
2      e   40             80
1      -    9             18
3      s    1              2
[1] "m4SgAcc"
  Suffix freq Percent_Trials

```

```

1      o      50      100
[1] "m5SgAcc"
  Suffix freq Percent_Trials
1      -      27      54
3      e      20      40
2      a       2       4
4      o       1       2
[1] "fSgAcc"
  Suffix freq Percent_Trials
2      a      24      48
3      e      18      36
1      -       8      16
[1] "f1SgAcc"
  Suffix freq Percent_Trials
2      a      49      98
1      -       1       2
[1] "f2SgAcc"
  Suffix freq Percent_Trials
2      o      45      90
1      -       5      10
[1] "f3SgAcc"
  Suffix freq Percent_Trials
2      e      40      80
1      -      10      20
[1] "f4SgAcc"
  Suffix freq Percent_Trials
2      o      45      90
1      -       5      10
[1] "f5SgAcc"
  Suffix freq Percent_Trials
1      -      28      56
3      e      20      40
2      a       2       4
[1] "nSgAcc"
  Suffix freq Percent_Trials
1      o      50      100
[1] "n2SgAcc"
  Suffix freq Percent_Trials
1      o      50      100
[1] "n3SgAcc"
  Suffix freq Percent_Trials
1      -      46      92
2      e       4       8
[1] "n4SgAcc"
  Suffix freq Percent_Trials
1      o      50      100
[1] "Gen"
  Suffix freq Percent_Trials
6      s      20      40
1      -      17      34
5     es       5      10
2      a       4       8
3     as       2       4
4      e       2       4

```



```

[1] "GenSg"
  Suffix freq Percent_Trials
1      -   27             54
6       s   14             28
4      es    5             10
3       e    2              4
2       a    1              2
5       o    1              2
[1] "1SgGen"
  Suffix freq Percent_Trials
2       a   26             52
5       s    9             18
1      -    7             14
3      as    7             14
4       e    1              2
[1] "2SgGen"
  Suffix freq Percent_Trials
1      -   22             44
4       o   11             22
6       s   11             22
2       e    2              4
3      es    2              4
5      os    2              4
[1] "3SgGen"
  Suffix freq Percent_Trials
1      -   27             54
5       s   12             24
4      es    6             12
3       e    4              8
2       a    1              2
[1] "4SgGen"
  Suffix freq Percent_Trials
1      -   19             38
6       s   13             26
4       o   11             22
3      es    3              6
2       e    2              4
5      os    2              4
[1] "5SgGen"
  Suffix freq Percent_Trials
1      -   24             48
5       s   16             32
4      es    5             10
2       a    3              6
3       e    2              4
[1] "mSgGen"
  Suffix freq Percent_Trials
1      -   20             40
4       o   11             22
6       s   11             22
3      es    4              8
2       e    2              4
5      os    2              4
[1] "m1SgGen"

```

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 17 | 34 |
| 1 | - | 16 | 32 |
| 6 | s | 8 | 16 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |

[1] "m2SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 22 | 44 |
| 4 | o | 11 | 22 |
| 6 | s | 11 | 22 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "m3SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 27 | 54 |
| 5 | s | 11 | 22 |
| 4 | es | 7 | 14 |
| 3 | e | 4 | 8 |
| 2 | a | 1 | 2 |

[1] "m4SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 19 | 38 |
| 6 | s | 13 | 26 |
| 4 | o | 11 | 22 |
| 3 | es | 3 | 6 |
| 2 | e | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "m5SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 24 | 48 |
| 5 | s | 16 | 32 |
| 4 | es | 5 | 10 |
| 2 | a | 3 | 6 |
| 3 | e | 2 | 4 |

[1] "fSgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 22 | 44 |
| 5 | s | 14 | 28 |
| 2 | a | 7 | 14 |
| 4 | es | 5 | 10 |
| 3 | e | 2 | 4 |

[1] "f1SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 26 | 52 |
| 5 | s | 9 | 18 |
| 1 | - | 7 | 14 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |

[1] "f2SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 22 | 44 |

| | | | |
|---|----|----|----|
| 4 | o | 11 | 22 |
| 6 | s | 11 | 22 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "f3SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 27 | 54 |
| 5 | s | 12 | 24 |
| 4 | es | 6 | 12 |
| 3 | e | 4 | 8 |
| 2 | a | 1 | 2 |

[1] "f4SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 19 | 38 |
| 6 | s | 14 | 28 |
| 4 | o | 11 | 22 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "f5SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 24 | 48 |
| 5 | s | 16 | 32 |
| 4 | es | 5 | 10 |
| 2 | a | 3 | 6 |
| 3 | e | 2 | 4 |

[1] "nSgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 22 | 44 |
| 4 | o | 11 | 22 |
| 6 | s | 11 | 22 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "n2SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 22 | 44 |
| 4 | o | 11 | 22 |
| 6 | s | 11 | 22 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "n3SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 24 | 48 |
| 5 | s | 18 | 36 |
| 4 | es | 4 | 8 |
| 2 | a | 2 | 4 |
| 3 | e | 2 | 4 |

[1] "n4SgGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 18 | 36 |
| 6 | s | 14 | 28 |

| | | | |
|---|----|----|----|
| 4 | o | 12 | 24 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "P1"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 25 | 50 |
| 1 | - | 13 | 26 |
| 2 | a | 5 | 10 |
| 3 | as | 2 | 4 |
| 5 | es | 2 | 4 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "1PlNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 31 | 62 |
| 3 | as | 16 | 32 |
| 4 | es | 2 | 4 |
| 1 | - | 1 | 2 |

[1] "2PlNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 16 | 32 |
| 6 | s | 14 | 28 |
| 2 | a | 13 | 26 |
| 3 | as | 5 | 10 |
| 4 | o | 1 | 2 |
| 5 | os | 1 | 2 |

[1] "3PlNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 15 | 30 |
| 4 | es | 15 | 30 |
| 5 | s | 15 | 30 |
| 3 | e | 4 | 8 |
| 2 | as | 1 | 2 |

[1] "4PlNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 23 | 46 |
| 7 | s | 19 | 38 |
| 4 | es | 3 | 6 |
| 5 | o | 2 | 4 |
| 2 | as | 1 | 2 |
| 3 | e | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "5PlNom,Acc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | es | 17 | 34 |
| 1 | - | 13 | 26 |
| 6 | s | 12 | 24 |
| 3 | as | 3 | 6 |
| 4 | e | 3 | 6 |
| 2 | a | 2 | 4 |

[1] "1PlAcc,Gen"

| | Suffix | freq | Percent_Trials |
|--|--------|------|----------------|
|--|--------|------|----------------|

| | | | |
|---|----|----|----|
| 2 | a | 25 | 50 |
| 3 | as | 15 | 30 |
| 1 | - | 6 | 12 |
| 4 | es | 3 | 6 |
| 5 | s | 1 | 2 |

[1] "2PlAcc,Gen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 19 | 38 |
| 1 | - | 16 | 32 |
| 2 | a | 11 | 22 |
| 3 | as | 1 | 2 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "3PlAcc,Gen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 19 | 38 |
| 1 | - | 15 | 30 |
| 4 | es | 10 | 20 |
| 3 | e | 5 | 10 |
| 2 | as | 1 | 2 |

[1] "4PlAcc,Gen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 23 | 46 |
| 7 | s | 19 | 38 |
| 4 | es | 3 | 6 |
| 2 | as | 2 | 4 |
| 3 | e | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "5PlAcc,Gen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | es | 16 | 32 |
| 1 | - | 14 | 28 |
| 6 | s | 13 | 26 |
| 4 | e | 3 | 6 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |

[1] "1PlNom,Gen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 20 | 40 |
| 3 | as | 20 | 40 |
| 1 | - | 6 | 12 |
| 4 | es | 2 | 4 |
| 5 | s | 2 | 4 |

[1] "2PlNom,Gen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 21 | 42 |
| 1 | - | 15 | 30 |
| 2 | a | 8 | 16 |
| 3 | as | 3 | 6 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

```

[1] "3PlNom,Gen"
  Suffix freq Percent_Trials
4      s   26             52
1      -   15             30
3      es    8             16
2      as    1              2
[1] "4PlNom,Gen"
  Suffix freq Percent_Trials
7      s   23             46
1      -   19             38
4      es    3              6
2      as    2              4
3      e    1              2
5      o    1              2
6      os    1              2
[1] "5PlNom,Gen"
  Suffix freq Percent_Trials
5      s   25             50
1      -   14             28
4      es    7             14
3      as    3              6
2      a     1              2
[1] "1PlNom,Acc,Gen"
  Suffix freq Percent_Trials
2      a   28             56
3      as   19             38
4      es    2              4
1      -    1              2
[1] "2PlNom,Acc,Gen"
  Suffix freq Percent_Trials
7      s   20             40
1      -   15             30
2      a   10             20
3      as    2              4
4      es    1              2
5      o    1              2
6      os    1              2
[1] "3PlNom,Acc,Gen"
  Suffix freq Percent_Trials
5      s   21             42
4      es   14             28
1      -   13             26
2      as    1              2
3      e     1              2
[1] "4PlNom,Acc,Gen"
  Suffix freq Percent_Trials
7      s   23             46
1      -   19             38
4      es    3              6
2      as    2              4
3      e     1              2
5      o     1              2
6      os     1              2
[1] "5PlNom,Acc,Gen"

```

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 21 | 42 |
| 1 | - | 13 | 26 |
| 4 | es | 12 | 24 |
| 3 | as | 3 | 6 |
| 2 | a | 1 | 2 |

[1] "NomPl"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 24 | 48 |
| 1 | - | 16 | 32 |
| 2 | a | 4 | 8 |
| 3 | as | 3 | 6 |
| 4 | es | 3 | 6 |

[1] "1Pl"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 28 | 56 |
| 3 | as | 19 | 38 |
| 4 | es | 2 | 4 |
| 1 | - | 1 | 2 |

[1] "1PlNom"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 27 | 54 |
| 3 | as | 20 | 40 |
| 4 | es | 2 | 4 |
| 1 | - | 1 | 2 |

[1] "2Pl"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 20 | 40 |
| 1 | - | 15 | 30 |
| 2 | a | 10 | 20 |
| 3 | as | 2 | 4 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "2PlNom"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 16 | 32 |
| 1 | - | 15 | 30 |
| 2 | a | 11 | 22 |
| 3 | as | 6 | 12 |
| 4 | o | 1 | 2 |
| 5 | os | 1 | 2 |

[1] "3Pl"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 21 | 42 |
| 4 | es | 14 | 28 |
| 1 | - | 13 | 26 |
| 2 | as | 1 | 2 |
| 3 | e | 1 | 2 |

[1] "3PlNom"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | s | 22 | 44 |
| 1 | - | 14 | 28 |
| 3 | es | 13 | 26 |

```

2      as      1          2
[1] "4Pl"
  Suffix freq Percent_Trials
7      s    23          46
1      -    19          38
4      es     3           6
2      as     2           4
3      e      1           2
5      o      1           2
6      os     1           2
[1] "4PlNom"
  Suffix freq Percent_Trials
7      s    24          48
1      -    19          38
4      es     3           6
2      as     1           2
3      e      1           2
5      o      1           2
6      os     1           2
[1] "5Pl"
  Suffix freq Percent_Trials
5      s    21          42
1      -    13          26
4      es    12          24
3      as     3           6
2      a      1           2
[1] "5PlNom"
  Suffix freq Percent_Trials
5      s    24          48
1      -    13          26
4      es     9          18
3      as     3           6
2      a      1           2
[1] "mPl"
  Suffix freq Percent_Trials
8      s    25          50
1      -    15          30
5      es     4           8
3      as     2           4
2      a      1           2
4      e      1           2
6      o      1           2
7      os     1           2
[1] "mPlNom"
  Suffix freq Percent_Trials
6      s    24          48
1      -    17          34
3      es     6          12
2      as     1           2
4      o      1           2
5      os     1           2
[1] "m1PlNom"
  Suffix freq Percent_Trials
3      as    19          38

```


| | | | |
|---|----|----|----|
| 2 | a | 18 | 36 |
| 1 | - | 8 | 16 |
| 5 | s | 3 | 6 |
| 4 | es | 2 | 4 |

[1] "m2PlNom"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 22 | 44 |
| 1 | - | 16 | 32 |
| 2 | a | 6 | 12 |
| 3 | as | 3 | 6 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "m3PlNom"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | s | 22 | 44 |
| 1 | - | 14 | 28 |
| 3 | es | 13 | 26 |
| 2 | as | 1 | 2 |

[1] "m4PlNom"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 24 | 48 |
| 1 | - | 19 | 38 |
| 4 | es | 3 | 6 |
| 2 | as | 1 | 2 |
| 3 | e | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "m5PlNom"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 25 | 50 |
| 1 | - | 13 | 26 |
| 4 | es | 7 | 14 |
| 3 | as | 3 | 6 |
| 2 | a | 2 | 4 |

[1] "fPl"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 17 | 34 |
| 2 | a | 12 | 24 |
| 1 | - | 8 | 16 |
| 3 | as | 7 | 14 |
| 4 | es | 6 | 12 |

[1] "fPlNom"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 21 | 42 |
| 1 | - | 13 | 26 |
| 4 | es | 9 | 18 |
| 2 | a | 5 | 10 |
| 3 | as | 2 | 4 |

[1] "f1PlNom"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 27 | 54 |
| 3 | as | 20 | 40 |
| 4 | es | 2 | 4 |

```

1      -      1      2
[1] "f2PlNom"
  Suffix freq Percent_Trials
7      s   23             46
1      -   15             30
2      a    6             12
3     as    3              6
4     es    1              2
5      o    1              2
6     os    1              2
[1] "f3PlNom"
  Suffix freq Percent_Trials
4      s   22             44
1      -   14             28
3     es   13             26
2     as    1              2
[1] "f4PlNom"
  Suffix freq Percent_Trials
7      s   23             46
1      -   19             38
4     es    3              6
2     as    2              4
3      e    1              2
5      o    1              2
6     os    1              2
[1] "f5PlNom"
  Suffix freq Percent_Trials
5      s   24             48
1      -   13             26
4     es    9             18
3     as    3              6
2      a    1              2
[1] "nPl"
  Suffix freq Percent_Trials
6      s   21             42
1      -   13             26
2      a    9             18
3     as    5             10
4      o    1              2
5     os    1              2
[1] "nPlNom"
  Suffix freq Percent_Trials
6      s   16             32
1      -   15             30
2      a   11             22
3     as    6             12
4      o    1              2
5     os    1              2
[1] "n2PlNom"
  Suffix freq Percent_Trials
1      -   15             30
6      s   15             30
2      a   11             22
3     as    7             14

```

```

4      o      1          2
5     os      1          2
[1] "n3PlNom"
  Suffix freq Percent_Trials
5      s    21          42
1      -    14          28
3     as     8          16
2      a     6          12
4     es     1           2
[1] "n4PlNom"
  Suffix freq Percent_Trials
7      s    25          50
1      -    18          36
2     as     2           4
5      o     2           4
3      e     1           2
4     es     1           2
6     os     1           2
[1] "AccPl"
  Suffix freq Percent_Trials
8      s    13          26
1      -    12          24
2      a    12          24
5     es     5          10
3     as     3           6
4      e     3           6
6      o     1           2
7     os     1           2
[1] "1PlAcc"
  Suffix freq Percent_Trials
2      a    31          62
3     as    15          30
4     es     3           6
1      -     1           2
[1] "2PlAcc"
  Suffix freq Percent_Trials
1      -    16          32
2      a    14          28
6      s    13          26
3     as     5          10
4      o     1           2
5     os     1           2
[1] "3PlAcc"
  Suffix freq Percent_Trials
4     es    20          40
3      e    16          32
5      s     9          18
1      -     4           8
2     as     1           2
[1] "4PlAcc"
  Suffix freq Percent_Trials
1      -    23          46
7      s    19          38
4     es     3           6

```

| | | | |
|---|----|---|---|
| 5 | o | 2 | 4 |
| 2 | as | 1 | 2 |
| 3 | e | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "5PlAcc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | es | 17 | 34 |
| 6 | s | 12 | 24 |
| 1 | - | 10 | 20 |
| 4 | e | 5 | 10 |
| 2 | a | 4 | 8 |
| 3 | as | 2 | 4 |

[1] "mPlAcc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 18 | 36 |
| 1 | - | 16 | 32 |
| 4 | es | 7 | 14 |
| 3 | e | 6 | 12 |
| 2 | as | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "m1PlAcc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 23 | 46 |
| 3 | as | 14 | 28 |
| 1 | - | 7 | 14 |
| 5 | es | 3 | 6 |
| 6 | s | 2 | 4 |
| 4 | e | 1 | 2 |

[1] "m2PlAcc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 20 | 40 |
| 1 | - | 17 | 34 |
| 2 | a | 9 | 18 |
| 3 | as | 1 | 2 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "m3PlAcc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | es | 20 | 40 |
| 3 | e | 16 | 32 |
| 5 | s | 9 | 18 |
| 1 | - | 4 | 8 |
| 2 | as | 1 | 2 |

[1] "m4PlAcc"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 23 | 46 |
| 7 | s | 19 | 38 |
| 4 | es | 3 | 6 |
| 5 | o | 2 | 4 |
| 2 | as | 1 | 2 |
| 3 | e | 1 | 2 |
| 6 | os | 1 | 2 |

```

[1] "m5PlAcc"
  Suffix freq Percent_Trials
5     es  16             32
6      s  12             24
1      -  10             20
4      e   5             10
2      a   4              8
3     as   3              6
[1] "fPlAcc"
  Suffix freq Percent_Trials
5     es  17             34
2      a  16             32
6      s   9             18
4      e   4              8
1      -   3              6
3     as   1              2
[1] "f1PlAcc"
  Suffix freq Percent_Trials
2      a  31             62
3     as  15             30
4     es   3              6
1      -   1              2
[1] "f2PlAcc"
  Suffix freq Percent_Trials
7      s  20             40
1      -  17             34
2      a   9             18
3     as   1              2
4     es   1              2
5      o   1              2
6     os   1              2
[1] "f3PlAcc"
  Suffix freq Percent_Trials
4     es  20             40
3      e  16             32
5      s   9             18
1      -   4              8
2     as   1              2
[1] "f4PlAcc"
  Suffix freq Percent_Trials
1      -  24             48
7      s  19             38
4     es   3              6
2     as   1              2
3      e   1              2
5      o   1              2
6     os   1              2
[1] "f5PlAcc"
  Suffix freq Percent_Trials
5     es  17             34
6      s  12             24
1      -  10             20
4      e   5             10
2      a   4              8

```

```

3      as      2      4
[1] "nPlAcc"
  Suffix freq Percent_Trials
1      -    17      34
2      a    13      26
6      s    13      26
3      as     5      10
4      o     1       2
5      os     1       2
[1] "n2PlAcc"
  Suffix freq Percent_Trials
1      -    16      32
2      a    14      28
6      s    13      26
3      as     5      10
4      o     1       2
5      os     1       2
[1] "n3PlAcc"
  Suffix freq Percent_Trials
1      -    18      36
6      s    15      30
2      a     9      18
3      as     5      10
4      e     2       4
5      es     1       2
[1] "n4PlAcc"
  Suffix freq Percent_Trials
1      -    22      44
8      s    21      42
6      o     2       4
2      a     1       2
3      as     1       2
4      e     1       2
5      es     1       2
7      os     1       2
[1] "GenPl"
  Suffix freq Percent_Trials
6      s    26      52
1      -    15      30
2      a     4       8
3      as     2       4
5      es     2       4
4      e     1       2
[1] "1PlGen"
  Suffix freq Percent_Trials
2      a    17      34
3      as    17      34
5      s     9      18
1      -     6      12
4      es     1       2
[1] "2PlGen"
  Suffix freq Percent_Trials
8      s    25      50
1      -    12      24

```

| | | | |
|---|----|---|----|
| 2 | a | 7 | 14 |
| 3 | as | 2 | 4 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "3PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 27 | 54 |
| 1 | - | 15 | 30 |
| 4 | es | 6 | 12 |
| 2 | as | 1 | 2 |
| 3 | e | 1 | 2 |

[1] "4PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 26 | 52 |
| 1 | - | 15 | 30 |
| 5 | es | 3 | 6 |
| 3 | as | 2 | 4 |
| 2 | a | 1 | 2 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "5PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 26 | 52 |
| 1 | - | 14 | 28 |
| 5 | es | 5 | 10 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 4 | e | 1 | 2 |

[1] "mPlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 26 | 52 |
| 1 | - | 15 | 30 |
| 5 | es | 3 | 6 |
| 3 | as | 2 | 4 |
| 2 | a | 1 | 2 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "m1PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 3 | as | 14 | 28 |
| 5 | s | 13 | 26 |
| 2 | a | 12 | 24 |
| 1 | - | 10 | 20 |
| 4 | es | 1 | 2 |

[1] "m2PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 26 | 52 |
| 1 | - | 14 | 28 |
| 2 | a | 4 | 8 |
| 3 | as | 2 | 4 |

| | | | |
|---|----|---|---|
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "m3PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 27 | 54 |
| 1 | - | 15 | 30 |
| 4 | es | 6 | 12 |
| 2 | as | 1 | 2 |
| 3 | e | 1 | 2 |

[1] "m4PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 26 | 52 |
| 1 | - | 15 | 30 |
| 5 | es | 3 | 6 |
| 3 | as | 2 | 4 |
| 2 | a | 1 | 2 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "m5PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 25 | 50 |
| 1 | - | 14 | 28 |
| 5 | es | 5 | 10 |
| 2 | a | 3 | 6 |
| 3 | as | 2 | 4 |
| 4 | e | 1 | 2 |

[1] "fPlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 26 | 52 |
| 1 | - | 12 | 24 |
| 5 | es | 6 | 12 |
| 2 | a | 3 | 6 |
| 3 | as | 2 | 4 |
| 4 | e | 1 | 2 |

[1] "f1PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 17 | 34 |
| 3 | as | 17 | 34 |
| 5 | s | 9 | 18 |
| 1 | - | 6 | 12 |
| 4 | es | 1 | 2 |

[1] "f2PlGen"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 25 | 50 |
| 1 | - | 14 | 28 |
| 2 | a | 5 | 10 |
| 3 | as | 2 | 4 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |


```

[1] "f3PlGen"
  Suffix freq Percent_Trials
5      s   27             54
1      -   15             30
4     es    6             12
2     as    1              2
3      e    1              2
[1] "f4PlGen"
  Suffix freq Percent_Trials
8      s   24             48
1      -   15             30
5     es    4              8
2      a    2              4
3     as    2              4
4      e    1              2
6      o    1              2
7     os    1              2
[1] "f5PlGen"
  Suffix freq Percent_Trials
6      s   26             52
1      -   14             28
5     es    5             10
2      a    2              4
3     as    2              4
4      e    1              2
[1] "nP1Gen"
  Suffix freq Percent_Trials
8      s   25             50
1      -   12             24
2      a    7             14
3     as    2              4
4      e    1              2
5     es    1              2
6      o    1              2
7     os    1              2
[1] "n2PlGen"
  Suffix freq Percent_Trials
8      s   25             50
1      -   12             24
2      a    7             14
3     as    2              4
4      e    1              2
5     es    1              2
6      o    1              2
7     os    1              2
[1] "n3PlGen"
  Suffix freq Percent_Trials
6      s   26             52
1      -   14             28
2      a    5             10
3     as    3              6
4      e    1              2
5     es    1              2
[1] "n4PlGen"


```

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 26 | 52 |
| 1 | - | 15 | 30 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 5 | es | 2 | 4 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "common_system_distrib"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 59.33333 | 1 | 2 |
| 2 | 63.33333 | 2 | 4 |
| 3 | 64.00000 | 1 | 2 |
| 4 | 64.66667 | 1 | 2 |
| 5 | 65.33333 | 5 | 10 |
| 6 | 66.00000 | 3 | 6 |
| 7 | 67.33333 | 2 | 4 |
| 8 | 68.00000 | 1 | 2 |
| 9 | 68.66667 | 2 | 4 |
| 10 | 69.33333 | 4 | 8 |
| 11 | 70.00000 | 2 | 4 |
| 12 | 71.33333 | 3 | 6 |
| 13 | 72.00000 | 1 | 2 |
| 14 | 72.66667 | 4 | 8 |
| 15 | 73.33333 | 1 | 2 |
| 16 | 74.00000 | 2 | 4 |
| 17 | 75.33333 | 2 | 4 |
| 18 | 76.00000 | 3 | 6 |
| 19 | 76.66667 | 2 | 4 |
| 20 | 78.00000 | 4 | 8 |
| 21 | 80.00000 | 1 | 2 |
| 22 | 80.66667 | 1 | 2 |
| 23 | 84.66667 | 1 | 2 |
| 24 | 87.33333 | 1 | 2 |


Percent of common_system_distrib Matching Reality



```
[1] "NPLtoFSG_system_distrib"
```

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 61.33333 | 1 | 2 |
| 2 | 64.00000 | 1 | 2 |
| 3 | 65.33333 | 3 | 6 |
| 4 | 66.00000 | 1 | 2 |
| 5 | 66.66667 | 2 | 4 |
| 6 | 67.33333 | 1 | 2 |
| 7 | 68.00000 | 3 | 6 |
| 8 | 68.66667 | 4 | 8 |
| 9 | 69.33333 | 3 | 6 |
| 10 | 70.00000 | 2 | 4 |
| 11 | 70.66667 | 4 | 8 |
| 12 | 71.33333 | 1 | 2 |
| 13 | 72.00000 | 3 | 6 |
| 14 | 72.66667 | 1 | 2 |
| 15 | 73.33333 | 3 | 6 |
| 16 | 74.00000 | 4 | 8 |
| 17 | 76.00000 | 4 | 8 |
| 18 | 76.66667 | 1 | 2 |
| 19 | 77.33333 | 1 | 2 |
| 20 | 78.00000 | 2 | 4 |
| 21 | 80.00000 | 1 | 2 |
| 22 | 81.33333 | 2 | 4 |
| 23 | 82.00000 | 1 | 2 |
| 24 | 86.66667 | 1 | 2 |


Percent of NPLtoFSG_system_distrib Matching Reality



```
[1] "romanian_system_distrib"
```


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 59.33333 | 1 | 2 |
| 2 | 62.66667 | 1 | 2 |
| 3 | 63.33333 | 3 | 6 |
| 4 | 64.00000 | 3 | 6 |
| 5 | 64.66667 | 3 | 6 |
| 6 | 65.33333 | 1 | 2 |
| 7 | 66.00000 | 3 | 6 |
| 8 | 66.66667 | 2 | 4 |
| 9 | 67.33333 | 2 | 4 |
| 10 | 68.00000 | 2 | 4 |
| 11 | 68.66667 | 1 | 2 |
| 12 | 69.33333 | 3 | 6 |
| 13 | 70.66667 | 3 | 6 |
| 14 | 72.00000 | 2 | 4 |
| 15 | 72.66667 | 1 | 2 |
| 16 | 73.33333 | 4 | 8 |
| 17 | 74.00000 | 4 | 8 |
| 18 | 74.66667 | 3 | 6 |
| 19 | 76.00000 | 2 | 4 |
| 20 | 76.66667 | 2 | 4 |
| 21 | 81.33333 | 2 | 4 |
| 22 | 87.33333 | 1 | 2 |
| 23 | 89.33333 | 1 | 2 |

Percent of romanian_system_distrib Matching Reality




```
[1] "1_common_system_distrib"
Percent_Match freq Percent_Trials
1      60.00000    1             2
2      66.66667    4             8
3      70.00000    4             8
4      73.33333    8            16
5      76.66667    2             4
6      80.00000   15            30
7      86.66667    4             8
8      93.33333    8            16
9     100.00000    4             8
```

Percent of 1_common_system_distrib Matching Reality




```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000    1             2
2      66.66667    4             8
3      70.00000    4             8
4      73.33333    8            16
5      76.66667    2             4
6      80.00000   15            30
7      86.66667    4             8
8      93.33333    8            16
9     100.00000    4             8
```

Percent of 1_NPLtoFSG_system_distrib Matching Reality




```
[1] "1_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000    1             2
2      66.66667    9            18
3      70.00000    1             2
4      73.33333   17            34
5      76.66667    2             4
6      80.00000    5            10
7      86.66667    4             8
8      93.33333   11            22
```

Percent of 1_romanian_system_distrib Matching Reality




```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      53.33333    4             8
2      60.00000   34            68
3      66.66667    1             2
4      70.00000   10            20
5      90.00000    1             2
```


Percent of 2_common_system_distrib Matching Reality




```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      53.33333    2             4
2      60.00000   26            52
3      63.33333    3             6
4      66.66667    4             8
5      70.00000   10            20
6      73.33333    1             2
7      80.00000    4             8
```

Percent of 2_NPLtoFSG_system_distrib Matching Reality




```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      53.33333    3             6
2      60.00000   31            62
3      66.66667    4             8
4      70.00000    9            18
5      80.00000    1             2
6      83.33333    1             2
7      86.66667    1             2
```

Percent of 2_romanian_system_distrib Matching Reality



```
[1] "3_common_system_distrib"
  Percent_Match freq Percent_Trials
1      70.00000   13             26
2      73.33333    1              2
3      76.66667    5             10
4      80.00000    2              4
5      83.33333    5             10
6      86.66667    1              2
7      90.00000   19             38
8      93.33333    1              2
9     100.00000    3              6
```


Percent of 3_common_system_distrib Matching Reality



[1] "3_NPLtoFSG_system_distrib"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 66.66667 | 1 | 2 |
| 2 | 70.00000 | 1 | 2 |
| 3 | 73.33333 | 1 | 2 |
| 4 | 76.66667 | 3 | 6 |
| 5 | 80.00000 | 26 | 52 |
| 6 | 83.33333 | 2 | 4 |
| 7 | 86.66667 | 5 | 10 |
| 8 | 90.00000 | 5 | 10 |
| 9 | 93.33333 | 3 | 6 |
| 10 | 96.66667 | 1 | 2 |
| 11 | 100.00000 | 2 | 4 |


Percent of 3_NPLtoFSG_system_distrib Matching Reality



```
[1] "3_romanian_system_distrib"
```

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 66.66667 | 1 | 2 |
| 2 | 70.00000 | 13 | 26 |
| 3 | 73.33333 | 2 | 4 |
| 4 | 76.66667 | 3 | 6 |
| 5 | 80.00000 | 12 | 24 |
| 6 | 83.33333 | 5 | 10 |
| 7 | 86.66667 | 6 | 12 |
| 8 | 90.00000 | 6 | 12 |
| 9 | 93.33333 | 1 | 2 |
| 10 | 96.66667 | 1 | 2 |


Percent of 3_romanian_system_distrib Matching Reality



[1] "4_common_system_distrib"


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 53.33333 | 3 | 6 |
| 2 | 56.66667 | 2 | 4 |
| 3 | 60.00000 | 32 | 64 |
| 4 | 63.33333 | 1 | 2 |
| 5 | 66.66667 | 1 | 2 |
| 6 | 70.00000 | 10 | 20 |
| 7 | 90.00000 | 1 | 2 |

Percent of 4_common_system_distrib Matching Reality



```
[1] "4_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      53.33333    3             6
2      56.66667    2             4
3      60.00000   30            60
4      63.33333    2             4
5      66.66667    1             2
6      70.00000    9            18
7      73.33333    1             2
8      80.00000    2             4
```


Percent of 4_NPLtoFSG_system_distrib Matching Reality



```
[1] "4_romanian_system_distrib"
```


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 53.33333 | 3 | 6 |
| 2 | 56.66667 | 2 | 4 |
| 3 | 60.00000 | 32 | 64 |
| 4 | 63.33333 | 1 | 2 |
| 5 | 70.00000 | 9 | 18 |
| 6 | 80.00000 | 2 | 4 |
| 7 | 86.66667 | 1 | 2 |

Percent of 4_romanian_system_distrib Matching Reality




```
[1] "5_common_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   20             40
2      66.66667    9             18
3      70.00000    1              2
4      73.33333    8             16
5      76.66667    1              2
6      80.00000    7             14
7      86.66667    2              4
8      93.33333    1              2
9     100.00000    1              2
```

Percent of 5_common_system_distrib Matching Reality



```
[1] "5_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      60.00000   20             40
2      66.66667    9             18
3      70.00000    1              2
4      73.33333    8             16
5      76.66667    1              2
6      80.00000    7             14
7      86.66667    2              4
8      93.33333    1              2
9     100.00000    1              2
```


Percent of 5_NPLtoFSG_system_distrib Matching Reality



```
[1] "5_romanian_system_distrib"
```


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 60.00000 | 20 | 40 |
| 2 | 66.66667 | 9 | 18 |
| 3 | 70.00000 | 1 | 2 |
| 4 | 73.33333 | 8 | 16 |
| 5 | 76.66667 | 1 | 2 |
| 6 | 80.00000 | 7 | 14 |
| 7 | 86.66667 | 2 | 4 |
| 8 | 93.33333 | 1 | 2 |
| 9 | 100.00000 | 1 | 2 |

Percent of 5_romanian_system_distrib Matching Reality




```
[1] "m_common_system_distrib"
  Percent_Match freq Percent_Trials
1          54    5             10
2          56    2              4
3          58    4              8
4          60    3              6
5          62    7             14
6          64    3              6
7          66    3              6
8          68    3              6
9          70    4              8
10         72    6             12
11         74    1              2
12         76    5             10
13         78    1              2
14         80    1              2
15         84    1              2
16         86    1              2
```

Percent of m_common_system_distrib Matching Reality




```
[1] "m_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1           54     5             10
2           56     2              4
3           58     4              8
4           60     3              6
5           62     7             14
6           64     3              6
7           66     3              6
8           68     3              6
9           70     4              8
10          72     6             12
11          74     1              2
12          76     5             10
13          78     1              2
14          80     1              2
15          84     1              2
16          86     1              2
```

Percent of m_NPLtoFSG_system_distrib Matching Reality



```
[1] "m_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1          54    6             12
2          56    1              2
3          58    5             10
4          60    4              8
5          62    6             12
6          64    3              6
7          66    1              2
8          68    4              8
9          70    7             14
10         72    4              8
11         74    3              6
12         76    2              4
13         80    1              2
14         84    1              2
15         90    1              2
16         92    1              2
```


Percent of m_romanian_system_distrib Matching Reality



```
[1] "f_common_system_distrib"
```

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 46 | 1 | 2 |
| 2 | 54 | 1 | 2 |
| 3 | 56 | 1 | 2 |
| 4 | 58 | 3 | 6 |
| 5 | 60 | 6 | 12 |
| 6 | 62 | 4 | 8 |
| 7 | 64 | 4 | 8 |
| 8 | 66 | 4 | 8 |
| 9 | 68 | 3 | 6 |
| 10 | 70 | 6 | 12 |
| 11 | 72 | 8 | 16 |
| 12 | 76 | 5 | 10 |
| 13 | 78 | 1 | 2 |
| 14 | 80 | 1 | 2 |
| 15 | 84 | 1 | 2 |
| 16 | 86 | 1 | 2 |


Percent of f_common_system_distrib Matching Reality



```
[1] "f_NPLtoFSG_system_distrib"
```

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 46 | 1 | 2 |
| 2 | 54 | 1 | 2 |
| 3 | 56 | 1 | 2 |
| 4 | 58 | 3 | 6 |
| 5 | 60 | 6 | 12 |
| 6 | 62 | 4 | 8 |
| 7 | 64 | 4 | 8 |
| 8 | 66 | 4 | 8 |
| 9 | 68 | 3 | 6 |
| 10 | 70 | 6 | 12 |
| 11 | 72 | 8 | 16 |
| 12 | 76 | 5 | 10 |
| 13 | 78 | 1 | 2 |
| 14 | 80 | 1 | 2 |
| 15 | 84 | 1 | 2 |
| 16 | 86 | 1 | 2 |


Percent of f_NPLtoFSG_system_distrib Matching Reality



```
[1] "f_romanian_system_distrib"
```


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 46 | 1 | 2 |
| 2 | 50 | 2 | 4 |
| 3 | 54 | 1 | 2 |
| 4 | 58 | 6 | 12 |
| 5 | 62 | 4 | 8 |
| 6 | 66 | 4 | 8 |
| 7 | 70 | 3 | 6 |
| 8 | 74 | 3 | 6 |
| 9 | 78 | 6 | 12 |
| 10 | 82 | 8 | 16 |
| 11 | 86 | 3 | 6 |
| 12 | 90 | 4 | 8 |
| 13 | 94 | 2 | 4 |
| 14 | 98 | 1 | 2 |
| 15 | 102 | 2 | 4 |

Percent of f_romanian_system_distrib Matching Reality




```
[1] "n_common_system_distrib"
Percent_Match freq Percent_Trials
1          74    1             2
2          76    3             6
3          78   17            34
4          80    3             6
5          82   19            38
6          84    3             6
7          86    2             4
8          88    1             2
9          94    1             2
```

Percent of n_common_system_distrib Matching Reality




```
[1] "n_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1           74    2             4
2           76   12            24
3           78    4             8
4           80    4             8
5           82    5            10
6           84   11            22
7           88    4             8
8           90    5            10
9           92    1             2
10          94    1             2
11          100    1             2
```

Percent of n_NPLtoFSG_system_distrib Matching Reality



```
[1] "n_romanian_system_distrib"
Percent_Match freq Percent_Trials
1          74    2             4
2          76   15            30
3          78   17            34
4          80    3             6
5          82    6            12
6          84    5            10
7          94    1             2
8         100    1             2
```


Percent of n_romanian_system_distrib Matching Reality



```
[1] "Nom_common_system_distrib"
```


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 36.66667 | 1 | 2 |
| 2 | 43.33333 | 1 | 2 |
| 3 | 46.66667 | 6 | 12 |
| 4 | 50.00000 | 6 | 12 |
| 5 | 53.33333 | 1 | 2 |
| 6 | 56.66667 | 5 | 10 |
| 7 | 60.00000 | 8 | 16 |
| 8 | 63.33333 | 10 | 20 |
| 9 | 66.66667 | 7 | 14 |
| 10 | 70.00000 | 1 | 2 |
| 11 | 73.33333 | 1 | 2 |
| 12 | 76.66667 | 1 | 2 |
| 13 | 80.00000 | 1 | 2 |
| 14 | 86.66667 | 1 | 2 |

Percent of Nom_common_system_distrib Matching Reality



```
[1] "Nom_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000    1             2
2      46.66667    3             6
3      50.00000    4             8
4      53.33333    4             8
5      56.66667    9            18
6      60.00000    7            14
7      63.33333   12            24
8      66.66667    2             4
9      70.00000    5            10
10     76.66667    3             6
```


Percent of Nom_NPLtoFSG_system_distrib Matching Reality



```
[1] "Nom_romanian_system_distrib"
```


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 36.66667 | 1 | 2 |
| 2 | 43.33333 | 1 | 2 |
| 3 | 46.66667 | 8 | 16 |
| 4 | 50.00000 | 4 | 8 |
| 5 | 53.33333 | 2 | 4 |
| 6 | 56.66667 | 7 | 14 |
| 7 | 60.00000 | 8 | 16 |
| 8 | 63.33333 | 8 | 16 |
| 9 | 66.66667 | 2 | 4 |
| 10 | 70.00000 | 4 | 8 |
| 11 | 73.33333 | 1 | 2 |
| 12 | 76.66667 | 2 | 4 |
| 13 | 83.33333 | 1 | 2 |
| 14 | 90.00000 | 1 | 2 |

Percent of Nom_romanian_system_distrib Matching Reality




```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667    1             2
2      46.66667    8            16
3      50.00000    6            12
4      53.33333    1             2
5      56.66667    6            12
6      60.00000    6            12
7      63.33333    5            10
8      66.66667    3             6
9      70.00000    4             8
10     73.33333    3             6
11     76.66667    2             4
12     80.00000    4             8
13    100.00000    1             2
```


Percent of Acc_common_system_distrib Matching Reality



```
[1] "Acc_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000    1             2
2      50.00000    5            10
3      53.33333    5            10
4      56.66667   11            22
5      60.00000    3             6
6      63.33333    5            10
7      66.66667    1             2
8      70.00000    9            18
9      73.33333    2             4
10     76.66667    6            12
11     80.00000    1             2
12     90.00000    1             2
```


Percent of Acc_NPLtoFSG_system_distrib Matching Reality



```
[1] "Acc_romanian_system_distrib"
```


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 36.66667 | 1 | 2 |
| 2 | 46.66667 | 8 | 16 |
| 3 | 50.00000 | 6 | 12 |
| 4 | 53.33333 | 2 | 4 |
| 5 | 56.66667 | 8 | 16 |
| 6 | 60.00000 | 2 | 4 |
| 7 | 63.33333 | 7 | 14 |
| 8 | 66.66667 | 1 | 2 |
| 9 | 70.00000 | 5 | 10 |
| 10 | 76.66667 | 7 | 14 |
| 11 | 80.00000 | 1 | 2 |
| 12 | 83.33333 | 1 | 2 |
| 13 | 90.00000 | 1 | 2 |

Percent of Acc_romanian_system_distrib Matching Reality



```
[1] "Gen_common_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    1             2
2      23.33333    9            18
3      26.66667    6            12
4      30.00000   12            24
5      33.33333    3             6
6      40.00000    4             8
7      43.33333    4             8
8      46.66667    1             2
9      50.00000    1             2
10     56.66667    3             6
11     60.00000    1             2
12     63.33333    4             8
13     76.66667    1             2
```


Percent of Gen_common_system_distrib Matching Reality



[1] "Gen_NPLtoFSG_system_distrib"


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 20.00000 | 5 | 10 |
| 2 | 23.33333 | 1 | 2 |
| 3 | 26.66667 | 14 | 28 |
| 4 | 30.00000 | 4 | 8 |
| 5 | 33.33333 | 2 | 4 |
| 6 | 36.66667 | 8 | 16 |
| 7 | 40.00000 | 4 | 8 |
| 8 | 43.33333 | 1 | 2 |
| 9 | 46.66667 | 1 | 2 |
| 10 | 50.00000 | 1 | 2 |
| 11 | 53.33333 | 1 | 2 |
| 12 | 56.66667 | 1 | 2 |
| 13 | 60.00000 | 2 | 4 |
| 14 | 63.33333 | 2 | 4 |
| 15 | 66.66667 | 1 | 2 |
| 16 | 70.00000 | 1 | 2 |
| 17 | 76.66667 | 1 | 2 |

Percent of Gen_NPLtoFSG_system_distrib Matching Reality




```
[1] "Gen_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    8             16
2      23.33333   12             24
3      26.66667    8             16
4      30.00000    3              6
5      33.33333    5             10
6      36.66667    1              2
7      40.00000    2              4
8      43.33333    2              4
9      50.00000    2              4
10     53.33333    4              8
11     56.66667    1              2
12     76.66667    1              2
13     86.66667    1              2
```

Percent of Gen_romanian_system_distrib Matching Reality



```
[1] "Sg_common_system_distrib"
  Percent_Match freq Percent_Trials
1      70.66667    1             2
2      72.00000    2             4
3      74.66667    1             2
4      77.33333    3             6
5      78.66667    5            10
6      80.00000   11            22
7      81.33333    1             2
8      82.66667    8            16
9      84.00000    5            10
10     85.33333    1             2
11     86.66667    2             4
12     88.00000    3             6
13     89.33333    1             2
14     92.00000    2             4
15     94.66667    2             4
16    100.00000    2             4
```


Percent of Sg_common_system_distrib Matching Reality



```
[1] "Sg_NPLtoFSG_system_distrib"
```


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 70.66667 | 1 | 2 |
| 2 | 72.00000 | 2 | 4 |
| 3 | 74.66667 | 1 | 2 |
| 4 | 77.33333 | 3 | 6 |
| 5 | 78.66667 | 5 | 10 |
| 6 | 80.00000 | 11 | 22 |
| 7 | 81.33333 | 1 | 2 |
| 8 | 82.66667 | 8 | 16 |
| 9 | 84.00000 | 5 | 10 |
| 10 | 85.33333 | 1 | 2 |
| 11 | 86.66667 | 2 | 4 |
| 12 | 88.00000 | 3 | 6 |
| 13 | 89.33333 | 1 | 2 |
| 14 | 92.00000 | 2 | 4 |
| 15 | 94.66667 | 2 | 4 |
| 16 | 100.00000 | 2 | 4 |

Percent of Sg_NPLtoFSG_system_distrib Matching Reality




```
[1] "Sg_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      70.66667    1             2
2      72.00000    2             4
3      74.66667    1             2
4      77.33333    5            10
5      78.66667    9            18
6      80.00000   10            20
7      81.33333    4             8
8      82.66667    4             8
9      84.00000    2             4
10     86.66667    4             8
11     88.00000    2             4
12     89.33333    2             4
13     92.00000    2             4
14     97.33333    2             4
```


Percent of Sg_romanian_system_distrib Matching Reality




```
[1] "Pl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      48.00000   12             24
2      50.66667    2              4
3      53.33333    1              2
4      56.00000    2              4
5      58.66667    7             14
6      60.00000    5             10
7      62.66667    1              2
8      64.00000    6             12
9      66.66667    1              2
10     68.00000    6             12
11     69.33333    1              2
12     70.66667    2              4
13     73.33333    3              6
14     94.66667    1              2
```

Percent of PI_common_system_distrib Matching Reality



```
[1] "PI_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      50.66667    1              2
2      52.00000    8             16
3      54.66667    2              4
4      56.00000    5             10
5      57.33333    3              6
6      58.66667    2              4
7      60.00000    4              8
8      61.33333    2              4
9      62.66667    3              6
10     64.00000    7             14
11     65.33333    1              2
12     66.66667    5             10
13     69.33333    2              4
14     72.00000    2              4
15     73.33333    2              4
16     82.66667    1              2
```


Percent of PI_NPLtoFSG_system_distrib Matching Reality



```
[1] "Pl_romanian_system_distrib"
```

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 48.00000 | 13 | 26 |
| 2 | 50.66667 | 1 | 2 |
| 3 | 53.33333 | 1 | 2 |
| 4 | 54.66667 | 1 | 2 |
| 5 | 56.00000 | 6 | 12 |
| 6 | 57.33333 | 1 | 2 |
| 7 | 58.66667 | 6 | 12 |
| 8 | 60.00000 | 3 | 6 |
| 9 | 64.00000 | 6 | 12 |
| 10 | 66.66667 | 4 | 8 |
| 11 | 69.33333 | 2 | 4 |
| 12 | 72.00000 | 1 | 2 |
| 13 | 73.33333 | 1 | 2 |
| 14 | 74.66667 | 1 | 2 |
| 15 | 81.33333 | 1 | 2 |
| 16 | 82.66667 | 1 | 2 |
| 17 | 88.00000 | 1 | 2 |


Percent of PI_romanian_system_distrib Matching Reality



[1] "n.Sg,m.Sg"

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 66.66667 | 3 | 6 |
| 2 | 77.77778 | 12 | 24 |
| 3 | 88.88889 | 22 | 44 |
| 4 | 100.00000 | 13 | 26 |


Percent of n.Sg,m.Sg Matching Each Other



[1] "n.Pl,m.Pl"

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 1 | 2 |
| 2 | 22.22222 | 1 | 2 |
| 3 | 33.33333 | 1 | 2 |
| 4 | 44.44444 | 4 | 8 |
| 5 | 55.55556 | 5 | 10 |
| 6 | 66.66667 | 3 | 6 |
| 7 | 77.77778 | 7 | 14 |
| 8 | 88.88889 | 13 | 26 |
| 9 | 100.00000 | 15 | 30 |


Percent of n.PI,m.PI Matching Each Other



[1] "n.PI,f.Sg"

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 14 | 28 |
| 2 | 11.11111 | 7 | 14 |
| 3 | 22.22222 | 7 | 14 |
| 4 | 33.33333 | 8 | 16 |
| 5 | 44.44444 | 8 | 16 |
| 6 | 55.55556 | 2 | 4 |
| 7 | 66.66667 | 2 | 4 |
| 8 | 88.88889 | 1 | 2 |
| 9 | 100.00000 | 1 | 2 |


Percent of n.Pl,f.Sg Matching Each Other



[1] "n.Pl,f.Pl"

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 1 | 2 |
| 2 | 22.22222 | 1 | 2 |
| 3 | 33.33333 | 1 | 2 |
| 4 | 44.44444 | 3 | 6 |
| 5 | 55.55556 | 5 | 10 |
| 6 | 66.66667 | 5 | 10 |
| 7 | 77.77778 | 7 | 14 |
| 8 | 88.88889 | 14 | 28 |
| 9 | 100.00000 | 13 | 26 |


Percent of n.PI,f.PI Matching Each Other



[1] "m.PI,f.PI"

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 80.00000 | 8 | 16 |
| 2 | 86.66667 | 5 | 10 |
| 3 | 93.33333 | 8 | 16 |
| 4 | 100.00000 | 29 | 58 |


Percent of m.PI,f.PI Matching Each Other



[1] "1,5"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 0.000000 | 20 | 40 |
| 2 | 8.333333 | 1 | 2 |
| 3 | 16.666667 | 3 | 6 |
| 4 | 25.000000 | 2 | 4 |
| 5 | 33.333333 | 7 | 14 |
| 6 | 41.666667 | 2 | 4 |
| 7 | 50.000000 | 9 | 18 |
| 8 | 58.333333 | 2 | 4 |
| 9 | 66.666667 | 1 | 2 |
| 10 | 83.333333 | 1 | 2 |
| 11 | 100.000000 | 2 | 4 |


Percent of 1,5 Matching Each Other



[1] "2,4"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 44.44444 | 2 | 4 |
| 2 | 50.00000 | 3 | 6 |
| 3 | 55.55556 | 1 | 2 |
| 4 | 61.11111 | 1 | 2 |
| 5 | 66.66667 | 4 | 8 |
| 6 | 77.77778 | 1 | 2 |
| 7 | 83.33333 | 5 | 10 |
| 8 | 88.88889 | 7 | 14 |
| 9 | 94.44444 | 2 | 4 |
| 10 | 100.00000 | 24 | 48 |


Percent of 2,4 Matching Each Other



[1] "Nom,Acc"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 34.61538 | 1 | 2 |
| 2 | 38.46154 | 1 | 2 |
| 3 | 42.30769 | 1 | 2 |
| 4 | 50.00000 | 2 | 4 |
| 5 | 57.69231 | 1 | 2 |
| 6 | 61.53846 | 2 | 4 |
| 7 | 65.38462 | 3 | 6 |
| 8 | 69.23077 | 5 | 10 |
| 9 | 73.07692 | 1 | 2 |
| 10 | 76.92308 | 3 | 6 |
| 11 | 80.76923 | 3 | 6 |
| 12 | 84.61538 | 9 | 18 |
| 13 | 92.30769 | 6 | 12 |
| 14 | 96.15385 | 2 | 4 |
| 15 | 100.00000 | 10 | 20 |


Percent of Nom,Acc Matching Each Other



[1] "Acc,Gen"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 0.00000 | 1 | 2 |
| 2 | 11.53846 | 1 | 2 |
| 3 | 19.23077 | 4 | 8 |
| 4 | 26.92308 | 4 | 8 |
| 5 | 30.76923 | 2 | 4 |
| 6 | 34.61538 | 7 | 14 |
| 7 | 38.46154 | 2 | 4 |
| 8 | 42.30769 | 2 | 4 |
| 9 | 46.15385 | 3 | 6 |
| 10 | 50.00000 | 4 | 8 |
| 11 | 53.84615 | 4 | 8 |
| 12 | 57.69231 | 2 | 4 |
| 13 | 61.53846 | 1 | 2 |
| 14 | 65.38462 | 2 | 4 |
| 15 | 69.23077 | 2 | 4 |
| 16 | 76.92308 | 3 | 6 |
| 17 | 80.76923 | 1 | 2 |
| 18 | 84.61538 | 2 | 4 |
| 19 | 92.30769 | 2 | 4 |
| 20 | 100.00000 | 1 | 2 |


Percent of Acc,Gen Matching Each Other



[1] "Nom,Gen"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 11.53846 | 1 | 2 |
| 2 | 19.23077 | 2 | 4 |
| 3 | 23.07692 | 1 | 2 |
| 4 | 30.76923 | 2 | 4 |
| 5 | 34.61538 | 2 | 4 |
| 6 | 38.46154 | 2 | 4 |
| 7 | 42.30769 | 4 | 8 |
| 8 | 46.15385 | 1 | 2 |
| 9 | 50.00000 | 5 | 10 |
| 10 | 53.84615 | 3 | 6 |
| 11 | 57.69231 | 1 | 2 |
| 12 | 61.53846 | 3 | 6 |
| 13 | 65.38462 | 1 | 2 |
| 14 | 69.23077 | 1 | 2 |
| 15 | 73.07692 | 4 | 8 |
| 16 | 76.92308 | 5 | 10 |
| 17 | 80.76923 | 2 | 4 |
| 18 | 84.61538 | 1 | 2 |
| 19 | 88.46154 | 1 | 2 |
| 20 | 92.30769 | 1 | 2 |
| 21 | 96.15385 | 1 | 2 |
| 22 | 100.00000 | 6 | 12 |


Percent of Nom,Gen Matching Each Other



[1] "Nom,Acc,Gen"


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 0.00000 | 2 | 4 |
| 2 | 11.53846 | 1 | 2 |
| 3 | 19.23077 | 4 | 8 |
| 4 | 26.92308 | 3 | 6 |
| 5 | 30.76923 | 2 | 4 |
| 6 | 34.61538 | 8 | 16 |
| 7 | 38.46154 | 2 | 4 |
| 8 | 42.30769 | 2 | 4 |
| 9 | 46.15385 | 3 | 6 |
| 10 | 50.00000 | 5 | 10 |
| 11 | 53.84615 | 4 | 8 |
| 12 | 57.69231 | 1 | 2 |
| 13 | 65.38462 | 3 | 6 |
| 14 | 69.23077 | 1 | 2 |
| 15 | 76.92308 | 3 | 6 |
| 16 | 80.76923 | 1 | 2 |
| 17 | 84.61538 | 2 | 4 |
| 18 | 92.30769 | 2 | 4 |
| 19 | 100.00000 | 1 | 2 |

Percent of Nom,Acc,Gen Matching Each Other




```
[1] "nPlmPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.00000   46             92
2     11.11111    4              8
```

Percent of nPlmPI_exclusive Matching Each Other




```
[1] "nPlfPl_exclusive"
Percent_Match freq Percent_Trials
1      0.00000    48             96
2     11.11111     2              4
```

Percent of nPlfPI_exclusive Matching Each Other




```
[1] "1Sg(Nom|Acc)_a($|,)"
Percent_Match freq Percent_Trials
1           0     1              2
2          50    12             24
3          75     2              4
4         100    35             70
```


Percent of 1Sg(Nom|Acc) ending in a(\$|,)




```
[1] "[24]Sg(Nom|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      66.66667    3              6
2      75.00000    1              2
3      83.33333    1              2
4      91.66667    1              2
5     100.00000   44             88
```

Percent of [24]Sg(Nom|Acc) ending in o(\$|,)



```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
Percent_Match freq Percent_Trials
1      33.33333     1             2
2      83.33333     3             6
3     100.00000    46            92
```


Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)



[1] "3Pl(Nom|Acc)_e?s(\$|,)"

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 12 | 24 |
| 2 | 16.66667 | 1 | 2 |
| 3 | 33.33333 | 1 | 2 |
| 4 | 50.00000 | 7 | 14 |
| 5 | 66.66667 | 7 | 14 |
| 6 | 83.33333 | 1 | 2 |
| 7 | 100.00000 | 21 | 42 |


Percent of 3PI(Nom|Acc) ending in e?s(\$|,)



```
[1] "[124]Pl(Nom|Acc)_s($|,)"
```


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 0.00 | 17 | 34 |
| 2 | 6.25 | 1 | 2 |
| 3 | 12.50 | 1 | 2 |
| 4 | 18.75 | 1 | 2 |
| 5 | 25.00 | 2 | 4 |
| 6 | 37.50 | 1 | 2 |
| 7 | 43.75 | 1 | 2 |
| 8 | 50.00 | 3 | 6 |
| 9 | 62.50 | 3 | 6 |
| 10 | 75.00 | 4 | 8 |
| 11 | 100.00 | 16 | 32 |

Percent of [124]Pl(Nom|Acc) ending in s(\$|,)




```
[1] "[24]Pl(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1          0    49             98
2        100     1              2
```

Percent of [24]Pl(Nom|Acc) ending in os(\$|,)




```
[1] "1Pl(Nom|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0   28             56
2          25    2              4
3          50    7             14
4         100   13             26
```

Percent of 1Pl(Nom|Acc) ending in as(\$|,)




```
[1] "n.Pl(Nom|Acc)_a($|,)"
Percent_Match freq Percent_Trials
1      0.00000   36             72
2     16.66667    2              4
3     33.33333    3              6
4     50.00000    3              6
5     66.66667    6             12
```

Percent of n.Pl(Nom|Acc) ending in a(\$|,)




```
[1] "n.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   40             80
2     16.66667    3              6
3     33.33333    2              4
4     50.00000    1              2
5     66.66667    3              6
6    100.00000    1              2
```

Percent of n.PI(Nom|Acc) ending in as(\$|,)




```
[1] "n.PI(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2     66.66667    1              2
```

Percent of n.PI(Nom|Acc) ending in os(\$|,)





```
[1] "m.Pl(Nom|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0    30             60
2          10     3              6
3          20    15             30
4          40     1              2
5         100     1              2
```

Percent of m.Pl(Nom|Acc) ending in as(\$|,)



```
[1] "m.Pl(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1           0    49             98
2          40     1              2
```


Percent of m.PI(Nom|Acc) ending in os(\$|,)



[1] "Pl(Nom|Acc)_s(\$|,)"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 0.000000 | 12 | 24 |
| 2 | 7.692308 | 1 | 2 |
| 3 | 15.384615 | 1 | 2 |
| 4 | 26.923077 | 1 | 2 |
| 5 | 30.769231 | 4 | 8 |
| 6 | 42.307692 | 1 | 2 |
| 7 | 46.153846 | 2 | 4 |
| 8 | 50.000000 | 2 | 4 |
| 9 | 53.846154 | 1 | 2 |
| 10 | 57.692308 | 2 | 4 |
| 11 | 61.538462 | 2 | 4 |
| 12 | 65.384615 | 1 | 2 |
| 13 | 76.923077 | 1 | 2 |
| 14 | 84.615385 | 3 | 6 |
| 15 | 100.000000 | 16 | 32 |


Percent of PI(Nom|Acc) ending in s(\$|,)



[1] "1Sg(Gen|Acc)_a(\$|,)"


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0 | 1 | 2 |
| 2 | 25 | 4 | 8 |
| 3 | 50 | 26 | 52 |
| 4 | 75 | 3 | 6 |
| 5 | 100 | 16 | 32 |

Percent of 1Sg(Gen|Acc) ending in a(\$|,)



```
[1] "[24]Sg(Gen|Acc)_o($|,)"
Percent_Match freq Percent_Trials
1      33.33333    4             8
2      50.00000   34            68
3      58.33333    1             2
4      83.33333    1             2
5     100.00000   10            20
```


Percent of [24]Sg(Gen|Acc) ending in o(\$|,)



[1] "3Sg(Gen|Acc)_[e-](\$|,)"


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 33.33333 | 1 | 2 |
| 2 | 50.00000 | 18 | 36 |
| 3 | 66.66667 | 5 | 10 |
| 4 | 83.33333 | 26 | 52 |

Percent of 3Sg(Gen|Acc) ending in [e-](\$|,)



```
[1] "3Pl(Gen|Acc)_e?s($|,)"
Percent_Match freq Percent_Trials
1      0.00000    12           24
2     16.66667     1            2
3     33.33333     4            8
4     50.00000     6           12
5     66.66667     4            8
6     83.33333     2            4
7    100.00000    21           42
```


Percent of 3PI(Gen|Acc) ending in e?s(\$|,)



```
[1] "[124]Pl(Gen|Acc)_s($|,)"
```


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 0.00 | 16 | 32 |
| 2 | 6.25 | 1 | 2 |
| 3 | 25.00 | 3 | 6 |
| 4 | 37.50 | 1 | 2 |
| 5 | 43.75 | 1 | 2 |
| 6 | 50.00 | 5 | 10 |
| 7 | 62.50 | 2 | 4 |
| 8 | 81.25 | 1 | 2 |
| 9 | 87.50 | 4 | 8 |
| 10 | 100.00 | 16 | 32 |

Percent of [124]PI(Gen|Acc) ending in s(\$|,)




```
[1] "[24]PI(Gen|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1          0    49             98
2        100     1              2
```

Percent of [24]PI(Gen|Acc) ending in os(\$|,)





```
[1] "1Pl(Gen|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1          0    29             58
2        25     4              8
3        50     6             12
4       100    11             22
```

Percent of 1Pl(Gen|Acc) ending in as(\$|,)




```
[1] "n.Pl(Gen|Acc)_a($|,)"
Percent_Match freq Percent_Trials
1      0.00000    36             72
2    16.66667     4              8
3    33.33333     3              6
4    50.00000     2              4
5    66.66667     3              6
6    83.33333     2              4
```

Percent of n.Pl(Gen|Acc) ending in a(\$|,)




```
[1] "n.Pl(Gen|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   43             86
2     16.66667    2              4
3     33.33333    2              4
4     50.00000    2              4
5    100.00000    1              2
```

Percent of n.PI(Gen|Acc) ending in as(\$|,)




```
[1] "n.PI(Gen|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2     66.66667    1              2
```

Percent of n.PI(Gen|Acc) ending in os(\$|,)




```
[1] "m.PI(Gen|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0   32             64
2          10    6             12
3          20   10             20
4          50    1              2
5         100    1              2
```

Percent of m.PI(Gen|Acc) ending in as(\$|,)



```
[1] "m.PI(Gen|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          40    1              2
```


Percent of m.PI(Gen|Acc) ending in os(\$|,)



[1] "Pl(Gen|Acc)_s(\$|,)"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 0.000000 | 12 | 24 |
| 2 | 7.692308 | 1 | 2 |
| 3 | 15.384615 | 2 | 4 |
| 4 | 19.230769 | 1 | 2 |
| 5 | 30.769231 | 1 | 2 |
| 6 | 34.615385 | 1 | 2 |
| 7 | 38.461538 | 1 | 2 |
| 8 | 46.153846 | 1 | 2 |
| 9 | 50.000000 | 2 | 4 |
| 10 | 53.846154 | 2 | 4 |
| 11 | 57.692308 | 2 | 4 |
| 12 | 61.538462 | 2 | 4 |
| 13 | 65.384615 | 1 | 2 |
| 14 | 73.076923 | 1 | 2 |
| 15 | 88.461538 | 1 | 2 |
| 16 | 92.307692 | 3 | 6 |
| 17 | 100.000000 | 16 | 32 |


Percent of PI(Gen|Acc) ending in s(\$|,)



```
[1] "1Sg(Nom|Gen)_a($|,)"
```


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0 | 1 | 2 |
| 2 | 25 | 5 | 10 |
| 3 | 50 | 26 | 52 |
| 4 | 75 | 2 | 4 |
| 5 | 100 | 16 | 32 |

Percent of 1Sg(Nom|Gen) ending in a(\$|,)



```
[1] "[24]Sg(Nom|Gen)_o($|,)"
Percent_Match freq Percent_Trials
1      33.33333    3             6
2      41.66667    2             4
3      50.00000   33            66
4      58.33333    1             2
5     100.00000   11            22
```


Percent of [24]Sg(Nom|Gen) ending in o(\$|,)



```
[1] "3Sg(Nom|Gen)_[e-]($|,)"
```

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 1 | 2 |
| 2 | 33.33333 | 1 | 2 |
| 3 | 50.00000 | 17 | 34 |
| 4 | 66.66667 | 2 | 4 |
| 5 | 83.33333 | 3 | 6 |
| 6 | 100.00000 | 26 | 52 |


Percent of 3Sg(Nom|Gen) ending in [e-](\$|,)



```
[1] "3Pl(Nom|Gen)_e?s($|,)"
```

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 13 | 26 |
| 2 | 33.33333 | 3 | 6 |
| 3 | 66.66667 | 4 | 8 |
| 4 | 83.33333 | 2 | 4 |
| 5 | 100.00000 | 28 | 56 |


Percent of 3PI(Nom|Gen) ending in e?s(\$|,)



```
[1] "[124]Pl(Nom|Gen)_s($|,)"
```


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00 | 16 | 32 |
| 2 | 6.25 | 1 | 2 |
| 3 | 25.00 | 2 | 4 |
| 4 | 43.75 | 2 | 4 |
| 5 | 50.00 | 1 | 2 |
| 6 | 62.50 | 3 | 6 |
| 7 | 81.25 | 1 | 2 |
| 8 | 87.50 | 5 | 10 |
| 9 | 100.00 | 19 | 38 |

Percent of [124]Pl(Nom|Gen) ending in s(\$|,)




```
[1] "[24]Pl(Nom|Gen)_os($|,)"
Percent_Match freq Percent_Trials
1          0    49             98
2        100     1              2
```

Percent of [24]Pl(Nom|Gen) ending in os(\$|,)




```
[1] "1Pl(Nom|Gen)_as($|,)"
Percent_Match freq Percent_Trials
1           0    27             54
2          25     1              2
3          50     9             18
4          75     1              2
5         100    12             24
```

Percent of 1Pl(Nom|Gen) ending in as(\$|,)




```
[1] "n.Pl(Nom|Gen)_a($|,)"
Percent_Match freq Percent_Trials
1      0.00000    39             78
2     16.66667     3              6
3     33.33333     2              4
4     50.00000     2              4
5     66.66667     2              4
6     83.33333     2              4
```

Percent of n.Pl(Nom|Gen) ending in a(\$|,)




```
[1] "n.Pl(Nom|Gen)_as($|,)"
Percent_Match freq Percent_Trials
1      0.00000   40           80
2     16.66667    5           10
3     33.33333    2            4
4     50.00000    1            2
5    100.00000    2            4
```

Percent of n.PI(Nom|Gen) ending in as(\$|,)




```
[1] "n.PI(Nom|Gen)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2    66.66667    1              2
```

Percent of n.PI(Nom|Gen) ending in os(\$|,)




```
[1] "m.Pl(Nom|Gen)_as($|,)"
Percent_Match freq Percent_Trials
1           0    29             58
2          10     7             14
3          20    12             24
4          70     1              2
5         100     1              2
```

Percent of m.Pl(Nom|Gen) ending in as(\$|,)



```
[1] "m.Pl(Nom|Gen)_os($|,)"
Percent_Match freq Percent_Trials
1           0    49             98
2          40     1              2
```


Percent of m.PI(Nom|Gen) ending in os(\$|,)



[1] "Pl(Nom|Gen)_s(\$|,)"

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 0.00000 | 13 | 26 |
| 2 | 15.38462 | 2 | 4 |
| 3 | 30.76923 | 1 | 2 |
| 4 | 34.61538 | 2 | 4 |
| 5 | 38.46154 | 1 | 2 |
| 6 | 53.84615 | 1 | 2 |
| 7 | 61.53846 | 1 | 2 |
| 8 | 65.38462 | 1 | 2 |
| 9 | 69.23077 | 1 | 2 |
| 10 | 73.07692 | 1 | 2 |
| 11 | 76.92308 | 1 | 2 |
| 12 | 88.46154 | 2 | 4 |
| 13 | 92.30769 | 4 | 8 |
| 14 | 100.00000 | 19 | 38 |


Percent of PI(Nom|Gen) ending in s(\$|,)



[1] "Sg_not"


| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 51.28205 | 1 | 2 |
| 2 | 61.53846 | 1 | 2 |
| 3 | 64.10256 | 1 | 2 |
| 4 | 66.66667 | 9 | 18 |
| 5 | 71.79487 | 2 | 4 |
| 6 | 74.35897 | 1 | 2 |
| 7 | 76.92308 | 2 | 4 |
| 8 | 79.48718 | 1 | 2 |
| 9 | 82.05128 | 3 | 6 |
| 10 | 89.74359 | 1 | 2 |
| 11 | 94.87179 | 1 | 2 |
| 12 | 100.00000 | 27 | 54 |

Percent of Sg ending in nots




```
[1] "Pl_s($|,)"
Percent_Match freq Percent_Trials
1      0.000000   12             24
2      5.128205    1              2
3     20.512821    2              4
4     23.076923    1              2
5     30.769231    1              2
6     33.333333    1              2
7     41.025641    1              2
8     51.282051    1              2
9     53.846154    1              2
10    56.410256    1              2
11    58.974359    1              2
12    61.538462    3              6
13    66.666667    1              2
14    71.794872    1              2
15    74.358974    1              2
16    76.923077    1              2
17    84.615385    1              2
18    89.743590    3              6
19   100.000000   16             32
```

Percent of PI ending in s(\$|,)



```
[1] "[mf].Pl_s($|,)"
Percent_Match freq Percent_Trials
1      0.000000    12           24
2      6.666667     1            2
3     13.333333     1            2
4     26.666667     2            4
5     40.000000     1            2
6     43.333333     1            2
7     53.333333     2            4
8     56.666667     2            4
9     60.000000     2            4
10    66.666667     2            4
11    70.000000     1            2
12    73.333333     1            2
13    76.666667     1            2
14    80.000000     1            2
15    86.666667     3            6
16    93.333333     1            2
17   100.000000    16           32
```


Percent of [mf].Pl ending in s(\$|,)



```
[1] "[124]Pl_s($|,)"
```

| | Percent_Match | freq | Percent_Trials |
|----|---------------|------|----------------|
| 1 | 0.000000 | 16 | 32 |
| 2 | 4.166667 | 1 | 2 |
| 3 | 25.000000 | 2 | 4 |
| 4 | 29.166667 | 2 | 4 |
| 5 | 41.666667 | 1 | 2 |
| 6 | 45.833333 | 1 | 2 |
| 7 | 58.333333 | 1 | 2 |
| 8 | 62.500000 | 2 | 4 |
| 9 | 66.666667 | 3 | 6 |
| 10 | 75.000000 | 1 | 2 |
| 11 | 83.333333 | 4 | 8 |
| 12 | 100.000000 | 16 | 32 |


Percent of [124]PI ending in s(\$|,)



```
[1] "n.Pl_s($|,)"
```

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 18 | 36 |
| 2 | 33.33333 | 2 | 4 |
| 3 | 44.44444 | 2 | 4 |
| 4 | 55.55556 | 3 | 6 |
| 5 | 66.66667 | 6 | 12 |
| 6 | 100.00000 | 19 | 38 |


Percent of n.PI ending in s(\$|,)



```
[1] "1Sg_a($|,)"
```


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 1 | 2 |
| 2 | 33.33333 | 4 | 8 |
| 3 | 50.00000 | 8 | 16 |
| 4 | 66.66667 | 20 | 40 |
| 5 | 83.33333 | 1 | 2 |
| 6 | 100.00000 | 16 | 32 |

Percent of 1Sg ending in a(\$|,)



```
[1] "[24]Sg_o($|,)"
Percent_Match freq Percent_Trials
1      44.44444     3           6
2      50.00000     1           2
3      61.11111     1           2
4      66.66667    33          66
5      72.22222     1           2
6      88.88889     1           2
7     100.00000    10          20
```


Percent of [24]Sg ending in o(\$|,)



```
[1] "3Sg_[e-]($|,)"
```

| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 22.22222 | 1 | 2 |
| 2 | 55.55556 | 1 | 2 |
| 3 | 66.66667 | 17 | 34 |
| 4 | 77.77778 | 2 | 4 |
| 5 | 88.88889 | 3 | 6 |
| 6 | 100.00000 | 26 | 52 |


Percent of 3Sg ending in [e-](\$|,)



[1] "3Pl_e?s"


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 12 | 24 |
| 2 | 22.22222 | 2 | 4 |
| 3 | 44.44444 | 2 | 4 |
| 4 | 55.55556 | 1 | 2 |
| 5 | 66.66667 | 10 | 20 |
| 6 | 77.77778 | 1 | 2 |
| 7 | 88.88889 | 1 | 2 |
| 8 | 100.00000 | 21 | 42 |

Percent of 3PI ending in e?s




```
[1] "[24]Pl_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          100    1              2
```

Percent of [24]PI ending in os(\$|,)




```
[1] "1Pl_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000    27             54
2     33.33333     6             12
3     50.00000     3              6
4     66.66667     3              6
5    100.00000    11             22
```

Percent of 1Pl ending in as(\$|,)




```
[1] "n.Pl_a($|,)"
  Percent_Match freq Percent_Trials
1      0.00000    36             72
2     11.11111     2              4
3     22.22222     2              4
4     33.33333     3              6
5     44.44444     1              2
6     55.55556     2              4
7     66.66667     2              4
8     77.77778     2              4
```

Percent of n.Pl ending in a(\$|,)



```
[1] "n.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   40             80
2     11.11111    3              6
3     22.22222    2              4
4     44.44444    2              4
5     55.55556    1              2
6     66.66667    1              2
7    100.00000    1              2
```


Percent of n.PI ending in as(\$|,)



```
[1] "n.PI_os($|,)"
```


| | Percent_Match | freq | Percent_Trials |
|---|---------------|------|----------------|
| 1 | 0.00000 | 49 | 98 |
| 2 | 66.66667 | 1 | 2 |

Percent of n.PI ending in os(\$|,)




```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1      0.000000  29             58
2      6.666667   3              6
3     13.333333   6             12
4     20.000000  10             20
5     53.333333   1              2
6    100.000000   1              2
```

Percent of m.Pl ending in as(\$|,)



```
[1] "m.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1           0   49             98
2          40    1              2
```

Percent of m.PI ending in os(\$|,)



[1] "Sg"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 6 | o | 50 | 100 |
| 2 | a | 49 | 98 |
| 4 | e | 41 | 82 |
| 8 | s | 23 | 46 |
| 3 | as | 7 | 14 |
| 5 | es | 7 | 14 |
| 7 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 6 | o | 50 | 100 |
| 2 | a | 49 | 98 |
| 4 | e | 42 | 84 |
| 8 | s | 25 | 50 |
| 3 | as | 7 | 14 |
| 5 | es | 7 | 14 |
| 7 | os | 2 | 4 |

[1] "1SgNom,Acc"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |
| 1 | - | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |

| | | | |
|---|----|----|-----|
| 1 | - | 15 | 30 |
| 3 | e | 1 | 2 |
| [1] "2SgNom,Acc" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | o | 50 | 100 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 2 | o | 50 | 100 |
| 1 | - | 5 | 10 |
| [1] "3SgNom,Acc" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 50 | 100 |
| 2 | e | 41 | 82 |
| 3 | s | 4 | 8 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 50 | 100 |
| 2 | e | 42 | 84 |
| 4 | s | 5 | 10 |
| 3 | es | 1 | 2 |
| [1] "4SgNom,Acc" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | o | 50 | 100 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 3 | o | 50 | 100 |
| 1 | - | 6 | 12 |
| 2 | e | 1 | 2 |
| [1] "5SgNom,Acc" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 24 | 48 |
| 3 | e | 3 | 6 |
| 2 | a | 2 | 4 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 43 | 86 |
| 3 | e | 20 | 40 |
| 6 | s | 5 | 10 |
| 2 | a | 2 | 4 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| [1] "1SgAcc,Gen" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 2 | a | 49 | 98 |
| 5 | s | 10 | 20 |
| 1 | - | 7 | 14 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |
| [1] "All Endings Included" | | | |

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |
| 1 | - | 18 | 36 |
| 6 | s | 11 | 22 |
| 3 | as | 7 | 14 |
| 4 | e | 3 | 6 |
| 5 | es | 1 | 2 |

[1] "2SgAcc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 22 | 44 |
| 6 | s | 12 | 24 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 25 | 50 |
| 6 | s | 13 | 26 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "3SgAcc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 48 | 96 |
| 3 | e | 41 | 82 |
| 5 | s | 18 | 36 |
| 4 | es | 7 | 14 |
| 2 | a | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 48 | 96 |
| 3 | e | 42 | 84 |
| 5 | s | 19 | 38 |
| 4 | es | 7 | 14 |
| 2 | a | 3 | 6 |

[1] "4SgAcc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 19 | 38 |
| 6 | s | 14 | 28 |
| 3 | es | 3 | 6 |
| 2 | e | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 22 | 44 |
| 6 | s | 14 | 28 |
| 2 | e | 3 | 6 |

| | | | |
|--|--------|------|----------------|
| 3 | es | 3 | 6 |
| 5 | os | 2 | 4 |
| [1] "5SgAcc,Gen" | | | |
| [1] "Endings occuring 10 times or less excluded" | | | |
| | Suffix | freq | Percent_Trials |
| 1 | - | 16 | 32 |
| 2 | a | 2 | 4 |
| [1] "All Endings Included" | | | |
| | Suffix | freq | Percent_Trials |
| 1 | - | 36 | 72 |
| 3 | e | 22 | 44 |
| 6 | s | 17 | 34 |
| 4 | es | 5 | 10 |
| 2 | a | 4 | 8 |
| 5 | o | 1 | 2 |
| [1] "1SgNom,Gen" | | | |
| [1] "Endings occuring 10 times or less excluded" | | | |
| | Suffix | freq | Percent_Trials |
| 2 | a | 49 | 98 |
| 5 | s | 10 | 20 |
| 1 | - | 7 | 14 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |
| [1] "All Endings Included" | | | |
| | Suffix | freq | Percent_Trials |
| 2 | a | 49 | 98 |
| 1 | - | 19 | 38 |
| 6 | s | 11 | 22 |
| 3 | as | 7 | 14 |
| 4 | e | 2 | 4 |
| 5 | es | 1 | 2 |
| [1] "2SgNom,Gen" | | | |
| [1] "Endings occuring 10 times or less excluded" | | | |
| | Suffix | freq | Percent_Trials |
| 4 | o | 50 | 100 |
| 1 | - | 22 | 44 |
| 6 | s | 12 | 24 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |
| [1] "All Endings Included" | | | |
| | Suffix | freq | Percent_Trials |
| 4 | o | 50 | 100 |
| 1 | - | 24 | 48 |
| 6 | s | 13 | 26 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |
| [1] "3SgNom,Gen" | | | |
| [1] "Endings occuring 10 times or less excluded" | | | |
| | Suffix | freq | Percent_Trials |
| 1 | - | 49 | 98 |
| 5 | s | 19 | 38 |
| 3 | e | 9 | 18 |

| | | | |
|---|----|----|-----|
| 4 | es | 7 | 14 |
| 2 | a | 2 | 4 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 49 | 98 |
| 5 | s | 20 | 40 |
| 3 | e | 9 | 18 |
| 4 | es | 7 | 14 |
| 2 | a | 3 | 6 |
| [1] "4SgNom,Gen" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 4 | o | 50 | 100 |
| 1 | - | 19 | 38 |
| 6 | s | 14 | 28 |
| 3 | es | 3 | 6 |
| 2 | e | 2 | 4 |
| 5 | os | 2 | 4 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 4 | o | 50 | 100 |
| 1 | - | 21 | 42 |
| 6 | s | 14 | 28 |
| 3 | es | 3 | 6 |
| 2 | e | 2 | 4 |
| 5 | os | 2 | 4 |
| [1] "5SgNom,Gen" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 24 | 48 |
| 4 | s | 5 | 10 |
| 2 | a | 2 | 4 |
| 3 | es | 1 | 2 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 39 | 78 |
| 6 | s | 17 | 34 |
| 3 | e | 5 | 10 |
| 4 | es | 5 | 10 |
| 2 | a | 4 | 8 |
| 5 | o | 1 | 2 |
| [1] "1SgNom,Acc,Gen" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 2 | a | 49 | 98 |
| 5 | s | 10 | 20 |
| 1 | - | 7 | 14 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 2 | a | 49 | 98 |
| 1 | - | 19 | 38 |
| 6 | s | 11 | 22 |

| | | | |
|---|----|---|----|
| 3 | as | 7 | 14 |
| 4 | e | 3 | 6 |
| 5 | es | 1 | 2 |

[1] "2SgNom,Acc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 22 | 44 |
| 6 | s | 12 | 24 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 25 | 50 |
| 6 | s | 13 | 26 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "3SgNom,Acc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 3 | e | 41 | 82 |
| 5 | s | 19 | 38 |
| 4 | es | 7 | 14 |
| 2 | a | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 3 | e | 42 | 84 |
| 5 | s | 20 | 40 |
| 4 | es | 7 | 14 |
| 2 | a | 3 | 6 |

[1] "4SgNom,Acc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 19 | 38 |
| 6 | s | 14 | 28 |
| 3 | es | 3 | 6 |
| 2 | e | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 22 | 44 |
| 6 | s | 14 | 28 |
| 2 | e | 3 | 6 |
| 3 | es | 3 | 6 |
| 5 | os | 2 | 4 |

[1] "5SgNom,Acc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 32 | 64 |
| 5 | s | 5 | 10 |
| 3 | e | 3 | 6 |
| 2 | a | 2 | 4 |
| 4 | es | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 43 | 86 |
| 3 | e | 22 | 44 |
| 6 | s | 17 | 34 |
| 4 | es | 5 | 10 |
| 2 | a | 4 | 8 |
| 5 | o | 1 | 2 |

[1] "Nom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | o | 50 | 100 |
| 1 | - | 49 | 98 |
| 2 | a | 49 | 98 |
| 8 | s | 32 | 64 |
| 3 | as | 23 | 46 |
| 5 | es | 14 | 28 |
| 4 | e | 6 | 12 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | o | 50 | 100 |
| 1 | - | 49 | 98 |
| 2 | a | 49 | 98 |
| 8 | s | 35 | 70 |
| 3 | as | 29 | 58 |
| 5 | es | 14 | 28 |
| 4 | e | 6 | 12 |
| 7 | os | 1 | 2 |

[1] "NomSg"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 49 | 98 |
| 2 | a | 49 | 98 |
| 3 | e | 5 | 10 |
| 5 | s | 4 | 8 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | o | 50 | 100 |
| 1 | - | 49 | 98 |
| 2 | a | 49 | 98 |
| 6 | s | 8 | 16 |
| 3 | e | 5 | 10 |
| 4 | es | 1 | 2 |

[1] "1"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|--|--------|------|----------------|
|--|--------|------|----------------|

| | | | |
|---|----|----|----|
| 2 | a | 49 | 98 |
| 3 | as | 22 | 44 |
| 6 | s | 13 | 26 |
| 1 | - | 9 | 18 |
| 5 | es | 3 | 6 |
| 4 | e | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |
| 3 | as | 25 | 50 |
| 6 | s | 20 | 40 |
| 1 | - | 19 | 38 |
| 5 | es | 4 | 8 |
| 4 | e | 3 | 6 |

[1] "1Sg"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |
| 5 | s | 10 | 20 |
| 1 | - | 7 | 14 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |
| 1 | - | 19 | 38 |
| 6 | s | 11 | 22 |
| 3 | as | 7 | 14 |
| 4 | e | 3 | 6 |
| 5 | es | 1 | 2 |

[1] "1SgNom"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |
| 1 | - | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |
| 1 | - | 15 | 30 |

[1] "2"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | o | 50 | 100 |
| 1 | - | 28 | 56 |
| 8 | s | 28 | 56 |
| 2 | a | 14 | 28 |
| 3 | as | 7 | 14 |
| 5 | es | 3 | 6 |
| 4 | e | 2 | 4 |
| 7 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | o | 50 | 100 |
| 1 | - | 31 | 62 |

| | | | |
|---|----|----|----|
| 8 | s | 28 | 56 |
| 2 | a | 14 | 28 |
| 3 | as | 8 | 16 |
| 5 | es | 3 | 6 |
| 4 | e | 2 | 4 |
| 7 | os | 2 | 4 |

[1] "2Sg"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 22 | 44 |
| 6 | s | 12 | 24 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | o | 50 | 100 |
| 1 | - | 25 | 50 |
| 6 | s | 13 | 26 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "2SgNom"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | o | 50 | 100 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | o | 50 | 100 |
| 1 | - | 4 | 8 |

[1] "3"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 4 | e | 41 | 82 |
| 6 | s | 31 | 62 |
| 5 | es | 22 | 44 |
| 2 | a | 9 | 18 |
| 3 | as | 8 | 16 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 4 | e | 42 | 84 |
| 6 | s | 34 | 68 |
| 5 | es | 22 | 44 |
| 3 | as | 11 | 22 |
| 2 | a | 10 | 20 |

[1] "3Sg"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 3 | e | 41 | 82 |
| 5 | s | 19 | 38 |

| | | | |
|---|----|----|-----|
| 4 | es | 7 | 14 |
| 2 | a | 2 | 4 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 50 | 100 |
| 3 | e | 42 | 84 |
| 5 | s | 20 | 40 |
| 4 | es | 7 | 14 |
| 2 | a | 3 | 6 |
| [1] "3SgNom" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 49 | 98 |
| 2 | e | 5 | 10 |
| 3 | s | 4 | 8 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 1 | - | 49 | 98 |
| 2 | e | 5 | 10 |
| 3 | s | 5 | 10 |
| [1] "4" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 6 | o | 50 | 100 |
| 8 | s | 27 | 54 |
| 1 | - | 26 | 52 |
| 5 | es | 4 | 8 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 4 | e | 2 | 4 |
| 7 | os | 2 | 4 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 6 | o | 50 | 100 |
| 1 | - | 29 | 58 |
| 8 | s | 29 | 58 |
| 5 | es | 5 | 10 |
| 2 | a | 3 | 6 |
| 4 | e | 3 | 6 |
| 3 | as | 2 | 4 |
| 7 | os | 2 | 4 |
| [1] "4Sg" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 4 | o | 50 | 100 |
| 1 | - | 19 | 38 |
| 6 | s | 14 | 28 |
| 3 | es | 3 | 6 |
| 2 | e | 2 | 4 |
| 5 | os | 2 | 4 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 4 | o | 50 | 100 |
| 1 | - | 22 | 44 |

| | | | |
|---|----|----|----|
| 6 | s | 14 | 28 |
| 2 | e | 3 | 6 |
| 3 | es | 3 | 6 |
| 5 | os | 2 | 4 |

[1] "4SgNom"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | o | 50 | 100 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | o | 50 | 100 |
| 1 | - | 4 | 8 |

[1] "5"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 32 | 64 |
| 6 | s | 25 | 50 |
| 5 | es | 12 | 24 |
| 4 | e | 9 | 18 |
| 2 | a | 3 | 6 |
| 3 | as | 3 | 6 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 43 | 86 |
| 7 | s | 32 | 64 |
| 4 | e | 22 | 44 |
| 5 | es | 17 | 34 |
| 2 | a | 8 | 16 |
| 3 | as | 7 | 14 |
| 6 | o | 1 | 2 |

[1] "5Sg"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 32 | 64 |
| 5 | s | 5 | 10 |
| 3 | e | 3 | 6 |
| 2 | a | 2 | 4 |
| 4 | es | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 43 | 86 |
| 3 | e | 22 | 44 |
| 6 | s | 17 | 34 |
| 4 | es | 5 | 10 |
| 2 | a | 4 | 8 |
| 5 | o | 1 | 2 |

[1] "5SgNom"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 38 | 76 |
| 5 | s | 5 | 10 |
| 3 | e | 3 | 6 |
| 2 | a | 2 | 4 |
| 4 | es | 1 | 2 |

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39             78
6      s    5             10
3      e    3              6
2      a    2              4
4     es    1              2
5      o    1              2
[1] "m"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      o   50            100
1      -   47             94
4      e   41             82
8      s   32             64
5     es   22             44
2      a   14             28
3     as    3              6
7     os    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      o   50            100
1      -   48             96
2      a   43             86
4      e   41             82
8      s   36             72
3     as   22             44
5     es   22             44
7     os    2              4
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      o   50            100
1      -   46             92
3      e   41             82
7      s   18             36
4     es    7             14
6     os    2              4
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      o   50            100
1      -   48             96
2      a   42             84
4      e   41             82
8      s   22             44
3     as    7             14
5     es    7             14
7     os    2              4
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   50            100
1      -   44             88

```

```

2      e      5      10
4      s      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      o     50      100
1      -     46      92
2      a     37      74
3      e      5      10
6      s      5      10
4      es     1       2
[1] "m1SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     37      74
1      -     15      30
[1] "m2SgNom"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o     50      100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o     50      100
[1] "m3SgNom"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     44      88
2      e      5      10
3      s      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     44      88
2      e      5      10
3      s      1       2
[1] "m4SgNom"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o     50      100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o     50      100
[1] "m5SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     38      76
6      s      5      10
3      e      3       6
2      a      2       4
4      es     1       2

```

```

5      o      1      2
[1] "f"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      49      98
1      -      46      92
4      e      40      80
8      s      30      60
3      as      22      44
5      es      21      42
6      o       1       2
7      os       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      49      98
1      -      47      94
6      o      47      94
4      e      42      84
8      s      36      72
3      as      28      56
5      es      21      42
7      os       2       4
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      49      98
1      -      46      92
4      e      40      80
6      s      19      38
3      as       7      14
5      es       6      12
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      49      98
1      -      47      94
6      o      47      94
4      e      42      84
8      s      23      46
3      as       7      14
5      es       6      12
7      os       2       4
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      49      98
1      -      44      88
3      e       5      10
4      s       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      49      98
5      o      47      94
1      -      45      90
6      s       6      12

```

```

3      e      5      10
4      es     1      2
[1] "f1SgNom"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    49      98
1      -     1      2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    49      98
1      -     2      4
[1] "f2SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    46      92
1      -     4      8
[1] "f3SgNom"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    44      88
2      e     5      10
3      s     1      2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    44      88
2      e     5      10
3      s     2      4
[1] "f4SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    47      94
1      -     4      8
[1] "f5SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    39      78
5      s     5      10
3      e     3      6
2      a     2      4
4      es     1      2
[1] "n"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    50     100
6      o    50     100

```

| | | | |
|---|----|----|----|
| 8 | s | 29 | 58 |
| 2 | a | 14 | 28 |
| 3 | as | 10 | 20 |
| 4 | e | 5 | 10 |
| 5 | es | 4 | 8 |
| 7 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 6 | o | 50 | 100 |
| 8 | s | 32 | 64 |
| 2 | a | 14 | 28 |
| 3 | as | 13 | 26 |
| 4 | e | 5 | 10 |
| 5 | es | 5 | 10 |
| 7 | os | 2 | 4 |

[1] "nSg"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 5 | o | 50 | 100 |
| 7 | s | 21 | 42 |
| 3 | e | 5 | 10 |
| 4 | es | 4 | 8 |
| 2 | a | 2 | 4 |
| 6 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 50 | 100 |
| 5 | o | 50 | 100 |
| 7 | s | 22 | 44 |
| 3 | e | 5 | 10 |
| 4 | es | 5 | 10 |
| 2 | a | 2 | 4 |
| 6 | os | 2 | 4 |

[1] "nSgNom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | o | 50 | 100 |
| 1 | - | 46 | 92 |
| 3 | s | 4 | 8 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | o | 50 | 100 |
| 1 | - | 46 | 92 |
| 3 | s | 4 | 8 |

[1] "n2SgNom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | o | 50 | 100 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | o | 50 | 100 |

[1] "n3SgNom"

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -    46             92
2    s     4              8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    46             92
2    s     4              8
[1] "n4SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    o    50             100
[1] "Acc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -    50             100
6    o    50             100
2    a    49             98
4    e    41             82
8    s    25             50
5    es    20             40
3    as    16             32
7    os     1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -    50             100
6    o    50             100
2    a    49             98
4    e    42             84
8    s    29             58
3    as    20             40
5    es    20             40
7    os     1              2
[1] "AccSg"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
4    o    50             100
2    a    49             98
1    -    46             92
3    e    41             82
5    s     1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5    o    50             100
2    a    49             98
1    -    48             96
3    e    42             84
4    es     1              2
6    s     1              2
[1] "1SgAcc"
[1] "Endings occurring 10 times or less excluded"

```

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 49 | 98 |
| 1 | - | 1 | 2 |
| [1] "All Endings Included" | | | |
| | Suffix | freq | Percent_Trials |
| 2 | a | 49 | 98 |
| 1 | - | 12 | 24 |
| 3 | e | 1 | 2 |
| [1] "2SgAcc" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| | Suffix | freq | Percent_Trials |
| 1 | o | 50 | 100 |
| [1] "All Endings Included" | | | |
| | Suffix | freq | Percent_Trials |
| 2 | o | 50 | 100 |
| 1 | - | 5 | 10 |
| [1] "3SgAcc" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| | Suffix | freq | Percent_Trials |
| 1 | - | 46 | 92 |
| 2 | e | 41 | 82 |
| 3 | s | 1 | 2 |
| [1] "All Endings Included" | | | |
| | Suffix | freq | Percent_Trials |
| 1 | - | 46 | 92 |
| 2 | e | 42 | 84 |
| 3 | es | 1 | 2 |
| 4 | s | 1 | 2 |
| [1] "4SgAcc" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| | Suffix | freq | Percent_Trials |
| 1 | o | 50 | 100 |
| [1] "All Endings Included" | | | |
| | Suffix | freq | Percent_Trials |
| 3 | o | 50 | 100 |
| 1 | - | 5 | 10 |
| 2 | e | 1 | 2 |
| [1] "5SgAcc" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| | Suffix | freq | Percent_Trials |
| 1 | - | 27 | 54 |
| 3 | e | 20 | 40 |
| 2 | a | 2 | 4 |
| [1] "All Endings Included" | | | |
| | Suffix | freq | Percent_Trials |
| 1 | - | 28 | 56 |
| 3 | e | 20 | 40 |
| 2 | a | 2 | 4 |
| 4 | o | 1 | 2 |
| [1] "mSgAcc" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| | Suffix | freq | Percent_Trials |
| 3 | o | 50 | 100 |
| 2 | e | 41 | 82 |


```

1      -    10          20
4      s     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o    50          100
2      a    41           82
3      e    41           82
1      -    29           58
5      s     1           2
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    41           82
1      -    12           24
3      e     1           2
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o    50          100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o    50          100
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    41           82
1      -    10           20
3      s     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    41           82
1      -    12           24
3      s     1           2
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o    50          100
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o    50          100
1      e     1           2
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    27           54
3      e    20           40
2      a     2            4
4      o     1            2

```

```

[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   49           98
3      e   40           80
1      -   11           22
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   49           98
5      o   46           92
3      e   42           84
1      -   31           62
4     es    1            2
6      s    1            2
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   49           98
1      -    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   49           98
1      -    1            2
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   45           90
1      -    5           10
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   40           80
1      -   11           22
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   42           84
1      -   12           24
3     es    1            2
4      s    1            2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   46           92
1      -    5           10
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   28             56
3      e   20             40
2      a    2              4
[1] "nSgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   50            100
1      -   46             92
2      e    4              8
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   50            100
1      -   46             92
2      e    4              8
[1] "n2SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50            100
[1] "n3SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   46             92
2      e    4              8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   46             92
2      e    4              8
[1] "n4SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50            100
[1] "Gen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   33             66
8      s   33             66
2      a   27             54
3     as   19             38
6      o   11             22
5     es   10             20
4      e    4              8
7     os    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
8      s   36             72
1      -   33             66

```

| | | | |
|---|----|----|----|
| 2 | a | 27 | 54 |
| 3 | as | 24 | 48 |
| 6 | o | 13 | 26 |
| 5 | es | 10 | 20 |
| 4 | e | 5 | 10 |
| 7 | os | 2 | 4 |

[1] "GenSg"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 33 | 66 |
| 2 | a | 26 | 52 |
| 8 | s | 22 | 44 |
| 6 | o | 11 | 22 |
| 3 | as | 7 | 14 |
| 5 | es | 7 | 14 |
| 4 | e | 4 | 8 |
| 7 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 33 | 66 |
| 2 | a | 26 | 52 |
| 8 | s | 25 | 50 |
| 6 | o | 13 | 26 |
| 3 | as | 7 | 14 |
| 5 | es | 7 | 14 |
| 4 | e | 5 | 10 |
| 7 | os | 2 | 4 |

[1] "1SgGen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 26 | 52 |
| 5 | s | 10 | 20 |
| 1 | - | 7 | 14 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 26 | 52 |
| 1 | - | 16 | 32 |
| 6 | s | 11 | 22 |
| 3 | as | 7 | 14 |
| 4 | e | 2 | 4 |
| 5 | es | 1 | 2 |

[1] "2SgGen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 22 | 44 |
| 6 | s | 12 | 24 |
| 4 | o | 11 | 22 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|--|--------|------|----------------|
|--|--------|------|----------------|

| | | | |
|---|----|----|----|
| 1 | - | 22 | 44 |
| 6 | s | 13 | 26 |
| 4 | o | 11 | 22 |
| 2 | e | 2 | 4 |
| 3 | es | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "3SgGen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 27 | 54 |
| 5 | s | 18 | 36 |
| 4 | es | 7 | 14 |
| 3 | e | 4 | 8 |
| 2 | a | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 28 | 56 |
| 5 | s | 19 | 38 |
| 4 | es | 7 | 14 |
| 3 | e | 4 | 8 |
| 2 | a | 3 | 6 |

[1] "4SgGen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 19 | 38 |
| 6 | s | 14 | 28 |
| 4 | o | 11 | 22 |
| 3 | es | 3 | 6 |
| 2 | e | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 19 | 38 |
| 6 | s | 14 | 28 |
| 4 | o | 13 | 26 |
| 3 | es | 3 | 6 |
| 2 | e | 2 | 4 |
| 5 | os | 2 | 4 |

[1] "5SgGen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 22 | 44 |
| 5 | s | 16 | 32 |
| 4 | es | 5 | 10 |
| 2 | a | 2 | 4 |
| 3 | e | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 25 | 50 |
| 5 | s | 17 | 34 |
| 4 | es | 5 | 10 |
| 2 | a | 4 | 8 |
| 3 | e | 2 | 4 |

[1] "mSgGen"

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   32             64
7      s   18             36
5      o   11             22
4     es    7             14
3      e    4              8
6     os    2              4
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   33             66
8      s   22             44
2      a   21             42
6      o   13             26
3     as    7             14
5     es    7             14
4      e    5             10
7     os    2              4
[1] "m1SgGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   21             42
1      -   16             32
6      s   11             22
3     as    7             14
4      e    2              4
5     es    1              2
[1] "m2SgGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   22             44
4      o   11             22
6      s   11             22
2      e    2              4
3     es    2              4
5     os    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22             44
6      s   12             24
4      o   11             22
2      e    2              4
3     es    2              4
5     os    2              4
[1] "m3SgGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27             54
5      s   11             22
4     es    7             14

```

```

3      e      4      8
2      a      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     28      56
5      s     12      24
4      es      7      14
3      e      4      8
2      a      1      2
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     19      38
6      s     14      28
4      o     11      22
3      es      3      6
2      e      2      4
5      os      2      4
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     19      38
6      s     14      28
4      o     13      26
3      es      3      6
2      e      2      4
5      os      2      4
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     24      48
5      s     16      32
4      es      5      10
2      a      3      6
3      e      2      4
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     28      56
2      a     26      52
6      s     17      34
3      as      7      14
5      es      6      12
4      e      4      8
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     33      66
2      a     26      52
8      s     23      46
6      o     11      22
3      as      7      14
5      es      6      12

```

```

4      e      4      8
7      os     2      4
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    26      52
5      s    10      20
1      -     7      14
3      as     7      14
4      e     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    26      52
5      s    10      20
1      -     7      14
3      as     7      14
4      e     1       2
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    22      44
4      o    11      22
6      s    11      22
2      e     2       4
3      es     2       4
5      os     2       4
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    27      54
5      s    12      24
4      es     6      12
3      e     4       8
2      a     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    27      54
5      s    12      24
4      es     6      12
3      e     4       8
2      a     2       4
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    19      38
6      s    14      28
4      o    11      22
2      e     2       4

```



```

3     es     2           4
5     os     2           4
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   25           50
5     s   17           34
4     es    5           10
2     a    4            8
3     e    2            4
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   30           60
7     s   20           40
5     o   11           22
4     es    4            8
2     a    2            4
3     e    2            4
6     os    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   30           60
7     s   21           42
5     o   12           24
4     es    5           10
2     a    2            4
3     e    2            4
6     os    2            4
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   22           44
6     s   12           24
4     o   11           22
2     e    2            4
3     es    2            4
5     os    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   22           44
6     s   12           24
4     o   11           22
2     e    2            4
3     es    2            4
5     os    2            4
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   24           48
5     s   18           36

```

```

4      es      4          8
2      a      2          4
3      e      2          4
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    24          48
5      s    19          38
4      es     5          10
2      a     2           4
3      e     2           4
[1] "n4SgGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    18          36
6      s    14          28
4      o    12          24
2      e     2           4
3      es     2           4
5      os     2           4
[1] "Pl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
8      s    33          66
2      a    31          62
1      -    28          56
3      as   24          48
5      es   21          42
4      e    16          32
6      o     2           4
7      os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
8      s    37          74
2      a    31          62
3      as   30          60
1      -    28          56
5      es   21          42
4      e    16          32
6      o     2           4
7      os     1           2
[1] "1PlNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a    31          62
3      as   21          42
4      es     3           6
1      -     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    31          62
3      as   25          50

```

| | | | |
|---|----|---|----|
| 1 | - | 9 | 18 |
| 6 | s | 6 | 12 |
| 5 | es | 3 | 6 |
| 4 | e | 1 | 2 |

[1] "2PlNom,Acc"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 24 | 48 |
| 1 | - | 19 | 38 |
| 2 | a | 14 | 28 |
| 3 | as | 7 | 14 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 25 | 50 |
| 1 | - | 19 | 38 |
| 2 | a | 14 | 28 |
| 3 | as | 7 | 14 |
| 5 | o | 2 | 4 |
| 4 | es | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "3PlNom,Acc"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 27 | 54 |
| 1 | - | 20 | 40 |
| 5 | es | 20 | 40 |
| 4 | e | 16 | 32 |
| 2 | a | 9 | 18 |
| 3 | as | 8 | 16 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 28 | 56 |
| 1 | - | 20 | 40 |
| 5 | es | 20 | 40 |
| 4 | e | 16 | 32 |
| 2 | a | 9 | 18 |
| 3 | as | 9 | 18 |

[1] "4PlNom,Acc"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 24 | 48 |
| 7 | s | 24 | 48 |
| 4 | es | 3 | 6 |
| 2 | as | 2 | 4 |
| 5 | o | 2 | 4 |
| 3 | e | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 26 | 52 |
| 1 | - | 24 | 48 |

| | | | |
|---|----|---|---|
| 5 | es | 3 | 6 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "5PlNom,Acc"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 12 | 24 |
| 1 | - | 11 | 22 |
| 4 | es | 8 | 16 |
| 3 | as | 3 | 6 |
| 2 | a | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 27 | 54 |
| 5 | es | 17 | 34 |
| 1 | - | 13 | 26 |
| 3 | as | 6 | 12 |
| 4 | e | 6 | 12 |
| 2 | a | 5 | 10 |

[1] "1PlAcc,Gen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 31 | 62 |
| 3 | as | 20 | 40 |
| 5 | s | 9 | 18 |
| 1 | - | 6 | 12 |
| 4 | es | 3 | 6 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 31 | 62 |
| 3 | as | 22 | 44 |
| 6 | s | 16 | 32 |
| 1 | - | 12 | 24 |
| 5 | es | 3 | 6 |
| 4 | e | 1 | 2 |

[1] "2PlAcc,Gen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 28 | 56 |
| 1 | - | 21 | 42 |
| 2 | a | 14 | 28 |
| 3 | as | 6 | 12 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 28 | 56 |
| 1 | - | 21 | 42 |
| 2 | a | 14 | 28 |

| | | | |
|---|----|---|----|
| 3 | as | 7 | 14 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "3PlAcc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 31 | 62 |
| 1 | - | 21 | 42 |
| 5 | es | 21 | 42 |
| 4 | e | 16 | 32 |
| 2 | a | 9 | 18 |
| 3 | as | 6 | 12 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 34 | 68 |
| 1 | - | 21 | 42 |
| 5 | es | 21 | 42 |
| 4 | e | 16 | 32 |
| 2 | a | 10 | 20 |
| 3 | as | 9 | 18 |

[1] "4PlAcc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 26 | 52 |
| 1 | - | 24 | 48 |
| 5 | es | 3 | 6 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 28 | 56 |
| 1 | - | 24 | 48 |
| 5 | es | 4 | 8 |
| 2 | a | 3 | 6 |
| 3 | as | 2 | 4 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "5PlAcc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 12 | 24 |
| 1 | - | 10 | 20 |
| 4 | es | 5 | 10 |
| 3 | as | 2 | 4 |
| 2 | a | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 30 | 60 |

| | | | |
|---|----|----|----|
| 5 | es | 17 | 34 |
| 1 | - | 15 | 30 |
| 4 | e | 7 | 14 |
| 2 | a | 6 | 12 |
| 3 | as | 6 | 12 |

[1] "1PlNom,Gen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 27 | 54 |
| 3 | as | 22 | 44 |
| 5 | s | 9 | 18 |
| 1 | - | 6 | 12 |
| 4 | es | 2 | 4 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 27 | 54 |
| 3 | as | 25 | 50 |
| 5 | s | 16 | 32 |
| 1 | - | 11 | 22 |
| 4 | es | 2 | 4 |

[1] "2PlNom,Gen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 28 | 56 |
| 1 | - | 18 | 36 |
| 2 | a | 12 | 24 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 28 | 56 |
| 1 | - | 18 | 36 |
| 2 | a | 12 | 24 |
| 3 | as | 8 | 16 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "3PlNom,Gen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 31 | 62 |
| 1 | - | 17 | 34 |
| 5 | es | 15 | 30 |
| 3 | as | 8 | 16 |
| 2 | a | 7 | 14 |
| 4 | e | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 34 | 68 |
| 1 | - | 17 | 34 |

| | | | |
|---|----|----|----|
| 5 | es | 15 | 30 |
| 3 | as | 11 | 22 |
| 2 | a | 9 | 18 |
| 4 | e | 1 | 2 |

[1] "4PlNom,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 27 | 54 |
| 1 | - | 19 | 38 |
| 5 | es | 3 | 6 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 29 | 58 |
| 1 | - | 19 | 38 |
| 5 | es | 4 | 8 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "5PlNom,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 21 | 42 |
| 1 | - | 12 | 24 |
| 4 | es | 4 | 8 |
| 3 | as | 2 | 4 |
| 2 | a | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 32 | 64 |
| 1 | - | 15 | 30 |
| 5 | es | 12 | 24 |
| 3 | as | 7 | 14 |
| 2 | a | 3 | 6 |
| 4 | e | 1 | 2 |

[1] "1PlNom,Acc,Gen"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 31 | 62 |
| 3 | as | 22 | 44 |
| 5 | s | 9 | 18 |
| 1 | - | 6 | 12 |
| 4 | es | 3 | 6 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 31 | 62 |
| 3 | as | 25 | 50 |
| 6 | s | 16 | 32 |

| | | | |
|---|----|----|----|
| 1 | - | 12 | 24 |
| 5 | es | 3 | 6 |
| 4 | e | 1 | 2 |
| [1] "2PlNom,Acc,Gen" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 8 | s | 28 | 56 |
| 1 | - | 21 | 42 |
| 2 | a | 14 | 28 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 8 | s | 28 | 56 |
| 1 | - | 21 | 42 |
| 2 | a | 14 | 28 |
| 3 | as | 8 | 16 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 7 | os | 1 | 2 |
| [1] "3PlNom,Acc,Gen" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 6 | s | 31 | 62 |
| 1 | - | 21 | 42 |
| 5 | es | 21 | 42 |
| 4 | e | 16 | 32 |
| 2 | a | 9 | 18 |
| 3 | as | 8 | 16 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 6 | s | 34 | 68 |
| 1 | - | 21 | 42 |
| 5 | es | 21 | 42 |
| 4 | e | 16 | 32 |
| 3 | as | 11 | 22 |
| 2 | a | 10 | 20 |
| [1] "4PlNom,Acc,Gen" | | | |
| [1] "Endings occurring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 8 | s | 27 | 54 |
| 1 | - | 24 | 48 |
| 5 | es | 3 | 6 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |

| | | | |
|---|----|----|----|
| 8 | s | 29 | 58 |
| 1 | - | 24 | 48 |
| 5 | es | 4 | 8 |
| 2 | a | 3 | 6 |
| 3 | as | 2 | 4 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "5PlNom,Acc,Gen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 21 | 42 |
| 1 | - | 13 | 26 |
| 4 | es | 10 | 20 |
| 3 | as | 3 | 6 |
| 2 | a | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 32 | 64 |
| 5 | es | 17 | 34 |
| 1 | - | 15 | 30 |
| 3 | as | 7 | 14 |
| 4 | e | 7 | 14 |
| 2 | a | 6 | 12 |

[1] "NomPl"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 32 | 64 |
| 2 | a | 27 | 54 |
| 3 | as | 23 | 46 |
| 1 | - | 22 | 44 |
| 5 | es | 14 | 28 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 35 | 70 |
| 3 | as | 29 | 58 |
| 2 | a | 27 | 54 |
| 1 | - | 22 | 44 |
| 5 | es | 14 | 28 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "1Pl"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 31 | 62 |
| 3 | as | 22 | 44 |
| 5 | s | 9 | 18 |
| 1 | - | 6 | 12 |
| 4 | es | 3 | 6 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 31 | 62 |
| 3 | as | 25 | 50 |
| 6 | s | 16 | 32 |
| 1 | - | 12 | 24 |
| 5 | es | 3 | 6 |
| 4 | e | 1 | 2 |

[1] "1PlNom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 27 | 54 |
| 3 | as | 21 | 42 |
| 4 | es | 2 | 4 |
| 1 | - | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 27 | 54 |
| 3 | as | 25 | 50 |
| 1 | - | 8 | 16 |
| 5 | s | 6 | 12 |
| 4 | es | 2 | 4 |

[1] "2Pl"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 28 | 56 |
| 1 | - | 21 | 42 |
| 2 | a | 14 | 28 |
| 3 | as | 7 | 14 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 28 | 56 |
| 1 | - | 21 | 42 |
| 2 | a | 14 | 28 |
| 3 | as | 8 | 16 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "2PlNom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 24 | 48 |
| 1 | - | 16 | 32 |
| 2 | a | 11 | 22 |
| 3 | as | 7 | 14 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|--|--------|------|----------------|
|--|--------|------|----------------|

| | | | |
|---|----|----|----|
| 7 | s | 25 | 50 |
| 1 | - | 16 | 32 |
| 2 | a | 12 | 24 |
| 3 | as | 7 | 14 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "3Pl"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 31 | 62 |
| 1 | - | 21 | 42 |
| 5 | es | 21 | 42 |
| 4 | e | 16 | 32 |
| 2 | a | 9 | 18 |
| 3 | as | 8 | 16 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 34 | 68 |
| 1 | - | 21 | 42 |
| 5 | es | 21 | 42 |
| 4 | e | 16 | 32 |
| 3 | as | 11 | 22 |
| 2 | a | 10 | 20 |

[1] "3PlNom"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 27 | 54 |
| 1 | - | 16 | 32 |
| 4 | es | 13 | 26 |
| 3 | as | 8 | 16 |
| 2 | a | 7 | 14 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 28 | 56 |
| 1 | - | 16 | 32 |
| 4 | es | 13 | 26 |
| 3 | as | 9 | 18 |
| 2 | a | 8 | 16 |

[1] "4Pl"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 27 | 54 |
| 1 | - | 24 | 48 |
| 5 | es | 3 | 6 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 29 | 58 |
| 1 | - | 24 | 48 |

| | | | |
|---|----|---|---|
| 5 | es | 4 | 8 |
| 2 | a | 3 | 6 |
| 3 | as | 2 | 4 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "4PlNom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 24 | 48 |
| 1 | - | 19 | 38 |
| 4 | es | 3 | 6 |
| 2 | as | 2 | 4 |
| 3 | e | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 26 | 52 |
| 1 | - | 19 | 38 |
| 5 | es | 3 | 6 |
| 3 | as | 2 | 4 |
| 6 | o | 2 | 4 |
| 2 | a | 1 | 2 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "5Pl"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 21 | 42 |
| 1 | - | 13 | 26 |
| 4 | es | 10 | 20 |
| 3 | as | 3 | 6 |
| 2 | a | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 32 | 64 |
| 5 | es | 17 | 34 |
| 1 | - | 15 | 30 |
| 3 | as | 7 | 14 |
| 4 | e | 7 | 14 |
| 2 | a | 6 | 12 |

[1] "5PlNom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 21 | 42 |
| 1 | - | 12 | 24 |
| 4 | es | 6 | 12 |
| 3 | as | 3 | 6 |
| 2 | a | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 27 | 54 |
| 1 | - | 13 | 26 |

| | | | |
|---|----|----|----|
| 4 | es | 11 | 22 |
| 3 | as | 6 | 12 |
| 2 | a | 2 | 4 |

[1] "mPl"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 32 | 64 |
| 1 | - | 27 | 54 |
| 5 | es | 21 | 42 |
| 4 | e | 16 | 32 |
| 2 | a | 9 | 18 |
| 3 | as | 3 | 6 |
| 6 | o | 2 | 4 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 35 | 70 |
| 1 | - | 28 | 56 |
| 2 | a | 24 | 48 |
| 3 | as | 22 | 44 |
| 5 | es | 21 | 42 |
| 4 | e | 16 | 32 |
| 6 | o | 2 | 4 |
| 7 | os | 1 | 2 |

[1] "mPlNom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 31 | 62 |
| 1 | - | 22 | 44 |
| 5 | es | 14 | 28 |
| 2 | a | 6 | 12 |
| 3 | as | 3 | 6 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 33 | 66 |
| 1 | - | 22 | 44 |
| 3 | as | 22 | 44 |
| 2 | a | 18 | 36 |
| 5 | es | 14 | 28 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "m1PlNom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 3 | as | 21 | 42 |
| 2 | a | 18 | 36 |
| 1 | - | 8 | 16 |

<0 rows> (or 0-length row.names)

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 3 | as | 21 | 42 |
| 2 | a | 18 | 36 |
| 1 | - | 8 | 16 |

```

5      s      5      10
4     es      2      4
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7      s    23      46
1      -    16      32
2      a     6      12
3     as     3       6
4     es     1       2
5      o     1       2
6     os     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
7      s    24      48
1      -    16      32
2      a     7      14
3     as     3       6
4     es     1       2
5      o     1       2
6     os     1       2
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      s    23      46
1      -    14      28
3     es    13      26
2     as     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      s    25      50
1      -    14      28
3     es    13      26
2     as     1       2
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7      s    24      48
1      -    19      38
4     es     3       6
2     as     2       4
3      e     1       2
5      o     1       2
6     os     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
7      s    24      48
1      -    19      38
4     es     3       6
2     as     2       4
5      o     2       4
3      e     1       2
6     os     1       2
[1] "m5PlNom"

```

```

[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      s   25           50
1      -   13           26
4      es    7           14
3      as    3            6
2      a     2            4
[1] "fPl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   31           62
6      s   29           58
3      as  22           44
5      es  21           42
1      -   18           36
4      e   16           32
[1] "All Endings Included"
  Suffix freq Percent_Trials
8      s   35           70
2      a   31           62
3      as  28           56
1      -   27           54
5      es  21           42
4      e   16           32
6      o    2            4
7      os    1            2
[1] "fPlNom"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   27           54
5      s   22           44
3      as  21           42
1      -   14           28
4      es  13           26
[1] "All Endings Included"
  Suffix freq Percent_Trials
8      s   33           66
2      a   27           54
3      as  26           52
1      -   22           44
5      es  14           28
4      e    1            2
6      o    1            2
7      os    1            2
[1] "f1PlNom"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   27           54
3      as  21           42
4      es    2            4
1      -    1            2

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   27             54
3     as   23             46
4     es    2              4
1      -    1              2
5      s    1              2
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7      s   23             46
1      -   15             30
2      a    6             12
3     as    3              6
4     es    1              2
5      o    1              2
6     os    1              2
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      s   22             44
1      -   14             28
3     es   13             26
2     as    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      s   23             46
1      -   14             28
3     es   13             26
2     as    1              2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8      s   23             46
1      -   19             38
5     es    3              6
3     as    2              4
2      a    1              2
4      e    1              2
6      o    1              2
7     os    1              2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      s   26             52

```


| | | | |
|---|----|----|----|
| 1 | - | 13 | 26 |
| 4 | es | 11 | 22 |
| 3 | as | 6 | 12 |
| 2 | a | 1 | 2 |

[1] "nP1"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 28 | 56 |
| 1 | - | 23 | 46 |
| 2 | a | 14 | 28 |
| 3 | as | 10 | 20 |
| 4 | e | 3 | 6 |
| 5 | es | 2 | 4 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 32 | 64 |
| 1 | - | 26 | 52 |
| 2 | a | 14 | 28 |
| 3 | as | 13 | 26 |
| 4 | e | 4 | 8 |
| 5 | es | 3 | 6 |
| 6 | o | 2 | 4 |
| 7 | os | 1 | 2 |

[1] "nP1Nom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 23 | 46 |
| 1 | - | 18 | 36 |
| 2 | a | 11 | 22 |
| 3 | as | 10 | 20 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 30 | 60 |
| 1 | - | 22 | 44 |
| 2 | a | 11 | 22 |
| 3 | as | 11 | 22 |
| 5 | es | 2 | 4 |
| 6 | o | 2 | 4 |
| 4 | e | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "n2P1Nom"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 16 | 32 |
| 1 | - | 15 | 30 |
| 2 | a | 11 | 22 |
| 3 | as | 7 | 14 |
| 4 | o | 1 | 2 |
| 5 | os | 1 | 2 |

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
6      s   17             34
1      -   15             30
2      a   11             22
3     as    7             14
4      o    1              2
5     os    1              2
[1] "n3PlNom"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
5      s   21             42
1      -   14             28
3     as    8             16
2      a    7             14
4     es    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      s   21             42
1      -   15             30
3     as    9             18
2      a    8             16
4     es    1              2
[1] "n4PlNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7      s   25             50
1      -   18             36
2     as    2              4
5      o    2              4
3      e    1              2
4     es    1              2
6     os    1              2
[1] "AccPl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   31             62
1      -   28             56
8      s   25             50
5     es   20             40
3     as   16             32
4      e   16             32
6      o    2              4
7     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   31             62
8      s   29             58
1      -   28             56
3     as   20             40
5     es   20             40

```

| | | | |
|--|----|----|----|
| 4 | e | 16 | 32 |
| 6 | o | 2 | 4 |
| 7 | os | 1 | 2 |
| [1] "1PlAcc" | | | |
| [1] "Endings occuring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 2 | a | 31 | 62 |
| 3 | as | 15 | 30 |
| 4 | es | 3 | 6 |
| 1 | - | 1 | 2 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 2 | a | 31 | 62 |
| 3 | as | 16 | 32 |
| 1 | - | 7 | 14 |
| 5 | es | 3 | 6 |
| 6 | s | 3 | 6 |
| 4 | e | 1 | 2 |
| [1] "2PlAcc" | | | |
| [1] "Endings occuring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 7 | s | 21 | 42 |
| 1 | - | 19 | 38 |
| 2 | a | 14 | 28 |
| 3 | as | 5 | 10 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 7 | s | 22 | 44 |
| 1 | - | 19 | 38 |
| 2 | a | 14 | 28 |
| 3 | as | 5 | 10 |
| 5 | o | 2 | 4 |
| 4 | es | 1 | 2 |
| 6 | os | 1 | 2 |
| [1] "3PlAcc" | | | |
| [1] "Endings occuring 10 times or less excluded" | | | |
| Suffix freq Percent_Trials | | | |
| 5 | es | 20 | 40 |
| 1 | - | 19 | 38 |
| 6 | s | 17 | 34 |
| 4 | e | 16 | 32 |
| 2 | a | 9 | 18 |
| 3 | as | 5 | 10 |
| [1] "All Endings Included" | | | |
| Suffix freq Percent_Trials | | | |
| 5 | es | 20 | 40 |
| 1 | - | 19 | 38 |
| 6 | s | 19 | 38 |
| 4 | e | 16 | 32 |
| 2 | a | 9 | 18 |
| 3 | as | 5 | 10 |

```

[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   23           46
7       s   19           38
4      es    3            6
5       o    2            4
2      as    1            2
3       e    1            2
6      os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   24           48
8       s   21           42
5      es    3            6
6       o    2            4
2       a    1            2
3      as    1            2
4       e    1            2
7      os    1            2
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      es   16           32
6       s   12           24
1      -    9           18
4       e    4            8
2       a    2            4
3      as    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      es   17           34
1      -   12           24
6       s   12           24
4       e    6           12
2       a    5           10
3      as    4            8
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   26           52
8       s   23           46
5      es   20           40
4       e   16           32
2       a    9           18
6       o    2            4
3      as    1            2
7      os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27           54
8       s   25           50
2       a   23           46
5      es   20           40

```

```

3      as  16      32
4      e  16      32
6      o   2       4
7     os   1       2
[1] "m1PlAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a   23      46
3     as   14      28
1      -    7      14
5     es    3       6
6      s    2       4
4      e    1       2
[1] "m2PlAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
7      s   20      40
1      -   18      36
2      a    9      18
3     as    1       2
4     es    1       2
5      o    1       2
6     os    1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
7      s   21      42
1      -   19      38
2      a    9      18
3     as    1       2
4     es    1       2
5      o    1       2
6     os    1       2
[1] "m3PlAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
4     es   20      40
3      e   16      32
5      s    9      18
1      -    5      10
2     as    1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4     es   20      40
3      e   16      32
5      s    9      18
1      -    6      12
2     as    1       2
[1] "m4PlAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -   23      46

```

```

7      s      19      38
4      es     3       6
5      o      2       4
2      as     1       2
3      e      1       2
6      os     1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     23      46
7      s     19      38
4      es     3       6
5      o      2       4
2      as     1       2
3      e      1       2
6      os     1       2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      es     16      32
6      s      12      24
1      -      10      20
4      e       5      10
2      a       4       8
3      as      3       6
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      31      62
5      es     20      40
4      e      16      32
3      as     15      30
6      s       9      18
1      -       4       8
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      31      62
1      -      26      52
8      s      24      48
5      es     20      40
3      as     18      36
4      e      16      32
6      o       2       4
7      os      1       2
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      31      62
3      as     15      30
4      es      3       6
1      -       1       2
[1] "All Endings Included"

```

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 2 | a | 31 | 62 |
| 3 | as | 15 | 30 |
| 4 | es | 3 | 6 |
| 1 | - | 1 | 2 |
| 5 | s | 1 | 2 |

[1] "f2PlAcc"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|----------|-------------------------|------|----------------|
| <0 rows> | (or 0-length row.names) | | |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 7 | s | 20 | 40 |
| 1 | - | 17 | 34 |
| 2 | a | 9 | 18 |
| 3 | as | 1 | 2 |
| 4 | es | 1 | 2 |
| 5 | o | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "f3PlAcc"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | es | 20 | 40 |
| 3 | e | 16 | 32 |
| 5 | s | 9 | 18 |
| 1 | - | 4 | 8 |
| 2 | as | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 4 | es | 20 | 40 |
| 3 | e | 16 | 32 |
| 5 | s | 9 | 18 |
| 1 | - | 6 | 12 |
| 2 | as | 1 | 2 |

[1] "f4PlAcc"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|----------|-------------------------|------|----------------|
| <0 rows> | (or 0-length row.names) | | |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 24 | 48 |
| 7 | s | 19 | 38 |
| 4 | es | 3 | 6 |
| 5 | o | 2 | 4 |
| 2 | as | 1 | 2 |
| 3 | e | 1 | 2 |
| 6 | os | 1 | 2 |

[1] "f5PlAcc"

[1] "Endings occurring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|----------|-------------------------|------|----------------|
| <0 rows> | (or 0-length row.names) | | |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | es | 17 | 34 |

| | | | |
|---|----|----|----|
| 1 | - | 12 | 24 |
| 6 | s | 12 | 24 |
| 4 | e | 6 | 12 |
| 2 | a | 4 | 8 |
| 3 | as | 4 | 8 |

[1] "nP1Acc"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 22 | 44 |
| 8 | s | 18 | 36 |
| 2 | a | 14 | 28 |
| 3 | as | 6 | 12 |
| 4 | e | 2 | 4 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 27 | 54 |
| 1 | - | 26 | 52 |
| 2 | a | 14 | 28 |
| 3 | as | 6 | 12 |
| 4 | e | 4 | 8 |
| 5 | es | 2 | 4 |
| 6 | o | 2 | 4 |
| 7 | os | 1 | 2 |

[1] "n2PlAcc"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 17 | 34 |
| 2 | a | 14 | 28 |
| 6 | s | 13 | 26 |
| 3 | as | 5 | 10 |
| 4 | o | 1 | 2 |
| 5 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 17 | 34 |
| 2 | a | 14 | 28 |
| 6 | s | 14 | 28 |
| 3 | as | 5 | 10 |
| 4 | o | 2 | 4 |
| 5 | os | 1 | 2 |

[1] "n3PlAcc"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 1 | - | 18 | 36 |
| 6 | s | 16 | 32 |
| 2 | a | 9 | 18 |
| 3 | as | 5 | 10 |
| 4 | e | 2 | 4 |
| 5 | es | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|--|--------|------|----------------|
|--|--------|------|----------------|


```

1      -   18          36
6      s   18          36
2      a    9          18
3     as    5          10
4      e    3           6
5     es    1           2
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22           44
8      s   21           42
6      o    2            4
2      a    1            2
3     as    1            2
4      e    1            2
5     es    1            2
7     os    1            2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8      s   33           66
1      -   20           40
3     as   19           38
2      a   17           34
5     es    9           18
4      e    1            2
6      o    1            2
7     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
8      s   36           72
3     as   24           48
1      -   21           42
2      a   18           36
5     es    9           18
4      e    1            2
6      o    1            2
7     os    1            2
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     as   19           38
2      a   17           34
5      s    9           18
1      -    6           12
4     es    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     as   20           40
2      a   18           36
5      s   15           30

```

```

1      -   10          20
4      es   1          2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
8      s   27          54
1      -   15          30
2      a    7          14
3      as   2           4
4      e    1           2
5      es   1           2
6      o    1           2
7      os   1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
8      s   27          54
1      -   15          30
2      a    9          18
3      as   4           8
4      e    1           2
5      es   1           2
6      o    1           2
7      os   1           2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
6      s   31          62
1      -   16          32
5      es   7          14
2      a    5          10
3      as   3           6
4      e    1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s   33          66
1      -   16          32
5      es   7          14
2      a    6          12
3      as   6          12
4      e    1           2
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
8      s   26          52
1      -   15          30
5      es   3           6
2      a    2           4
3      as   2           4
4      e    1           2
6      o    1           2
7      os   1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
8      s   27          54

```

| | | | |
|---|----|----|----|
| 1 | - | 16 | 32 |
| 5 | es | 4 | 8 |
| 2 | a | 2 | 4 |
| 3 | as | 2 | 4 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "5PlGen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 25 | 50 |
| 1 | - | 10 | 20 |
| 5 | es | 5 | 10 |
| 3 | as | 2 | 4 |
| 2 | a | 1 | 2 |
| 4 | e | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 30 | 60 |
| 1 | - | 14 | 28 |
| 5 | es | 6 | 12 |
| 3 | as | 5 | 10 |
| 2 | a | 3 | 6 |
| 4 | e | 1 | 2 |

[1] "mPlGen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 32 | 64 |
| 1 | - | 18 | 36 |
| 5 | es | 9 | 18 |
| 2 | a | 4 | 8 |
| 3 | as | 2 | 4 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 34 | 68 |
| 1 | - | 21 | 42 |
| 3 | as | 14 | 28 |
| 2 | a | 13 | 26 |
| 5 | es | 9 | 18 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "m1PlGen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|----------|-------------------------|------|----------------|
| <0 rows> | (or 0-length row.names) | | |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 5 | s | 15 | 30 |
| 3 | as | 14 | 28 |
| 2 | a | 13 | 26 |

```

1      -    10          20
4      es    1          2
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
8      s    26          52
1      -    14          28
2      a     4           8
3      as     2           4
4      e     1           2
5      es     1           2
6      o     1           2
7      os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
8      s    27          54
1      -    15          30
2      a     5          10
3      as     2           4
4      e     1           2
5      es     1           2
6      o     1           2
7      os     1           2
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
5      s    27          54
1      -    15          30
4      es     7          14
2      as     1           2
3      e     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      s    30          60
1      -    15          30
4      es     7          14
2      as     1           2
3      e     1           2
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
8      s    26          52
1      -    15          30
5      es     3           6
2      a     2           4
3      as     2           4
4      e     1           2
6      o     1           2
7      os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
8      s    26          52
1      -    16          32
5      es     3           6

```

```

2      a      2      4
3     as      2      4
4      e      1      2
6      o      1      2
7     os      1      2
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s     25           50
1      -     14           28
5     es      5           10
2      a      3            6
3     as      2            4
4      e      1            2
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
6      s     28           56
3     as     19           38
2      a     17           34
1      -     16           32
5     es      7           14
4      e      1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
8      s     34           68
3     as     23           46
1      -     19           38
2      a     18           36
5     es      9           18
4      e      1            2
6      o      1            2
7     os      1            2
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3     as     19           38
2      a     17           34
5      s      9           18
1      -      6           12
4     es      1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3     as     20           40
2      a     18           36
5      s      9           18
1      -      6           12
4     es      1            2
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials

```

```

<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8      s   25             50
1      -   14             28
2      a    5             10
3     as    2              4
4      e    1              2
5     es    1              2
6      o    1              2
7     os    1              2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      s   27             54
1      -   15             30
4     es    7             14
2     as    1              2
3      e    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      s   27             54
1      -   15             30
5     es    7             14
3     as    2              4
2      a    1              2
4      e    1              2
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8      s   25             50
1      -   15             30
5     es    4              8
2      a    2              4
3     as    2              4
4      e    1              2
6      o    1              2
7     os    1              2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      s   30             60
1      -   14             28
5     es    6             12
3     as    5             10
2      a    2              4
4      e    1              2
[1] "nP1Gen"

```

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 28 | 56 |
| 1 | - | 16 | 32 |
| 2 | a | 7 | 14 |
| 3 | as | 3 | 6 |
| 5 | es | 2 | 4 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 30 | 60 |
| 1 | - | 18 | 36 |
| 2 | a | 7 | 14 |
| 3 | as | 7 | 14 |
| 5 | es | 3 | 6 |
| 4 | e | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "n2PlGen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 25 | 50 |
| 1 | - | 13 | 26 |
| 2 | a | 7 | 14 |
| 3 | as | 2 | 4 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 8 | s | 25 | 50 |
| 1 | - | 14 | 28 |
| 2 | a | 7 | 14 |
| 3 | as | 4 | 8 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |
| 6 | o | 1 | 2 |
| 7 | os | 1 | 2 |

[1] "n3PlGen"

[1] "Endings occuring 10 times or less excluded"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 26 | 52 |
| 1 | - | 14 | 28 |
| 2 | a | 5 | 10 |
| 3 | as | 3 | 6 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |

[1] "All Endings Included"

| | Suffix | freq | Percent_Trials |
|---|--------|------|----------------|
| 6 | s | 26 | 52 |
| 1 | - | 14 | 28 |

| | | | |
|---|----|---|----|
| 2 | a | 5 | 10 |
| 3 | as | 5 | 10 |
| 4 | e | 1 | 2 |
| 5 | es | 1 | 2 |

```

[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8     s   26           52
1     -   15           30
2     a    2            4
3    as    2            4
5    es    2            4
4     e    1            2
6     o    1            2
7    os    1            2

```