

Aggregate Data

Tyler Lau

July 18, 2016

[1] "No Sound Change, Token Freq F, Number of cases being considered: 5"

[1] "Only considering max suffixes: TRUE"

[1] "Sg"

	Suffix	freq	Percent_Trials
2	e	21	42
1	-	12	24
4	o	8	16
5	s	6	12
3	es	3	6

[1] "1SgNom,Acc"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "2SgNom,Acc"

	Suffix	freq	Percent_Trials
2	o	48	96
1	-	2	4

[1] "3SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	26	52
2	e	24	48

[1] "4SgNom,Acc"

	Suffix	freq	Percent_Trials
2	o	49	98
1	-	1	2

[1] "5SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	23	46
3	e	23	46
2	a	2	4
4	es	1	2
5	s	1	2

[1] "1SgAcc,Abl"

	Suffix	freq	Percent_Trials
2	a	49	98
1	-	1	2

[1] "2SgAcc,Abl"

	Suffix	freq	Percent_Trials
2	o	38	76
1	-	12	24

[1] "3SgAcc,Abl"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	8	16

[1] "4SgAcc,Abl"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

2	o	42	84
1	-	8	16
[1] "5SgAcc,Abl"			
Suffix freq Percent_Trials			
3	e	33	66
1	-	13	26
2	a	2	4
4	es	1	2
5	s	1	2
[1] "1SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
1	a	50	100
[1] "2SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
2	o	49	98
1	-	1	2
[1] "3SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
2	e	41	82
1	-	9	18
[1] "4SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
1	o	49	98
2	os	1	2
[1] "5SgNom,Acc,Abl"			
Suffix freq Percent_Trials			
3	e	33	66
1	-	11	22
5	s	3	6
2	a	2	4
4	es	1	2
[1] "1SgGen,Dat"			
Suffix freq Percent_Trials			
2	a	33	66
1	-	8	16
3	as	5	10
5	es	3	6
4	e	1	2
[1] "2SgGen,Dat"			
Suffix freq Percent_Trials			
1	-	17	34
4	o	12	24
5	s	10	20
2	e	8	16
3	es	3	6
[1] "3SgGen,Dat"			
Suffix freq Percent_Trials			
2	e	24	48
1	-	15	30
3	es	7	14
4	s	4	8
[1] "4SgGen,Dat"			
Suffix freq Percent_Trials			
4	o	18	36

1	-	12	24
5	s	10	20
2	e	8	16
3	es	2	4

[1] "5SgGen,Dat"

	Suffix	freq	Percent_Trials
3	e	23	46
1	-	15	30
5	s	6	12
4	es	5	10
2	a	1	2

[1] "Nom"

	Suffix	freq	Percent_Trials
2	e	16	32
5	s	15	30
1	-	11	22
3	es	6	12
4	o	2	4

[1] "NomSg"

	Suffix	freq	Percent_Trials
1	-	23	46
3	o	16	32
2	e	11	22

[1] "1"

	Suffix	freq	Percent_Trials
2	a	38	76
3	as	7	14
4	es	3	6
1	-	2	4

[1] "1Sg"

	Suffix	freq	Percent_Trials
2	a	49	98
1	-	1	2

[1] "1SgNom"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "2"

	Suffix	freq	Percent_Trials
1	-	18	36
5	s	14	28
4	o	11	22
2	e	4	8
3	es	3	6

[1] "2Sg"

	Suffix	freq	Percent_Trials
2	o	41	82
1	-	9	18

[1] "2SgNom"

	Suffix	freq	Percent_Trials
2	o	48	96
1	-	2	4

[1] "3"

	Suffix	freq	Percent_Trials
2	e	24	48

1	-	10	20
4	s	10	20
3	es	6	12
[1] "3Sg"			
Suffix freq Percent_Trials			
2	e	36	72
1	-	13	26
3	s	1	2
[1] "3SgNom"			
Suffix freq Percent_Trials			
1	-	27	54
2	e	23	46
[1] "4"			
Suffix freq Percent_Trials			
4	o	18	36
6	s	13	26
1	-	12	24
2	e	4	8
3	es	2	4
5	os	1	2
[1] "4Sg"			
Suffix freq Percent_Trials			
3	o	44	88
1	-	4	8
2	es	1	2
4	os	1	2
[1] "4SgNom"			
Suffix freq Percent_Trials			
2	o	48	96
1	-	1	2
3	os	1	2
[1] "5"			
Suffix freq Percent_Trials			
3	e	24	48
1	-	9	18
5	s	9	18
4	es	6	12
2	a	2	4
[1] "5Sg"			
Suffix freq Percent_Trials			
3	e	33	66
1	-	11	22
5	s	3	6
2	a	2	4
4	es	1	2
[1] "5SgNom"			
Suffix freq Percent_Trials			
3	e	22	44
1	-	21	42
5	s	4	8
2	a	2	4
4	es	1	2
[1] "m"			
Suffix freq Percent_Trials			

2	e	18	36
5	s	16	32
1	-	10	20
3	es	5	10
4	o	1	2

[1] "mSg"

	Suffix	freq	Percent_Trials
4	o	20	40
2	e	15	30
1	-	12	24
3	es	2	4
5	s	1	2

[1] "mSgNom"

	Suffix	freq	Percent_Trials
2	o	48	96
1	-	2	4

[1] "m1SgNom"

	Suffix	freq	Percent_Trials
2	a	40	80
1	-	9	18
3	e	1	2

[1] "m2SgNom"

	Suffix	freq	Percent_Trials
2	o	48	96
1	-	2	4

[1] "m3SgNom"

	Suffix	freq	Percent_Trials
1	-	28	56
2	e	22	44

[1] "m4SgNom"

	Suffix	freq	Percent_Trials
2	o	48	96
1	-	1	2
3	os	1	2

[1] "m5SgNom"

	Suffix	freq	Percent_Trials
1	-	22	44
3	e	21	42
5	s	3	6
2	a	2	4
4	es	2	4

[1] "f"

	Suffix	freq	Percent_Trials
4	e	16	32
2	a	12	24
1	-	8	16
5	es	7	14
6	s	4	8
3	as	3	6

[1] "fSg"

	Suffix	freq	Percent_Trials
2	a	19	38
3	e	19	38
1	-	9	18

```

4      es      3          6
[1] "fSgNom"
      Suffix freq Percent_Trials
3      e      21          42
1      -      20          40
2      a       8          16
4      s       1           2
[1] "f1SgNom"
      Suffix freq Percent_Trials
1      a      50         100
[1] "f2SgNom"
      Suffix freq Percent_Trials
2      o      37          74
1      -      12          24
3      s       1           2
[1] "f3SgNom"
      Suffix freq Percent_Trials
2      e      25          50
1      -      24          48
3      s       1           2
[1] "f4SgNom"
      Suffix freq Percent_Trials
2      o      40          80
1      -       8          16
3      os       1           2
4      s       1           2
[1] "f5SgNom"
      Suffix freq Percent_Trials
3      e      22          44
1      -      21          42
5      s       4           8
2      a       2           4
4      es       1           2
[1] "n"
      Suffix freq Percent_Trials
1      -      16          32
5      s      16          32
2      e      11          22
3      es       4           8
4      o       3           6
[1] "nSg"
      Suffix freq Percent_Trials
4      o      18          36
1      -      17          34
2      e       8          16
5      s       4           8
3      es       3           6
[1] "nSgNom"
      Suffix freq Percent_Trials
2      o      48          96
1      -       2           4
[1] "n2SgNom"
      Suffix freq Percent_Trials
2      o      48          96

```

```

1      -      2      4
[1] "n3SgNom"
  Suffix freq Percent_Trials
1      -    38             76
2      e    11             22
3      s     1              2
[1] "n4SgNom"
  Suffix freq Percent_Trials
3      o    48             96
1      -     1              2
2      e     1              2
[1] "Acc"
  Suffix freq Percent_Trials
2      e    32             64
1      -     8             16
5      s     7             14
4      o     2              4
3      es     1              2
[1] "AccSg"
  Suffix freq Percent_Trials
3      o    22             44
2      e    21             42
1      -     7             14
[1] "1SgAcc"
  Suffix freq Percent_Trials
1      a    50             100
[1] "2SgAcc"
  Suffix freq Percent_Trials
2      o    49             98
1      -     1              2
[1] "3SgAcc"
  Suffix freq Percent_Trials
2      e    41             82
1      -     9             18
[1] "4SgAcc"
  Suffix freq Percent_Trials
1      o    50             100
[1] "5SgAcc"
  Suffix freq Percent_Trials
3      e    34             68
1      -    12             24
2      a     2              4
4      es     1              2
5      s     1              2
[1] "mSgAcc"
  Suffix freq Percent_Trials
2      o    49             98
1      -     1              2
[1] "m1SgAcc"
  Suffix freq Percent_Trials
2      a    41             82
1      -     8             16
3      e     1              2
[1] "m2SgAcc"

```

	Suffix	freq	Percent_Trials
2	o	49	98
1	-	1	2
[1] "m3SgAcc"			
	Suffix	freq	Percent_Trials
2	e	40	80
1	-	10	20
[1] "m4SgAcc"			
	Suffix	freq	Percent_Trials
1	o	50	100
[1] "m5SgAcc"			
	Suffix	freq	Percent_Trials
3	e	34	68
1	-	13	26
2	a	2	4
4	es	1	2
[1] "fSgAcc"			
	Suffix	freq	Percent_Trials
3	e	33	66
2	a	12	24
1	-	5	10
[1] "f1SgAcc"			
	Suffix	freq	Percent_Trials
1	a	50	100
[1] "f2SgAcc"			
	Suffix	freq	Percent_Trials
2	o	38	76
1	-	12	24
[1] "f3SgAcc"			
	Suffix	freq	Percent_Trials
2	e	43	86
1	-	7	14
[1] "f4SgAcc"			
	Suffix	freq	Percent_Trials
2	o	42	84
1	-	8	16
[1] "f5SgAcc"			
	Suffix	freq	Percent_Trials
3	e	34	68
1	-	12	24
2	a	2	4
4	es	1	2
5	s	1	2
[1] "nSgAcc"			
	Suffix	freq	Percent_Trials
2	o	49	98
1	-	1	2
[1] "n2SgAcc"			
	Suffix	freq	Percent_Trials
2	o	49	98
1	-	1	2
[1] "n3SgAcc"			
	Suffix	freq	Percent_Trials
1	-	29	58


```

2      e      21      42
[1] "n4SgAcc"
  Suffix freq Percent_Trials
2      o      49      98
1      -       1       2
[1] "Gen"
  Suffix freq Percent_Trials
5      s      15      30
1      -      14      28
2      e      13      26
3      es       7      14
4      o       1       2
[1] "GenSg"
  Suffix freq Percent_Trials
1      -      19      38
2      e      13      26
5      s      11      22
3      es       5      10
4      o       2       4
[1] "1SgGen"
  Suffix freq Percent_Trials
2      a      28      56
3      as      10      20
1      -       7      14
5      es       3       6
4      e       1       2
6      s       1       2
[1] "2SgGen"
  Suffix freq Percent_Trials
1      -      16      32
5      s      12      24
4      o      11      22
2      e       8      16
3      es       3       6
[1] "3SgGen"
  Suffix freq Percent_Trials
2      e      20      40
1      -      14      28
4      s      10      20
3      es       6      12
[1] "4SgGen"
  Suffix freq Percent_Trials
4      o      16      32
6      s      12      24
1      -      11      22
2      e       8      16
3      es       2       4
5      os       1       2
[1] "5SgGen"
  Suffix freq Percent_Trials
3      e      18      36
1      -      15      30
5      s      10      20
4      es       6      12

```

```

2      a      1      2
[1] "mSgGen"
  Suffix freq Percent_Trials
1      -    13             26
2      e    12             24
4      o    11             22
5      s    11             22
3     es     3              6
[1] "m1SgGen"
  Suffix freq Percent_Trials
2      a    25             50
1      -    11             22
3     as     6             12
5     es     4              8
6      s     3              6
4      e     1              2
[1] "m2SgGen"
  Suffix freq Percent_Trials
1      -    17             34
4      o    11             22
5      s    11             22
2      e     8             16
3     es     3              6
[1] "m3SgGen"
  Suffix freq Percent_Trials
2      e    20             40
1      -    14             28
4      s    10             20
3     es     6             12
[1] "m4SgGen"
  Suffix freq Percent_Trials
4      o    16             32
6      s    12             24
1      -    11             22
2      e     8             16
3     es     2              4
5     os     1              2
[1] "m5SgGen"
  Suffix freq Percent_Trials
3      e    17             34
1      -    15             30
5      s    10             20
4     es     7             14
2      a     1              2
[1] "fSgGen"
  Suffix freq Percent_Trials
3      e    17             34
1      -    15             30
5      s    10             20
4     es     6             12
2      a     2              4
[1] "f1SgGen"
  Suffix freq Percent_Trials
2      a    28             56

```

3	as	10	20
1	-	7	14
5	es	3	6
4	e	1	2
6	s	1	2

[1] "f2SgGen"

	Suffix	freq	Percent_Trials
1	-	15	30
5	s	12	24
2	e	10	20
4	o	10	20
3	es	3	6

[1] "f3SgGen"

	Suffix	freq	Percent_Trials
2	e	20	40
1	-	14	28
4	s	10	20
3	es	6	12

[1] "f4SgGen"

	Suffix	freq	Percent_Trials
1	-	16	32
6	s	13	26
4	o	11	22
2	e	7	14
3	es	2	4
5	os	1	2

[1] "f5SgGen"

	Suffix	freq	Percent_Trials
3	e	18	36
1	-	15	30
5	s	11	22
4	es	5	10
2	a	1	2

[1] "nSgGen"

	Suffix	freq	Percent_Trials
1	-	16	32
5	s	12	24
4	o	11	22
2	e	8	16
3	es	3	6

[1] "n2SgGen"

	Suffix	freq	Percent_Trials
1	-	16	32
5	s	12	24
4	o	11	22
2	e	8	16
3	es	3	6

[1] "n3SgGen"

	Suffix	freq	Percent_Trials
1	-	21	42
2	e	13	26
4	s	11	22
3	es	5	10

[1] "n4SgGen"

	Suffix	freq	Percent_Trials
4	o	17	34
5	s	12	24
1	-	11	22
2	e	8	16
3	es	2	4

[1] "Dat"

	Suffix	freq	Percent_Trials
2	e	18	36
1	-	13	26
4	s	13	26
3	es	6	12

[1] "DatSg"

	Suffix	freq	Percent_Trials
2	e	22	44
1	-	14	28
3	es	6	12
4	o	4	8
5	s	4	8

[1] "1SgDat"

	Suffix	freq	Percent_Trials
2	a	33	66
1	-	8	16
3	as	5	10
5	es	3	6
4	e	1	2

[1] "2SgDat"

	Suffix	freq	Percent_Trials
1	-	17	34
4	o	13	26
5	s	9	18
2	e	8	16
3	es	3	6

[1] "3SgDat"

	Suffix	freq	Percent_Trials
2	e	33	66
1	-	9	18
3	es	7	14
4	s	1	2

[1] "4SgDat"

	Suffix	freq	Percent_Trials
4	o	20	40
1	-	10	20
2	e	9	18
5	s	9	18
3	es	2	4

[1] "5SgDat"

	Suffix	freq	Percent_Trials
3	e	28	56
1	-	11	22
4	es	5	10
5	s	5	10
2	a	1	2

[1] "mSgDat"

	Suffix	freq	Percent_Trials
2	e	14	28
4	o	13	26
1	-	11	22
5	s	9	18
3	es	3	6

[1] "m1SgDat"

	Suffix	freq	Percent_Trials
2	a	28	56
1	-	11	22
3	as	3	6
4	e	3	6
5	es	3	6
6	s	2	4

[1] "m2SgDat"

	Suffix	freq	Percent_Trials
1	-	16	32
4	o	14	28
5	s	9	18
2	e	8	16
3	es	3	6

[1] "m3SgDat"

	Suffix	freq	Percent_Trials
2	e	33	66
1	-	9	18
3	es	7	14
4	s	1	2

[1] "m4SgDat"

	Suffix	freq	Percent_Trials
4	o	20	40
1	-	10	20
2	e	9	18
5	s	9	18
3	es	2	4

[1] "m5SgDat"

	Suffix	freq	Percent_Trials
3	e	28	56
1	-	12	24
4	es	6	12
5	s	3	6
2	a	1	2

[1] "fSgDat"

	Suffix	freq	Percent_Trials
4	e	27	54
1	-	11	22
5	es	6	12
2	a	3	6
6	s	2	4
3	as	1	2

[1] "f1SgDat"

	Suffix	freq	Percent_Trials
2	a	33	66
1	-	8	16
3	as	5	10

```

5     es    3           6
4     e     1           2
[1] "f2SgDat"
  Suffix freq Percent_Trials
1     -    15           30
4     o    12           24
2     e    10           20
5     s    10           20
3     es     3           6
[1] "f3SgDat"
  Suffix freq Percent_Trials
2     e    33           66
1     -     8           16
3     es     7           14
4     s     2           4
[1] "f4SgDat"
  Suffix freq Percent_Trials
4     o    15           30
1     -    14           28
2     e     9           18
6     s     9           18
3     es     2           4
5     os     1           2
[1] "f5SgDat"
  Suffix freq Percent_Trials
3     e    28           56
1     -    11           22
4     es     5           10
5     s     5           10
2     a     1           2
[1] "nSgDat"
  Suffix freq Percent_Trials
1     -    17           34
4     o    13           26
5     s     9           18
2     e     8           16
3     es     3           6
[1] "n2SgDat"
  Suffix freq Percent_Trials
1     -    17           34
4     o    13           26
5     s     9           18
2     e     8           16
3     es     3           6
[1] "n3SgDat"
  Suffix freq Percent_Trials
2     e    22           44
1     -    18           36
3     es     6           12
4     s     4           8
[1] "n4SgDat"
  Suffix freq Percent_Trials
4     o    18           36
1     -    13           26

```

```

5      s      9      18
2      e      8      16
3     es      2       4
[1] "Abl"
  Suffix freq Percent_Trials
2      e    23           46
1      -    11           22
5      s    10           20
3     es     5           10
4      o     1            2
[1] "AblSg"
  Suffix freq Percent_Trials
2      e    24           48
1      -    13           26
3      o    13           26
[1] "1SgAbl"
  Suffix freq Percent_Trials
2      a    49           98
1      -     1            2
[1] "2SgAbl"
  Suffix freq Percent_Trials
2      o    37           74
1      -    13           26
[1] "3SgAbl"
  Suffix freq Percent_Trials
2      e    43           86
1      -     7           14
[1] "4SgAbl"
  Suffix freq Percent_Trials
2      o    41           82
1      -     8           16
3     os     1            2
[1] "5SgAbl"
  Suffix freq Percent_Trials
3      e    33           66
1      -    11           22
5      s     3            6
2      a     2            4
4     es     1            2
[1] "mSgAbl"
  Suffix freq Percent_Trials
3      o    36           72
1      -     8           16
2      e     6           12
[1] "m1SgAbl"
  Suffix freq Percent_Trials
2      a    41           82
1      -     8           16
3      e     1            2
[1] "m2SgAbl"
  Suffix freq Percent_Trials
2      o    37           74
1      -    13           26
[1] "m3SgAbl"

```

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	8	16
[1] "m4SgAbl"			
	Suffix	freq	Percent_Trials
2	o	41	82
1	-	8	16
3	os	1	2
[1] "m5SgAbl"			
	Suffix	freq	Percent_Trials
3	e	34	68
1	-	10	20
5	s	3	6
2	a	2	4
4	es	1	2
[1] "fSgAbl"			
	Suffix	freq	Percent_Trials
3	e	32	64
2	a	11	22
1	-	7	14
[1] "f1SgAbl"			
	Suffix	freq	Percent_Trials
2	a	49	98
1	-	1	2
[1] "f2SgAbl"			
	Suffix	freq	Percent_Trials
3	o	31	62
1	-	15	30
2	e	3	6
4	s	1	2
[1] "f3SgAbl"			
	Suffix	freq	Percent_Trials
2	e	43	86
1	-	7	14
[1] "f4SgAbl"			
	Suffix	freq	Percent_Trials
3	o	30	60
1	-	17	34
2	e	1	2
4	os	1	2
5	s	1	2
[1] "f5SgAbl"			
	Suffix	freq	Percent_Trials
3	e	33	66
1	-	11	22
5	s	3	6
2	a	2	4
4	es	1	2
[1] "nSgAbl"			
	Suffix	freq	Percent_Trials
2	o	37	74
1	-	13	26
[1] "n2SgAbl"			
	Suffix	freq	Percent_Trials

2	o	37	74
1	-	13	26

[1] "n3SgAbl"

	Suffix	freq	Percent_Trials
1	-	24	48
2	e	24	48
3	s	2	4

[1] "n4SgAbl"

	Suffix	freq	Percent_Trials
2	o	42	84
1	-	8	16

[1] "Pl"

	Suffix	freq	Percent_Trials
5	s	15	30
1	-	13	26
2	e	12	24
3	es	9	18
4	o	1	2

[1] "1PlNom,Acc"

	Suffix	freq	Percent_Trials
1	a	33	66
2	as	12	24
4	es	4	8
3	e	1	2

[1] "2PlNom,Acc"

	Suffix	freq	Percent_Trials
1	-	24	48
5	s	17	34
4	o	6	12
3	es	2	4
2	e	1	2

[1] "3PlNom,Acc"

	Suffix	freq	Percent_Trials
2	e	19	38
3	es	12	24
1	-	10	20
4	s	9	18

[1] "4PlNom,Acc"

	Suffix	freq	Percent_Trials
1	-	17	34
6	s	16	32
4	o	11	22
2	e	3	6
3	es	2	4
5	os	1	2

[1] "5PlNom,Acc"

	Suffix	freq	Percent_Trials
4	e	20	40
1	-	10	20
5	es	10	20
6	s	8	16
2	a	1	2
3	as	1	2

[1] "1PlAcc,Abl"

	Suffix	freq	Percent_Trials
2	a	33	66
3	as	12	24
5	es	3	6
1	-	1	2
4	e	1	2
[1] "2PlAcc,Abl"			
	Suffix	freq	Percent_Trials
1	-	21	42
5	s	18	36
4	o	5	10
2	e	3	6
3	es	3	6
[1] "3PlAcc,Abl"			
	Suffix	freq	Percent_Trials
2	e	25	50
3	es	14	28
1	-	6	12
4	s	5	10
[1] "4PlAcc,Abl"			
	Suffix	freq	Percent_Trials
1	-	19	38
6	s	16	32
4	o	8	16
2	e	4	8
3	es	2	4
5	os	1	2
[1] "5PlAcc,Abl"			
	Suffix	freq	Percent_Trials
4	e	24	48
5	es	9	18
6	s	8	16
1	-	7	14
2	a	1	2
3	as	1	2
[1] "1PlNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
1	a	27	54
2	as	18	36
3	es	5	10
[1] "2PlNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
1	-	21	42
5	s	21	42
4	o	4	8
3	es	3	6
2	e	1	2
[1] "3PlNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
2	e	20	40
3	es	17	34
4	s	7	14
1	-	6	12
[1] "4PlNom,Acc,Abl"			

	Suffix	freq	Percent_Trials
6	s	19	38
1	-	16	32
4	o	8	16
2	e	3	6
3	es	2	4
5	os	2	4

[1] "5PlNom,Acc,Abl"

	Suffix	freq	Percent_Trials
4	e	18	36
5	es	12	24
6	s	11	22
1	-	7	14
2	a	1	2
3	as	1	2

[1] "1PlGen,Dat"

	Suffix	freq	Percent_Trials
2	a	23	46
3	as	14	28
1	-	6	12
4	es	5	10
5	s	2	4

[1] "2PlGen,Dat"

	Suffix	freq	Percent_Trials
5	s	18	36
1	-	16	32
2	e	10	20
3	es	5	10
4	o	1	2

[1] "3PlGen,Dat"

	Suffix	freq	Percent_Trials
2	e	18	36
4	s	12	24
1	-	10	20
3	es	10	20

[1] "4PlGen,Dat"

	Suffix	freq	Percent_Trials
1	-	18	36
6	s	16	32
2	e	9	18
3	es	5	10
4	o	1	2
5	os	1	2

[1] "5PlGen,Dat"

	Suffix	freq	Percent_Trials
3	e	19	38
1	-	11	22
5	s	11	22
4	es	8	16
2	as	1	2

[1] "NomPl"

	Suffix	freq	Percent_Trials
4	s	16	32
1	-	15	30

```

3      es  11      22
2       e   8      16
[1] "1Pl"
      Suffix freq Percent_Trials
2        a  27      54
3       as  18      36
4       es   4       8
1        -   1       2
[1] "1PlNom"
      Suffix freq Percent_Trials
1        a  25      50
2       as  19      38
3       es   5      10
4        s   1       2
[1] "2Pl"
      Suffix freq Percent_Trials
5        s  20      40
1        -  17      34
2        e   5      10
3       es   4       8
4        o   4       8
[1] "2PlNom"
      Suffix freq Percent_Trials
6        s  21      42
1        -  19      38
4        o   5      10
2        e   2       4
3       es   2       4
5       os   1       2
[1] "3Pl"
      Suffix freq Percent_Trials
2        e  16      32
3       es  13      26
4        s  12      24
1        -   9      18
[1] "3PlNom"
      Suffix freq Percent_Trials
2        e  14      28
3       es  13      26
4        s  13      26
1        -  10      20
[1] "4Pl"
      Suffix freq Percent_Trials
6        s  19      38
1        -  17      34
2        e   5      10
4        o   5      10
3       es   2       4
5       os   2       4
[1] "4PlNom"
      Suffix freq Percent_Trials
6        s  18      36
1        -  15      30
4        o   9      18

```

2	e	3	6
5	os	3	6
3	es	2	4

[1] "5Pl"

	Suffix	freq	Percent_Trials
4	e	18	36
6	s	12	24
5	es	11	22
1	-	7	14
2	a	1	2
3	as	1	2

[1] "5PlNom"

	Suffix	freq	Percent_Trials
4	e	14	28
6	s	14	28
5	es	11	22
1	-	9	18
2	a	1	2
3	as	1	2

[1] "mPl"

	Suffix	freq	Percent_Trials
5	s	17	34
1	-	13	26
2	e	12	24
3	es	7	14
4	o	1	2

[1] "mPlNom"

	Suffix	freq	Percent_Trials
5	s	19	38
1	-	15	30
3	es	7	14
4	o	5	10
2	e	4	8

[1] "m1PlNom"

	Suffix	freq	Percent_Trials
2	a	23	46
3	as	13	26
4	es	6	12
1	-	4	8
5	s	4	8

[1] "m2PlNom"

	Suffix	freq	Percent_Trials
6	s	21	42
1	-	19	38
4	o	5	10
2	e	2	4
3	es	2	4
5	os	1	2

[1] "m3PlNom"

	Suffix	freq	Percent_Trials
2	e	14	28
3	es	13	26
4	s	13	26
1	-	10	20

```

[1] "m4PlNom"
  Suffix freq Percent_Trials
6      s   18             36
1      -   15             30
4      o    9             18
2      e    3              6
5     os    3              6
3     es    2              4
[1] "m5PlNom"
  Suffix freq Percent_Trials
6      s   14             28
4      e   13             26
5     es   12             24
1      -    9             18
2      a    1              2
3     as    1              2
[1] "fPl"
  Suffix freq Percent_Trials
4      e   12             24
5     es   12             24
1      -    8             16
6      s    7             14
3     as    6             12
2      a    5             10
[1] "fPlNom"
  Suffix freq Percent_Trials
4      e   13             26
6      s   13             26
5     es   11             22
1      -    9             18
2      a    2              4
3     as    2              4
[1] "f1PlNom"
  Suffix freq Percent_Trials
1      a   25             50
2     as   20             40
3     es    5             10
[1] "f2PlNom"
  Suffix freq Percent_Trials
5      s   21             42
1      -   17             34
4      o    5             10
2      e    4              8
3     es    3              6
[1] "f3PlNom"
  Suffix freq Percent_Trials
2      e   14             28
3     es   13             26
4      s   13             26
1      -   10             20
[1] "f4PlNom"
  Suffix freq Percent_Trials
6      s   20             40
1      -   16             32

```

4	o	6	12
2	e	5	10
3	es	2	4
5	os	1	2

[1] "f5PlNom"

	Suffix	freq	Percent_Trials
4	e	14	28
6	s	14	28
5	es	11	22
1	-	9	18
2	a	1	2
3	as	1	2

[1] "nP1"

	Suffix	freq	Percent_Trials
5	s	18	36
1	-	16	32
2	e	9	18
3	es	6	12
4	o	1	2

[1] "nP1Nom"

	Suffix	freq	Percent_Trials
6	s	21	42
1	-	19	38
4	o	5	10
2	e	2	4
3	es	2	4
5	os	1	2

[1] "n2P1Nom"

	Suffix	freq	Percent_Trials
6	s	21	42
1	-	19	38
4	o	5	10
2	e	2	4
3	es	2	4
5	os	1	2

[1] "n3P1Nom"

	Suffix	freq	Percent_Trials
1	-	17	34
4	s	15	30
2	e	9	18
3	es	9	18

[1] "n4P1Nom"

	Suffix	freq	Percent_Trials
6	s	18	36
1	-	15	30
4	o	9	18
2	e	3	6
5	os	3	6
3	es	2	4

[1] "AccP1"

	Suffix	freq	Percent_Trials
1	-	16	32
2	e	14	28
3	es	10	20

```

4      s      10      20
[1] "1PlAcc"
  Suffix freq Percent_Trials
1      a     33           66
2     as     12           24
4     es      4            8
3      e      1            2
[1] "2PlAcc"
  Suffix freq Percent_Trials
1      -     25           50
5      s     16           32
4      o      7           14
2      e      1            2
3     es      1            2
[1] "3PlAcc"
  Suffix freq Percent_Trials
2      e     27           54
3     es     13           26
1      -      6           12
4      s      4            8
[1] "4PlAcc"
  Suffix freq Percent_Trials
1      -     18           36
5      s     16           32
3      o     12           24
2      e      3            6
4     os      1            2
[1] "5PlAcc"
  Suffix freq Percent_Trials
4      e     23           46
5     es     10           20
6      s      8           16
1      -      7           14
2      a      1            2
3     as      1            2
[1] "mPlAcc"
  Suffix freq Percent_Trials
1      -     18           36
5      s     16           32
2      e      7           14
4      o      7           14
3     es      2            4
[1] "m1PlAcc"
  Suffix freq Percent_Trials
2      a     30           60
3     as      7           14
5     es      5           10
1      -      4            8
6      s      3            6
4      e      1            2
[1] "m2PlAcc"
  Suffix freq Percent_Trials
1      -     23           46
5      s     17           34

```


4	o	8	16
2	e	1	2
3	es	1	2

[1] "m3PlAcc"

	Suffix	freq	Percent_Trials
2	e	27	54
3	es	13	26
1	-	6	12
4	s	4	8

[1] "m4PlAcc"

	Suffix	freq	Percent_Trials
1	-	18	36
5	s	16	32
3	o	12	24
2	e	3	6
4	os	1	2

[1] "m5PlAcc"

	Suffix	freq	Percent_Trials
4	e	23	46
5	es	10	20
6	s	8	16
1	-	7	14
2	a	1	2
3	as	1	2

[1] "fPlAcc"

	Suffix	freq	Percent_Trials
4	e	21	42
5	es	10	20
2	a	7	14
1	-	5	10
6	s	4	8
3	as	3	6

[1] "f1PlAcc"

	Suffix	freq	Percent_Trials
1	a	33	66
2	as	12	24
4	es	4	8
3	e	1	2

[1] "f2PlAcc"

	Suffix	freq	Percent_Trials
1	-	20	40
5	s	17	34
4	o	8	16
2	e	4	8
3	es	1	2

[1] "f3PlAcc"

	Suffix	freq	Percent_Trials
2	e	26	52
3	es	14	28
1	-	6	12
4	s	4	8

[1] "f4PlAcc"

	Suffix	freq	Percent_Trials
1	-	20	40

5	s	16	32
3	o	8	16
2	e	5	10
4	os	1	2

[1] "f5PlAcc"

	Suffix	freq	Percent_Trials
4	e	23	46
5	es	10	20
6	s	8	16
1	-	7	14
2	a	1	2
3	as	1	2

[1] "nPlAcc"

	Suffix	freq	Percent_Trials
1	-	25	50
5	s	16	32
4	o	7	14
2	e	1	2
3	es	1	2

[1] "n2PlAcc"

	Suffix	freq	Percent_Trials
1	-	25	50
5	s	16	32
4	o	7	14
2	e	1	2
3	es	1	2

[1] "n3PlAcc"

	Suffix	freq	Percent_Trials
2	e	18	36
1	-	16	32
4	s	9	18
3	es	7	14

[1] "n4PlAcc"

	Suffix	freq	Percent_Trials
1	-	18	36
5	s	16	32
3	o	12	24
2	e	3	6
4	os	1	2

[1] "GenPl"

	Suffix	freq	Percent_Trials
4	s	16	32
1	-	14	28
2	e	11	22
3	es	9	18

[1] "1PlGen"

	Suffix	freq	Percent_Trials
2	a	20	40
3	as	16	32
1	-	6	12
4	es	5	10
5	s	3	6

[1] "2PlGen"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

5	s	19	38
1	-	14	28
2	e	9	18
3	es	6	12
4	o	2	4

[1] "3PlGen"

	Suffix	freq	Percent_Trials
2	e	16	32
4	s	13	26
3	es	11	22
1	-	10	20

[1] "4PlGen"

	Suffix	freq	Percent_Trials
6	s	18	36
1	-	15	30
2	e	8	16
3	es	6	12
4	o	2	4
5	os	1	2

[1] "5PlGen"

	Suffix	freq	Percent_Trials
3	e	16	32
5	s	14	28
1	-	10	20
4	es	9	18
2	as	1	2

[1] "mPlGen"

	Suffix	freq	Percent_Trials
5	s	18	36
1	-	14	28
2	e	9	18
3	es	7	14
4	o	2	4

[1] "m1PlGen"

	Suffix	freq	Percent_Trials
2	a	18	36
3	as	12	24
1	-	10	20
5	es	5	10
6	s	4	8
4	e	1	2

[1] "m2PlGen"

	Suffix	freq	Percent_Trials
5	s	19	38
1	-	14	28
2	e	9	18
3	es	6	12
4	o	2	4

[1] "m3PlGen"

	Suffix	freq	Percent_Trials
2	e	16	32
4	s	13	26
3	es	11	22
1	-	10	20

```

[1] "m4PlGen"
  Suffix freq Percent_Trials
6      s   18             36
1      -   15             30
2      e    8             16
3     es    6             12
4      o    2              4
5     os    1              2
[1] "m5PlGen"
  Suffix freq Percent_Trials
3      e   16             32
5      s   14             28
1      -   10             20
4     es    9             18
2     as    1              2
[1] "fPlGen"
  Suffix freq Percent_Trials
3      e   15             30
5      s   13             26
1      -   11             22
4     es    9             18
2     as    2              4
[1] "f1PlGen"
  Suffix freq Percent_Trials
2      a   20             40
3     as   16             32
1      -    6             12
4     es    5             10
5      s    3              6
[1] "f2PlGen"
  Suffix freq Percent_Trials
5      s   20             40
1      -   15             30
2      e    9             18
3     es    5             10
4      o    1              2
[1] "f3PlGen"
  Suffix freq Percent_Trials
2      e   16             32
4      s   13             26
3     es   11             22
1      -   10             20
[1] "f4PlGen"
  Suffix freq Percent_Trials
6      s   18             36
1      -   14             28
2      e   10             20
3     es    6             12
4      o    1              2
5     os    1              2
[1] "f5PlGen"
  Suffix freq Percent_Trials
3      e   16             32
5      s   14             28

```

```

1      -   10      20
4      es   9      18
2      as   1       2
[1] "nP1Gen"
  Suffix freq Percent_Trials
5      s   18      36
1      -   14      28
2      e    9      18
3      es   7      14
4      o    2       4
[1] "n2P1Gen"
  Suffix freq Percent_Trials
5      s   19      38
1      -   14      28
2      e    9      18
3      es    6      12
4      o    2       4
[1] "n3P1Gen"
  Suffix freq Percent_Trials
1      -   15      30
4      s   15      30
2      e   11      22
3      es    9      18
[1] "n4P1Gen"
  Suffix freq Percent_Trials
6      s   18      36
1      -   15      30
2      e    8      16
3      es    6      12
4      o    2       4
5      os    1       2
[1] "DatP1"
  Suffix freq Percent_Trials
2      e   15      30
1      -   14      28
4      s   13      26
3      es    8      16
[1] "1P1Dat"
  Suffix freq Percent_Trials
2      a   24      48
3      as   13      26
1      -    6      12
4      es    5      10
5      s     2       4
[1] "2P1Dat"
  Suffix freq Percent_Trials
1      -   17      34
5      s   17      34
2      e   11      22
3      es    4       8
4      o     1       2
[1] "3P1Dat"
  Suffix freq Percent_Trials
2      e   23      46

```

```

3      es  10      20
4      s   10      20
1      -    7      14
[1] "4PlDat"
  Suffix freq Percent_Trials
1      -   18             36
6      s   17             34
2      e    9             18
3      es    4              8
4      o    1              2
5      os    1              2
[1] "5PlDat"
  Suffix freq Percent_Trials
3      e   22             44
5      s   12             24
1      -    8             16
4      es    7             14
2      as    1              2
[1] "mPlDat"
  Suffix freq Percent_Trials
1      -   17             34
5      s   17             34
2      e   11             22
3      es    4              8
4      o    1              2
[1] "m1PlDat"
  Suffix freq Percent_Trials
2      a   22             44
1      -   10             20
3      as    8             16
5      es    5             10
6      s    4              8
4      e    1              2
[1] "m2PlDat"
  Suffix freq Percent_Trials
5      s   18             36
1      -   16             32
2      e   11             22
3      es    4              8
4      o    1              2
[1] "m3PlDat"
  Suffix freq Percent_Trials
2      e   23             46
3      es   10             20
4      s   10             20
1      -    7             14
[1] "m4PlDat"
  Suffix freq Percent_Trials
1      -   18             36
6      s   17             34
2      e    9             18
3      es    4              8
4      o    1              2
5      os    1              2

```

```

[1] "m5PlDat"
  Suffix freq Percent_Trials
3      e   22             44
5      s   11             22
1      -    8             16
4     es    8             16
2     as    1              2

[1] "fPlDat"
  Suffix freq Percent_Trials
3      e   21             42
5      s   10             20
1      -    9             18
4     es    8             16
2     as    2              4

[1] "f1PlDat"
  Suffix freq Percent_Trials
2      a   24             48
3     as   13             26
1      -    6             12
4     es    5             10
5      s    2              4

[1] "f2PlDat"
  Suffix freq Percent_Trials
5      s   18             36
1      -   17             34
2      e    9             18
3     es    5             10
4      o    1              2

[1] "f3PlDat"
  Suffix freq Percent_Trials
2      e   23             46
3     es   10             20
4      s   10             20
1      -    7             14

[1] "f4PlDat"
  Suffix freq Percent_Trials
6      s   16             32
1      -   15             30
2      e   12             24
3     es    5             10
4      o    1              2
5     os    1              2

[1] "f5PlDat"
  Suffix freq Percent_Trials
3      e   22             44
5      s   12             24
1      -    8             16
4     es    7             14
2     as    1              2

[1] "nPlDat"
  Suffix freq Percent_Trials
1      -   17             34
5      s   17             34
2      e   11             22

```

```

3      es      4          8
4      o      1          2
[1] "n2PlDat"
  Suffix freq Percent_Trials
1      -    17          34
5      s    17          34
2      e    11          22
3      es     4          8
4      o     1          2
[1] "n3PlDat"
  Suffix freq Percent_Trials
2      e    15          30
1      -    14          28
4      s    13          26
3      es     8          16
[1] "n4PlDat"
  Suffix freq Percent_Trials
1      -    18          36
6      s    18          36
2      e     9          18
3      es     3           6
4      o     1           2
5      os     1           2
[1] "AblPl"
  Suffix freq Percent_Trials
3      es    14          28
1      -    13          26
4      s    12          24
2      e    11          22
[1] "1PlAbl"
  Suffix freq Percent_Trials
2      a    27          54
3      as    18          36
4      es     4           8
1      -     1           2
[1] "2PlAbl"
  Suffix freq Percent_Trials
5      s    21          42
1      -    18          36
2      e     4           8
4      o     4           8
3      es     3           6
[1] "3PlAbl"
  Suffix freq Percent_Trials
2      e    20          40
3      es    18          36
1      -     6          12
4      s     6          12
[1] "4PlAbl"
  Suffix freq Percent_Trials
6      s    20          40
1      -    17          34
2      e     5          10
4      o     5          10

```



```

3      es      2          4
5      os      1          2
[1] "5PlAbl"
      Suffix freq Percent_Trials
4      e      18          36
5      es     12          24
6      s      11          22
1      -       7          14
2      a       1           2
3      as      1           2
[1] "mPlAbl"
      Suffix freq Percent_Trials
5      s      19          38
1      -      16          32
3      es      6          12
2      e       5          10
4      o       4           8
[1] "m1PlAbl"
      Suffix freq Percent_Trials
2      a      25          50
3      as     12          24
1      -       5          10
4      es      5          10
5      s       3           6
[1] "m2PlAbl"
      Suffix freq Percent_Trials
5      s      21          42
1      -      18          36
2      e       4           8
4      o       4           8
3      es      3           6
[1] "m3PlAbl"
      Suffix freq Percent_Trials
2      e      20          40
3      es     18          36
1      -       6          12
4      s       6          12
[1] "m4PlAbl"
      Suffix freq Percent_Trials
6      s      20          40
1      -      17          34
2      e       5          10
4      o       5          10
3      es      2           4
5      os      1           2
[1] "m5PlAbl"
      Suffix freq Percent_Trials
4      e      19          38
5      es     13          26
6      s      10          20
1      -       6          12
2      a       1           2
3      as      1           2
[1] "fPlAbl"

```

	Suffix	freq	Percent_Trials
4	e	17	34
5	es	12	24
3	as	6	12
1	-	5	10
2	a	5	10
6	s	5	10

[1] "f1PlAbl"

	Suffix	freq	Percent_Trials
2	a	27	54
3	as	18	36
4	es	4	8
1	-	1	2

[1] "f2PlAbl"

	Suffix	freq	Percent_Trials
6	s	20	40
1	-	19	38
5	o	4	8
3	e	3	6
4	es	3	6
2	as	1	2

[1] "f3PlAbl"

	Suffix	freq	Percent_Trials
2	e	20	40
3	es	17	34
4	s	7	14
1	-	6	12

[1] "f4PlAbl"

	Suffix	freq	Percent_Trials
6	s	18	36
1	-	17	34
2	e	6	12
4	o	5	10
3	es	3	6
5	os	1	2

[1] "f5PlAbl"

	Suffix	freq	Percent_Trials
4	e	18	36
5	es	12	24
6	s	11	22
1	-	7	14
2	a	1	2
3	as	1	2

[1] "nP1Abl"

	Suffix	freq	Percent_Trials
5	s	21	42
1	-	18	36
2	e	4	8
4	o	4	8
3	es	3	6

[1] "n2PlAbl"

	Suffix	freq	Percent_Trials
5	s	21	42
1	-	18	36

2	e	4	8
4	o	4	8
3	es	3	6

[1] "n3PlAbl"

	Suffix	freq	Percent_Trials
1	-	15	30
3	es	14	28
2	e	11	22
4	s	10	20


[1] "n4PlAbl"

	Suffix	freq	Percent_Trials
6	s	20	40
1	-	17	34
2	e	5	10
4	o	5	10
3	es	2	4
5	os	1	2

[1] "common_system_distrib"

	Percent_Match	freq	Percent_Trials
1	31.33333	1	2
2	34.66667	1	2
3	38.00000	1	2
4	39.33333	1	2
5	40.66667	1	2
6	41.33333	1	2
7	42.00000	2	4
8	44.66667	1	2
9	45.33333	2	4
10	46.00000	4	8
11	47.33333	3	6
12	48.00000	1	2
13	48.66667	4	8
14	49.33333	1	2
15	50.66667	2	4
16	51.33333	1	2
17	52.00000	2	4
18	52.66667	1	2
19	54.00000	5	10
20	54.66667	1	2
21	56.66667	2	4
22	57.33333	1	2
23	58.66667	1	2
24	62.00000	1	2
25	62.66667	5	10
26	63.33333	1	2
27	66.66667	1	2
28	67.33333	1	2
29	80.00000	1	2


Percent of common_system_distrib Matching Reality



```
[1] "NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      34.66667    1             2
2      38.00000    1             2
3      41.33333    1             2
4      42.00000    1             2
5      42.66667    1             2
6      43.33333    1             2
7      44.00000    1             2
8      44.66667    1             2
9      45.33333    3             6
10     47.33333    1             2
11     48.00000    2             4
12     48.66667    4             8
13     49.33333    3             6
14     50.66667    4             8
15     52.00000    2             4
16     53.33333    2             4
17     54.00000    2             4
18     54.66667    1             2
19     55.33333    2             4
20     56.00000    1             2
21     57.33333    1             2
22     59.33333    3             6
23     60.00000    3             6
24     61.33333    2             4
25     62.00000    2             4
26     63.33333    1             2
27     64.00000    1             2
```

28	65.33333	1	2
29	76.66667	1	2

Percent of NPLtoFSG_system_distrib Matching Reality




```
[1] "romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	31.33333	1	2
2	33.33333	1	2
3	35.33333	1	2
4	36.66667	1	2
5	40.00000	2	4
6	40.66667	1	2
7	42.00000	2	4
8	42.66667	2	4
9	43.33333	3	6
10	44.00000	2	4
11	44.66667	2	4
12	46.00000	5	10
13	46.66667	1	2
14	47.33333	1	2
15	48.00000	4	8
16	48.66667	2	4
17	50.00000	1	2
18	51.33333	2	4
19	52.66667	1	2
20	53.33333	1	2
21	54.00000	2	4
22	54.66667	1	2
23	55.33333	1	2
24	56.66667	1	2

25	57.33333	2	4
26	58.00000	1	2
27	59.33333	3	6
28	60.66667	1	2
29	62.66667	1	2
30	74.00000	1	2


Percent of romanian_system_distrib Matching Reality



```
[1] "1_common_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	46.66667	2	4
2	50.00000	3	6
3	53.33333	7	14
4	56.66667	1	2
5	60.00000	4	8
6	63.33333	1	2
7	66.66667	20	40
8	73.33333	1	2
9	83.33333	1	2
10	86.66667	6	12
11	100.00000	4	8

Percent of 1_common_system_distrib Matching Reality



```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      46.66667    2             4
2      50.00000    3             6
3      53.33333    7            14
4      56.66667    1             2
5      60.00000    4             8
6      63.33333    1             2
7      66.66667   20            40
8      73.33333    1             2
9      83.33333    1             2
10     86.66667    6            12
11    100.00000    4             8
```


Percent of 1_NPLtoFSG_system_distrib Matching Reality



```
[1] "1_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	43.33333	2	4
2	46.66667	2	4
3	53.33333	25	50
4	56.66667	3	6
5	60.00000	3	6
6	63.33333	2	4
7	66.66667	2	4
8	73.33333	3	6
9	76.66667	1	2
10	86.66667	7	14

Percent of 1_romanian_system_distrib Matching Reality




```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      0.00000    1           2
2     13.33333    6          12
3     20.00000    6          12
4     23.33333    1           2
5     26.66667    1           2
6     30.00000   22          44
7     33.33333    1           2
8     36.66667    1           2
9     40.00000    4           8
10    50.00000    7          14
```

Percent of 2_common_system_distrib Matching Reality




```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      0.00000    1             2
2     13.33333    6            12
3     20.00000    6            12
4     23.33333    1             2
5     26.66667    1             2
6     30.00000   19            38
7     33.33333    1             2
8     36.66667    1             2
9     40.00000    6            12
10    43.33333    1             2
11    50.00000    4             8
12    53.33333    1             2
13    56.66667    1             2
14    66.66667    1             2
```

Percent of 2_NPLtoFSG_system_distrib Matching Reality




```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      0.00000    1             2
2     13.33333    6            12
3     20.00000    6            12
4     23.33333    1             2
5     26.66667    2             4
6     30.00000   21            42
7     33.33333    1             2
8     36.66667    1             2
9     40.00000    4             8
10    50.00000    7            14
```

Percent of 2_romanian_system_distrib Matching Reality



```
[1] "3_common_system_distrib"
  Percent_Match freq Percent_Trials
1      50.00000   24             48
2      63.33333    2              4
3      70.00000    2              4
4      73.33333    1              2
5      76.66667    2              4
6      80.00000   11             22
7      90.00000    3              6
8     100.00000    5             10
```


Percent of 3_common_system_distrib Matching Reality



[1] "3_NPLtoFSG_system_distrib"

	Percent_Match	freq	Percent_Trials
1	46.66667	1	2
2	53.33333	1	2
3	56.66667	1	2
4	60.00000	1	2
5	63.33333	6	12
6	66.66667	24	48
7	70.00000	2	4
8	73.33333	3	6
9	76.66667	3	6
10	80.00000	2	4
11	83.33333	5	10
12	86.66667	1	2


Percent of 3_NPLtoFSG_system_distrib Matching Reality



```
[1] "3_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	43.33333	1	2
2	46.66667	1	2
3	50.00000	23	46
4	56.66667	2	4
5	63.33333	8	16
6	66.66667	2	4
7	70.00000	5	10
8	73.33333	3	6
9	83.33333	5	10

Percent of 3_romanian_system_distrib Matching Reality




```
[1] "4_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    2             4
2      20.00000    7            14
3      26.66667    2             4
4      30.00000   20            40
5      33.33333    3             6
6      40.00000    5            10
7      46.66667    2             4
8      50.00000    8            16
9      73.33333    1             2
```

Percent of 4_common_system_distrib Matching Reality



```
[1] "4_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    2              4
2      20.00000    7             14
3      26.66667    2              4
4      30.00000   17             34
5      33.33333    3              6
6      40.00000    5             10
7      43.33333    1              2
8      46.66667    3              6
9      50.00000    4              8
10     53.33333    2              4
11     56.66667    2              4
12     60.00000    1              2
13     66.66667    1              2
```



Percent of 4_NPLtoFSG_system_distrib Matching Reality



```
[1] "4_romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	13.33333	2	4
2	20.00000	7	14
3	26.66667	3	6
4	30.00000	19	38
5	33.33333	3	6
6	40.00000	5	10
7	43.33333	1	2
8	46.66667	1	2
9	50.00000	8	16
10	56.66667	1	2


Percent of 4_romanian_system_distrib Matching Reality



[1] "5_common_system_distrib"


	Percent_Match	freq	Percent_Trials
1	33.33333	12	24
2	46.66667	1	2
3	53.33333	8	16
4	56.66667	1	2
5	60.00000	2	4
6	63.33333	3	6
7	66.66667	13	26
8	80.00000	1	2
9	86.66667	7	14
10	93.33333	1	2
11	100.00000	1	2

Percent of 5_common_system_distrib Matching Reality



```
[1] "5_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333   12             24
2      46.66667    1              2
3      53.33333    8             16
4      56.66667    1              2
5      60.00000    2              4
6      63.33333    3              6
7      66.66667   13             26
8      80.00000    1              2
9      86.66667    7             14
10     93.33333    1              2
11    100.00000    1              2
```


Percent of 5_NPLtoFSG_system_distrib Matching Reality



```
[1] "5_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	33.33333	12	24
2	46.66667	1	2
3	53.33333	8	16
4	56.66667	1	2
5	60.00000	2	4
6	63.33333	3	6
7	66.66667	13	26
8	80.00000	1	2
9	86.66667	7	14
10	93.33333	1	2
11	100.00000	1	2

Percent of 5_romanian_system_distrib Matching Reality




```
[1] "m_common_system_distrib"
  Percent_Match freq Percent_Trials
1          22    4             8
2          32    2             4
3          34    1             2
4          36    4             8
5          38    7            14
6          40    4             8
7          42    3             6
8          44    4             8
9          46    5            10
10         48    2             4
11         50    2             4
12         52    2             4
13         54    1             2
14         58    1             2
15         60    4             8
16         62    1             2
17         64    2             4
18         80    1             2
```

Percent of m_common_system_distrib Matching Reality



```
[1] "m_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1           22     4             8
2           32     2             4
3           34     1             2
4           36     4             8
5           38     7            14
6           40     4             8
7           42     3             6
8           44     4             8
9           46     5            10
10          48     2             4
11          50     2             4
12          52     2             4
13          54     1             2
14          58     1             2
15          60     4             8
16          62     1             2
17          64     2             4
18          80     1             2
```


Percent of m_NPLtoFSG_system_distrib Matching Reality



```
[1] "m_romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	22	4	8
2	28	1	2
3	30	1	2
4	32	2	4
5	34	2	4
6	36	5	10
7	38	8	16
8	40	3	6
9	42	7	14
10	44	1	2
11	46	1	2
12	48	2	4
13	50	2	4
14	52	1	2
15	54	1	2
16	56	3	6
17	60	5	10
18	76	1	2


Percent of m_romanian_system_distrib Matching Reality



```
[1] "f_common_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	14	1	2
2	20	2	4
3	24	1	2
4	26	3	6
5	34	1	2
6	36	2	4
7	38	7	14
8	40	2	4
9	42	8	16
10	44	1	2
11	46	4	8
12	50	5	10
13	52	4	8
14	54	1	2
15	56	1	2
16	58	1	2
17	60	3	6
18	62	1	2
19	66	1	2
20	80	1	2


Percent of f_common_system_distrib Matching Reality



```
[1] "f_NPLtoFSG_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	14	1	2
2	20	2	4
3	24	1	2
4	26	3	6
5	34	1	2
6	36	2	4
7	38	7	14
8	40	2	4
9	42	8	16
10	44	1	2
11	46	4	8
12	50	5	10
13	52	4	8
14	54	1	2
15	56	1	2
16	58	1	2
17	60	3	6
18	62	1	2
19	66	1	2
20	80	1	2


Percent of f_NPLtoFSG_system_distrib Matching Reality



```
[1] "f_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	14	1	2
2	16	2	4
3	22	2	4
4	24	1	2
5	26	1	2
6	30	1	2
7	32	1	2
8	34	3	6
9	36	3	6
10	38	11	22
11	42	5	10
12	44	1	2
13	46	1	2
14	48	2	4
15	50	4	8
16	52	2	4
17	54	3	6
18	56	1	2
19	60	3	6
20	64	1	2
21	76	1	2

Percent of f_romanian_system_distrib Matching Reality



```
[1] "n_common_system_distrib"
  Percent_Match freq Percent_Trials
1          58    3             6
2          60    1             2
3          62   13            26
4          64    6            12
5          66    4             8
6          68    7            14
7          70    5            10
8          72    6            12
9          76    1             2
10         78    1             2
11         80    3             6
```


Percent of n_common_system_distrib Matching Reality



[1] "n_NPLtoFSG_system_distrib"


	Percent_Match	freq	Percent_Trials
1	54	1	2
2	56	1	2
3	58	7	14
4	60	3	6
5	62	2	4
6	64	1	2
7	66	1	2
8	68	4	8
9	70	8	16
10	72	10	20
11	76	3	6
12	78	3	6
13	80	1	2
14	84	3	6
15	88	1	2
16	100	1	2

Percent of n_NPLtoFSG_system_distrib Matching Reality



```
[1] "n_romanian_system_distrib"
Percent_Match freq Percent_Trials
1          54    1             2
2          56    3             6
3          58   10            20
4          60    5            10
5          62   15            30
6          64    5            10
7          66    3             6
8          68    2             4
9          70    6            12
```


Percent of n_romanian_system_distrib Matching Reality



```
[1] "Nom_common_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	30.00000	1	2
2	40.00000	1	2
3	43.33333	3	6
4	50.00000	8	16
5	53.33333	4	8
6	56.66667	8	16
7	60.00000	6	12
8	63.33333	2	4
9	66.66667	8	16
10	70.00000	2	4
11	73.33333	2	4
12	80.00000	3	6
13	83.33333	1	2
14	93.33333	1	2

Percent of Nom_common_system_distrib Matching Reality



```
[1] "Nom_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    1             2
2      43.33333    1             2
3      46.66667    4             8
4      53.33333    6            12
5      56.66667    7            14
6      60.00000   12            24
7      63.33333    7            14
8      66.66667    2             4
9      70.00000    3             6
10     73.33333    1             2
11     76.66667    4             8
12     80.00000    1             2
13     83.33333    1             2
```


Percent of Nom_NPLtoFSG_system_distrib Matching Reality



```
[1] "Nom_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	30.00000	1	2
2	40.00000	1	2
3	43.33333	3	6
4	46.66667	1	2
5	50.00000	7	14
6	53.33333	5	10
7	56.66667	13	26
8	60.00000	2	4
9	63.33333	7	14
10	66.66667	2	4
11	70.00000	3	6
12	76.66667	4	8
13	83.33333	1	2

Percent of Nom_romanian_system_distrib Matching Reality




```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000     1             2
2      43.33333     2             4
3      46.66667     3             6
4      50.00000     7            14
5      53.33333     5            10
6      56.66667    14            28
7      60.00000     2             4
8      66.66667     5            10
9      70.00000     2             4
10     73.33333     6            12
11     80.00000     3             6
```

Percent of Acc_common_system_distrib Matching Reality




```
[1] "Acc_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      43.33333    1             2
2      46.66667    3             6
3      50.00000    3             6
4      53.33333    6            12
5      56.66667    3             6
6      60.00000   14            28
7      63.33333    3             6
8      66.66667    5            10
9      70.00000    5            10
10     73.33333    2             4
11     76.66667    4             8
12     80.00000    1             2
```

Percent of Acc_NPLtoFSG_system_distrib Matching Reality




```
[1] "Acc_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000    1             2
2      43.33333    3             6
3      46.66667    2             4
4      50.00000    8            16
5      53.33333    4             8
6      56.66667   16            32
7      63.33333    4             8
8      66.66667    1             2
9      70.00000    8            16
10     76.66667    3             6
```

Percent of Acc_romanian_system_distrib Matching Reality




```
[1] "Gen_common_system_distrib"
Percent_Match freq Percent_Trials
1      23.33333    2             4
2      26.66667    5            10
3      30.00000   15           30
4      33.33333    2             4
5      36.66667    6            12
6      40.00000    1             2
7      43.33333    4             8
8      46.66667    2             4
9      50.00000    5            10
10     53.33333    2             4
11     56.66667    1             2
12     60.00000    2             4
13     66.66667    2             4
14     80.00000    1             2
```

Percent of Gen_common_system_distrib Matching Reality




```
[1] "Gen_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    1              2
2      23.33333    3              6
3      26.66667    7             14
4      30.00000    3              6
5      33.33333   11             22
6      36.66667    2              4
7      40.00000    5             10
8      43.33333    1              2
9      46.66667    4              8
10     50.00000    3              6
11     53.33333    3              6
12     56.66667    1              2
13     60.00000    3              6
14     63.33333    2              4
15     76.66667    1              2
```

Percent of Gen_NPLtoFSG_system_distrib Matching Reality




```
[1] "Gen_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000    3             6
2      23.33333    8            16
3      26.66667    6            12
4      30.00000   10            20
5      33.33333    3             6
6      36.66667    5            10
7      40.00000    1             2
8      43.33333    6            12
9      46.66667    2             4
10     50.00000    3             6
11     56.66667    2             4
12     70.00000    1             2
```

Percent of Gen_romanian_system_distrib Matching Reality



```
[1] "Dat_common_system_distrib"
Percent_Match freq Percent_Trials
1      23.33333    1           2
2      26.66667    4           8
3      30.00000   10          20
4      33.33333    1           2
5      36.66667   10          20
6      40.00000    2           4
7      43.33333    4           8
8      46.66667    3           6
9      50.00000    2           4
10     53.33333    3           6
11     56.66667    5          10
12     60.00000    1           2
13     66.66667    2           4
14     80.00000    2           4
```


Percent of Dat_common_system_distrib Matching Reality



```
[1] "Dat_NPLtoFSG_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	23.33333	3	6
2	26.66667	3	6
3	30.00000	1	2
4	33.33333	12	24
5	36.66667	3	6
6	40.00000	6	12
7	43.33333	1	2
8	46.66667	6	12
9	50.00000	4	8
10	53.33333	1	2
11	56.66667	1	2
12	60.00000	4	8
13	63.33333	2	4
14	66.66667	1	2
15	76.66667	2	4

Percent of Dat_NPLtoFSG_system_distrib Matching Reality




```
[1] "Dat_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333    6             12
2      26.66667    6             12
3      30.00000   11             22
4      33.33333    2              4
5      36.66667    8             16
6      40.00000    2              4
7      43.33333    4              8
8      50.00000    5             10
9      53.33333    1              2
10     56.66667    3              6
11     70.00000    2              4
```

Percent of Dat_romanian_system_distrib Matching Reality




```
[1] "Abl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333    1             2
2      30.00000    1             2
3      36.66667    4             8
4      40.00000    1             2
5      43.33333    4             8
6      50.00000    5            10
7      53.33333    3             6
8      56.66667   11            22
9      60.00000    2             4
10     66.66667    6            12
11     70.00000    3             6
12     73.33333    5            10
13     80.00000    4             8
```

Percent of Abl_common_system_distrib Matching Reality




```
[1] "Abl_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667    1             2
2      33.33333    1             2
3      40.00000    4             8
4      43.33333    1             2
5      46.66667    4             8
6      50.00000    2             4
7      53.33333    9            18
8      56.66667    2             4
9      60.00000    5            10
10     63.33333    5            10
11     66.66667    6            12
12     70.00000    5            10
13     76.66667    4             8
14     80.00000    1             2
```

Percent of Abl_NPLtoFSG_system_distrib Matching Reality



```
[1] "Abl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333    1             2
2      30.00000    1             2
3      36.66667    4             8
4      40.00000    1             2
5      43.33333    4             8
6      50.00000    7            14
7      53.33333    5            10
8      56.66667    9            18
9      63.33333    6            12
10     66.66667    2             4
11     70.00000    6            12
12     76.66667    4             8
```


Percent of Abl_romanian_system_distrib Matching Reality



[1] "Sg_common_system_distrib"

	Percent_Match	freq	Percent_Trials
1	49.33333	1	2
2	50.66667	1	2
3	56.00000	2	4
4	57.33333	2	4
5	58.66667	2	4
6	60.00000	1	2
7	62.66667	2	4
8	64.00000	1	2
9	65.33333	4	8
10	66.66667	1	2
11	68.00000	1	2
12	70.66667	2	4
13	72.00000	2	4
14	74.66667	1	2
15	76.00000	2	4
16	77.33333	2	4
17	78.66667	6	12
18	80.00000	2	4
19	81.33333	5	10
20	84.00000	3	6
21	86.66667	2	4
22	88.00000	1	2
23	94.66667	2	4
24	100.00000	2	4


Percent of Sg_common_system_distrib Matching Reality



[1] "Sg_NPLtoFSG_system_distrib"


	Percent_Match	freq	Percent_Trials
1	49.33333	1	2
2	50.66667	1	2
3	56.00000	2	4
4	57.33333	2	4
5	58.66667	2	4
6	60.00000	1	2
7	62.66667	2	4
8	64.00000	1	2
9	65.33333	4	8
10	66.66667	1	2
11	68.00000	1	2
12	70.66667	2	4
13	72.00000	2	4
14	74.66667	1	2
15	76.00000	2	4
16	77.33333	2	4
17	78.66667	6	12
18	80.00000	2	4
19	81.33333	5	10
20	84.00000	3	6
21	86.66667	2	4
22	88.00000	1	2
23	94.66667	2	4
24	100.00000	2	4

Percent of Sg_NPLtoFSG_system_distrib Matching Reality




```
[1] "Sg_romanian_system_distrib"
Percent_Match freq Percent_Trials
1      49.33333     1           2
2      50.66667     2           4
3      53.33333     1           2
4      57.33333     4           8
5      58.66667     2           4
6      60.00000     1           2
7      61.33333     2           4
8      62.66667     1           2
9      65.33333     4           8
10     66.66667     2           4
11     69.33333     1           2
12     70.66667     2           4
13     72.00000     1           2
14     73.33333     3           6
15     74.66667     2           4
16     76.00000     4           8
17     77.33333     1           2
18     78.66667     7          14
19     81.33333     4           8
20     85.33333     1           2
21     89.33333     2           4
22     94.66667     2           4
```

Percent of Sg_romanian_system_distrib Matching Reality




```
[1] "Pl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   20             40
2      14.66667    1              2
3      18.66667    1              2
4      20.00000    1              2
5      24.00000    1              2
6      25.33333    2              4
7      29.33333    1              2
8      30.66667    1              2
9      32.00000    1              2
10     33.33333    1              2
11     34.66667    1              2
12     36.00000    1              2
13     37.33333    1              2
14     40.00000    1              2
15     44.00000    3              6
16     45.33333    1              2
17     46.66667    6             12
18     48.00000    1              2
19     53.33333    2              4
20     60.00000    3              6
```


Percent of PI_common_system_distrib Matching Reality



```
[1] "PI_NPLtoFSG_system_distrib"
Percent_Match freq Percent_Trials
1      18.66667    1             2
2      20.00000   14            28
3      21.33333    1             2
4      22.66667    2             4
5      25.33333    2             4
6      26.66667    4             8
7      28.00000    2             4
8      29.33333    1             2
9      30.66667    2             4
10     33.33333    3             6
11     36.00000    1             2
12     37.33333    1             2
13     38.66667    1             2
14     40.00000    4             8
15     42.66667    3             6
16     44.00000    1             2
17     45.33333    3             6
18     46.66667    1             2
19     53.33333    3             6
```


Percent of PI_NPLtoFSG_system_distrib Matching Reality



```
[1] "Pl_romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	13.33333	20	40
2	14.66667	1	2
3	18.66667	2	4
4	20.00000	1	2
5	22.66667	1	2
6	24.00000	1	2
7	25.33333	1	2
8	26.66667	1	2
9	29.33333	4	8
10	30.66667	1	2
11	34.66667	1	2
12	37.33333	1	2
13	38.66667	3	6
14	40.00000	6	12
15	41.33333	1	2
16	42.66667	1	2
17	46.66667	1	2
18	53.33333	3	6


Percent of PI_romanian_system_distrib Matching Reality



[1] "n.Sg,m.Sg"

	Percent_Match	freq	Percent_Trials
1	66.66667	8	16
2	73.33333	1	2
3	80.00000	9	18
4	86.66667	3	6
5	93.33333	2	4
6	100.00000	27	54


Percent of n.Sg,m.Sg Matching Each Other



[1] "n.Pl,m.Pl"

	Percent_Match	freq	Percent_Trials
1	66.66667	7	14
2	80.00000	5	10
3	86.66667	4	8
4	93.33333	3	6
5	100.00000	31	62


Percent of n.PI,m.PI Matching Each Other



[1] "n.PI,f.Sg"

	Percent_Match	freq	Percent_Trials
1	0.000000	5	10
2	6.666667	1	2
3	13.333333	2	4
4	26.666667	4	8
5	33.333333	7	14
6	40.000000	7	14
7	46.666667	6	12
8	53.333333	1	2
9	60.000000	4	8
10	66.666667	1	2
11	73.333333	1	2
12	80.000000	3	6
13	100.000000	8	16


Percent of n.Pl,f.Sg Matching Each Other



[1] "n.Pl,f.Pl"

	Percent_Match	freq	Percent_Trials
1	46.66667	1	2
2	53.33333	3	6
3	60.00000	3	6
4	66.66667	6	12
5	73.33333	1	2
6	80.00000	5	10
7	86.66667	3	6
8	93.33333	7	14
9	100.00000	21	42


Percent of n.PI,f.PI Matching Each Other



[1] "m.PI,f.PI"

	Percent_Match	freq	Percent_Trials
1	68	1	2
2	72	2	4
3	76	3	6
4	80	6	12
5	84	2	4
6	88	2	4
7	92	2	4
8	96	6	12
9	100	26	52


Percent of m.PI,f.PI Matching Each Other



[1] "1,5"

	Percent_Match	freq	Percent_Trials
1	0	31	62
2	5	1	2
3	20	1	2
4	25	1	2
5	30	3	6
6	40	2	4
7	50	5	10
8	60	2	4
9	65	1	2
10	80	1	2
11	85	1	2
12	100	1	2


Percent of 1,5 Matching Each Other



[1] "2,4"

	Percent_Match	freq	Percent_Trials
1	6.666667	1	2
2	20.000000	1	2
3	23.333333	1	2
4	50.000000	1	2
5	53.333333	1	2
6	60.000000	1	2
7	66.666667	1	2
8	73.333333	1	2
9	76.666667	1	2
10	83.333333	1	2
11	86.666667	1	2
12	90.000000	2	4
13	93.333333	3	6
14	96.666667	2	4
15	100.000000	32	64


Percent of 2,4 Matching Each Other



[1] "Nom,Acc"

	Percent_Match	freq	Percent_Trials
1	30.76923	1	2
2	38.46154	1	2
3	42.30769	1	2
4	50.00000	2	4
5	53.84615	1	2
6	57.69231	1	2
7	61.53846	2	4
8	65.38462	3	6
9	69.23077	5	10
10	76.92308	1	2
11	80.76923	4	8
12	84.61538	2	4
13	88.46154	1	2
14	92.30769	2	4
15	100.00000	23	46


Percent of Nom,Acc Matching Each Other



[1] "Acc,Abl"

	Percent_Match	freq	Percent_Trials
1	26.92308	2	4
2	38.46154	1	2
3	46.15385	1	2
4	50.00000	2	4
5	53.84615	1	2
6	57.69231	2	4
7	69.23077	2	4
8	76.92308	5	10
9	80.76923	3	6
10	84.61538	1	2
11	88.46154	2	4
12	92.30769	3	6
13	96.15385	2	4
14	100.00000	23	46


Percent of Acc,Abl Matching Each Other



[1] "Nom,Acc,Abl"

	Percent_Match	freq	Percent_Trials
1	26.92308	2	4
2	30.76923	1	2
3	38.46154	2	4
4	42.30769	1	2
5	46.15385	2	4
6	53.84615	3	6
7	57.69231	2	4
8	61.53846	2	4
9	65.38462	4	8
10	69.23077	3	6
11	76.92308	4	8
12	80.76923	5	10
13	88.46154	1	2
14	92.30769	2	4
15	100.00000	16	32


Percent of Nom,Acc,Abl Matching Each Other



[1] "Gen,Dat"

	Percent_Match	freq	Percent_Trials
1	26.92308	1	2
2	38.46154	1	2
3	42.30769	1	2
4	46.15385	1	2
5	53.84615	1	2
6	57.69231	1	2
7	61.53846	1	2
8	65.38462	2	4
9	69.23077	4	8
10	73.07692	1	2
11	76.92308	1	2
12	80.76923	2	4
13	84.61538	2	4
14	88.46154	3	6
15	96.15385	3	6
16	100.00000	25	50


Percent of Gen,Dat Matching Each Other



[1] "nPImPl_exclusive"


	Percent_Match	freq	Percent_Trials
1	0.000000	37	74
2	6.666667	4	8
3	13.333333	2	4
4	26.666667	2	4
5	33.333333	1	2
6	40.000000	2	4
7	46.666667	1	2
8	53.333333	1	2

Percent of nPIfPI_exclusive Matching Each Other



```
[1] "nPIfPI_exclusive"
Percent_Match freq Percent_Trials
1          0    50          100
```


Percent of nPIfPI_exclusive Matching Each Other



```
[1] "1Sg(Nom|Acc)_a($|,)"
```

	Percent_Match	freq	Percent_Trials
1	50	9	18
2	75	1	2
3	100	40	80


Percent of 1Sg(Nom|Acc) ending in a(\$|,)



[1] "[24]Sg(Nom|Acc)_o(\$|,)"


	Percent_Match	freq	Percent_Trials
1	25.00000	1	2
2	50.00000	1	2
3	66.66667	6	12
4	75.00000	1	2
5	83.33333	5	10
6	91.66667	2	4
7	100.00000	34	68

Percent of [24]Sg(Nom|Acc) ending in o(\$|,)




```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
Percent_Match freq Percent_Trials
1      83.33333    2             4
2     100.00000   48            96
```

Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)




```
[1] "3Pl(Nom|Acc)_e?s($|,)"
Percent_Match freq Percent_Trials
1      0.00000  24             48
2     50.00000   6             12
3     66.66667   5             10
4     83.33333   1              2
5    100.00000  14             28
```

Percent of 3Pl(Nom|Acc) ending in e?s(\$|,)



```
[1] "[124]Pl(Nom|Acc)_s($|,)"
Percent_Match freq Percent_Trials
1      0.00  21             42
2      6.25   1              2
3     12.50   1              2
4     25.00   3              6
5     37.50   1              2
6     50.00   5             10
7     62.50   1              2
8     75.00   3              6
9     81.25   1              2
10    87.50   2              4
11   100.00  11             22
```


Percent of [124]PI(Nom|Acc) ending in s(\$|,)



```
[1] "[24]PI(Nom|Acc)_os($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	47	94
2	16.66667	1	2
3	33.33333	1	2
4	50.00000	1	2


Percent of [24]PI(Nom|Acc) ending in os(\$|,)



```
[1] "1PI(Nom|Acc)_as($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0	30	60
2	25	2	4
3	50	11	22
4	100	7	14

Percent of 1PI(Nom|Acc) ending in as(\$|,)




```
[1] "n.PI(Nom|Acc)_a($|,)"
Percent_Match freq Percent_Trials
1          0    50          100
```

Percent of n.PI(Nom|Acc) ending in a(\$|,)




```
[1] "n.Pl(Nom|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1            0    50             100
```

Percent of n.Pl(Nom|Acc) ending in as(\$|,)



```
[1] "n.Pl(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000    47             94
2     16.66667     1              2
3     33.33333     2              4
```


Percent of n.Pl(Nom|Acc) ending in os(\$|,)



[1] "m.Pl(Nom|Acc)_as(\$|,)"


	Percent_Match	freq	Percent_Trials
1	0	37	74
2	10	6	12
3	20	6	12
4	40	1	2

Percent of m.Pl(Nom|Acc) ending in as(\$|,)



```
[1] "m.Pl(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1           0    47           94
2          10     1            2
3          20     2            4
```



Percent of m.PI(Nom|Acc) ending in os(\$|,)



[1] "Pl(Nom|Acc)_s(\$|,)"


	Percent_Match	freq	Percent_Trials
1	0.000000	21	42
2	3.846154	1	2
3	7.692308	1	2
4	26.923077	1	2
5	46.153846	2	4
6	50.000000	5	10
7	69.230769	3	6
8	73.076923	1	2
9	76.923077	2	4
10	84.615385	2	4
11	100.000000	11	22

Percent of PI(Nom|Acc) ending in s(\$|,)



```
[1] "1Sg(Abl|Acc)_a($|,)"
Percent_Match freq Percent_Trials
1          50    9             18
2          75    1              2
3         100   40             80
```


Percent of 1Sg(Abl|Acc) ending in a(\$|,)



[1] "[24]Sg(Abl|Acc)_o(\$|,)"

	Percent_Match	freq	Percent_Trials
1	25.00000	1	2
2	33.33333	2	4
3	50.00000	5	10
4	58.33333	4	8
5	66.66667	6	12
6	75.00000	1	2
7	83.33333	1	2
8	91.66667	1	2
9	100.00000	29	58


Percent of [24]Sg(Abl|Acc) ending in o(\$|,)



```
[1] "3Sg(Abl|Acc)_[e-]($|,)"
```


	Percent_Match	freq	Percent_Trials
1	83.33333	2	4
2	100.00000	48	96

Percent of 3Sg(Abl|Acc) ending in [e-](\$|,)




```
[1] "3Pl(Abl|Acc)_e?s($|,)"
Percent_Match freq Percent_Trials
1      0.00000  24             48
2     33.33333   2              4
3     50.00000   6             12
4     66.66667   3              6
5     83.33333   1              2
6    100.00000  14             28
```

Percent of 3Pl(Abl|Acc) ending in e?s(\$|,)




```
[1] "[124]Pl(Abl|Acc)_s($|,)"
Percent_Match freq Percent_Trials
1      0.00  21             42
2      6.25   1              2
3     12.50   2              4
4     25.00   2              4
5     31.25   1              2
6     37.50   1              2
7     50.00   4              8
8     62.50   1              2
9     75.00   4              8
10    81.25   1              2
11    87.50   1              2
12   100.00  11             22
```

Percent of [124]PI(Abl|Acc) ending in s(\$|,)




```
[1] "[24]Pl(Abl|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1          0    49             98
2         50     1              2
```

Percent of [24]PI(Abl|Acc) ending in os(\$|,)




```
[1] "1Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1           0    32             64
2          25     1              2
3          50    10             20
4         100     7             14
```

Percent of 1Pl(Abl|Acc) ending in as(\$|,)




```
[1] "n.Pl(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1           0    50             100
```

Percent of n.PI(Abl|Acc) ending in a(\$|,)




```
[1] "n.PI(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1           0     50             100
```

Percent of n.PI(Abl|Acc) ending in as(\$|,)





```
[1] "n.Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1      0.00000    49             98
2     33.33333     1              2
```

Percent of n.Pl(Abl|Acc) ending in os(\$|,)




```
[1] "m.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1           0    38             76
2          10     5             10
3          20     6             12
4          40     1              2
```

Percent of m.PI(Abl|Acc) ending in as(\$|,)




```
[1] "m.PI(Abl|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1          0    49             98
2         20     1              2
```

Percent of m.PI(Abl|Acc) ending in os(\$|,)




```
[1] "Pl(Abl|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   21             42
2      3.846154    1              2
3      7.692308    1              2
4     19.230769    1              2
5     23.076923    1              2
6     46.153846    1              2
7     50.000000    5             10
8     53.846154    1              2
9     61.538462    1              2
10    69.230769    1              2
11    73.076923    1              2
12    76.923077    3              6
13    84.615385    1              2
14   100.000000   11             22
```

Percent of Pl(Abl|Acc) ending in s(\$|,)



```
[1] "1Sg(Nom|Acc|Abl)_a($|,)"
  Percent_Match freq Percent_Trials
1      50.00000    8             16
2      66.66667    2              4
3      83.33333    1              2
4     100.00000   39             78
```


Percent of 1Sg(Nom|Acc|Abl) ending in a(\$|,)



```
[1] "[24]Sg(Nom|Acc|Abl)_o($|,)"
```

	Percent_Match	freq	Percent_Trials
1	22.22222	1	2
2	44.44444	2	4
3	61.11111	1	2
4	66.66667	13	26
5	72.22222	1	2
6	77.77778	2	4
7	88.88889	1	2
8	94.44444	2	4
9	100.00000	27	54


Percent of [24]Sg(Nom|Acc|Abl) ending in o(\$|,)



```
[1] "3Sg(Nom|Acc|Abl)_[e-]($|,)"
```


	Percent_Match	freq	Percent_Trials
1	77.77778	1	2
2	88.88889	2	4
3	100.00000	47	94

Percent of 3Sg(Nom|Acc|Abl) ending in [e-](\$|,)



```
[1] "3Pl(Nom|Acc|Abl)_e?s($|,)"
  Percent_Match freq Percent_Trials
1      0.00000    24             48
2     44.44444     1              2
3     55.55556     1              2
4     66.66667     7             14
5     77.77778     2              4
6     88.88889     1              2
7    100.00000    14             28
```


Percent of 3PI(Nom|Acc|Ab1) ending in e?s(\$|,)



```
[1] "[124]Pl(Nom|Acc|Ab1)_s($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.000000	21	42
2	8.333333	1	2
3	12.500000	1	2
4	16.666667	1	2
5	25.000000	2	4
6	45.833333	2	4
7	66.666667	4	8
8	75.000000	4	8
9	83.333333	1	2
10	87.500000	1	2
11	91.666667	1	2
12	100.000000	11	22

Percent of [124]PI(Nom|Acc|Abl) ending in s(\$|,)



```
[1] "[24]PI(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   47           94
2     11.11111    1            2
3     22.22222    1            2
4     50.00000    1            2
```



Percent of [24]PI(Nom|Acc|Abl) ending in os(\$|,)



```
[1] "1PI(Nom|Acc|Abl)_as($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	30	60
2	16.66667	1	2
3	33.33333	2	4
4	50.00000	5	10
5	66.66667	5	10
6	100.00000	7	14

Percent of 1PI(Nom|Acc|Abl) ending in as(\$|,)




```
[1] "n.PI(Nom|Acc|Abl)_a($|,)"
Percent_Match freq Percent_Trials
1           0     50           100
```

Percent of n.PI(Nom|Acc|Abl) ending in a(\$|,)




```
[1] "n.PI(Nom|Acc|Abl)_as($|,)"
Percent_Match freq Percent_Trials
1          0    50          100
```

Percent of n.PI(Nom|Acc|Abl) ending in as(\$|,)



```
[1] "n.PI(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000    47          94
2     11.11111     1           2
3     22.22222     1           2
4     33.33333     1           2
```


Percent of n.PI(Nom|Acc|Abl) ending in os(\$|,)



```
[1] "m.PI(Nom|Acc|Abl)_as($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.000000	37	74
2	6.666667	1	2
3	13.333333	5	10
4	20.000000	6	12
5	40.000000	1	2

Percent of m.Pl(Nom|Acc|Abl) ending in as(\$|,)



```
[1] "m.Pl(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1      0.000000   47             94
2      6.666667    1              2
3     13.333333    1              2
4     20.000000    1              2
```


Percent of m.PI(Nom|Acc|Abl) ending in os(\$|,)



```
[1] "Pl(Nom|Acc|Abl)_s($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.000000	21	42
2	5.128205	1	2
3	7.692308	1	2
4	30.769231	2	4
5	46.153846	1	2
6	51.282051	1	2
7	64.102564	1	2
8	66.666667	5	10
9	79.487179	2	4
10	82.051282	1	2
11	84.615385	3	6
12	100.000000	11	22

Percent of Pl(Nom|Acc|Abl) ending in s(\$|,)




```
[1] "1Sg(Gen|Dat)_e($|,)"
Percent_Match freq Percent_Trials
1          0    47             94
2         25     2              4
3        100     1              2
```

Percent of 1Sg(Gen|Dat) ending in e(\$|,)




```
[1] "Pl(Gen|Dat)_s($|,)"
Percent_Match freq Percent_Trials
1      0.000000   22             44
2      7.692308    3              6
3     23.076923    1              2
4     50.000000    1              2
5     53.846154    1              2
6     69.230769    2              4
7     84.615385    2              4
8     92.307692    1              2
9    100.000000   17             34
```


Percent of Pl(Gen|Dat) ending in s(\$|,)



```
[1] "[124]Pl(Gen|Dat)_s($|,)"
Percent_Match freq Percent_Trials
1          0.00   22           44
2         12.50    3            6
3         37.50    1            2
4         50.00    1            2
5         56.25    1            2
6         75.00    3            6
7         81.25    1            2
8         87.50    1            2
9        100.00   17           34
```


Percent of [124]PI(Gen|Dat) ending in s(\$|,)



[1] "Sg_not"


	Percent_Match	freq	Percent_Trials
1	53.84615	1	2
2	56.92308	1	2
3	60.00000	7	14
4	67.69231	1	2
5	69.23077	1	2
6	70.76923	1	2
7	73.84615	1	2
8	80.00000	2	4
9	89.23077	1	2
10	90.76923	1	2
11	93.84615	1	2
12	96.92308	1	2
13	98.46154	1	2
14	100.00000	30	60

Percent of Sg ending in nots



```
[1] "Pl_s($|,)"
  Percent_Match freq Percent_Trials
1      0.000000  20             40
2      6.153846   1              2
3      7.692308   1              2
4     18.461538   1              2
5     27.692308   2              4
6     33.846154   1              2
7     40.000000   1              2
8     60.000000   1              2
9     61.538462   1              2
10    66.153846   1              2
11    75.384615   1              2
12    80.000000   3              6
13    81.538462   1              2
14    84.615385   1              2
15    87.692308   1              2
16    89.230769   1              2
17    90.769231   1              2
18   100.000000  11             22
```


Percent of PI ending in s(\$|,)



```
[1] "[mf].Pl_s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0	20	40
2	8	1	2
3	10	1	2
4	24	2	4
5	36	1	2
6	40	2	4
7	56	1	2
8	60	1	2
9	62	1	2
10	76	1	2
11	78	1	2
12	80	4	8
13	84	1	2
14	88	1	2
15	92	1	2
16	100	11	22


Percent of [mf].Pl ending in s(\$|,)



```
[1] "[124]Pl_s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.0	20	40
2	10.0	2	4
3	12.5	1	2
4	15.0	1	2
5	20.0	1	2
6	40.0	1	2
7	42.5	1	2
8	60.0	1	2
9	62.5	1	2
10	67.5	1	2
11	75.0	3	6
12	80.0	2	4
13	85.0	3	6
14	95.0	1	2
15	100.0	11	22


Percent of [124]PI ending in s(\$|,)



```
[1] "n.Pl_s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	24	48
2	13.33333	1	2
3	40.00000	2	4
4	60.00000	2	4
5	73.33333	1	2
6	80.00000	3	6
7	86.66667	1	2
8	93.33333	2	4
9	100.00000	14	28


Percent of n.PI ending in s(\$|,)



```
[1] "1Sg_a($|,)"
```

	Percent_Match	freq	Percent_Trials
1	30	3	6
2	40	4	8
3	50	4	8
4	60	11	22
5	80	3	6
6	100	25	50


Percent of 1Sg ending in a(\$|,)



```
[1] "[24]Sg_o($|,)"
```

	Percent_Match	freq	Percent_Trials
1	23.33333	1	2
2	26.66667	2	4
3	40.00000	6	12
4	46.66667	2	4
5	53.33333	4	8
6	56.66667	2	4
7	60.00000	19	38
8	66.66667	1	2
9	70.00000	1	2
10	73.33333	1	2
11	80.00000	4	8
12	100.00000	7	14


Percent of [24]Sg ending in o(\$|,)



```
[1] "3Sg_[e-]($|,)"
```

	Percent_Match	freq	Percent_Trials
1	60.00000	9	18
2	66.66667	2	4
3	80.00000	5	10
4	100.00000	34	68


Percent of 3Sg ending in [e-](\$|,)



[1] "3Pl_e?s"


	Percent_Match	freq	Percent_Trials
1	0.00000	23	46
2	26.66667	1	2
3	40.00000	2	4
4	53.33333	1	2
5	60.00000	4	8
6	80.00000	3	6
7	86.66667	2	4
8	100.00000	14	28

Percent of 3PI ending in e?s



```
[1] "[24]Pl_os($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   47             94
2      6.666667    1              2
3     13.333333    1              2
4     50.000000    1              2
```


Percent of [24]PI ending in os(\$|,)



```
[1] "1Pl_as($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0	30	60
2	10	1	2
3	30	1	2
4	40	3	6
5	50	4	8
6	60	3	6
7	70	1	2
8	100	7	14

Percent of 1PI ending in as(\$|,)




```
[1] "n.Pl_a($|,)"
Percent_Match freq Percent_Trials
1          0     50          100
```

Percent of n.PI ending in a(\$|,)




```
[1] "n.Pl_as($|,)"
Percent_Match freq Percent_Trials
1            0    50             100
```

Percent of n.Pl ending in as(\$|,)



```
[1] "n.Pl_os($|,)"
Percent_Match freq Percent_Trials
1      0.000000    47             94
2      6.666667     1              2
3     13.333333     1              2
4     33.333333     1              2
```


Percent of n.Pl ending in os(\$|,)



```
[1] "m.Pl_as($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0	37	74
2	8	2	4
3	12	3	6
4	16	1	2
5	20	6	12
6	40	1	2

Percent of m.PI ending in as(\$|,)



```
[1] "m.PI_os($|,)"
Percent_Match freq Percent_Trials
1           0   47             94
2           4    1              2
3           8    1              2
4          20    1              2
```


Percent of m.PI ending in os(\$|,)



[1] "Sg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
4	e	47	94
1	-	43	86
8	s	16	32
3	as	10	20
5	es	9	18
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
4	e	47	94
1	-	46	92
8	s	16	32
3	as	11	22
5	es	10	20
7	os	2	4

[1] "1SgNom,Acc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
1	-	9	18

```

3      e      2      4
[1] "2SgNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      o      49      98
1      -      3      6
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o      49      98
1      -      13     26
3      s      2      4
[1] "3SgNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      44      88
1      -      39      78
3      s      2      4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      44      88
1      -      40      80
3      s      2      4
[1] "4SgNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      o      50     100
1      -      1      2
3      os     1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o      50     100
1      -      11     22
2      e      1      2
4      os     1      2
5      s      1      2
[1] "5SgNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e      22      44
1      -      10      20
2      a      2      4
4      es     1      2
5      s      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e      35      70
1      -      24      48
5      s      4      8
2      a      2      4
4      es     2      4
[1] "1SgAcc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      50     100

```

```

1      -      1      2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2      a    50      100
1      -     9      18
4      e     2       4
3     as     1       2
[1] "2SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
3      o    49      98
1      -    14      28
2     es     1       2
[1] "All Endings Included"
    Suffix freq Percent_Trials
4      o    49      98
1      -    19      38
2      e     3       6
5      s     2       4
3     es     1       2
[1] "3SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2      e    46      92
1      -    30      60
3      s     2       4
[1] "All Endings Included"
    Suffix freq Percent_Trials
2      e    46      92
1      -    30      60
3      s     2       4
[1] "4SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2      o    50      100
1      -     9      18
3     os     1       2
[1] "All Endings Included"
    Suffix freq Percent_Trials
3      o    50      100
1      -    20      40
2      e     1       2
4     os     1       2
5      s     1       2
[1] "5SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
3      e    33      66
1      -    10      20
2      a     2       4
4     es     1       2
5      s     1       2
[1] "All Endings Included"
    Suffix freq Percent_Trials

```

3	e	36	72
1	-	15	30
5	s	3	6
2	a	2	4
4	es	1	2
[1] "1SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	50	100
1	-	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	50	100
1	-	10	20
4	e	2	4
3	as	1	2
[1] "2SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	49	98
1	-	15	30
2	es	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	o	49	98
1	-	20	40
2	e	3	6
5	s	2	4
3	es	1	2
[1] "3SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	46	92
1	-	39	78
3	s	3	6
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	46	92
1	-	40	80
3	s	3	6
[1] "4SgNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	o	50	100
1	-	10	20
3	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	o	50	100
1	-	21	42
2	e	2	4
4	os	1	2
5	s	1	2
[1] "5SgNom,Acc,Abl"			

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	33	66
1	-	11	22
5	s	3	6
2	a	2	4
4	es	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	36	72
1	-	24	48
5	s	4	8
2	a	2	4
4	es	2	4

[1] "1SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	33	66
3	as	10	20
1	-	8	16
5	es	3	6
4	e	2	4
6	s	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	33	66
1	-	12	24
3	as	11	22
4	e	4	8
5	es	4	8
6	s	4	8

[1] "2SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	18	36
4	o	14	28
5	s	12	24
2	e	9	18
3	es	4	8

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	20	40
4	o	14	28
5	s	14	28
2	e	11	22
3	es	4	8

[1] "3SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	33	66
1	-	23	46
4	s	11	22
3	es	8	16

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	33	66
1	-	23	46
4	s	11	22
3	es	8	16

[1] "4SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	o	20	40
1	-	12	24
6	s	12	24
2	e	9	18
3	es	2	4
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	o	20	40
1	-	19	38
6	s	13	26
2	e	10	20
3	es	2	4
5	os	2	4

[1] "5SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	18	36
1	-	10	20
4	es	4	8
5	s	4	8
2	a	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	28	56
1	-	18	36
5	s	11	22
4	es	8	16
2	a	1	2

[1] "Nom"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	48	96
1	-	43	86
4	e	27	54
8	s	23	46
3	as	20	40
5	es	13	26
7	os	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	49	98
1	-	44	88
4	e	27	54

8	s	26	52
3	as	20	40
5	es	15	30
7	os	3	6

[1] "NomSg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
4	o	48	96
1	-	39	78
3	e	25	50
6	s	2	4
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	49	98
1	-	42	84
3	e	26	52
7	s	5	10
4	es	2	4
6	os	1	2

[1] "1"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
3	as	21	42
1	-	12	24
5	es	8	16
6	s	7	14
4	e	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
3	as	21	42
1	-	16	32
5	es	8	16
6	s	7	14
4	e	6	12

[1] "1Sg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
3	as	10	20
1	-	8	16
5	es	3	6
4	e	2	4
6	s	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
1	-	16	32
3	as	11	22
4	e	5	10

5	es	4	8
6	s	4	8
[1] "1SgNom"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
1	a	50	100
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	a	50	100
1	-	9	18
3	e	1	2
[1] "2"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
4	o	49	98
1	-	28	56
6	s	23	46
2	e	11	22
3	es	7	14
5	os	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
5	o	49	98
1	-	30	60
8	s	23	46
3	e	11	22
4	es	7	14
2	as	1	2
6	oe	1	2
7	os	1	2
[1] "2Sg"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
4	o	49	98
1	-	23	46
5	s	13	26
2	e	9	18
3	es	4	8
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
4	o	49	98
1	-	26	52
5	s	14	28
2	e	11	22
3	es	4	8
[1] "2SgNom"			
[1] "Endings occurring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	o	48	96
1	-	3	6
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	o	48	96
1	-	12	24


```

3      s      2      4
[1] "3"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   47           94
1      -   39           78
3      es   22           44
4      s   16           32
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   47           94
1      -   40           80
3      es   22           44
4      s   16           32
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   47           94
1      -   39           78
4      s   11           22
3      es    8           16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   47           94
1      -   40           80
4      s   11           22
3      es    8           16
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   39           78
2      e   25           50
3      s    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40           80
2      e   25           50
3      s    2            4
[1] "4"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      o   50          100
1      -   23           46
6      s   20           40
2      e   10           20
3      es    6           12
5      os    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   50          100
1      -   27           54
6      s   21           42
2      e   14           28
3      es    7           14

```

```

5      os      4          8
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      o      50          100
1      -      17           34
6      s      12           24
2      e       9           18
3     es       2            4
5     os       1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o      50          100
1      -      25           50
6      s      13           26
2      e      10           20
3     es       2            4
5     os       2            4
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      o      48           96
1      -       1            2
3     os       1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o      49           98
1      -       8           16
2      e       1            2
4     os       1            2
5      s       1            2
[1] "5"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e      34           68
1      -      18           36
5     es      15           30
6      s      15           30
2      a       2            4
3     as       1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e      36           72
1      -      26           52
6      s      19           38
5     es      18           36
2      a       2            4
3     as       1            2
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e      34           68
1      -      18           36
5      s       5            10

```

4	es	4	8
2	a	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	36	72
1	-	26	52
5	s	11	22
4	es	8	16
2	a	2	4
[1] "5SgNom"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	-	21	42
3	e	21	42
5	s	3	6
2	a	2	4
4	es	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	22	44
3	e	22	44
5	s	4	8
2	a	2	4
4	es	2	4
[1] "m"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
6	o	50	100
4	e	46	92
1	-	41	82
2	a	28	56
8	s	24	48
5	es	22	44
3	as	4	8
7	os	3	6
[1] "All Endings Included"			
Suffix freq Percent_Trials			
6	o	50	100
4	e	47	94
1	-	46	92
2	a	43	86
9	s	25	50
5	es	23	46
3	as	14	28
8	os	3	6
7	oe	1	2
[1] "mSg"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
5	o	50	100
3	e	46	92
1	-	37	74
7	s	15	30
4	es	9	18

```

2      a      1      2
6      os     1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      o     50      100
4      e     47      94
1      -     43      86
2      a     43      86
8      s     15      30
5      es     10      20
3      as      6      12
7      os      1       2
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o     48      96
1      -     28      56
2      e     23      46
4      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      o     48      96
2      a     43      86
1      -     32      64
3      e     26      52
7      s      5      10
4      es      2       4
6      os      1       2
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     43      86
1      -      9      18
3      e      1       2
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      o     48      96
1      -      3       6
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o     48      96
1      -      3       6
3      s      1       2
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     28      56
2      e     23      46
[1] "All Endings Included"
      Suffix freq Percent_Trials

```

```

1      -    29          58
2      e    23          46
3      s     1           2
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o    48          96
1      -     1           2
3     os     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o    48          96
1      -     1           2
3     os     1           2
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    22          44
3      e    21          42
5      s     3           6
2      a     2           4
4     es     2           4
[1] "f"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    50          100
4      e    47           94
1      -    37           74
3     as    21           42
5     es    21           42
8      s    21           42
6      o    15           30
7     os     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    50          100
4      e    47           94
1      -    45           90
6      o    44           88
8      s    28           56
5     es    23           46
3     as    22           44
7     os     2           4
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    50          100
4      e    46           92
1      -    30           60
6      o    11           22
7      s    11           22

```

```

3      as    10          20
5      es     8          16
[1] "All Endings Included"
      Suffix freq Percent_Trials
2       a    50          100
4       e    47           94
6       o    44           88
1      -    42           84
8       s    15           30
3      as    11           22
5      es     8           16
7      os     2            4
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2       a    50          100
3       e    25           50
1      -    24           48
4       s     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2       a    50          100
5       o    41           82
1      -    32           64
3       e    26           52
7       s     4            8
4      es     1            2
6      os     1            2
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1       a    50          100
[1] "All Endings Included"
      Suffix freq Percent_Trials
2       a    50          100
1      -     1            2
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2       o    37           74
1      -    12           24
3       s     1            2
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2       e    25           50
1      -    24           48
3       s     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2       e    25           50

```

```

1      -    24          48
3      s     1           2
[1] "f4SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o    40          80
1      -     8          16
3      os     1           2
4      s     1           2
[1] "f5SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    22          44
1      -    21          42
5      s     4           8
2      a     2           4
4      es     1           2
[1] "n"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
4      o    49          98
1      -    45          90
2      e    29          58
6      s    23          46
3      es    16          32
5      os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o    50          100
1      -    46          92
2      e    29          58
6      s    23          46
3      es    16          32
5      os     3           6
[1] "nSg"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
4      o    49          98
1      -    41          82
2      e    28          56
5      s    14          28
3      es     7          14
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o    50          100
1      -    42          84
2      e    29          58
5      s    14          28

```

```

3      es      7      14
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o      48      96
1      -      38      76
2      e      11      22
4      s       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o      49      98
1      -      39      78
2      e      11      22
4      s       1       2
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      o      48      96
1      -       2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o      48      96
1      -       2       4
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      38      76
2      e      11      22
3      s       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      39      78
2      e      11      22
3      s       1       2
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o      49      98
1      -       1       2
2      e       1       2
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      50      100
6      o      50      100
4      e      46      92
1      -      36      72
5      es     17      34
8      s      17      34
3      as     12      24
7      os       1       2

```



```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50             100
6      o   50             100
4      e   46             92
1      -   40             80
5     es   17             34
9      s   17             34
3     as   12             24
7     oe    1              2
8     os    1              2
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50             100
4      o   50             100
3      e   44             88
1      -   29             58
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50             100
5      o   50             100
3      e   45             90
1      -   34             68
4     es    1              2
6      s    1              2
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50             100
1      -    8             16
3      e    2              4
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o   49             98
1      -    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o   49             98
1      -   12             24
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   44             88
1      -   29             58
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   44             88
1      -   29             58
[1] "4SgAcc"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1    o    50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    o    50           100
1    -     9            18
[1] "5SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3    e    34           68
1    -    12           24
2    a     2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    e    35           70
1    -    13           26
2    a     2            4
4    es     1            2
5    s     1            2
[1] "mSgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3    o    50           100
2    e    41           82
1    -    10           20
[1] "All Endings Included"
  Suffix freq Percent_Trials
5    o    50           100
3    e    45           90
2    a    43           86
1    -    20           40
4    es     1            2
[1] "m1SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a    43           86
1    -     8           16
3    e     2            4
[1] "m2SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2    o    49           98
1    -     2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    o    49           98
1    -     2            4
[1] "m3SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials

```

```

2      e   41          82
1      -   10          20
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e   42          84
1      -   10          20
[1] "m4SgAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o   50          100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o   50          100
[1] "m5SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e   34          68
1      -   13          26
2      a    2           4
4     es    1           2
[1] "fSgAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a   50          100
3      e   44          88
1      -    7          14
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a   50          100
3      e   45          90
5      o   43          86
1      -   22          44
4     es    1           2
6      s    1           2
[1] "f1SgAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      a   50          100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      a   50          100
[1] "f2SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o   38          76
1      -   12          24
[1] "f3SgAcc"
[1] "Endings occurring 10 times or less excluded"

```

```

    Suffix freq Percent_Trials
2      e   44          88
1      -    7          14
[1] "All Endings Included"
    Suffix freq Percent_Trials
2      e   44          88
1      -    7          14
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
    Suffix freq Percent_Trials
2      o   42          84
1      -    8          16
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
    Suffix freq Percent_Trials
3      e   35          70
1      -   12          24
2      a    2           4
4     es    1           2
5      s    1           2
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
3      o   49          98
1      -   29          58
2      e   21          42
[1] "All Endings Included"
    Suffix freq Percent_Trials
3      o   49          98
1      -   29          58
2      e   21          42
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2      o   49          98
1      -    1           2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2      o   49          98
1      -    1           2
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1      -   29          58
2      e   21          42
[1] "All Endings Included"
    Suffix freq Percent_Trials
1      -   29          58

```

```

2      e      21      42
[1] "n4SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o      49      98
1      -      1       2
[1] "Gen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      28      56
2      a      28      56
8      s      22      44
4      e      21      42
3      as     18      36
6      o      16      32
5      es     12      24
7      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      31      62
2      a      29      58
8      s      24      48
4      e      21      42
3      as     18      36
6      o      17      34
5      es     13      26
7      os      1       2
[1] "GenSg"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      28      56
1      -      27      54
4      e      20      40
6      o      16      32
8      s      15      30
3      as     10      20
5      es      7      14
7      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      30      60
2      a      29      58
4      e      21      42
6      o      17      34
8      s      16      32
3      as     11      22
5      es      8      16
7      os      1       2
[1] "1SgGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials

```

2	a	28	56
3	as	10	20
1	-	7	14
5	es	3	6
4	e	1	2
6	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	29	58
1	-	11	22
3	as	11	22
5	es	4	8
6	s	4	8
4	e	1	2

[1] "2SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	17	34
5	s	12	24
4	o	11	22
2	e	8	16
3	es	4	8

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	19	38
5	s	14	28
2	e	11	22
4	o	11	22
3	es	4	8

[1] "3SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	21	42
2	e	20	40
4	s	11	22
3	es	6	12

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	21	42
2	e	20	40
4	s	11	22
3	es	6	12

[1] "4SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	o	16	32
6	s	12	24
1	-	11	22
2	e	8	16
3	es	2	4
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	o	17	34

1	-	16	32
6	s	13	26
2	e	9	18
3	es	2	4
5	os	1	2

[1] "5SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	17	34
1	-	14	28
5	s	10	20
4	es	5	10
2	a	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	19	38
1	-	15	30
5	s	11	22
4	es	7	14
2	a	1	2

[1] "mSgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	22	44
2	e	20	40
4	o	16	32
6	s	14	28
3	es	7	14
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	27	54
2	a	26	52
4	e	20	40
6	o	16	32
8	s	15	30
5	es	8	16
3	as	6	12
7	os	1	2

[1] "m1SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows> (or 0-length row.names)			

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	26	52
1	-	11	22
3	as	6	12
5	es	4	8
6	s	3	6
4	e	1	2

[1] "m2SgGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

```

1      -   17      34
5      s   12      24
4      o   11      22
2      e    8      16
3     es    4       8
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -   18      36
5      s   13      26
4      o   11      22
2      e    8      16
3     es    4       8
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e   20      40
1      -   14      28
4      s   10      20
3     es    6      12
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e   20      40
1      -   14      28
4      s   10      20
3     es    6      12
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      o   16      32
6      s   12      24
1      -   11      22
2      e    8      16
3     es    2       4
5     os    1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      o   16      32
6      s   12      24
1      -   11      22
2      e    8      16
3     es    2       4
5     os    1       2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e   17      34
1      -   15      30
5      s   10      20
4     es    7      14
2      a    1       2
[1] "fSgGen"

```



```

[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   28             56
4      e   20             40
1      -   18             36
6      s   11             22
3     as   10             20
5     es    6             12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   29             58
1      -   28             56
4      e   21             42
8      s   15             30
6      o   12             24
3     as   11             22
5     es    6             12
7     os    1              2
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   28             56
3     as   10             20
1      -    7             14
5     es    3              6
4      e    1              2
6      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   29             58
3     as   11             22
1      -    7             14
5     es    3              6
6      s    2              4
4      e    1              2
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   15             30
5      s   12             24
2      e   10             20
4      o   10             20
3     es    3              6
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   20             40
1      -   14             28
4      s   10             20
3     es    6             12
[1] "All Endings Included"

```

	Suffix	freq	Percent_Trials
2	e	20	40
1	-	14	28
4	s	10	20
3	es	6	12

[1] "f4SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>	(or 0-length row.names)		

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	16	32
6	s	13	26
4	o	11	22
2	e	7	14
3	es	2	4
5	os	1	2

[1] "f5SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>	(or 0-length row.names)		

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	19	38
1	-	15	30
5	s	11	22
4	es	6	12
2	a	1	2

[1] "nSgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	24	48
5	s	14	28
2	e	13	26
4	o	11	22
3	es	5	10

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	24	48
4	o	17	34
5	s	14	28
2	e	13	26
3	es	5	10

[1] "n2SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	16	32
5	s	12	24
4	o	11	22
2	e	8	16
3	es	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	17	34

```

5      s    12          24
4      o    11          22
2      e     8          16
3     es     3           6
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    21           42
2      e    13           26
4      s    11           22
3     es     5           10
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    21           42
2      e    13           26
4      s    11           22
3     es     5           10
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o    17           34
5      s    12           24
1      -    11           22
2      e     8           16
3     es     2            4
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e    34           68
2      a    33           66
1      -    31           62
6      o    20           40
8      s    19           38
5     es    16           32
3     as    13           26
7     os     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    34           68
4      e    34           68
2      a    33           66
6      o    20           40
8      s    20           40
5     es    16           32
3     as    14           28
7     os     2            4
[1] "DatSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e    34           68
2      a    33           66

```

1	-	28	56
6	o	20	40
7	s	11	22
5	es	7	14
3	as	5	10

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	34	68
2	a	33	66
1	-	30	60
6	o	20	40
8	s	11	22
5	es	7	14
3	as	5	10
7	os	1	2

[1] "1SgDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	33	66
1	-	8	16
3	as	5	10
5	es	3	6
4	e	2	4
6	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	33	66
1	-	12	24
3	as	5	10
4	e	4	8
5	es	3	6
6	s	3	6

[1] "2SgDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	17	34
4	o	14	28
2	e	9	18
5	s	9	18
3	es	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	18	36
4	o	14	28
2	e	11	22
5	s	10	20
3	es	3	6

[1] "3SgDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	33	66
1	-	18	36
3	es	7	14
4	s	5	10

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   33             66
1      -   18             36
3     es    7             14
4      s    5             10
[1] "4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      o   20             40
1      -   11             22
2      e    9             18
5      s    9             18
3     es    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   20             40
1      -   16             32
2      e   10             20
6      s    9             18
3     es    2              4
5     os    1              2
[1] "5SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   27             54
1      -   11             22
4     es    5             10
5      s    3              6
2      a    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   28             56
1      -   13             26
4     es    6             12
5      s    5             10
2      a    1              2
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   33             66
1      -   21             42
4      o   20             40
5      s    9             18
3     es    7             14
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   33             66
2      a   29             58
1      -   27             54
6      o   20             40
7      s    9             18
5     es    7             14
3     as    3              6

```

```

[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   29           58
1      -   11           22
3     as    3            6
4      e    3            6
5     es    3            6
6      s    2            4
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   17           34
4      o   14           28
2      e    9           18
5      s    9           18
3     es    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   17           34
4      o   14           28
2      e    9           18
5      s    9           18
3     es    3            6
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   33           66
1      -    9           18
3     es    7           14
4      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   33           66
1      -    9           18
3     es    7           14
4      s    1            2
[1] "m4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      o   20           40
1      -   11           22
2      e    9           18
5      s    9           18
3     es    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   20           40
1      -   12           24
2      e    9           18
5      s    9           18

```

```

3      es      2      4
[1] "m5SgDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e      28      56
1      -      12      24
4      es      6      12
5      s      3      6
2      a      1      2
[1] "fSgDat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e      34      68
2      a      33      66
1      -      15      30
5      es      7      14
3      as      5      10
6      s      3      6
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e      34      68
2      a      33      66
1      -      27      54
6      o      15      30
8      s      11      22
5      es      7      14
3      as      5      10
7      os      1      2
[1] "f1SgDat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      33      66
1      -      8      16
3      as      5      10
5      es      3      6
4      e      2      4
6      s      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      33      66
1      -      8      16
3      as      5      10
5      es      3      6
4      e      2      4
6      s      1      2
[1] "f2SgDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials

```

```

1      -   15      30
4      o   12      24
2      e   10      20
5      s   10      20
3      es   3       6
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   33      66
1      -    8      16
3      es    7      14
4      s     2       4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   33      66
1      -    8      16
3      es    7      14
4      s     2       4
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o   15      30
1      -   14      28
2      e    9      18
6      s    9      18
3      es    2       4
5      os    1       2
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   28      56
1      -   12      24
4      es    6      12
5      s     5      10
2      a     1       2
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24      48
2      e   22      44
4      o   13      26
5      s    9      18
3      es    6      12
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   24      48
2      e   22      44
4      o   19      38

```



```

5      s      9      18
3     es      6      12
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    17           34
4      o    13           26
5      s      9           18
2      e      8           16
3     es      3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    17           34
4      o    14           28
5      s      9           18
2      e      8           16
3     es      3            6
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    22           44
1      -    18           36
3     es      6           12
4      s      4            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    22           44
1      -    18           36
3     es      6           12
4      s      4            8
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o    18           36
1      -    13           26
5      s      9           18
2      e      8           16
3     es      2            4
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    49           98
4      e    45           90
6      o    42           84
1      -    37           74
8      s    22           44
5     es    20           40
3     as    19           38
7     os      1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials

```

2	a	49	98
4	e	45	90
6	o	43	86
1	-	40	80
8	s	26	52
5	es	21	42
3	as	20	40
7	os	2	4

[1] "AblSg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	49	98
3	e	44	88
5	o	42	84
1	-	30	60
7	s	3	6
4	es	1	2
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	49	98
4	e	45	90
6	o	43	86
1	-	34	68
8	s	5	10
5	es	2	4
3	as	1	2
7	os	1	2

[1] "1SgAbl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	49	98
1	-	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	49	98
1	-	8	16
3	as	1	2
4	e	1	2

[1] "2SgAbl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	37	74
1	-	14	28
2	es	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	o	38	76
1	-	19	38
2	e	3	6
5	s	2	4
3	es	1	2

[1] "3SgAbl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	44	88
1	-	24	48
3	s	2	4
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	e	44	88
1	-	25	50
3	s	2	4
[1] "4SgAbl"			
[1] "Endings occuring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	o	41	82
1	-	9	18
3	os	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
3	o	42	84
1	-	18	36
2	e	1	2
4	os	1	2
5	s	1	2
[1] "5SgAbl"			
[1] "Endings occuring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
3	e	32	64
1	-	10	20
5	s	3	6
2	a	2	4
4	es	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
3	e	34	68
1	-	12	24
5	s	3	6
2	a	2	4
4	es	1	2
[1] "mSgAbl"			
[1] "Endings occuring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	e	44	88
4	o	42	84
1	-	20	40
3	es	1	2
5	os	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
3	e	45	90
2	a	42	84
5	o	42	84
1	-	26	52
7	s	4	8
4	es	2	4
6	os	1	2

```

[1] "m1SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a  42           84
1      -   8           16
3      e   1            2
[1] "m2SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o  37           74
1      -  13           26
2     es   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      o  37           74
1      -  14           28
2      e   1            2
3     es   1            2
5      s   1            2
[1] "m3SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e  44           88
1      -   8           16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  44           88
1      -   8           16
[1] "m4SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      o  41           82
1      -   9           18
3     os   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      o  41           82
1      -   9           18
3     os   1            2
[1] "m5SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e  34           68
1      -  10           20
5      s   3            6
2      a   2            4
4     es   1            2
[1] "fSgAbl"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   49             98
3      e   43             86
1      -    9             18
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   49             98
4      e   45             90
6      o   31             62
1      -   25             50
8      s    3              6
3     as    1              2
5     es    1              2
7     os    1              2
[1] "f1SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   49             98
1      -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   49             98
1      -    1              2
3     as    1              2
[1] "f2SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   31             62
1      -   15             30
2      e    3              6
4      s    1              2
[1] "f3SgAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   43             86
1      -    7             14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   44             88
1      -    8             16
[1] "f4SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   31             62
1      -   17             34
2      e    1              2
4     os    1              2

```

```

5      s      1      2
[1] "f5SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e    34          68
1      -    12          24
5      s     3           6
2      a     2           4
4     es     1           2
[1] "nSgAbl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o    37          74
1      -    30          60
2      e    24          48
4      s     2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o    43          86
1      -    30          60
2      e    25          50
4      s     2           4
[1] "n2SgAbl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      o    37          74
1      -    13          26
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o    37          74
1      -    14          28
[1] "n3SgAbl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    24          48
2      e    24          48
3      s     2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    25          50
1      -    24          48
3      s     2           4
[1] "n4SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      o    42          84
1      -     8          16
[1] "Pl"

```

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	34	68
4	e	31	62
1	-	30	60
8	s	25	50
5	es	22	44
3	as	20	40
6	o	14	28
7	os	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	34	68
1	-	31	62
4	e	31	62
9	s	29	58
5	es	24	48
3	as	21	42
6	o	15	30
8	os	3	6
7	oe	1	2

[1] "1PlNom,Acc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	a	33	66
2	as	20	40
4	es	5	10
3	e	1	2
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	33	66
3	as	20	40
5	es	6	12
1	-	4	8
6	s	4	8
4	e	1	2

[1] "2PlNom,Acc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	22	44
4	o	9	18
3	es	3	6
2	e	2	4
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
7	s	23	46
4	o	10	20
2	e	5	10
3	es	3	6
5	oe	1	2

```

6      os      1          2
[1] "3PlNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      29          58
3      es     19          38
1      -      18          36
4      s      15          30
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      29          58
1      -      19          38
3      es     19          38
4      s      15          30
[1] "4PlNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      18          36
6      s      18          36
4      o      13          26
2      e       3           6
5      os      3           6
3      es       2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      22          44
6      s      20          40
4      o      14          28
2      e       6          12
5      os      3           6
3      es       2           4
[1] "5PlNom,Acc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e      14          28
5      es      8          16
6      s       8          16
1      -       6          12
2      a       1           2
3      as      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e      23          46
6      s      16          32
5      es     15          30
1      -      10          20
2      a       1           2
3      as      1           2
[1] "1PlAcc,Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      34          68
3      as     19          38
5      es      5          10

```


1	-	1	2
4	e	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	34	68
3	as	19	38
5	es	6	12
1	-	5	10
6	s	3	6
4	e	1	2
[1] "2PlAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	-	25	50
5	s	21	42
4	o	8	16
2	e	4	8
3	es	3	6
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	26	52
7	s	22	44
5	o	9	18
3	e	5	10
4	es	3	6
2	as	1	2
6	oe	1	2
[1] "3PlAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	29	58
3	es	21	42
1	-	17	34
4	s	12	24
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	29	58
3	es	21	42
1	-	17	34
4	s	12	24
[1] "4PlAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	-	20	40
6	s	20	40
4	o	12	24
2	e	5	10
3	es	2	4
5	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	22	44
6	s	20	40
4	o	13	26

2	e	8	16
3	es	3	6
5	os	2	4

[1] "5PlAcc,Abl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	17	34
5	es	8	16
6	s	8	16
1	-	6	12
2	a	1	2
3	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	24	48
5	es	16	32
6	s	14	28
1	-	8	16
2	a	1	2
3	as	1	2

[1] "1PlNom,Acc,Abl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	34	68
3	as	20	40
5	es	5	10
1	-	1	2
4	e	1	2
6	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	34	68
3	as	20	40
5	es	6	12
1	-	5	10
6	s	4	8
4	e	1	2

[1] "2PlNom,Acc,Abl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	23	46
4	o	9	18
2	e	5	10
3	es	3	6
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
8	s	23	46
5	o	10	20
3	e	6	12
4	es	3	6
2	as	1	2

6	oe	1	2
7	os	1	2
[1] "3PlNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	29	58
3	es	21	42
1	-	19	38
4	s	15	30
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	29	58
3	es	21	42
1	-	20	40
4	s	15	30
[1] "4PlNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	-	20	40
6	s	20	40
4	o	13	26
2	e	5	10
5	os	3	6
3	es	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	22	44
6	s	20	40
4	o	14	28
2	e	8	16
3	es	3	6
5	os	3	6
[1] "5PlNom,Acc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
4	e	17	34
5	es	12	24
6	s	11	22
1	-	7	14
2	a	1	2
3	as	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
4	e	24	48
5	es	17	34
6	s	17	34
1	-	10	20
2	a	1	2
3	as	1	2
[1] "1PlGen,Dat"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	24	48
3	as	17	34

1	-	6	12
4	es	5	10
5	s	4	8
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	24	48
3	as	17	34
1	-	10	20
5	es	6	12
6	s	6	12
4	e	1	2
[1] "2PlGen,Dat"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
5	s	19	38
1	-	17	34
2	e	11	22
3	es	7	14
4	o	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
5	s	20	40
1	-	18	36
2	e	11	22
3	es	7	14
4	o	2	4
[1] "3PlGen,Dat"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	23	46
1	-	16	32
4	s	15	30
3	es	14	28
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	23	46
1	-	16	32
4	s	15	30
3	es	14	28
[1] "4PlGen,Dat"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
6	s	19	38
1	-	18	36
2	e	9	18
3	es	6	12
4	o	2	4
5	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
6	s	21	42
1	-	18	36
2	e	12	24
3	es	7	14

4	o	2	4
5	os	1	2
[1] "5PlGen,Dat"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	e	16	32
5	s	11	22
1	-	7	14
4	es	6	12
2	as	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	e	22	44
5	s	16	32
1	-	11	22
4	es	10	20
2	as	1	2
[1] "NomPl"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	25	50
1	-	23	46
8	s	23	46
3	as	20	40
4	e	16	32
5	es	13	26
6	o	9	18
7	os	3	6
[1] "All Endings Included"			
Suffix freq Percent_Trials			
8	s	26	52
2	a	25	50
1	-	24	48
3	as	20	40
4	e	17	34
5	es	15	30
6	o	10	20
7	os	3	6
[1] "1Pl"			
[1] "Endings occuring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	34	68
3	as	20	40
5	es	7	14
1	-	6	12
6	s	5	10
4	e	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	34	68
3	as	20	40
1	-	10	20
5	es	8	16
6	s	7	14

```

4      e      2      4
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      a      25      50
2      as     20      40
3      es      5      10
4      s       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      25      50
3      as     20      40
4      es      6      12
1      -       4       8
5      s       4       8
[1] "2Pl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      25      50
6      s      23      46
2      e      11      22
4      o       9      18
3      es      7      14
5      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      26      52
8      s      23      46
3      e      11      22
5      o      10      20
4      es      7      14
2      as      1       2
6      oe      1       2
7      os      1       2
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
6      s      22      44
1      -      19      38
4      o       5      10
3      es      3       6
2      e       2       4
5      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s      23      46
1      -      20      40
4      o       6      12
2      e       4       8
3      es      3       6
5      os      1       2
[1] "3Pl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```

2	e	31	62
3	es	22	44
1	-	19	38
4	s	15	30

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	31	62
3	es	22	44
1	-	20	40
4	s	15	30

[1] "3PlNom"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	17	34
2	e	15	30
4	s	15	30
3	es	13	26

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	18	36
2	e	15	30
4	s	15	30
3	es	14	28

[1] "4Pl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	21	42
6	s	20	40
4	o	13	26
2	e	9	18
3	es	6	12
5	os	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	22	44
6	s	21	42
4	o	14	28
2	e	13	26
3	es	7	14
5	os	3	6

[1] "4PlNom"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
6	s	18	36
1	-	15	30
4	o	9	18
2	e	3	6
5	os	3	6
3	es	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
6	s	20	40
1	-	18	36
4	o	10	20

2	e	5	10
5	os	3	6
3	es	2	4

[1] "5Pl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	23	46
6	s	14	28
5	es	13	26
1	-	11	22
2	a	1	2
3	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	26	52
5	es	18	36
6	s	18	36
1	-	11	22
2	a	1	2
3	as	1	2

[1] "5PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
6	s	14	28
4	e	13	26
5	es	11	22
1	-	7	14
2	a	1	2
3	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
6	s	16	32
4	e	14	28
5	es	12	24
1	-	9	18
2	a	1	2
3	as	1	2

[1] "mPl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	31	62
1	-	28	56
7	s	23	46
4	es	22	44
5	o	14	28
6	os	3	6
2	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	32	64
4	e	31	62
1	-	30	60
9	s	24	48
5	es	23	46


```

6      o      14      28
3      as     13      26
8      os      3       6
7      oe      1       2
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
6      s      22      44
1      -      21      42
2      e      15      30
3      es     13      26
4      o       9      18
5      os      3       6
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      24      48
8      s      24      48
1      -      22      44
4      e      16      32
5      es     15      30
3      as     13      26
6      o       9      18
7      os      3       6
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      24      48
3      as     13      26
4      es      6      12
1      -       4       8
5      s       4       8
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
6      s      22      44
1      -      19      38
4      o       5      10
3      es      3       6
2      e       2       4
5      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s      23      46
1      -      19      38
4      o       5      10
3      es      3       6
2      e       2       4
5      os      1       2
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```

```

2      e   14      28
3     es   13      26
4      s   13      26
1      -   10      20
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e   14      28
3     es   14      28
4      s   13      26
1      -   11      22
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
6      s   18      36
1      -   15      30
4      o    9      18
2      e    3       6
5     os    3       6
3     es    2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s   18      36
1      -   15      30
4      o    9      18
2      e    3       6
5     os    3       6
3     es    2       4
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s   14      28
4      e   13      26
5     es   12      24
1      -    9      18
2      a    1       2
3     as    1       2
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a   34      68
4      e   30      60
5     es   21      42
1      -   20      40
3     as   20      40
7      s   20      40
6      o    1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a   34      68
1      -   30      60
4      e   30      60

```

8	s	27	54
5	es	23	46
3	as	21	42
6	o	11	22
7	os	1	2

[1] "fPlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	25	50
3	as	20	40
4	e	14	28
6	s	14	28
5	es	13	26
1	-	10	20

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	25	50
8	s	25	50
1	-	20	40
3	as	20	40
4	e	17	34
5	es	13	26
6	o	8	16
7	os	1	2

[1] "f1PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	a	25	50
2	as	20	40
3	es	5	10
4	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	a	25	50
2	as	20	40
3	es	5	10
4	s	1	2

[1] "f2PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows>			(or 0-length row.names)

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	s	21	42
1	-	17	34
4	o	5	10
2	e	4	8
3	es	3	6

[1] "f3PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	14	28
3	es	13	26
4	s	13	26

```

1      -      10      20
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      14      28
3     es      13      26
4      s      13      26
1      -      10      20
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s      20      40
1      -      16      32
4      o       8      16
2      e       5      10
3     es       2       4
5     os       1       2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s      16      32
4      e      14      28
5     es      11      22
1      -       9      18
2      a       1       2
3     as       1       2
[1] "nP1"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      28      56
6      s      22      44
2      e      20      40
3     es      16      32
4      o       8      16
5     os       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      29      58
6      s      23      46
2      e      20      40
3     es      16      32
4      o      13      26
5     os       3       6
[1] "nP1Nom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      23      46
6      s      22      44
2      e       9      18

```

```

3     es     9         18
4     o      5         10
5     os     1         2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    23         46
6      s    22         44
2      e    10         20
3     es     9         18
4     o     9         18
5     os     3          6
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
6      s    22         44
1      -    19         38
4      o     5         10
2      e     2          4
3     es     2          4
5     os     1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s    22         44
1      -    19         38
4      o     5         10
2      e     2          4
3     es     2          4
5     os     1          2
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    17         34
4      s    15         30
2      e     9         18
3     es     9         18
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    17         34
4      s    15         30
2      e     9         18
3     es     9         18
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s    18         36
1      -    15         30
4      o     9         18
2      e     3          6
5     os     3          6
3     es     2          4
[1] "AccPl"

```

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	33	66
4	e	29	58
1	-	27	54
5	es	17	34
8	s	17	34
6	o	13	26
3	as	12	24
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	33	66
4	e	30	60
1	-	28	56
5	es	17	34
9	s	17	34
6	o	14	28
3	as	12	24
7	oe	1	2
8	os	1	2

[1] "1PlAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	a	33	66
2	as	12	24
4	es	4	8
3	e	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	33	66
3	as	12	24
5	es	5	10
1	-	4	8
6	s	3	6
4	e	1	2

[1] "2PlAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	25	50
5	s	17	34
4	o	8	16
3	es	2	4
2	e	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
6	s	17	34
4	o	9	18
2	e	4	8
3	es	2	4
5	oe	1	2

[1] "3PlAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	29	58
1	-	16	32
3	es	16	32
4	s	10	20

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	29	58
1	-	16	32
3	es	16	32
4	s	10	20

[1] "4PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	18	36
5	s	16	32
3	o	12	24
2	e	3	6
4	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	22	44
5	s	16	32
3	o	13	26
2	e	6	12
4	os	1	2

[1] "5PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	22	44
5	es	10	20
6	s	8	16
1	-	7	14
2	a	1	2
3	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	23	46
5	es	11	22
6	s	8	16
1	-	7	14
2	a	1	2
3	as	1	2

[1] "mPlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	28	56
1	-	25	50
6	s	17	34
3	es	16	32
4	o	13	26
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

```

2      a    31          62
4      e    29          58
1      -    26          52
9      s    17          34
5     es    16          32
6      o    13          26
3     as     7          14
7     oe     1           2
8     os     1           2
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    31          62
3     as     7          14
5     es     5          10
1      -     4           8
6      s     3           6
4      e     1           2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    24          48
5      s    17          34
4      o     8          16
3     es     2           4
2      e     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    25          50
6      s    17          34
4      o     8          16
3     es     2           4
2      e     1           2
5     oe     1           2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    28          56
3     es    15          30
1      -     6          12
4      s     5          10
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    28          56
3     es    15          30
1      -     6          12
4      s     5          10
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    18          36

```



```

5      s    16      32
3      o    12      24
2      e     3       6
4     os     1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    18      36
5      s    16      32
3      o    12      24
2      e     4       8
4     os     1       2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e    23      46
5     es    10      20
6      s     8      16
1      -     7      14
2      a     1       2
3     as     1       2
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a    33      66
4      e    26      52
5     es    14      28
3     as    12      24
1      -     6      12
6      s     4       8
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    33      66
4      e    29      58
1      -    24      48
8      s    17      34
5     es    15      30
3     as    12      24
6      o    10      20
7     os     1       2
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      a    33      66
2     as    12      24
4     es     4       8
3      e     1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      a    33      66
2     as    12      24
4     es     4       8

```

```

3      e      1      2
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    20          40
5      s    17          34
4      o     8          16
2      e     4           8
3     es     1           2
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    26          52
3     es    14          28
1      -     6          12
4      s     4           8
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    26          52
3     es    15          30
1      -     6          12
4      s     4           8
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    20          40
5      s    16          32
3      o     9          18
2      e     5          10
4     os     1           2
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e    23          46
5     es    11          22
6      s     8          16
1      -     7          14
2      a     1           2
3     as     1           2
[1] "nP1Acc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    27          54
2      e    18          36
5      s    16          32

```

```

3     es     8         16
4     o      7         14
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    28         56
2      e    18         36
6      s    16         32
4      o    12         24
3     es     9         18
5     os     1          2
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    25         50
5      s    16         32
4      o     7         14
2      e     1          2
3     es     1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    26         52
5      s    16         32
4      o     7         14
2      e     1          2
3     es     1          2
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    18         36
1      -    16         32
4      s     9         18
3     es     8         16
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    18         36
1      -    16         32
3     es     9         18
4      s     9         18
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    18         36
5      s    16         32
3      o    12         24
2      e     3          6
4     os     1          2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    20         40
2      a    20         40

```

8	s	20	40
3	as	16	32
4	e	16	32
5	es	12	24
6	o	2	4
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
8	s	23	46
1	-	21	42
2	a	20	40
3	as	17	34
4	e	16	32
5	es	12	24
6	o	2	4
7	os	1	2

[1] "1PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	20	40
3	as	16	32
1	-	6	12
4	es	5	10
5	s	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	20	40
3	as	17	34
1	-	10	20
5	es	6	12
6	s	6	12
4	e	1	2

[1] "2PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
5	s	19	38
1	-	14	28
2	e	9	18
3	es	7	14
4	o	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	s	20	40
1	-	15	30
2	e	9	18
3	es	7	14
4	o	2	4

[1] "3PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	16	32
1	-	15	30
4	s	15	30
3	es	11	22

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   16             32
1      -   15             30
4      s   15             30
3     es   11             22
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      s   18             36
1      -   15             30
2      e    8             16
3     es    6             12
4      o    2              4
5     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      s   19             38
1      -   16             32
2      e   10             20
3     es    7             14
4      o    2              4
5     os    1              2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   16             32
5      s   14             28
1      -    9             18
4     es    8             16
2     as    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   16             32
5      s   16             32
1      -   10             20
4     es    9             18
2     as    1              2
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      s   20             40
1      -   16             32
2      e   16             32
3     es   11             22
4      o    2              4
5     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
8      s   20             40
1      -   19             38
2      a   18             36
4      e   16             32
3     as   12             24

```

```

5      es   11          22
6      o    2           4
7      os   1           2
[1] "m1PlGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a   18          36
3     as   12          24
1      -   10          20
5     es    5          10
6      s    5          10
4      e    1           2
[1] "m2PlGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
5      s   19          38
1      -   14          28
2      e    9          18
3     es    7          14
4      o    2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      s   19          38
1      -   14          28
2      e    9          18
3     es    7          14
4      o    2           4
[1] "m3PlGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e   16          32
4      s   13          26
3     es   11          22
1      -   10          20
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e   16          32
4      s   13          26
3     es   11          22
1      -   10          20
[1] "m4PlGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
6      s   18          36
1      -   15          30
2      e    8          16
3     es    6          12
4      o    2           4
5     os    1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials

```

```

6      s      18      36
1      -      15      30
2      e       8      16
3     es       6      12
4      o       2       4
5     os       1       2
[1] "m5PlGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     16          32
5      s     14          28
1      -     10          20
4     es      9          18
2     as      1           2
[1] "fPlGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     20          40
3     as     16          32
4      e     16          32
1      -     14          28
6      s     13          26
5     es     12          24
[1] "All Endings Included"
      Suffix freq Percent_Trials
8      s     22          44
2      a     20          40
1      -     19          38
3     as     17          34
4      e     16          32
5     es     12          24
6      o      2           4
7     os      1           2
[1] "f1PlGen"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     20          40
3     as     16          32
1      -      6          12
4     es      5          10
5      s      3           6
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     20          40
3     as     17          34
1      -      6          12
4     es      5          10
5      s      4           8
[1] "f2PlGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials

```

```

<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      s   20             40
1      -   15             30
2      e    9             18
3     es    5             10
4      o    1              2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   16             32
4      s   13             26
3     es   11             22
1      -   10             20
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   16             32
4      s   13             26
3     es   11             22
1      -   10             20
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      s   18             36
1      -   14             28
2      e   10             20
3     es    6             12
4      o    2              4
5     os    1              2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   16             32
5      s   16             32
1      -   10             20
4     es    9             18
2     as    1              2
[1] "nP1Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      s   19             38
1      -   16             32
2      e   11             22
3     es    9             18
4      o    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials

```


6	s	20	40
1	-	17	34
2	e	11	22
3	es	9	18
4	o	2	4
5	os	1	2

[1] "n2PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
5	s	19	38
1	-	14	28
2	e	9	18
3	es	7	14
4	o	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	s	19	38
1	-	14	28
2	e	9	18
3	es	7	14
4	o	2	4

[1] "n3PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	15	30
4	s	15	30
2	e	11	22
3	es	9	18

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	15	30
4	s	15	30
2	e	11	22
3	es	9	18

[1] "n4PlGen"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
<0 rows> (or 0-length row.names)			

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
6	s	18	36
1	-	15	30
2	e	8	16
3	es	6	12
4	o	2	4
5	os	1	2

[1] "DatPl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	24	48
4	e	23	46
1	-	22	44
8	s	19	38
5	es	14	28

3	as	13	26
6	o	1	2
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	24	48
1	-	23	46
4	e	23	46
8	s	20	40
3	as	14	28
5	es	14	28
6	o	1	2
7	os	1	2

[1] "1PlDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	24	48
3	as	13	26
1	-	6	12
4	es	5	10
5	s	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	24	48
3	as	14	28
1	-	10	20
5	es	6	12
6	s	5	10
4	e	1	2

[1] "2PlDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
5	s	18	36
1	-	17	34
2	e	11	22
3	es	5	10
4	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	18	36
5	s	18	36
2	e	11	22
3	es	5	10
4	o	1	2

[1] "3PlDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	23	46
1	-	14	28
4	s	14	28
3	es	12	24

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	23	46

1	-	14	28
4	s	14	28
3	es	12	24

[1] "4PlDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	18	36
6	s	17	34
2	e	9	18
3	es	4	8
4	o	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	18	36
6	s	18	36
2	e	12	24
3	es	5	10
4	o	1	2
5	os	1	2

[1] "5PlDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	22	44
5	s	11	22
1	-	8	16
4	es	7	14
2	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	22	44
5	s	12	24
1	-	8	16
4	es	8	16
2	as	1	2

[1] "mPlDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	23	46
1	-	19	38
6	s	18	36
3	es	12	24
4	o	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	23	46
1	-	22	44
2	a	22	44
8	s	18	36
5	es	13	26
3	as	9	18
6	o	1	2
7	os	1	2

```

[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   22           44
1      -   10           20
3      as    9           18
5      es    5           10
6      s     4            8
4      e     1            2
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      s   18           36
1      -   17           34
2      e   11           22
3      es    5           10
4      o     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      s   18           36
1      -   17           34
2      e   11           22
3      es    5           10
4      o     1            2
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   23           46
3      es   11           22
4      s   11           22
1      -    7           14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   23           46
3      es   12           24
4      s   11           22
1      -    7           14
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   18           36
6      s   17           34
2      e    9           18
3      es    4            8
4      o     1            2
5      os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   18           36
6      s   17           34
2      e    9           18

```

```

3      es      4          8
4      o      1          2
5      os     1          2
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     22          44
5      s     11          22
1      -      8          16
4      es      8          16
2      as      1           2
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     24          48
4      e     23          46
3      as     13          26
1      -     12          24
5      es     11          22
6      s     11          22
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     24          48
4      e     23          46
1      -     21          42
8      s     19          38
3      as     14          28
5      es     14          28
6      o      1           2
7      os      1           2
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     24          48
3      as     13          26
1      -      6          12
4      es      5          10
5      s      3           6
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     24          48
3      as     14          28
1      -      6          12
4      es      5          10
5      s      3           6
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials

```

```

5      s      18      36
1      -      17      34
2      e       9      18
3     es       5      10
4      o       1       2
[1] "f3PlDat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    23           46
3     es    10           20
4      s    10           20
1      -     7           14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    23           46
3     es    12           24
4      s    10           20
1      -     7           14
[1] "f4PlDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      s    16           32
1      -    15           30
2      e    12           24
3     es     5           10
4      o     1            2
5     os     1            2
[1] "f5PlDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    22           44
5      s    12           24
1      -     8           16
4     es     8           16
2     as     1            2
[1] "nP1Dat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    17           34
5      s    17           34
2      e    15           30
3     es     8           16
4      o     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    19           38
6      s    18           36
2      e    15           30

```

```

3      es      9          18
4      o      1          2
5      os     1          2
[1] "n2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    17          34
5      s    17          34
2      e    11          22
3      es     4          8
4      o     1          2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    17          34
5      s    17          34
2      e    11          22
3      es     4          8
4      o     1          2
[1] "n3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    15          30
1      -    14          28
4      s    13          26
3      es     8          16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    15          30
1      -    14          28
4      s    13          26
3      es     9          18
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    18          36
6      s    18          36
2      e     9          18
3      es     3           6
4      o     1           2
5      os     1           2
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    27          54
1      -    23          46
4      e    23          46
8      s    22          44
5      es    20          40
3      as    19          38
6      o     5          10
7      os     1           2

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   27             54
8      s   26             52
1      -   24             48
4      e   24             48
5     es   21             42
3     as   20             40
6      o    5             10
7     os    2              4
[1] "1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   27             54
3     as   19             38
4     es    4              8
1      -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   27             54
3     as   19             38
1      -    5             10
4     es    5             10
5      s    3              6
[1] "2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      s   21             42
1      -   18             36
2      e    4              8
4      o    4              8
3     es    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      s   22             44
1      -   19             38
3      e    4              8
5      o    4              8
4     es    3              6
2     as    1              2
[1] "3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   22             44
3     es   20             40
1      -   16             32
4      s   11             22
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   22             44
3     es   20             40
1      -   16             32
4      s   12             24
[1] "4PlAbl"

```


[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
6	s	20	40
1	-	17	34
2	e	5	10
4	o	5	10
3	es	2	4
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
6	s	20	40
1	-	19	38
2	e	7	14
4	o	5	10
3	es	3	6
5	os	2	4

[1] "5PlAbl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	17	34
5	es	12	24
6	s	10	20
1	-	4	8
2	a	1	2
3	as	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	19	38
5	es	14	28
6	s	14	28
1	-	7	14
2	a	1	2
3	as	1	2

[1] "mPlAbl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
6	s	22	44
1	-	21	42
2	e	21	42
3	es	19	38
4	o	5	10
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	25	50
4	e	24	48
8	s	23	46
1	-	21	42
5	es	20	40
3	as	13	26
6	o	5	10
7	os	2	4

[1] "m1PlAbl"

[1] "Endings occurring 10 times or less excluded"

```

[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    25           50
3     as    13           26
1      -     5           10
4     es     5           10
5      s     3            6
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
5      s    21           42
1      -    18           36
2      e     4            8
4      o     4            8
3     es     3            6
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      s    22           44
1      -    18           36
2      e     4            8
4      o     4            8
3     es     3            6
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    20           40
3     es    19           38
1      -     7           14
4      s     7           14
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    22           44
3     es    20           40
1      -     7           14
4      s     7           14
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
6      s    20           40
1      -    17           34
2      e     5           10
4      o     5           10
3     es     2            4
5     os     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s    20           40
1      -    17           34
2      e     5           10
4      o     5           10
3     es     2            4
5     os     2            4

```

```

[1] "m5PlAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   19           38
5     es   13           26
6      s   10           20
1      -    6           12
2      a    1            2
3     as    1            2
[1] "fPlAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   27           54
4      e   20           40
3     as   19           38
5     es   18           36
1      -    8           16
6      s    8           16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   27           54
8      s   24           48
4      e   23           46
1      -   22           44
3     as   20           40
5     es   20           40
6      o    5           10
7     os    1            2
[1] "f1PlAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   27           54
3     as   19           38
4     es    4            8
1      -    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   27           54
3     as   19           38
4     es    4            8
1      -    1            2
[1] "f2PlAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      s   20           40
1      -   19           38
5      o    4            8
3      e    3            6

```

```

4      es      3          6
2      as      1          2
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      20          40
3      es     18          36
1      -       7          14
4      s       7          14
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      21          42
3      es     19          38
4      s       8          16
1      -       7          14
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s      19          38
1      -      17          34
2      e       6          12
4      o       5          10
3      es       3           6
5      os       1           2
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e      18          36
5      es     14          28
6      s      14          28
1      -       7          14
2      a       1           2
3      as       1           2
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      21          42
5      s      21          42
3      es     14          28
2      e      12          24
4      o       4           8
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      22          44
6      s      22          44
3      es     15          30
2      e      13          26
4      o       5          10

```

```

5      os      1          2
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
5      s      21          42
1      -      18          36
2      e       4           8
4      o       4           8
3     es       3           6
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      s      21          42
1      -      18          36
2      e       4           8
4      o       4           8
3     es       3           6
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      15          30
3     es      14          28
2      e      12          24
4      s      10          20
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      15          30
3     es      15          30
2      e      12          24
4      s      10          20
[1] "n4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
6      s      20          40
1      -      17          34
2      e       5          10
4      o       5          10
3     es       2           4
5     os       1           2

```