

# Aggregate Data

*Tyler Lau*

*July 18, 2016*

[1] "Common Sound Change, Token Freq T, Number of cases being considered: 5"

[1] "Only considering max suffixes: FALSE"

[1] "Dropping suffixes that appear 10 or less times"

[1] "Sg"

	Suffix	freq	Percent_Trials
2	e	31	62
1	-	13	26
3	es	3	6
4	i	1	2
5	o	1	2
6	s	1	2

[1] "SgNom,Acc"

	Suffix	freq	Percent_Trials
3	o	28	56
2	e	20	40
1	-	2	4

[1] "1SgNom,Acc"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "2SgNom,Acc"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "3SgNom,Acc"

	Suffix	freq	Percent_Trials
2	e	34	68
1	-	16	32

[1] "4SgNom,Acc"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "5SgNom,Acc"

	Suffix	freq	Percent_Trials
2	e	34	68
1	-	14	28
3	es	2	4

[1] "mSgNom,Acc"

	Suffix	freq	Percent_Trials
2	o	49	98
1	e	1	2

[1] "fSgNom,Acc"

	Suffix	freq	Percent_Trials
3	e	32	64
2	a	15	30
1	-	2	4

```

4      es      1          2
[1] "nSgNom,Acc"
      Suffix freq Percent_Trials
1      o      50          100
[1] "SgAcc,Abl"
      Suffix freq Percent_Trials
3      o      25          50
2      e      23          46
1      -       2           4
[1] "1SgAcc,Abl"
      Suffix freq Percent_Trials
2      a      45          90
1      -       5          10
[1] "2SgAcc,Abl"
      Suffix freq Percent_Trials
1      o      50          100
[1] "3SgAcc,Abl"
      Suffix freq Percent_Trials
2      e      48          96
1      -       2           4
[1] "4SgAcc,Abl"
      Suffix freq Percent_Trials
1      o      49          98
2      os      1           2
[1] "5SgAcc,Abl"
      Suffix freq Percent_Trials
2      e      46          92
1      -       2           4
3      es      2           4
[1] "mSgAcc,Abl"
      Suffix freq Percent_Trials
2      o      49          98
1      e       1           2
[1] "fSgAcc,Abl"
      Suffix freq Percent_Trials
3      e      45          90
1      -       2           4
2      a       2           4
4      es      1           2
[1] "nSgAcc,Abl"
      Suffix freq Percent_Trials
1      o      50          100
[1] "SgNom,Acc,Abl"
      Suffix freq Percent_Trials
3      o      28          56
2      e      20          40
1      -       2           4
[1] "1SgNom,Acc,Abl"
      Suffix freq Percent_Trials
1      a      50          100
[1] "2SgNom,Acc,Abl"
      Suffix freq Percent_Trials
1      o      50          100
[1] "3SgNom,Acc,Abl"

```

	Suffix	freq	Percent_Trials
2	e	47	94
1	-	3	6
[1] "4SgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "5SgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
2	e	46	92
1	-	2	4
3	es	2	4
[1] "mSgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
2	o	49	98
1	e	1	2
[1] "fSgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
3	e	34	68
2	a	13	26
1	-	2	4
4	es	1	2
[1] "nSgNom,Acc,Abl"			
	Suffix	freq	Percent_Trials
1	o	50	100
[1] "SgGen,Dat"			
	Suffix	freq	Percent_Trials
2	e	26	52
1	-	16	32
3	es	5	10
5	s	2	4
4	i	1	2
[1] "1SgGen,Dat"			
	Suffix	freq	Percent_Trials
2	e	26	52
1	-	16	32
3	es	5	10
5	s	2	4
4	i	1	2
[1] "2SgGen,Dat"			
	Suffix	freq	Percent_Trials
1	-	30	60
6	s	8	16
2	e	4	8
5	o	4	8
3	es	2	4
4	i	2	4
[1] "3SgGen,Dat"			
	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

```

[1] "4SgGen,Dat"
  Suffix freq Percent_Trials
1      -   30             60
7       s    7             14
5       o    6             12
2       e    2              4
3      es    2              4
4       i    2              4
6      os    1              2
[1] "5SgGen,Dat"
  Suffix freq Percent_Trials
2       e   40             80
3      es    6             12
1      -    3              6
4       i    1              2
[1] "mSgGen,Dat"
  Suffix freq Percent_Trials
1      -   29             58
6       s    7             14
2       e    5             10
5       o    4              8
3      es    3              6
4       i    2              4
[1] "fSgGen,Dat"
  Suffix freq Percent_Trials
2       e   33             66
1      -   10             20
3      es    5             10
4       i    1              2
5       s    1              2
[1] "nSgGen,Dat"
  Suffix freq Percent_Trials
1      -   30             60
6       s    8             16
2       e    4              8
5       o    4              8
3      es    2              4
4       i    2              4
[1] "Nom"
  Suffix freq Percent_Trials
4       e   23             46
1      -   12             24
7       s    9             18
2       a    2              4
5      es    2              4
3      as    1              2
6       o    1              2
[1] "NomSg"
  Suffix freq Percent_Trials
2       e   20             40
1      -   16             32
3       o   14             28
[1] "1"
  Suffix freq Percent_Trials

```

2	a	35	70
1	-	6	12
5	es	4	8
4	e	2	4
6	s	2	4
3	as	1	2

[1] "1Sg"

	Suffix	freq	Percent_Trials
2	a	44	88
1	-	5	10
3	e	1	2

[1] "1SgNom"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "2"

	Suffix	freq	Percent_Trials
1	-	21	42
6	s	15	30
5	o	7	14
2	e	3	6
3	es	3	6
4	i	1	2

[1] "2Sg"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "2SgNom"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "3"

	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

[1] "3Sg"

	Suffix	freq	Percent_Trials
2	e	43	86
1	-	3	6
3	es	2	4
4	i	1	2
5	s	1	2

[1] "3SgNom"

	Suffix	freq	Percent_Trials
2	e	33	66
1	-	16	32
3	s	1	2

[1] "4"

	Suffix	freq	Percent_Trials
1	-	20	40
7	s	15	30
5	o	7	14
2	e	3	6
3	es	3	6

```

4      i      1          2
6      os     1          2
[1] "4Sg"
      Suffix freq Percent_Trials
1      o     49          98
2      os     1          2
[1] "4SgNom"
      Suffix freq Percent_Trials
1      o     49          98
2      os     1          2
[1] "5"
      Suffix freq Percent_Trials
2      e     42          84
3      es     6          12
1      -      2           4
[1] "5Sg"
      Suffix freq Percent_Trials
2      e     46          92
1      -      2           4
3      es     2           4
[1] "5SgNom"
      Suffix freq Percent_Trials
2      e     33          66
1      -     14          28
3      es     2           4
4      s      1           2
[1] "m"
      Suffix freq Percent_Trials
2      e     20          40
1      -     11          22
6      s     10          20
3      es     5          10
5      o      3           6
4      i      1           2
[1] "mSg"
      Suffix freq Percent_Trials
2      e     37          74
5      o      6          12
1      -      3           6
3      es     1           2
4      i      1           2
6      os     1           2
7      s      1           2
[1] "mSgNom"
      Suffix freq Percent_Trials
2      o     49          98
1      e      1           2
[1] "m1Sg"
      Suffix freq Percent_Trials
2      a     41          82
1      -      7          14
3      e      1           2
4      s      1           2
[1] "m1SgNom"

```

	Suffix	freq	Percent_Trials
2	a	46	92
1	-	3	6
3	s	1	2
[1] "m2Sg"			
	Suffix	freq	Percent_Trials
1	o	50	100
[1] "m2SgNom"			
	Suffix	freq	Percent_Trials
1	o	50	100
[1] "m3Sg"			
	Suffix	freq	Percent_Trials
2	e	48	96
1	-	2	4
[1] "m3SgNom"			
	Suffix	freq	Percent_Trials
2	e	33	66
1	-	17	34
[1] "m4Sg"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "m4SgNom"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "m5Sg"			
	Suffix	freq	Percent_Trials
2	e	47	94
1	-	2	4
3	es	1	2
[1] "m5SgNom"			
	Suffix	freq	Percent_Trials
2	e	34	68
1	-	14	28
3	es	1	2
4	s	1	2
[1] "f"			
	Suffix	freq	Percent_Trials
2	e	38	76
3	es	6	12
1	-	3	6
5	s	2	4
4	i	1	2
[1] "fSg"			
	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2
[1] "fSgNom"			
	Suffix	freq	Percent_Trials
3	e	32	64

```

1      -   14      28
2      a    3       6
4     es    1       2
[1] "f1Sg"
      Suffix freq Percent_Trials
2      a   44      88
1      -    5      10
3      e    1       2
[1] "f1SgNom"
      Suffix freq Percent_Trials
1      a   50     100
[1] "f2Sg"
      Suffix freq Percent_Trials
1      o   49      98
2     os    1       2
[1] "f2SgNom"
      Suffix freq Percent_Trials
1      o   49      98
2     os    1       2
[1] "f3Sg"
      Suffix freq Percent_Trials
2      e   47      94
1      -    2       4
3     es    1       2
[1] "f3SgNom"
      Suffix freq Percent_Trials
2      e   32      64
1      -   16      32
3     es    1       2
4      s    1       2
[1] "f4Sg"
      Suffix freq Percent_Trials
1      o   49      98
2     os    1       2
[1] "f4SgNom"
      Suffix freq Percent_Trials
1      o   49      98
2     os    1       2
[1] "f5Sg"
      Suffix freq Percent_Trials
2      e   46      92
1      -    2       4
3     es    2       4
[1] "f5SgNom"
      Suffix freq Percent_Trials
2      e   33      66
1      -   14      28
3     es    2       4
4      s    1       2
[1] "n"
      Suffix freq Percent_Trials
1      -   21      42
7      s   14      28
4      e    5      10

```



6	o	5	10
5	es	3	6
2	a	1	2
3	as	1	2

[1] "nSg"

	Suffix	freq	Percent_Trials
1	-	22	44
5	o	19	38
2	e	4	8
3	es	2	4
4	i	2	4
6	s	1	2

[1] "nSgNom"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "n2Sg"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "n2SgNom"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "n3Sg"

	Suffix	freq	Percent_Trials
1	-	26	52
2	e	23	46
3	s	1	2

[1] "n3SgNom"

	Suffix	freq	Percent_Trials
1	-	28	56
2	e	21	42
3	s	1	2

[1] "n4Sg"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "n4SgNom"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "Acc"

	Suffix	freq	Percent_Trials
4	e	31	62
7	s	6	12
1	-	3	6
2	a	3	6
6	o	3	6
3	as	2	4
5	es	2	4

[1] "AccSg"

	Suffix	freq	Percent_Trials
3	o	26	52
2	e	22	44
1	-	2	4

[1] "1SgAcc"

```

    Suffix freq Percent_Trials
1      a    50          100
[1] "2SgAcc"
    Suffix freq Percent_Trials
1      o    50          100
[1] "3SgAcc"
    Suffix freq Percent_Trials
2      e    48          96
1      -     2           4
[1] "4SgAcc"
    Suffix freq Percent_Trials
1      o    49          98
2     os     1           2
[1] "5SgAcc"
    Suffix freq Percent_Trials
2      e    46          92
1      -     2           4
3     es     2           4
[1] "mSgAcc"
    Suffix freq Percent_Trials
2      o    49          98
1      e     1           2
[1] "m1SgAcc"
    Suffix freq Percent_Trials
2      a    46          92
1      -     3           6
3      s     1           2
[1] "m2SgAcc"
    Suffix freq Percent_Trials
1      o    50          100
[1] "m3SgAcc"
    Suffix freq Percent_Trials
2      e    48          96
1      -     2           4
[1] "m4SgAcc"
    Suffix freq Percent_Trials
1      o    49          98
2     os     1           2
[1] "m5SgAcc"
    Suffix freq Percent_Trials
2      e    47          94
1      -     2           4
3     es     1           2
[1] "fSgAcc"
    Suffix freq Percent_Trials
3      e    45          90
1      -     2           4
2      a     2           4
4     es     1           2
[1] "f1SgAcc"
    Suffix freq Percent_Trials
1      a    50          100
[1] "f2SgAcc"
    Suffix freq Percent_Trials

```

```

1      o   49      98
2     os    1       2
[1] "f3SgAcc"
      Suffix freq Percent_Trials
2      e   47      94
1      -    2       4
3     es    1       2
[1] "f4SgAcc"
      Suffix freq Percent_Trials
1      o   49      98
2     os    1       2
[1] "f5SgAcc"
      Suffix freq Percent_Trials
2      e   46      92
1      -    2       4
3     es    2       4
[1] "nSgAcc"
      Suffix freq Percent_Trials
1      o   50     100
[1] "n2SgAcc"
      Suffix freq Percent_Trials
1      o   50     100
[1] "n3SgAcc"
      Suffix freq Percent_Trials
1      -   27      54
2      e   23      46
[1] "n4SgAcc"
      Suffix freq Percent_Trials
1      o   49      98
2     os    1       2
[1] "Gen"
      Suffix freq Percent_Trials
2      e   23      46
1      -   18      36
3     es    5      10
5      s    3       6
4      i    1       2
[1] "GenSg"
      Suffix freq Percent_Trials
2      e   26      52
1      -   16      32
3     es    5      10
5      s    2       4
4      i    1       2
[1] "1SgGen"
      Suffix freq Percent_Trials
2      e   26      52
1      -   16      32
3     es    5      10
5      s    2       4
4      i    1       2
[1] "2SgGen"
      Suffix freq Percent_Trials
1      -   30      60

```

6	s	8	16
2	e	4	8
5	o	4	8
3	es	2	4
4	i	2	4

[1] "3SgGen"

	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

[1] "4SgGen"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

[1] "5SgGen"

	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

[1] "mSgGen"

	Suffix	freq	Percent_Trials
1	-	29	58
6	s	7	14
2	e	5	10
5	o	4	8
3	es	3	6
4	i	2	4

[1] "m1SgGen"

	Suffix	freq	Percent_Trials
2	e	26	52
1	-	16	32
3	es	5	10
5	s	2	4
4	i	1	2

[1] "m2SgGen"

	Suffix	freq	Percent_Trials
1	-	29	58
7	s	8	16
5	o	6	12
2	e	3	6
4	i	2	4
3	es	1	2
6	os	1	2

[1] "m3SgGen"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

[1] "m4SgGen"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

[1] "m5SgGen"

	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

[1] "fSgGen"

	Suffix	freq	Percent_Trials
2	e	27	54
1	-	16	32
3	es	5	10
4	i	1	2
5	s	1	2

[1] "f1SgGen"

	Suffix	freq	Percent_Trials
2	e	26	52
1	-	16	32
3	es	5	10
5	s	2	4
4	i	1	2

[1] "f2SgGen"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	8	16
5	o	6	12
2	e	3	6
3	es	1	2
4	i	1	2
6	os	1	2

[1] "f3SgGen"

	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

[1] "f4SgGen"

	Suffix	freq	Percent_Trials
1	-	31	62

7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	1	2
6	os	1	2

[1] "f5SgGen"

	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	3	6
4	i	1	2
5	s	1	2

[1] "nSgGen"

	Suffix	freq	Percent_Trials
1	-	30	60
6	s	8	16
2	e	4	8
5	o	4	8
3	es	2	4
4	i	2	4

[1] "n2SgGen"

	Suffix	freq	Percent_Trials
1	-	30	60
6	s	8	16
2	e	4	8
5	o	4	8
3	es	2	4
4	i	2	4

[1] "n3SgGen"

	Suffix	freq	Percent_Trials
1	-	22	44
2	e	20	40
3	es	5	10
4	i	2	4
5	s	1	2

[1] "n4SgGen"

	Suffix	freq	Percent_Trials
1	-	29	58
6	s	7	14
2	e	5	10
5	o	4	8
3	es	3	6
4	i	2	4

[1] "Dat"

	Suffix	freq	Percent_Trials
2	e	27	54
1	-	12	24
3	es	6	12
5	s	4	8
4	i	1	2

[1] "DatSg"

	Suffix	freq	Percent_Trials
2	e	31	62

```

1      -    11          22
3      es    5          10
5      s     2           4
4      i     1           2
[1] "1SgDat"
  Suffix freq Percent_Trials
2      e   31           62
1      -   11           22
3      es    5           10
5      s     2            4
4      i     1            2
[1] "2SgDat"
  Suffix freq Percent_Trials
1      -   30           60
6      s    8           16
2      e    4            8
5      o    4            8
3      es    2            4
4      i    2            4
[1] "3SgDat"
  Suffix freq Percent_Trials
2      e   42           84
3      es    6           12
1      -    1            2
4      i    1            2
[1] "4SgDat"
  Suffix freq Percent_Trials
1      -   30           60
7      s    7           14
5      o    6           12
2      e    2            4
3      es    2            4
4      i    2            4
6      os    1            2
[1] "5SgDat"
  Suffix freq Percent_Trials
2      e   42           84
3      es    6           12
1      -    1            2
4      i    1            2
[1] "mSgDat"
  Suffix freq Percent_Trials
1      -   29           58
6      s    7           14
2      e    5           10
5      o    4            8
3      es    3            6
4      i    2            4
[1] "m1SgDat"
  Suffix freq Percent_Trials
2      e   32           64
1      -   10           20
3      es    5           10
5      s     2            4

```

```

4      i      1      2
[1] "m2SgDat"
  Suffix freq Percent_Trials
1      -    29            58
7      s     8            16
5      o     6            12
2      e     3             6
4      i     2             4
3     es     1             2
6     os     1             2
[1] "m3SgDat"
  Suffix freq Percent_Trials
2      e    42            84
3     es     6            12
1      -     1             2
4      i     1             2
[1] "m4SgDat"
  Suffix freq Percent_Trials
1      -    30            60
7      s     7            14
5      o     6            12
2      e     2             4
3     es     2             4
4      i     2             4
6     os     1             2
[1] "m5SgDat"
  Suffix freq Percent_Trials
2      e    42            84
3     es     6            12
1      -     1             2
4      i     1             2
[1] "fSgDat"
  Suffix freq Percent_Trials
2      e    33            66
1      -    10            20
3     es     6            12
4      i     1             2
[1] "f1SgDat"
  Suffix freq Percent_Trials
2      e    31            62
1      -    11            22
3     es     5            10
5      s     2             4
4      i     1             2
[1] "f2SgDat"
  Suffix freq Percent_Trials
1      -    30            60
7      s     8            16
5      o     6            12
2      e     3             6
3     es     1             2
4      i     1             2
6     os     1             2
[1] "f3SgDat"

```



	Suffix	freq	Percent_Trials
2	e	42	84
3	es	6	12
1	-	1	2
4	i	1	2

[1] "f4SgDat"

	Suffix	freq	Percent_Trials
1	-	31	62
7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	1	2
6	os	1	2

[1] "f5SgDat"

	Suffix	freq	Percent_Trials
2	e	42	84
3	es	6	12
1	-	1	2
4	i	1	2

[1] "nSgDat"

	Suffix	freq	Percent_Trials
1	-	30	60
6	s	8	16
2	e	4	8
5	o	4	8
3	es	2	4
4	i	2	4

[1] "n2SgDat"

	Suffix	freq	Percent_Trials
1	-	30	60
6	s	8	16
2	e	4	8
5	o	4	8
3	es	2	4
4	i	2	4

[1] "n3SgDat"

	Suffix	freq	Percent_Trials
2	e	27	54
1	-	15	30
3	es	5	10
4	i	2	4
5	s	1	2

[1] "n4SgDat"

	Suffix	freq	Percent_Trials
1	-	29	58
6	s	7	14
5	o	5	10
2	e	4	8
3	es	3	6
4	i	2	4

[1] "Abl"

	Suffix	freq	Percent_Trials
4	e	28	56

1	-	6	12
7	s	6	12
2	a	3	6
6	o	3	6
3	as	2	4
5	es	2	4

[1] "AblSg"

	Suffix	freq	Percent_Trials
3	o	25	50
2	e	23	46
1	-	2	4

[1] "1SgAbl"

	Suffix	freq	Percent_Trials
2	a	44	88
1	-	5	10
3	e	1	2

[1] "2SgAbl"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "3SgAbl"

	Suffix	freq	Percent_Trials
2	e	48	96
1	-	2	4

[1] "4SgAbl"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "5SgAbl"

	Suffix	freq	Percent_Trials
2	e	46	92
1	-	2	4
3	es	2	4

[1] "mSgAbl"

	Suffix	freq	Percent_Trials
2	o	49	98
1	e	1	2

[1] "m1SgAbl"

	Suffix	freq	Percent_Trials
2	a	40	80
1	-	8	16
3	e	1	2
4	s	1	2

[1] "m2SgAbl"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "m3SgAbl"

	Suffix	freq	Percent_Trials
2	e	48	96
1	-	2	4

[1] "m4SgAbl"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "m5SgAbl"

	Suffix	freq	Percent_Trials
2	e	47	94
1	-	2	4
3	es	1	2
[1] "fSgAbl"			
	Suffix	freq	Percent_Trials
3	e	45	90
1	-	2	4
2	a	2	4
4	es	1	2
[1] "f1SgAbl"			
	Suffix	freq	Percent_Trials
2	a	44	88
1	-	5	10
3	e	1	2
[1] "f2SgAbl"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "f3SgAbl"			
	Suffix	freq	Percent_Trials
2	e	47	94
1	-	2	4
3	es	1	2
[1] "f4SgAbl"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "f5SgAbl"			
	Suffix	freq	Percent_Trials
2	e	46	92
1	-	2	4
3	es	2	4
[1] "nSgAbl"			
	Suffix	freq	Percent_Trials
1	o	50	100
[1] "n2SgAbl"			
	Suffix	freq	Percent_Trials
1	o	50	100
[1] "n3SgAbl"			
	Suffix	freq	Percent_Trials
1	-	26	52
2	e	24	48
[1] "n4SgAbl"			
	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2
[1] "Pl"			
	Suffix	freq	Percent_Trials
2	e	16	32
1	-	14	28
6	s	10	20
3	es	8	16
4	i	1	2

```

5      o      1      2
[1] "PlNom,Acc"
  Suffix freq Percent_Trials
1      -    12      24
4      e    12      24
6      s    10      20
2      a     7      14
5     es     6      12
3     as     3       6
[1] "1PlNom,Acc"
  Suffix freq Percent_Trials
2      a    30      60
3     as    17      34
4      s     2       4
1      -     1       2
[1] "2PlNom,Acc"
  Suffix freq Percent_Trials
1      -    17      34
7      s    13      26
2      a    12      24
3     as     5      10
4      e     1       2
5     es     1       2
6      o     1       2
[1] "3PlNom,Acc"
  Suffix freq Percent_Trials
2      e    21      42
3     es    18      36
1      -     9      18
4      s     2       4
[1] "4PlNom,Acc"
  Suffix freq Percent_Trials
1      -    24      48
6      s    18      36
4      o     5      10
2      e     1       2
3     es     1       2
5     os     1       2
[1] "5PlNom,Acc"
  Suffix freq Percent_Trials
2      e    21      42
3     es    19      38
1      -     9      18
4      s     1       2
[1] "mPlNom,Acc"
  Suffix freq Percent_Trials
1      -    22      44
5      s    18      36
3     es     4       8
2      e     3       6
4      o     3       6
[1] "fPlNom,Acc"
  Suffix freq Percent_Trials
4      e    21      42

```

5	es	14	28
2	a	8	16
3	as	5	10
1	-	2	4

[1] "nP1Nom,Acc"

	Suffix	freq	Percent_Trials
1	-	17	34
6	s	13	26
2	a	12	24
3	as	6	12
4	e	1	2
5	o	1	2

[1] "P1Acc,Abl"

	Suffix	freq	Percent_Trials
4	e	12	24
1	-	11	22
5	es	9	18
2	a	7	14
7	s	7	14
3	as	3	6
6	o	1	2

[1] "1P1Acc,Abl"

	Suffix	freq	Percent_Trials
2	a	26	52
4	as	16	32
1	-	4	8
5	s	3	6
3	ao	1	2

[1] "2P1Acc,Abl"

	Suffix	freq	Percent_Trials
1	-	19	38
6	s	13	26
2	a	10	20
3	as	5	10
5	o	2	4
4	e	1	2

[1] "3P1Acc,Abl"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	19	38
1	-	2	4
3	eo	1	2

[1] "4P1Acc,Abl"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	17	34
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "5P1Acc,Abl"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	18	36

```

1      -      2      4
3      eo     1      2
[1] "mPlAcc,Abl"
      Suffix freq Percent_Trials
1      -      22      44
5      s      16      32
3      es      5      10
4      o      4      8
2      e      3      6
[1] "fPlAcc,Abl"
      Suffix freq Percent_Trials
4      e      27      54
6      es     18      36
1      -      2      4
2      a      1      2
3      as      1      2
5      eo      1      2
[1] "nPlAcc,Abl"
      Suffix freq Percent_Trials
1      -      18      36
7      s      12      24
2      a      11      22
3      as      5      10
6      o      2      4
4      e      1      2
5      es      1      2
[1] "PlNom,Acc,Abl"
      Suffix freq Percent_Trials
1      -      13      26
4      e      12      24
6      s      10      20
2      a      6      12
5      es      6      12
3      as      3      6
[1] "1PlNom,Acc,Abl"
      Suffix freq Percent_Trials
2      a      30      60
3      as     17      34
4      s      2      4
1      -      1      2
[1] "2PlNom,Acc,Abl"
      Suffix freq Percent_Trials
1      -      19      38
6      s      14      28
2      a      10      20
3      as      5      10
4      e      1      2
5      o      1      2
[1] "3PlNom,Acc,Abl"
      Suffix freq Percent_Trials
2      e      27      54
3      es     20      40
1      -      3      6
[1] "4PlNom,Acc,Abl"

```

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	18	36
4	o	5	10
2	e	1	2
3	es	1	2
5	os	1	2

[1] "5PlNom,Acc,Abl"

	Suffix	freq	Percent_Trials
2	e	29	58
3	es	19	38
1	-	2	4

[1] "mPlNom,Acc,Abl"

	Suffix	freq	Percent_Trials
1	-	22	44
5	s	18	36
3	es	4	8
2	e	3	6
4	o	3	6

[1] "fPlNom,Acc,Abl"

	Suffix	freq	Percent_Trials
4	e	21	42
5	es	14	28
2	a	7	14
3	as	4	8
1	-	3	6
6	s	1	2

[1] "nPlNom,Acc,Abl"

	Suffix	freq	Percent_Trials
1	-	17	34
6	s	13	26
2	a	12	24
3	as	6	12
4	e	1	2
5	o	1	2

[1] "PlGen,Dat"

	Suffix	freq	Percent_Trials
2	e	20	40
4	es	11	22
1	-	10	20
6	s	7	14
3	eo	1	2
5	i	1	2

[1] "1PlGen,Dat"

	Suffix	freq	Percent_Trials
3	e	18	36
5	es	12	24
1	-	11	22
7	s	6	12
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "2PlGen,Dat"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

1	-	22	44
7	s	16	32
3	e	5	10
4	es	3	6
6	o	2	4
2	as	1	2
5	i	1	2

[1] "3PlGen,Dat"

	Suffix	freq	Percent_Trials
2	e	27	54
4	es	17	34
1	-	3	6
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "4PlGen,Dat"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "5PlGen,Dat"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	17	34
1	-	3	6
3	eo	1	2
5	i	1	2

[1] "mPlGen,Dat"

	Suffix	freq	Percent_Trials
1	-	19	38
6	s	16	32
2	e	7	14
3	es	5	10
5	o	2	4
4	i	1	2

[1] "fPlGen,Dat"

	Suffix	freq	Percent_Trials
2	e	25	50
4	es	16	32
1	-	6	12
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "nPlGen,Dat"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	16	32
3	e	5	10
4	es	3	6
6	o	2	4
2	as	1	2



```

5      i      1          2
[1] "NomPl"
  Suffix freq Percent_Trials
1      -    13           26
4      e    12           24
6      s    12           24
5     es     6           12
2      a     5           10
3     as     2            4
[1] "1Pl"
  Suffix freq Percent_Trials
2      a    25           50
3     as    16           32
1      -     4            8
5      s     4            8
4      e     1            2
[1] "1PlNom"
  Suffix freq Percent_Trials
2      a    30           60
3     as    17           34
4      s     2            4
1      -     1            2
[1] "2Pl"
  Suffix freq Percent_Trials
1      -    24           48
7      s    15           30
4      e     3            6
6      o     3            6
2      a     2            4
5     es     2            4
3     as     1            2
[1] "2PlNom"
  Suffix freq Percent_Trials
1      -    17           34
2      a    13           26
6      s    13           26
3     as     5           10
4      e     1            2
5      o     1            2
[1] "3Pl"
  Suffix freq Percent_Trials
2      e    27           54
4     es    18           36
1      -     3            6
3     eo     1            2
5      i     1            2
[1] "3PlNom"
  Suffix freq Percent_Trials
2      e    21           42
3     es    14           28
1      -     9           18
4      s     6           12
[1] "4Pl"
  Suffix freq Percent_Trials

```

1	-	24	48
6	s	17	34
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "4PlNom"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	18	36
4	o	5	10
2	e	1	2
3	es	1	2
5	os	1	2

[1] "5Pl"

	Suffix	freq	Percent_Trials
2	e	30	60
4	es	17	34
1	-	2	4
3	eo	1	2

[1] "5PlNom"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	15	30
1	-	9	18
4	s	5	10

[1] "mPl"

	Suffix	freq	Percent_Trials
1	-	20	40
5	s	16	32
2	e	7	14
3	es	5	10
4	o	2	4

[1] "mPlNom"

	Suffix	freq	Percent_Trials
1	-	22	44
5	s	18	36
3	es	4	8
2	e	3	6
4	o	3	6

[1] "m1Pl"

	Suffix	freq	Percent_Trials
2	a	25	50
3	as	16	32
1	-	4	8
5	s	4	8
4	e	1	2

[1] "m1PlNom"

	Suffix	freq	Percent_Trials
2	a	28	56
3	as	19	38
4	s	2	4
1	-	1	2

[1] "m2Pl"

	Suffix	freq	Percent_Trials
1	-	24	48
7	s	16	32
6	o	4	8
4	e	2	4
5	es	2	4
2	a	1	2
3	as	1	2

[1] "m2PlNom"

	Suffix	freq	Percent_Trials
1	-	23	46
8	s	18	36
6	o	4	8
2	a	1	2
3	as	1	2
4	e	1	2
5	es	1	2
7	os	1	2

[1] "m3Pl"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	18	36
1	-	2	4
3	eo	1	2

[1] "m3PlNom"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	14	28
1	-	9	18
4	s	6	12

[1] "m4Pl"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	17	34
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "m4PlNom"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	18	36
4	o	5	10
2	e	1	2
3	es	1	2
5	os	1	2

[1] "m5Pl"

	Suffix	freq	Percent_Trials
2	e	30	60
4	es	17	34
1	-	2	4
3	eo	1	2

[1] "m5PlNom"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

2	e	21	42
3	es	15	30
1	-	9	18
4	s	5	10

[1] "fPl"

	Suffix	freq	Percent_Trials
2	e	27	54
4	es	16	32
1	-	3	6
6	s	2	4
3	eo	1	2
5	i	1	2

[1] "fPlNom"

	Suffix	freq	Percent_Trials
3	e	21	42
4	es	14	28
1	-	9	18
5	s	5	10
2	as	1	2

[1] "f1Pl"

	Suffix	freq	Percent_Trials
2	a	25	50
3	as	16	32
1	-	4	8
5	s	4	8
4	e	1	2

[1] "f1PlNom"

	Suffix	freq	Percent_Trials
2	a	30	60
3	as	17	34
4	s	2	4
1	-	1	2

[1] "f2Pl"

	Suffix	freq	Percent_Trials
1	-	22	44
8	s	17	34
6	o	4	8
2	a	3	6
3	as	1	2
4	e	1	2
5	es	1	2
7	os	1	2

[1] "f2PlNom"

	Suffix	freq	Percent_Trials
1	-	22	44
8	s	18	36
2	a	3	6
6	o	3	6
3	as	1	2
4	e	1	2
5	es	1	2
7	os	1	2

[1] "f3Pl"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

2	e	29	58
4	es	18	36
1	-	2	4
3	eo	1	2

[1] "f3PlNom"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	14	28
1	-	9	18
4	s	6	12

[1] "f4Pl"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	17	34
4	o	5	10
2	e	1	2
3	es	1	2
5	os	1	2

[1] "f4PlNom"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	18	36
4	o	4	8
2	e	1	2
3	es	1	2
5	os	1	2

[1] "f5Pl"

	Suffix	freq	Percent_Trials
2	e	30	60
4	es	17	34
1	-	2	4
3	eo	1	2

[1] "f5PlNom"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	15	30
1	-	9	18
4	s	5	10

[1] "nPl"

	Suffix	freq	Percent_Trials
1	-	18	36
7	s	13	26
2	a	6	12
3	as	6	12
4	e	4	8
6	o	2	4
5	es	1	2

[1] "nPlNom"

	Suffix	freq	Percent_Trials
1	-	17	34
2	a	13	26
6	s	13	26
3	as	5	10
4	e	1	2

```

5      o      1          2
[1] "n2Pl"
  Suffix freq Percent_Trials
1      -    18          36
6      s    13          26
2      a    11          22
3     as     5          10
5      o     2           4
4      e     1           2
[1] "n2PlNom"
  Suffix freq Percent_Trials
1      -    17          34
2      a    13          26
6      s    13          26
3     as     5          10
4      e     1           2
5      o     1           2
[1] "n3Pl"
  Suffix freq Percent_Trials
1      -    14          28
4      e    13          26
2      a     6          12
7      s     6          12
3     as     5          10
5     es     5          10
6      o     1           2
[1] "n3PlNom"
  Suffix freq Percent_Trials
1      -    13          26
4      e    12          24
2      a     8          16
6      s     8          16
3     as     5          10
5     es     4           8
[1] "n4Pl"
  Suffix freq Percent_Trials
1      -    25          50
5      s    16          32
4      o     4           8
2      e     3           6
3     es     2           4
[1] "n4PlNom"
  Suffix freq Percent_Trials
1      -    26          52
5      s    17          34
2      e     3           6
4      o     3           6
3     es     1           2
[1] "AccPl"
  Suffix freq Percent_Trials
4      e    12          24
1      -    10          20
5     es     9          18
2      a     8          16

```

6	s	8	16
3	as	3	6
[1] "1PlAcc"			
Suffix freq Percent_Trials			
2	a	30	60
3	as	17	34
4	s	2	4
1	-	1	2
[1] "2PlAcc"			
Suffix freq Percent_Trials			
1	-	16	32
6	s	13	26
2	a	12	24
3	as	6	12
5	o	2	4
4	e	1	2
[1] "3PlAcc"			
Suffix freq Percent_Trials			
2	e	28	56
3	es	20	40
1	-	2	4
[1] "4PlAcc"			
Suffix freq Percent_Trials			
1	-	23	46
6	s	18	36
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2
[1] "5PlAcc"			
Suffix freq Percent_Trials			
2	e	29	58
3	es	19	38
1	-	2	4
[1] "mPlAcc"			
Suffix freq Percent_Trials			
1	-	21	42
5	s	17	34
3	es	5	10
4	o	4	8
2	e	3	6
[1] "m1PlAcc"			
Suffix freq Percent_Trials			
2	a	29	58
3	as	18	36
4	s	2	4
1	-	1	2
[1] "m2PlAcc"			
Suffix freq Percent_Trials			
1	-	22	44
7	s	18	36
5	o	6	12
2	a	1	2
3	as	1	2

```

4     es    1          2
6     os    1          2
[1] "m3PlAcc"
  Suffix freq Percent_Trials
2     e    28          56
3     es   20          40
1     -     2           4
[1] "m4PlAcc"
  Suffix freq Percent_Trials
1     -    23          46
6     s    18          36
4     o     6          12
2     e     1           2
3     es    1           2
5     os    1           2
[1] "m5PlAcc"
  Suffix freq Percent_Trials
2     e    28          56
3     es   20          40
1     -     2           4
[1] "fPlAcc"
  Suffix freq Percent_Trials
4     e    27          54
5     es   19          38
1     -     2           4
2     a     1           2
3     as    1           2
[1] "f1PlAcc"
  Suffix freq Percent_Trials
2     a    30          60
3     as   17          34
4     s     2           4
1     -     1           2
[1] "f2PlAcc"
  Suffix freq Percent_Trials
1     -    21          42
8     s    18          36
6     o     4           8
2     a     3           6
3     as    1           2
4     e     1           2
5     es    1           2
7     os    1           2
[1] "f3PlAcc"
  Suffix freq Percent_Trials
2     e    28          56
3     es   20          40
1     -     2           4
[1] "f4PlAcc"
  Suffix freq Percent_Trials
1     -    24          48
6     s    18          36
4     o     5          10
2     e     1           2

```



```

3     es    1          2
5     os    1          2
[1] "f5PlAcc"
  Suffix freq Percent_Trials
2      e   29           58
3     es   19           38
1      -    2            4
[1] "nPlAcc"
  Suffix freq Percent_Trials
1      -   16           32
6      s   13           26
2      a   12           24
3     as    6           12
5      o    2            4
4      e    1            2
[1] "n2PlAcc"
  Suffix freq Percent_Trials
1      -   16           32
6      s   13           26
2      a   12           24
3     as    6           12
5      o    2            4
4      e    1            2
[1] "n3PlAcc"
  Suffix freq Percent_Trials
1      -   13           26
4      e   12           24
2      a    8           16
6      s    7           14
3     as    5           10
5     es    5           10
[1] "n4PlAcc"
  Suffix freq Percent_Trials
1      -   25           50
5      s   17           34
4      o    4            8
2      e    2            4
3     es    2            4
[1] "GenPl"
  Suffix freq Percent_Trials
2      e   20           40
4     es   11           22
1      -   10           20
6      s    7           14
3     eo    1            2
5      i    1            2
[1] "1PlGen"
  Suffix freq Percent_Trials
3      e   18           36
1      -   11           22
5     es   11           22
7      s    7           14
2      a    1            2
4     eo    1            2

```

```

6      i      1      2
[1] "2PlGen"
  Suffix freq Percent_Trials
1      -    22            44
7      s    16            32
3      e     5            10
4     es     3             6
6      o     2             4
2     as     1             2
5      i     1             2
[1] "3PlGen"
  Suffix freq Percent_Trials
2      e    27            54
4     es    17            34
1      -     3             6
3     eo     1             2
5      i     1             2
6      s     1             2
[1] "4PlGen"
  Suffix freq Percent_Trials
1      -    20            40
6      s    16            32
2      e     6            12
3     es     5            10
5      o     2             4
4      i     1             2
[1] "5PlGen"
  Suffix freq Percent_Trials
2      e    28            56
4     es    16            32
1      -     3             6
3     eo     1             2
5      i     1             2
6      s     1             2
[1] "mPlGen"
  Suffix freq Percent_Trials
1      -    19            38
6      s    16            32
2      e     7            14
3     es     5            10
5      o     2             4
4      i     1             2
[1] "m1PlGen"
  Suffix freq Percent_Trials
3      e    18            36
1      -    11            22
5     es    11            22
7      s     7            14
2      a     1             2
4     eo     1             2
6      i     1             2
[1] "m2PlGen"
  Suffix freq Percent_Trials
1      -    19            38

```

6	s	17	34
2	e	6	12
3	es	4	8
5	o	3	6
4	i	1	2

[1] "m3PlGen"

	Suffix	freq	Percent_Trials
2	e	27	54
4	es	17	34
1	-	3	6
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "m4PlGen"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "m5PlGen"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	16	32
1	-	3	6
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "fPlGen"

	Suffix	freq	Percent_Trials
2	e	21	42
4	es	15	30
1	-	10	20
6	s	2	4
3	eo	1	2
5	i	1	2

[1] "f1PlGen"

	Suffix	freq	Percent_Trials
3	e	18	36
1	-	11	22
5	es	11	22
7	s	7	14
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "f2PlGen"

	Suffix	freq	Percent_Trials
1	-	19	38
6	s	17	34
2	e	6	12
3	es	4	8
5	o	3	6
4	i	1	2

```

[1] "f3PlGen"
  Suffix freq Percent_Trials
2      e   27             54
4     es   17             34
1      -    3              6
3     eo    1              2
5      i    1              2
6      s    1              2
[1] "f4PlGen"
  Suffix freq Percent_Trials
1      -   20             40
6      s   16             32
2      e    6             12
3     es    5             10
5      o    2              4
4      i    1              2
[1] "f5PlGen"
  Suffix freq Percent_Trials
2      e   28             56
4     es   16             32
1      -    3              6
3     eo    1              2
5      i    1              2
6      s    1              2
[1] "nP1Gen"
  Suffix freq Percent_Trials
1      -   22             44
7      s   16             32
3      e    5             10
4     es    3              6
6      o    2              4
2     as    1              2
5      i    1              2
[1] "n2PlGen"
  Suffix freq Percent_Trials
1      -   22             44
7      s   16             32
3      e    5             10
4     es    3              6
6      o    2              4
2     as    1              2
5      i    1              2
[1] "n3PlGen"
  Suffix freq Percent_Trials
1      -   16             32
2      e   16             32
3     es    8             16
6      s    8             16
4      i    1              2
5      o    1              2
[1] "n4PlGen"
  Suffix freq Percent_Trials
1      -   20             40
6      s   15             30

```

2	e	7	14
3	es	5	10
5	o	2	4
4	i	1	2

[1] "DatPl"

	Suffix	freq	Percent_Trials
2	e	24	48
4	es	12	24
1	-	6	12
6	s	6	12
3	eo	1	2
5	i	1	2

[1] "1PlDat"

	Suffix	freq	Percent_Trials
3	e	22	44
5	es	12	24
1	-	7	14
7	s	6	12
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "2PlDat"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	16	32
3	e	5	10
4	es	3	6
6	o	2	4
2	as	1	2
5	i	1	2

[1] "3PlDat"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	2	4
3	eo	1	2
5	i	1	2

[1] "4PlDat"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "5PlDat"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	17	34
1	-	2	4
3	eo	1	2
5	i	1	2

[1] "mPlDat"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

1	-	19	38
6	s	16	32
2	e	7	14
3	es	5	10
5	o	2	4
4	i	1	2

[1] "m1PlDat"

	Suffix	freq	Percent_Trials
3	e	22	44
5	es	13	26
1	-	7	14
7	s	5	10
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "m2PlDat"

	Suffix	freq	Percent_Trials
1	-	19	38
6	s	17	34
2	e	6	12
3	es	4	8
5	o	3	6
4	i	1	2

[1] "m3PlDat"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	2	4
3	eo	1	2
5	i	1	2

[1] "m4PlDat"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "m5PlDat"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	17	34
1	-	2	4
3	eo	1	2
5	i	1	2

[1] "fPlDat"

	Suffix	freq	Percent_Trials
2	e	25	50
4	es	17	34
1	-	6	12
3	eo	1	2
5	i	1	2

[1] "f1PlDat"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

3	e	22	44
5	es	12	24
1	-	7	14
7	s	6	12
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "f2PlDat"

	Suffix	freq	Percent_Trials
1	-	18	36
6	s	16	32
2	e	7	14
3	es	5	10
5	o	3	6
4	i	1	2

[1] "f3PlDat"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	2	4
3	eo	1	2
5	i	1	2

[1] "f4PlDat"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "f5PlDat"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	17	34
1	-	2	4
3	eo	1	2
5	i	1	2

[1] "nP1Dat"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	16	32
3	e	5	10
4	es	3	6
6	o	2	4
2	as	1	2
5	i	1	2

[1] "n2PlDat"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	16	32
3	e	5	10
4	es	3	6
6	o	2	4
2	as	1	2

```

5      i      1      2
[1] "n3PlDat"
  Suffix freq Percent_Trials
2      e    19      38
1      -    13      26
3      es    11      22
6      s     5      10
4      i     1       2
5      o     1       2
[1] "n4PlDat"
  Suffix freq Percent_Trials
1      -    20      40
6      s    15      30
2      e     7      14
3      es     5      10
5      o     2       4
4      i     1       2
[1] "AblPl"
  Suffix freq Percent_Trials
4      e    12      24
1      -    11      22
2      a     8      16
7      s     8      16
5      es     7      14
3      as     3       6
6      o     1       2
[1] "1PlAbl"
  Suffix freq Percent_Trials
2      a    25      50
4      as    15      30
1      -     4       8
6      s     4       8
3      ao     1       2
5      e     1       2
[1] "2PlAbl"
  Suffix freq Percent_Trials
1      -    19      38
6      s    13      26
2      a    10      20
3      as     5      10
5      o     2       4
4      e     1       2
[1] "3PlAbl"
  Suffix freq Percent_Trials
2      e    28      56
4      es    19      38
1      -     2       4
3      eo     1       2
[1] "4PlAbl"
  Suffix freq Percent_Trials
1      -    24      48
6      s    17      34
4      o     6      12
2      e     1       2

```



```

3     es    1          2
5     os    1          2
[1] "5PlAbl"
  Suffix freq Percent_Trials
2      e   29           58
4     es   18           36
1      -    2            4
3     eo    1            2
[1] "mPlAbl"
  Suffix freq Percent_Trials
1      -   23           46
5      s   16           32
3     es    4            8
4      o    4            8
2      e    3            6
[1] "m1PlAbl"
  Suffix freq Percent_Trials
2      a   26           52
4     as   14           28
1      -    4            8
6      s    4            8
3     ao    1            2
5      e    1            2
[1] "m2PlAbl"
  Suffix freq Percent_Trials
1      -   23           46
8      s   17           34
6      o    5           10
2      a    1            2
3     as    1            2
4      e    1            2
5     es    1            2
7     os    1            2
[1] "m3PlAbl"
  Suffix freq Percent_Trials
2      e   28           56
4     es   19           38
1      -    2            4
3     eo    1            2
[1] "m4PlAbl"
  Suffix freq Percent_Trials
1      -   24           48
6      s   17           34
4      o    6           12
2      e    1            2
3     es    1            2
5     os    1            2
[1] "m5PlAbl"
  Suffix freq Percent_Trials
2      e   28           56
4     es   19           38
1      -    2            4
3     eo    1            2
[1] "fPlAbl"

```

	Suffix	freq	Percent_Trials
4	e	25	50
6	es	18	36
1	-	4	8
2	a	1	2
3	as	1	2
5	eo	1	2

[1] "f1PlAbl"

	Suffix	freq	Percent_Trials
2	a	25	50
4	as	15	30
1	-	4	8
6	s	4	8
3	ao	1	2
5	e	1	2

[1] "f2PlAbl"

	Suffix	freq	Percent_Trials
1	-	22	44
8	s	17	34
6	o	4	8
2	a	3	6
3	as	1	2
4	e	1	2
5	es	1	2
7	os	1	2

[1] "f3PlAbl"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	19	38
1	-	2	4
3	eo	1	2

[1] "f4PlAbl"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	17	34
4	o	5	10
2	e	1	2
3	es	1	2
5	os	1	2

[1] "f5PlAbl"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	18	36
1	-	2	4
3	eo	1	2

[1] "nPlAbl"

	Suffix	freq	Percent_Trials
1	-	19	38
6	s	13	26
2	a	10	20
3	as	5	10
5	o	2	4
4	e	1	2

[1] "n2PlAbl"

	Suffix	freq	Percent_Trials
1	-	19	38
6	s	13	26
2	a	10	20
3	as	5	10
5	o	2	4
4	e	1	2

[1] "n3PlAbl"

	Suffix	freq	Percent_Trials
1	-	14	28
4	e	13	26
2	a	6	12
5	es	6	12
3	as	5	10
7	s	5	10
6	o	1	2


[1] "n4PlAbl"

	Suffix	freq	Percent_Trials
1	-	26	52
5	s	16	32
4	o	4	8
2	e	2	4
3	es	2	4

[1] "common\_system\_distrib"

	Percent_Match	freq	Percent_Trials
1	27.33333	1	2
2	30.66667	3	6
3	31.33333	20	40
4	32.00000	1	2
5	32.66667	1	2
6	34.00000	2	4
7	34.66667	1	2
8	35.33333	2	4
9	37.33333	4	8
10	38.00000	1	2
11	39.33333	1	2
12	40.00000	3	6
13	40.66667	1	2
14	41.33333	3	6
15	42.00000	1	2
16	43.33333	4	8
17	47.33333	1	2


Percent of common\_system\_distrib Matching Reality



[1] "NPLtoFSG\_system\_distrib"

	Percent_Match	freq	Percent_Trials
1	29.33333	1	2
2	31.33333	1	2
3	32.66667	1	2
4	34.00000	2	4
5	34.66667	15	30
6	35.33333	3	6
7	36.00000	4	8
8	36.66667	5	10
9	37.33333	1	2
10	38.00000	2	4
11	38.66667	1	2
12	39.33333	1	2
13	40.00000	5	10
14	42.00000	3	6
15	42.66667	1	2
16	43.33333	2	4
17	44.00000	1	2
18	45.33333	1	2


Percent of NPLtoFSG\_system\_distrib Matching Reality



```
[1] "romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	27.33333	1	2
2	30.66667	2	4
3	31.33333	6	12
4	32.00000	2	4
5	32.66667	14	28
6	33.33333	1	2
7	34.00000	2	4
8	35.33333	2	4
9	36.66667	2	4
10	38.00000	2	4
11	38.66667	3	6
12	39.33333	1	2
13	40.00000	3	6
14	40.66667	1	2
15	41.33333	5	10
16	43.33333	1	2
17	44.66667	1	2
18	45.33333	1	2


## Percent of romanian\_system\_distrib Matching Reality



[1] "1\_common\_system\_distrib"


	Percent_Match	freq	Percent_Trials
1	40.00000	5	10
2	43.33333	28	56
3	46.66667	1	2
4	50.00000	1	2
5	53.33333	15	30

# Percent of 1\_common\_system\_distrib Matching Reality



```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000    5             10
2      43.33333   28             56
3      46.66667    1              2
4      50.00000    1              2
5      53.33333   15             30
```

**Percent of 1\_NPLtoFSG\_system\_distrib Matching Reality**




```
[1] "1_romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	40.00000	3	6
2	43.33333	10	20
3	46.66667	4	8
4	50.00000	17	34
5	53.33333	5	10
6	56.66667	4	8
7	60.00000	7	14




## Percent of 1\_romanian\_system\_distrib Matching Reality




```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000   43             86
2      26.66667    2              4
3      30.00000    1              2
4      33.33333    4              8
```

## Percent of 2\_common\_system\_distrib Matching Reality




```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000   32             64
2      23.33333    2              4
3      26.66667    1              2
4      30.00000    9             18
5      33.33333    1              2
6      36.66667    2              4
7      40.00000    1              2
8      43.33333    1              2
9      50.00000    1              2
```

## Percent of 2\_NPLtoFSG\_system\_distrib Matching Reality




```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      20.00000   38             76
2      26.66667    4              8
3      30.00000    2              4
4      33.33333    3              6
5      40.00000    3              6
```

## Percent of 2\_romanian\_system\_distrib Matching Reality




```
[1] "3_common_system_distrib"
Percent_Match freq Percent_Trials
1      30.00000    1             2
2      50.00000   28            56
3      63.33333    3             6
4      66.66667    1             2
5      70.00000    3             6
6      80.00000    2             4
7      83.33333    3             6
8      90.00000    1             2
9     100.00000    8            16
```

## Percent of 3\_common\_system\_distrib Matching Reality




```
[1] "3_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      40.00000    1             2
2      50.00000    1             2
3      53.33333    1             2
4      56.66667    2             4
5      63.33333    4             8
6      66.66667   28            56
7      83.33333    9            18
8      86.66667    1             2
9     100.00000    3             6
```

## Percent of 3\_NPLtoFSG\_system\_distrib Matching Reality




```
[1] "3_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      30.00000    1             2
2      50.00000   29            58
3      56.66667    1             2
4      63.33333    3             6
5      66.66667    1             2
6      70.00000    1             2
7      73.33333    2             4
8      83.33333   11            22
9      93.33333    1             2
```

### Percent of 3\_romanian\_system\_distrib Matching Reality




```
[1] "4_common_system_distrib"
Percent_Match freq Percent_Trials
1      10.00000   44             88
2      16.66667    6             12
```

### Percent of 4\_common\_system\_distrib Matching Reality



```
[1] "4_NPLtoFSG_system_distrib"
Percent_Match freq Percent_Trials
1      10.00000   44             88
2      16.66667    6             12
```


### Percent of 4\_NPLtoFSG\_system\_distrib Matching Reality



```
[1] "4_romanian_system_distrib"
Percent_Match freq Percent_Trials
1      10.00000   44             88
2      16.66667    6             12
```




### Percent of 4\_romanian\_system\_distrib Matching Reality



```
[1] "5_common_system_distrib"
Percent_Match freq Percent_Trials
1      33.33333   50             100
```


### Percent of 5\_common\_system\_distrib Matching Reality



```
[1] "5_NPLtoFSG_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	33.33333	50	100

### Percent of 5\_NPLtoFSG\_system\_distrib Matching Reality




```
[1] "5_romanian_system_distrib"
Percent_Match freq Percent_Trials
1      33.33333   50           100
```

## Percent of 5\_romanian\_system\_distrib Matching Reality




```
[1] "m_common_system_distrib"
Percent_Match freq Percent_Trials
1          18    1             2
2          22   24            48
3          26    3             6
4          28    5            10
5          30    3             6
6          32   11            22
7          34    1             2
8          36    1             2
9          40    1             2
```

## Percent of m\_common\_system\_distrib Matching Reality




```
[1] "m_NPLtoFSG_system_distrib"
Percent_Match freq Percent_Trials
1           18     1             2
2           22    24            48
3           26     3             6
4           28     5            10
5           30     3             6
6           32    11            22
7           34     1             2
8           36     1             2
9           40     1             2
```

## Percent of m\_NPLtoFSG\_system\_distrib Matching Reality



```
[1] "m_romanian_system_distrib"
Percent_Match freq Percent_Trials
1          18    1             2
2          22   24            48
3          26    3             6
4          28    4             8
5          30    3             6
6          32   11            22
7          34    2             4
8          36    1             2
9          40    1             2
```


Percent of m\_romanian\_system\_distrib Matching Reality



```
[1] "f_common_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	12	1	2
2	14	4	8
3	16	24	48
4	20	1	2
5	22	3	6
6	24	2	4
7	26	1	2
8	28	5	10
9	32	9	18


Percent of f\_common\_system\_distrib Matching Reality



```
[1] "f_NPLtoFSG_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	12	1	2
2	14	4	8
3	16	24	48
4	20	1	2
5	22	3	6
6	24	2	4
7	26	1	2
8	28	5	10
9	32	9	18

Percent of f\_NPLtoFSG\_system\_distrib Matching Reality




```
[1] "f_romanian_system_distrib"
```

	Percent_Match	freq	Percent_Trials
1	12	1	2
2	14	2	4
3	16	6	12
4	18	3	6
5	20	18	36
6	22	2	4
7	24	1	2
8	26	2	4
9	28	5	10
10	30	1	2
11	32	1	2
12	34	2	4
13	36	6	12




## Percent of f\_romanian\_system\_distrib Matching Reality



```
[1] "n_common_system_distrib"
  Percent_Match freq Percent_Trials
1          52    1             2
2          54    1             2
3          56   32            64
4          58    1             2
5          60    4             8
6          62    2             4
7          66    8            16
8          70    1             2
```


## Percent of n\_common\_system\_distrib Matching Reality



[1] "n\_NPLtoFSG\_system\_distrib"


	Percent_Match	freq	Percent_Trials
1	50	1	2
2	52	2	4
3	54	1	2
4	56	9	18
5	58	3	6
6	60	1	2
7	62	1	2
8	66	20	40
9	68	1	2
10	70	1	2
11	72	8	16
12	74	1	2
13	80	1	2

## Percent of n\_NPLtoFSG\_system\_distrib Matching Reality




```
[1] "n_romanian_system_distrib"
Percent_Match freq Percent_Trials
1          52    3             6
2          56   37            74
3          58    1             2
4          60    4             8
5          62    2             4
6          64    1             2
7          66    1             2
8          68    1             2
```

## Percent of n\_romanian\_system\_distrib Matching Reality




```
[1] "Nom_common_system_distrib"
Percent_Match freq Percent_Trials
1      36.66667  29           58
2      40.00000   2            4
3      46.66667  11           22
4      50.00000   8           16
```

## Percent of Nom\_common\_system\_distrib Matching Reality



```
[1] "Nom_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667    2             4
2      40.00000   20            40
3      43.33333   10            20
4      46.66667   12            24
5      50.00000    4             8
6      53.33333    2             4
```


**Percent of Nom\_NPLtoFSG\_system\_distrib Matching Reality**



```
[1] "Nom_romanian_system_distrib"
```


	Percent_Match	freq	Percent_Trials
1	36.66667	29	58
2	40.00000	1	2
3	43.33333	3	6
4	46.66667	12	24
5	50.00000	2	4
6	53.33333	3	6

## Percent of Nom\_romanian\_system\_distrib Matching Reality



```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667  28             56
2      40.00000   2              4
3      43.33333   1              2
4      46.66667  11             22
5      50.00000   8             16
```


## Percent of Acc\_common\_system\_distrib Matching Reality



```
[1] "Acc_NPLtoFSG_system_distrib"
Percent_Match freq Percent_Trials
1      36.66667    1           2
2      40.00000   19          38
3      43.33333   12          24
4      46.66667   13          26
5      50.00000    3           6
6      53.33333    2           4
```




## Percent of Acc\_NPLtoFSG\_system\_distrib Matching Reality




```
[1] "Acc_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667  29             58
2      40.00000   1              2
3      43.33333   2              4
4      46.66667  12             24
5      50.00000   2              4
6      53.33333   4              8
```

## Percent of Acc\_romanian\_system\_distrib Matching Reality




```
[1] "Gen_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    1             2
2      20.00000    1             2
3      23.33333   29            58
4      26.66667    3             6
5      30.00000    4             8
6      33.33333   11            22
7      43.33333    1             2
```

## Percent of Gen\_common\_system\_distrib Matching Reality




```
[1] "Gen_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    1             2
2      20.00000    5            10
3      23.33333    2             4
4      26.66667   24            48
5      30.00000   11            22
6      33.33333    4             8
7      36.66667    1             2
8      40.00000    2             4
```

## Percent of Gen\_NPLtoFSG\_system\_distrib Matching Reality




```
[1] "Gen_romanian_system_distrib"
Percent_Match freq Percent_Trials
1      13.33333    1             2
2      20.00000    5            10
3      23.33333   12            24
4      26.66667   14            28
5      30.00000    8            16
6      33.33333    7            14
7      36.66667    2             4
8      43.33333    1             2
```

## Percent of Gen\_romanian\_system\_distrib Matching Reality




```
[1] "Dat_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    1             2
2      20.00000    1             2
3      23.33333   29            58
4      26.66667    3             6
5      30.00000    4             8
6      33.33333   11            22
7      43.33333    1             2
```

## Percent of Dat\_common\_system\_distrib Matching Reality




```
[1] "Dat_NPLtoFSG_system_distrib"
Percent_Match freq Percent_Trials
1      13.33333      1           2
2      20.00000      5          10
3      23.33333      2           4
4      26.66667     24          48
5      30.00000     11          22
6      33.33333      4           8
7      36.66667      1           2
8      40.00000      2           4
```

## Percent of Dat\_NPLtoFSG\_system\_distrib Matching Reality



```
[1] "Dat_romanian_system_distrib"
Percent_Match freq Percent_Trials
1      13.33333    1           2
2      20.00000    5          10
3      23.33333    8          16
4      26.66667   18          36
5      30.00000    6          12
6      33.33333    9          18
7      36.66667    2           4
8      43.33333    1           2
```


## Percent of Dat\_romanian\_system\_distrib Matching Reality



```
[1] "Abl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    4             8
2      36.66667   25            50
3      40.00000    2             4
4      43.33333    3             6
5      46.66667    9            18
6      50.00000    7            14
```




## Percent of Abl\_common\_system\_distrib Matching Reality




```
[1] "Abl_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667    5             10
2      40.00000   20             40
3      43.33333   10             20
4      46.66667   10             20
5      50.00000    3              6
6      53.33333    2              4
```

## Percent of Abl\_NPLtoFSG\_system\_distrib Matching Reality




```
[1] "Abl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    4              8
2      36.66667   26             52
3      40.00000    3              6
4      43.33333    2              4
5      46.66667    9             18
6      50.00000    2              4
7      53.33333    4              8
```

## Percent of Abl\_romanian\_system\_distrib Matching Reality



```
[1] "Sg_common_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    1             2
2      38.66667    1             2
3      41.33333    4             8
4      46.66667    1             2
5      48.00000    5            10
6      49.33333   32            64
7      50.66667    1             2
8      52.00000    1             2
9      54.66667    1             2
10     57.33333    3             6
```


Percent of Sg\_common\_system\_distrib Matching Reality



[1] "Sg\_NPLtoFSG\_system\_distrib"


	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	38.66667	1	2
3	41.33333	4	8
4	46.66667	1	2
5	48.00000	5	10
6	49.33333	32	64
7	50.66667	1	2
8	52.00000	1	2
9	54.66667	1	2
10	57.33333	3	6

## Percent of Sg\_NPLtoFSG\_system\_distrib Matching Reality




```
[1] "Sg_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333    1             2
2      38.66667    1             2
3      41.33333    4             8
4      48.00000    4             8
5      49.33333   10            20
6      50.66667    5            10
7      52.00000   19            38
8      53.33333    1             2
9      54.66667    1             2
10     57.33333    1             2
11     60.00000    3             6
```

## Percent of Sg\_romanian\_system\_distrib Matching Reality




```
[1] "Pl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   28             56
2      17.33333    1              2
3      20.00000    1              2
4      24.00000    1              2
5      25.33333    1              2
6      29.33333    1              2
7      30.66667    3              6
8      33.33333    6             12
9      36.00000    1              2
10     37.33333    6             12
11     42.66667    1              2
```

## Percent of PI\_common\_system\_distrib Matching Reality



```
[1] "PI_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    1             2
2      17.33333    1             2
3      20.00000   18            36
4      21.33333    1             2
5      22.66667    1             2
6      24.00000    6            12
7      25.33333    1             2
8      26.66667    5            10
9      29.33333    1             2
10     30.66667    8            16
11     32.00000    1             2
12     34.66667    1             2
13     36.00000    1             2
14     37.33333    2             4
15     38.66667    1             2
16     41.33333    1             2
```


## Percent of PI\_NPLtoFSG\_system\_distrib Matching Reality



```
[1] "Pl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   29             58
2      17.33333    1              2
3      21.33333    1              2
4      25.33333    1              2
5      26.66667    2              4
6      29.33333    2              4
7      30.66667    8             16
8      34.66667    1              2
9      37.33333    2              4
10     38.66667    2              4
11     46.66667    1              2
```




Percent of PI\_romanian\_system\_distrib Matching Reality



[1] "n.Sg,m.Sg"

	Percent_Match	freq	Percent_Trials
1	33.33333	11	22
2	40.00000	4	8
3	46.66667	7	14
4	53.33333	6	12
5	66.66667	22	44


## Percent of n.Sg,m.Sg Matching Each Other



[1] "n.Pl,m.Pl"

	Percent_Match	freq	Percent_Trials
1	0.00000	2	4
2	13.33333	2	4
3	20.00000	4	8
4	26.66667	7	14
5	33.33333	9	18
6	40.00000	3	6
7	46.66667	2	4
8	53.33333	4	8
9	60.00000	1	2
10	66.66667	16	32


## Percent of n.PI,m.PI Matching Each Other



[1] "n.PI,f.Sg"

	Percent_Match	freq	Percent_Trials
1	33.33333	18	36
2	40.00000	6	12
3	46.66667	11	22
4	53.33333	2	4
5	66.66667	13	26


## Percent of n.Pl,f.Sg Matching Each Other



[1] "n.Pl,f.Pl"

	Percent_Match	freq	Percent_Trials
1	33.33333	12	24
2	40.00000	7	14
3	46.66667	9	18
4	53.33333	3	6
5	66.66667	19	38


### Percent of n.PI,f.PI Matching Each Other



[1] "m.PI,f.PI"


	Percent_Match	freq	Percent_Trials
1	28	1	2
2	40	49	98

### Percent of m.PI,f.PI Matching Each Other




```
[1] "1,5"
Percent_Match freq Percent_Trials
1          50    50          100
```

### Percent of 1,5 Matching Each Other



```
[1] "2,4"
Percent_Match freq Percent_Trials
1    40.00000    1           2
2    43.33333    1           2
3    50.00000    2           4
4    53.33333    1           2
5    56.66667    3           6
6    66.66667   42          84
```


## Percent of 2,4 Matching Each Other



[1] "2Sg,4Sg"

	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	53.33333	4	8
3	66.66667	45	90

## Percent of 2Sg,4Sg Matching Each Other




[1] "2P1,4P1"

	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	46.66667	6	12
3	53.33333	1	2
4	66.66667	42	84




## Percent of 2PI,4PI Matching Each Other




```
[1] "n.Sg(Nom|Acc),m.Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1      33.33333   13             26
2      50.00000   12             24
3      66.66667   25             50
```

## Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other



```
[1] "n.Pl(Nom|Acc),m.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1      0.00000   14              28
2     16.66667    2               4
3     33.33333   10              20
4     50.00000    7              14
5     66.66667   17              34
```


**Percent of n.PI(Nom|Acc),m.PI(Nom|Acc) Matching Each Other**



```
[1] "n.PI(Nom|Acc),f.Sg(Nom|Acc)"
```


	Percent_Match	freq	Percent_Trials
1	33.33333	30	60
2	50.00000	7	14
3	66.66667	13	26

# Percent of n.Pl(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other




```
[1] "n.Pl(Nom|Acc),f.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1      33.33333   23             46
2      50.00000    8             16
3      66.66667   19             38
```

### Percent of n.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other




```
[1] "m.PI(Nom|Acc),f.PI(Nom|Acc)"
Percent_Match freq Percent_Trials
1          20    1             2
2          40   49            98
```

### Percent of m.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other




```
[1] "1.*(Nom|Acc),5.*(Nom|Acc)"
Percent_Match freq Percent_Trials
1           50    50           100
```

### Percent of 1.\*(Nom|Acc),5.\*(Nom|Acc) Matching Each Other




```
[1] "2.*(Nom|Acc),4.*(Nom|Acc)"
Percent_Match freq Percent_Trials
1    33.33333    1           2
2    50.00000    6          12
3    66.66667   43          86
```

### Percent of 2.\*(Nom|Acc),4.\*(Nom|Acc) Matching Each Other




```
[1] "2Sg(Nom|Acc),4Sg(Nom|Acc)"
Percent_Match freq Percent_Trials
1      33.33333    1             2
2      66.66667   49            98
```

### Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other



```
[1] "2Pl(Nom|Acc),4Pl(Nom|Acc)"
Percent_Match freq Percent_Trials
1      33.33333    7             14
2      66.66667   43             86
```


### Percent of 2Pl(Nom|Acc),4Pl(Nom|Acc) Matching Each Other



```
[1] "n.Sg(Abl|Acc),m.Sg(Abl|Acc)"
Percent_Match freq Percent_Trials
1      33.33333   24             48
2      50.00000    1              2
3      66.66667   25             50
```




**Percent of n.Sg(Abl|Acc),m.Sg(Abl|Acc) Matching Each Other**



```
[1] "n.Pl(Abl|Acc),m.Pl(Abl|Acc)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	14	28
2	16.66667	1	2
3	33.33333	15	30
4	50.00000	3	6
5	66.66667	17	34

# Percent of n.PI(Abl|Acc),m.PI(Abl|Acc) Matching Each Other




```
[1] "n.PI(Abl|Acc),f.Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1      33.33333   36              72
2      50.00000    1               2
3      66.66667   13              26
```

# Percent of n.PI(Abl|Acc),f.Sg(Abl|Acc) Matching Each Other




```
[1] "n.PI(Abl|Acc),f.PI(Abl|Acc)"
  Percent_Match freq Percent_Trials
1      33.33333   29             58
2      50.00000    2              4
3      66.66667   19             38
```

### Percent of n.PI(Abl|Acc),f.PI(Abl|Acc) Matching Each Other




```
[1] "m.PI(Abl|Acc),f.PI(Abl|Acc)"
Percent_Match freq Percent_Trials
1           20     1             2
2           40    49            98
```

### Percent of m.PI(Abl|Acc),f.PI(Abl|Acc) Matching Each Other




```
[1] "1.*(Abl|Acc),5.*(Abl|Acc)"
Percent_Match freq Percent_Trials
1           50    50           100
```

### Percent of 1.\*(Abl|Acc),5.\*(Abl|Acc) Matching Each Other



```
[1] "2.*(Abl|Acc),4.*(Abl|Acc)"
Percent_Match freq Percent_Trials
1    33.33333    1           2
2    50.00000    6          12
3    66.66667   43          86
```


Percent of 2.\*(Abl|Acc),4.\*(Abl|Acc) Matching Each Other



```
[1] "2Sg(Abl|Acc),4Sg(Abl|Acc)"
```


	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	66.66667	49	98

Percent of 2Sg(Abl|Acc),4Sg(Abl|Acc) Matching Each Other




```
[1] "2Pl(Abl|Acc),4Pl(Abl|Acc)"
Percent_Match freq Percent_Trials
1      33.33333    7             14
2      66.66667   43             86
```

### Percent of 2Pl(Abl|Acc),4Pl(Abl|Acc) Matching Each Other



```
[1] "n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl)"
Percent_Match freq Percent_Trials
1      33.33333   13             26
2      44.44444   11             22
3      55.55556    1              2
4      66.66667   25             50
```

**Percent of n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl) Matching Each Oth**




```
[1] "n.Pl(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	12	24
2	11.11111	3	6
3	22.22222	1	2
4	33.33333	9	18
5	44.44444	6	12
6	55.55556	2	4
7	66.66667	17	34




# Percent of n.PI(Nom|Acc|Abl),m.PI(Nom|Acc|Abl) Matching Each Oth



```
[1] "n.PI(Nom|Acc|Abl),f.Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      33.33333   29             58
2      44.44444    8             16
3      66.66667   13             26
```


Percent of n.Pl(Nom|Acc|Abl),f.Sg(Nom|Acc|Abl) Matching Each Other



```
[1] "n.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl)"
```


	Percent_Match	freq	Percent_Trials
1	33.33333	22	44
2	44.44444	8	16
3	55.55556	1	2
4	66.66667	19	38

### Percent of n.PI(Nom|Acc|Abl),f.PI(Nom|Acc|Abl) Matching Each Other




```
[1] "m.PI(Nom|Acc|Abl),f.PI(Nom|Acc|Abl)"
Percent_Match freq Percent_Trials
1          20    1             2
2          40   49            98
```

### Percent of m.PI(Nom|Acc|Abl),f.PI(Nom|Acc|Abl) Matching Each Other




```
[1] "1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl)"
Percent_Match freq Percent_Trials
1          50    50          100
```

### Percent of 1.\*(Nom|Acc|Abl),5.\*(Nom|Acc|Abl) Matching Each Other



```
[1] "2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl)"
Percent_Match freq Percent_Trials
1    33.33333    1           2
2    50.00000    6          12
3    66.66667   43          86
```


# Percent of 2.\*(Nom|Acc|Abl),4.\*(Nom|Acc|Abl) Matching Each Other



[1] "2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl)"


	Percent_Match	freq	Percent_Trials
1	33.3333	1	2
2	66.6667	49	98

# Percent of 2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl) Matching Each Other




```
[1] "2Pl(Nom|Acc|Abl),4Pl(Nom|Acc|Abl)"
Percent_Match freq Percent_Trials
1      33.33333    7             14
2      66.66667   43             86
```

## Percent of 2Pl(Nom|Acc|Abl),4Pl(Nom|Acc|Abl) Matching Each Other



```
[1] "Nom,Acc"
Percent_Match freq Percent_Trials
1      76.92308    2             4
2      80.76923    1             2
3      84.61538   11            22
4      88.46154    1             2
5      96.15385    1             2
6     100.00000   34            68
```


## Percent of Nom,Acc Matching Each Other



[1] "Acc,Abl"

	Percent_Match	freq	Percent_Trials
1	73.07692	1	2
2	84.61538	2	4
3	88.46154	4	8
4	92.30769	2	4
5	96.15385	2	4
6	100.00000	39	78

## Percent of Acc,Abl Matching Each Other




[1] "Nom,Acc,Abl"

	Percent_Match	freq	Percent_Trials
1	69.23077	2	4
2	73.07692	1	2
3	76.92308	2	4
4	80.76923	2	4
5	84.61538	8	16
6	88.46154	4	8
7	92.30769	2	4
8	96.15385	1	2
9	100.00000	28	56




**Percent of Nom,Acc,Abl Matching Each Other**



[1] "Gen,Dat"

	Percent_Match	freq	Percent_Trials
1	84.61538	7	14
2	88.46154	1	2
3	92.30769	2	4
4	100.00000	40	80


## Percent of Gen,Dat Matching Each Other



[1] "Nom,Acc,Gen,Dat,Abl"


	Percent_Match	freq	Percent_Trials
1	46.15385	1	2
2	50.00000	1	2
3	53.84615	4	8
4	57.69231	6	12
5	61.53846	5	10
6	65.38462	4	8
7	69.23077	2	4
8	73.07692	3	6
9	76.92308	3	6
10	80.76923	17	34
11	84.61538	3	6
12	92.30769	1	2

## Percent of Nom,Acc,Gen,Dat,Abl Matching Each Other




```
[1] "nPImPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.00000    3             6
2     13.33333   11            22
3     20.00000    4             8
4     26.66667    1             2
5     33.33333   31            62
```

### Percent of nPlfPI\_exclusive Matching Each Other



```
[1] "nPlfPI_exclusive"
Percent_Match freq Percent_Trials
1      33.33333    50             100
```


### Percent of nPlfPI\_exclusive Matching Each Other



```
[1] "1Sg(Nom|Acc)_a($|,)"
```


	Percent_Match	freq	Percent_Trials
1	50	50	100

### Percent of 1Sg(Nom|Acc) ending in a(\$|,)



```
[1] "[24]Sg(Nom|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      50.00000   49             98
```


### Percent of [24]Sg(Nom|Acc) ending in o(\$|,)



```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
```


	Percent_Match	freq	Percent_Trials
1	66.66667	2	4
2	100.00000	48	96

### Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)




```
[1] "3Pl(Nom|Acc)_e?s($|,)"
Percent_Match freq Percent_Trials
1      0.00000   29             58
2     33.33333    1              2
3     66.66667    4              8
4    100.00000   16             32
```

### Percent of 3Pl(Nom|Acc) ending in e?s(\$|,)



```
[1] "[124]Pl(Nom|Acc)_s($|,)"
Percent_Match freq Percent_Trials
1      0.00   25             50
2     12.50    4              8
3     25.00    1              2
4     37.50    7             14
5     43.75    1              2
6     50.00   12             24
```


**Percent of [124]PI(Nom|Acc) ending in s(\$|,)**



```
[1] "[24]PI(Nom|Acc)_os($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	49	98
2	33.33333	1	2


**Percent of [24]PI(Nom|Acc) ending in os(\$|,)**






```
[1] "1Pl(Nom|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0   33              66
2          50   17              34
```

### Percent of 1Pl(Nom|Acc) ending in as(\$|,)




```
[1] "n.Pl(Nom|Acc)_a($|,)"
Percent_Match freq Percent_Trials
1      0.00000   37              74
2    16.66667    1              2
3    33.33333    4              8
4    66.66667    8             16
```

# Percent of n.PI(Nom|Acc) ending in a(\$|,)




```
[1] "n.PI(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   43             86
2     33.33333    3              6
3     50.00000    1              2
4     66.66667    3              6
```

### Percent of n.PI(Nom|Acc) ending in as(\$|,)




```
[1] "n.PI(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1          0     50          100
```

### Percent of n.PI(Nom|Acc) ending in os(\$|,)




```
[1] "m.Pl(Nom|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          20    1              2
```

**Percent of m.Pl(Nom|Acc) ending in as(\$|,)**



```
[1] "m.Pl(Nom|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          40    1              2
```


# Percent of m.PI(Nom|Acc) ending in os(\$|,)



[1] "Pl(Nom|Acc)\_s(\$|,)"

	Percent_Match	freq	Percent_Trials
1	0.000000	24	48
2	7.692308	1	2
3	23.076923	6	12
4	30.769231	4	8
5	38.461538	1	2
6	46.153846	2	4
7	50.000000	1	2
8	53.846154	11	22


### Percent of Pl(Nom|Acc) ending in s(\$|,)



[1] "1Sg(Abl|Acc)\_a(\$|,)"


	Percent_Match	freq	Percent_Trials
1	25	6	12
2	50	44	88

### Percent of 1Sg(Abl|Acc) ending in a(\$|,)




```
[1] "[24]Sg(Abl|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      50.00000   49             98
```

### Percent of [24]Sg(Abl|Acc) ending in o(\$|,)



```
[1] "3Sg(Abl|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      66.66667    1              2
2     100.00000   49             98
```

Percent of 3Sg(Abl|Acc) ending in [e-](\$|,)




```
[1] "3Pl(Abl|Acc)_e?s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	29	58
2	33.33333	1	2
3	50.00000	1	2
4	66.66667	4	8
5	100.00000	15	30




# Percent of 3PI(Abl|Acc) ending in e?s(\$|,)




```
[1] "[124]Pl(Abl|Acc)_s($|,)"
Percent_Match freq Percent_Trials
1          0.00  25             50
2         12.50   4              8
3         25.00   2              4
4         37.50   6             12
5         43.75   1              2
6         50.00  12             24
```

### Percent of [124]PI(Abl|Acc) ending in s(\$|,)




```
[1] "[24]Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   49             98
2    33.33333    1              2
```

### Percent of [24]PI(Abl|Acc) ending in os(\$|,)




```
[1] "1Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1           0    33             66
2        25     2              4
3        50    15             30
```

**Percent of 1Pl(Abl|Acc) ending in as(\$|,)**




```
[1] "n.Pl(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1      0.00000    38             76
2    33.33333     6             12
3    66.66667     6             12
```

# Percent of n.Pl(Abl|Acc) ending in a(\$|,)




```
[1] "n.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   43             86
2     16.66667    1              2
3     33.33333    2              4
4     66.66667    4              8
```

### Percent of n.PI(Abl|Acc) ending in as(\$|,)




```
[1] "n.PI(Abl|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1          0    50          100
```

### Percent of n.PI(Abl|Acc) ending in os(\$|,)




```
[1] "m.PI(Abl|Acc)_as($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          20    1              2
```

**Percent of m.PI(Abl|Acc) ending in as(\$|,)**



```
[1] "m.PI(Abl|Acc)_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          40    1              2
```


# Percent of m.PI(Abl|Acc) ending in os(\$|,)



[1] "Pl(Abl|Acc)\_s(\$|,)"

	Percent_Match	freq	Percent_Trials
1	0.000000	24	48
2	7.692308	1	2
3	23.076923	6	12
4	26.923077	1	2
5	30.769231	4	8
6	38.461538	1	2
7	46.153846	1	2
8	50.000000	1	2
9	53.846154	11	22


### Percent of Pl(Abl|Acc) ending in s(\$|,)



```
[1] "1Sg(Nom|Acc|Abl)_a($|,)"
```

	Percent_Match	freq	Percent_Trials
1	33.33333	6	12
2	50.00000	44	88


### Percent of 1Sg(Nom|Acc|Abl) ending in a(\$|,)






```
[1] "[24]Sg(Nom|Acc|Abl)_o($|,)"
Percent_Match freq Percent_Trials
1      33.33333    1              2
2      50.00000   49             98
```

### Percent of [24]Sg(Nom|Acc|Abl) ending in o(\$|,)



```
[1] "3Sg(Nom|Acc|Abl)_[e-]($|,)"
Percent_Match freq Percent_Trials
1      66.66667    1              2
2      77.77778    1              2
3     100.00000   48             96
```


Percent of 3Sg(Nom|Acc|Abl) ending in [e-](\$|,)



```
[1] "3Pl(Nom|Acc|Abl)_e?s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	29	58
2	33.33333	1	2
3	66.66667	5	10
4	100.00000	15	30


# Percent of 3PI(Nom|Acc|Ab1) ending in e?s(\$|,)



```
[1] "[124]Pl(Nom|Acc|Ab1)_s($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	25	50
2	12.50000	4	8
3	25.00000	1	2
4	33.33333	1	2
5	37.50000	6	12
6	41.66667	1	2
7	45.83333	1	2
8	50.00000	11	22

### Percent of [124]PI(Nom|Acc|Abl) ending in s(\$|,)




```
[1] "[24]PI(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1      0.00000   49             98
2    33.33333    1              2
```

### Percent of [24]PI(Nom|Acc|Abl) ending in os(\$|,)




```
[1] "1Pl(Nom|Acc|Abl)_as($|,)"
Percent_Match freq Percent_Trials
1      0.00000   33             66
2     33.33333    2              4
3     50.00000   15             30
```

### Percent of 1Pl(Nom|Acc|Abl) ending in as(\$|,)




```
[1] "n.Pl(Nom|Acc|Abl)_a($|,)"
Percent_Match freq Percent_Trials
1      0.00000   37             74
2     11.11111    1              2
3     33.33333    4              8
4     44.44444    2              4
5     66.66667    6             12
```

# Percent of n.PI(Nom|Acc|Abl) ending in a(\$|,)




```
[1] "n.PI(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   43             86
2     22.22222    1              2
3     33.33333    2              4
4     55.55556    1              2
5     66.66667    3              6
```

### Percent of n.PI(Nom|Acc|Abl) ending in as(\$|,)




```
[1] "n.PI(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1          0    50          100
```

### Percent of n.PI(Nom|Acc|Abl) ending in os(\$|,)



```
[1] "m.Pl(Nom|Acc|Abl)_as($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          20    1              2
```


**Percent of m.Pl(Nom|Acc|Abl) ending in as(\$|,)**



```
[1] "m.Pl(Nom|Acc|Abl)_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          40    1              2
```




# Percent of m.PI(Nom|Acc|Abl) ending in os(\$|,)



[1] "Pl(Nom|Acc|Abl)\_s(\$|,)"

	Percent_Match	freq	Percent_Trials
1	0.000000	24	48
2	7.692308	1	2
3	23.076923	6	12
4	30.769231	4	8
5	35.897436	1	2
6	38.461538	1	2
7	46.153846	1	2
8	48.717949	1	2
9	51.282051	1	2
10	53.846154	10	20


# Percent of Pl(Nom|Acc|Abl) ending in s(\$|,)



[1] "1Sg(Gen|Dat)\_e(\$|,)"


	Percent_Match	freq	Percent_Trials
1	0	18	36
2	25	6	12
3	50	26	52

# Percent of 1Sg(Gen|Dat) ending in e(\$|,)




```
[1] "Pl(Gen|Dat)_s($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   27             54
2     15.38462    1              2
3     23.07692    4              8
4     30.76923    2              4
5     38.46154    1              2
6     53.84615   15             30
```

# Percent of Pl(Gen|Dat) ending in s(\$|,)



```
[1] "[124]Pl(Gen|Dat)_s($|,)"
Percent_Match freq Percent_Trials
1          0.0   28             56
2         12.5    1              2
3         37.5    5             10
4         50.0   16             32
```


# Percent of [124]PI(Gen|Dat) ending in s(\$|,)



[1] "Sg\_not"

	Percent_Match	freq	Percent_Trials
1	69.23077	1	2
2	73.84615	1	2
3	78.46154	2	4
4	87.69231	3	6
5	90.76923	5	10
6	100.00000	38	76


## Percent of Sg ending in nots



[1] "Pl\_s(\$|,)"

	Percent_Match	freq	Percent_Trials
1	0.000000	24	48
2	4.615385	1	2
3	18.461538	1	2
4	20.000000	1	2
5	21.538462	1	2
6	23.076923	4	8
7	30.769231	2	4
8	35.384615	1	2
9	38.461538	1	2
10	40.000000	1	2
11	49.230769	1	2
12	50.769231	1	2
13	52.307692	1	2
14	53.846154	10	20


## Percent of PI ending in s(\$|,)



```
[1] "[mf].Pl_s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0	24	48
2	6	1	2
3	20	5	10
4	24	1	2
5	26	1	2
6	30	2	4
7	32	1	2
8	38	1	2
9	44	1	2
10	46	1	2
11	50	12	24

Percent of [mf].Pl ending in s(\$|,)




```
[1] "[124]Pl_s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.0	24	48
2	7.5	2	4
3	12.5	1	2
4	15.0	1	2
5	20.0	2	4
6	27.5	1	2
7	37.5	5	10
8	42.5	1	2
9	45.0	1	2
10	47.5	1	2
11	50.0	11	22




Percent of [124]PI ending in s(\$|,)



```
[1] "n.Pl_s($|,)"
```

	Percent_Match	freq	Percent_Trials
1	0.00000	29	58
2	26.66667	1	2
3	33.33333	4	8
4	46.66667	2	4
5	60.00000	1	2
6	66.66667	13	26


### Percent of n.PI ending in s(\$|,)



```
[1] "1Sg_a($|,)"
```


	Percent_Match	freq	Percent_Trials
1	20	6	12
2	30	44	88

### Percent of 1Sg ending in a(\$|,)




```
[1] "[24]Sg_o($|,)"
Percent_Match freq Percent_Trials
1      20.00000    1             2
2      30.00000   42            84
3      36.66667    2             4
4      43.33333    1             2
5      50.00000    4             8
```

**Percent of [24]Sg ending in o(\$|,)**



```
[1] "3Sg_[e-]($|,)"
Percent_Match freq Percent_Trials
1      40.00000    1             2
2      46.66667    1             2
3      60.00000    5            10
4      86.66667    1             2
5     100.00000   42            84
```


Percent of 3Sg ending in [e-](\$|,)



[1] "3Pl\_e?s"


	Percent_Match	freq	Percent_Trials
1	0.00000	29	58
2	33.33333	1	2
3	40.00000	2	4
4	66.66667	3	6
5	100.00000	15	30

### Percent of 3PI ending in e?s




```
[1] "[24]Pl_os($|,)"
Percent_Match freq Percent_Trials
1          0    49             98
2         20     1              2
```

### Percent of [24]PI ending in os(\$|,)




```
[1] "1Pl_as($|,)"
  Percent_Match freq Percent_Trials
1           0    33             66
2          20     2              4
3          30    15             30
```

**Percent of 1Pl ending in as(\$|,)**



```
[1] "n.Pl_a($|,)"
  Percent_Match freq Percent_Trials
1    0.000000    37             74
2    6.666667     1              2
3   20.000000     4              8
4   26.666667     2              4
5   40.000000     6             12
```


# Percent of n.PI ending in a(\$|,)



```
[1] "n.PI_as($|,)"
```


	Percent_Match	freq	Percent_Trials
1	0.00000	43	86
2	13.33333	1	2
3	20.00000	1	2
4	33.33333	2	4
5	40.00000	3	6

### Percent of n.PI ending in as(\$|,)



```
[1] "n.PI_os($|,)"
Percent_Match freq Percent_Trials
1          0    50          100
```


### Percent of n.PI ending in os(\$|,)






```
[1] "m.Pl_as($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          12    1              2
```

**Percent of m.Pl ending in as(\$|,)**



```
[1] "m.Pl_os($|,)"
Percent_Match freq Percent_Trials
1           0   49             98
2          24    1              2
```

## Percent of m.PI ending in os(\$|,)



[1] "Sg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
3	e	48	96
1	-	36	72
8	s	8	16
4	es	6	12
5	i	2	4
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
3	e	48	96
1	-	37	74
8	s	8	16
4	es	6	12
5	i	2	4
7	os	1	2

[1] "SgNom,Acc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	50	100
3	e	48	96
1	-	29	58
4	es	2	4

6	os	1	2
7	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	50	100
5	o	50	100
3	e	48	96
1	-	30	60
4	es	2	4
7	s	2	4
6	os	1	2
[1] "1SgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	a	50	100
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	50	100
1	-	3	6
3	s	1	2
[1] "2SgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	o	50	100
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	o	50	100
2	os	1	2
[1] "3SgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	48	96
1	-	29	58
3	es	1	2
4	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	48	96
1	-	29	58
3	es	1	2
4	s	1	2
[1] "4SgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	o	49	98
2	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	o	49	98
2	os	1	2
[1] "5SgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	33	66

1	-	2	4
3	es	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	47	94
1	-	14	28
3	es	2	4
4	s	1	2
[1] "mSgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	50	100
2	e	48	96
1	-	17	34
4	os	1	2
5	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
5	o	50	100
3	e	48	96
2	a	46	92
1	-	18	36
7	s	2	4
4	es	1	2
6	os	1	2
[1] "fSgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	50	100
3	e	47	94
1	-	16	32
4	es	2	4
5	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	50	100
5	o	49	98
3	e	47	94
1	-	17	34
4	es	2	4
6	os	1	2
7	s	1	2
[1] "nSgNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	50	100
1	-	29	58
2	e	23	46
4	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
3	o	50	100
1	-	29	58
2	e	23	46

```

4      os      1          2
5      s      1          2
[1] "SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      50          100
5      o      50          100
3      e      48          96
1      -      28          56
4      es      2           4
6      os      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      50          100
5      o      50          100
3      e      48          96
1      -      30          60
4      es      2           4
6      os      1           2
7      s      1           2
[1] "1SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      50          100
1      -       5           10
3      e       1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      50          100
1      -       8           16
3      e       1           2
4      s       1           2
[1] "2SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o      50          100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      50          100
2      os      1           2
[1] "3SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      48          96
1      -      27          54
3      es      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      48          96
1      -      27          54
3      es      1           2
[1] "4SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```

1	o	49	98
2	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	o	49	98
2	os	1	2
[1] "5SgAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	46	92
1	-	2	4
3	es	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	47	94
1	-	2	4
3	es	2	4
[1] "mSgAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	50	100
2	e	48	96
1	-	2	4
4	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
5	o	50	100
3	e	48	96
2	a	46	92
1	-	9	18
4	es	1	2
6	os	1	2
7	s	1	2
[1] "fSgAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	50	100
3	e	47	94
1	-	7	14
4	es	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	50	100
5	o	49	98
3	e	47	94
1	-	7	14
4	es	2	4
6	os	1	2
[1] "nSgAcc,Abl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
3	o	50	100
1	-	27	54
2	e	24	48

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   50             100
1      -   27             54
2      e   24             48
4     os    1              2
[1] "SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50             100
5      o   50             100
3      e   48             96
1      -   30             60
4     es    2              4
6     os    1              2
7      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50             100
5      o   50             100
3      e   48             96
1      -   31             62
4     es    2              4
7      s    2              4
6     os    1              2
[1] "1SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50             100
1      -    5             10
3      e    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50             100
1      -    8             16
3      e    1              2
4      s    1              2
[1] "2SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50             100
2     os    1              2
[1] "3SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   48             96
1      -   29             58
3     es    1              2
4      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials

```

2	e	48	96
1	-	29	58
3	es	1	2
4	s	1	2

[1] "4SgNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "5SgNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	46	92
1	-	2	4
3	es	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	47	94
1	-	14	28
3	es	2	4
4	s	1	2

[1] "mSgNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	50	100
2	e	48	96
1	-	17	34
4	os	1	2
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	50	100
3	e	48	96
2	a	46	92
1	-	20	40
7	s	2	4
4	es	1	2
6	os	1	2

[1] "fSgNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
3	e	47	94
1	-	18	36
4	es	2	4
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	49	98



3	e	47	94
1	-	19	38
4	es	2	4
6	os	1	2
7	s	1	2

[1] "nSgNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	50	100
1	-	29	58
2	e	24	48
4	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	o	50	100
1	-	29	58
2	e	24	48
4	os	1	2
5	s	1	2

[1] "SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	31	62
7	s	8	16
5	o	7	14
3	es	6	12
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	32	64
7	s	8	16
5	o	7	14
3	es	6	12
4	i	2	4
6	os	1	2

[1] "1SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	32	64
1	-	16	32
3	es	5	10
5	s	2	4
4	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	32	64
1	-	17	34
3	es	5	10
5	s	2	4
4	i	1	2

[1] "2SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	8	16
5	o	6	12
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
7	s	8	16
5	o	6	12
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "3SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	22	44
3	es	6	12
4	i	2	4
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	22	44
3	es	6	12
4	i	2	4
5	s	1	2

[1] "4SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
5	o	7	14
7	s	7	14
2	e	5	10
3	es	3	6
4	i	2	4
6	os	1	2

[1] "5SgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	40	80
3	es	5	10
1	-	1	2
4	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	42	84
3	es	6	12
1	-	3	6
4	i	1	2
5	s	1	2

[1] "mSgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	30	60
7	s	8	16
5	o	7	14
3	es	6	12
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	30	60
7	s	8	16
5	o	7	14
3	es	6	12
4	i	2	4
6	os	1	2

[1] "fSgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	17	34
3	es	6	12
5	s	2	4
4	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	31	62
7	s	8	16
5	o	7	14
3	es	6	12
4	i	1	2
6	os	1	2

[1] "nSgGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	31	62
2	e	27	54
6	s	8	16

3	es	5	10
5	o	4	8
4	i	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
2	e	27	54
6	s	8	16
3	es	5	10
5	o	5	10
4	i	2	4

[1] "Nom"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
1	-	37	74
4	e	33	66
3	as	19	38
8	s	19	38
5	es	14	28
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	50	100
1	-	38	76
4	e	35	70
3	as	19	38
8	s	19	38
5	es	15	30
7	os	2	4

[1] "NomSg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	50	100
3	e	33	66
1	-	29	58
4	es	1	2
6	os	1	2
7	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	50	100
3	e	34	68
1	-	30	60
4	es	2	4
7	s	2	4
6	os	1	2

[1] "1"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
--	--------	------	----------------

2	a	50	100
5	e	32	64
4	as	17	34
1	-	16	32
7	es	13	26
9	s	7	14
3	ao	1	2
6	eo	1	2
8	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
5	e	32	64
4	as	19	38
1	-	18	36
7	es	13	26
9	s	7	14
3	ao	1	2
6	eo	1	2
8	i	1	2

[1] "1Sg"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
3	e	32	64
1	-	16	32
4	es	5	10
6	s	2	4
5	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
3	e	32	64
1	-	18	36
4	es	5	10
6	s	2	4
5	i	1	2

[1] "1SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
1	-	3	6
3	s	1	2

[1] "2"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
7	o	50	100
1	-	34	68
9	s	19	38
2	a	13	26
3	as	7	14

4	e	6	12
5	es	4	8
6	i	2	4
8	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
7	o	50	100
1	-	36	72
9	s	19	38
2	a	13	26
3	as	7	14
4	e	7	14
5	es	5	10
6	i	2	4
8	os	2	4

[1] "2Sg"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
5	o	50	100
1	-	30	60
7	s	8	16
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	50	100
1	-	31	62
7	s	8	16
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "2SgNom"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	o	50	100
2	os	1	2

[1] "3"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	48	96
1	-	29	58
6	es	20	40
9	s	11	22
2	a	8	16
3	as	5	10
7	i	2	4
5	eo	1	2
8	o	1	2

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e  48             96
1      -  29             58
6     es  20             40
9      s  11             22
2      a   8             16
3     as   5             10
7      i   2              4
5     eo   1              2
8      o   1              2
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e  48             96
1      -  29             58
3     es   6             12
4      i   2              4
5      s   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  48             96
1      -  29             58
3     es   6             12
4      i   2              4
5      s   1              2
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e  33             66
1      -  29             58
3     es   1              2
4      s   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  33             66
1      -  29             58
3     es   1              2
4      s   1              2
[1] "4"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      o  49             98
1      -  35             70
7      s  18             36
2      e   6             12
3     es   5             10
4      i   2              4
6     os   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o  49             98
1      -  36             72
7      s  19             38

```

2	e	8	16
3	es	5	10
4	i	2	4
6	os	1	2

[1] "4Sg"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
5	o	49	98
1	-	30	60
7	s	7	14
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	49	98
1	-	31	62
7	s	7	14
2	e	5	10
3	es	3	6
4	i	2	4
6	os	1	2

[1] "4SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "5"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	46	92
4	es	19	38
1	-	10	20
3	eo	1	2
5	i	1	2
6	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	47	94
4	es	20	40
1	-	14	28
6	s	5	10
3	eo	1	2
5	i	1	2

[1] "5Sg"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	46	92
3	es	5	10



1	-	4	8
4	i	1	2
5	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	47	94
1	-	14	28
3	es	6	12
4	i	1	2
5	s	1	2
[1] "5SgNom"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	33	66
1	-	14	28
3	es	1	2
4	s	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	34	68
1	-	14	28
3	es	2	4
4	s	1	2
[1] "m"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
8	o	50	100
4	e	48	96
1	-	37	74
2	a	24	48
6	es	20	40
10	s	19	38
7	i	2	4
3	as	1	2
5	eo	1	2
9	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
9	o	50	100
5	e	48	96
2	a	46	92
1	-	38	76
7	es	20	40
4	as	19	38
11	s	19	38
8	i	2	4
10	os	2	4
3	ao	1	2
6	eo	1	2
[1] "mSg"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
5	o	50	100
2	e	48	96

1	-	33	66
7	s	8	16
3	es	6	12
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
6	o	50	100
3	e	48	96
2	a	46	92
1	-	34	68
8	s	8	16
4	es	6	12
5	i	2	4
7	os	1	2

[1] "mSgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	o	50	100
2	e	33	66
1	-	17	34
4	os	1	2
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	o	50	100
2	a	46	92
3	e	34	68
1	-	18	36
7	s	2	4
4	es	1	2
6	os	1	2

[1] "m1Sg"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	46	92
3	e	32	64
1	-	17	34
4	es	5	10
6	s	2	4
5	i	1	2

[1] "m1SgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	46	92
1	-	3	6
3	s	1	2

[1] "m2Sg"

```

[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      o   50           100
1      -   29           58
7      s    8           16
2      e    4            8
3     es    2            4
4      i    2            4
6     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o   50           100
1      -   29           58
7      s    8           16
2      e    4            8
3     es    2            4
4      i    2            4
6     os    1            2
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50           100
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   48           96
1      -   17           34
3     es    6           12
4      i    1            2
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   48           96
1      -   17           34
3     es    6           12
4      i    1            2
5      s    1            2
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   33           66
1      -   17           34
3      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   33           66
1      -   17           34
3      s    1            2
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials

```

```

5      o  49      98
1      -  30      60
7      s   7      14
2      e   2       4
3     es   2       4
4      i   2       4
6     os   1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      o  49      98
1      -  30      60
7      s   7      14
2      e   2       4
3     es   2       4
4      i   2       4
6     os   1       2
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o  49      98
2     os   1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o  49      98
2     os   1       2
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e  47      94
1      -  14      28
3     es   6      12
4      i   1       2
5      s   1       2
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e  34      68
1      -  14      28
3     es   1       2
4      s   1       2
[1] "f"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a  50     100
5      e  47      94
1      -  29      58
7     es  20      40
4     as  17      34

```

11	s	17	34
9	o	9	18
3	ao	1	2
6	eo	1	2
8	i	1	2
10	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
9	o	49	98
5	e	47	94
1	-	38	76
7	es	20	40
11	s	19	38
4	as	18	36
3	ao	1	2
6	eo	1	2
8	i	1	2
10	os	1	2

[1] "fSg"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
3	e	47	94
1	-	21	42
6	o	7	14
4	es	6	12
8	s	2	4
5	i	1	2
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
6	o	49	98
3	e	47	94
1	-	34	68
8	s	8	16
4	es	6	12
5	i	1	2
7	os	1	2

[1] "fSgNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
3	e	32	64
1	-	16	32
4	es	1	2
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	49	98
3	e	33	66
1	-	17	34

```

4      es      2          4
6      os      1          2
7       s      1          2
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    50          100
3      e    32           64
1      -    16           32
4      es     5           10
6      s      2            4
5      i      1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    50          100
3      e    32           64
1      -    17           34
4      es     5           10
6      s      2            4
5      i      1            2
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a    50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a    50          100
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o    49           98
1      -    30           60
7      s     8           16
2      e     3            6
3      es     1            2
4      i     1            2
6      os     1            2
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o    49           98
2      os     1            2
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    47           94
1      -    16           32
3      es     6           12

```

```

4      i      1          2
5      s      1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     47          94
1      -     17          34
3      es      6          12
4      i      1          2
5      s      1          2
[1] "f3SgNom"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     32          64
1      -     16          32
3      es      1           2
4      s      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     32          64
1      -     17          34
3      es      1           2
4      s      1           2
[1] "f4Sg"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      o     49          98
1      -     31          62
7      s      7          14
2      e      2           4
3      es      2           4
4      i      1           2
6      os      1           2
[1] "f4SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o     49          98
2      os      1           2
[1] "f5Sg"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     46          92
3      es      5          10
1      -      4           8
4      i      1           2
5      s      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     46          92

```

```

1      -    14          28
3      es    6          12
4      i     1           2
5      s     1           2
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    33           66
1      -    14           28
3      es     2            4
4      s     1            2
[1] "n"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
7      o    50          100
1      -    39           78
4      e    29           58
8      s    17           34
2      a    13           26
5      es    11           22
3      as     7           14
6      i     2            4
[1] "All Endings Included"
      Suffix freq Percent_Trials
7      o    50          100
1      -    39           78
4      e    31           62
9      s    17           34
2      a    13           26
5      es    11           22
3      as     7           14
6      i     2            4
8      os     1            2
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
5      o    50          100
1      -    36           72
2      e    29           58
6      s     8           16
3      es     5           10
4      i     2            4
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      o    50          100
1      -    36           72
2      e    29           58
7      s     8           16
3      es     5           10
4      i     2            4
6      os     1            2

```



```

[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   50           100
1      -   28           56
2      e   21           42
4      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      o   50           100
1      -   29           58
2      e   21           42
4     os    1            2
5      s    1            2
[1] "n2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      o   50           100
1      -   30           60
6      s    8           16
2      e    4            8
3     es    2            4
4      i    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o   50           100
1      -   30           60
6      s    8           16
2      e    4            8
3     es    2            4
4      i    2            4
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50           100
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   29           58
2      e   29           58
3     es    5           10
4      i    2            4
5      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29           58
2      e   29           58
3     es    5           10
4      i    2            4
5      s    1            2
[1] "n3SgNom"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   28             56
2       e   21             42
3       s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29             58
2       e   21             42
3       s    1              2
[1] "n4Sg"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5       o   49             98
1      -   29             58
7       s    7             14
2       e    5             10
3      es    3              6
4       i    2              4
6      os    1              2
[1] "n4SgNom"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       o   49             98
2      os    1              2
[1] "Acc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   50            100
6       o   50            100
4       e   48             96
1      -   36             72
5      es   20             40
3      as   19             38
8       s   19             38
7      os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   50            100
6       o   50            100
4       e   48             96
1      -   38             76
5      es   20             40
3      as   19             38
8       s   19             38
7      os    1              2
[1] "AccSg"
[1] "Endings occurring 10 times or less excluded"

```

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	50	100
3	e	48	96
1	-	27	54
4	es	1	2
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
5	o	50	100
3	e	48	96
1	-	29	58
4	es	2	4
6	os	1	2
7	s	1	2

[1] "1SgAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
1	-	3	6
3	s	1	2

[1] "2SgAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	50	100

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	o	50	100
2	os	1	2

[1] "3SgAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	48	96
1	-	27	54
3	es	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	48	96
1	-	27	54
3	es	1	2

[1] "4SgAcc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	o	49	98
2	os	1	2

[1] "5SgAcc"

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   46             92
1      -    2              4
3     es    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   47             94
1      -    2              4
3     es    2              4
[1] "mSgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      o   50            100
2      e   48             96
1      -    2              4
4     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      o   50            100
3      e   48             96
2      a   46             92
1      -    5             10
4     es    1              2
6     os    1              2
7      s    1              2
[1] "m1SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   46             92
1      -    3              6
3      s    1              2
[1] "m2SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      o   50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   50            100
[1] "m3SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   48             96
1      -    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   48             96
1      -    2              4
[1] "m4SgAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials

```

```

1      o   49      98
2     os    1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o   49      98
2     os    1       2
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e   47      94
1      -    2       4
3     es    1       2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a   50     100
3      e   47      94
1      -    2       4
4     es    1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a   50     100
5      o   49      98
3      e   47      94
1      -    3       6
4     es    2       4
6     os    1       2
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      a   50     100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      a   50     100
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o   49      98
2     os    1       2
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e   47      94
1      -    2       4
3     es    1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e   47      94

```

```

1      -      3      6
3      es     1      2
[1] "f4SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o     49           98
2      os     1            2
[1] "f5SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     46           92
1      -      2            4
3      es     2            4
[1] "nSgAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o     50          100
1      -     27           54
2      e     23           46
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o     50          100
1      -     27           54
2      e     23           46
4      os     1            2
[1] "n2SgAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o     50          100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o     50          100
[1] "n3SgAcc"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     27           54
2      e     23           46
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     27           54
2      e     23           46
[1] "n4SgAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o     49           98

```

```

2      os      1          2
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e      40          80
1      -      31          62
6      es      17          34
10     s      17          34
8      o       8          16
7      i       2           4
2      a       1           2
3      as      1           2
5      eo      1           2
9      os      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e      40          80
1      -      32          64
6      es      17          34
10     s      17          34
8      o       8          16
7      i       2           4
2      a       1           2
3      as      1           2
5      eo      1           2
9      os      1           2
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      40          80
1      -      31          62
7      s       8          16
5      o       7          14
3      es      5          10
4      i       2           4
6      os      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      40          80
1      -      32          64
7      s       8          16
5      o       7          14
3      es      5          10
4      i       2           4
6      os      1           2
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      26          52
1      -      16          32
3      es      5          10
5      s       2           4
4      i       1           2
[1] "All Endings Included"

```

	Suffix	freq	Percent_Trials
2	e	26	52
1	-	17	34
3	es	5	10
5	s	2	4
4	i	1	2

[1] "2SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	8	16
5	o	6	12
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
7	s	8	16
5	o	6	12
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "3SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	40	80
1	-	22	44
3	es	5	10
4	i	2	4
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	40	80
1	-	22	44
3	es	5	10
4	i	2	4
5	s	1	2

[1] "4SgGen"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
7	s	7	14



```

5      o      6      12
2      e      5      10
3     es      3      6
4      i      2      4
6     os      1      2
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    40           80
3     es     5           10
1      -     3           6
4      i     1           2
5      s     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    40           80
3     es     5           10
1      -     3           6
4      i     1           2
5      s     1           2
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    40           80
1      -    30           60
7      s     8           16
5      o     7           14
3     es     5           10
4      i     2           4
6     os     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    40           80
1      -    30           60
7      s     8           16
5      o     7           14
3     es     5           10
4      i     2           4
6     os     1           2
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    26           52
1      -    16           32
3     es     5           10
5      s     2           4
4      i     1           2
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    29           58

```

```

7      s      8      16
5      o      6      12
2      e      4      8
3     es      2      4
4      i      2      4
6     os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    29           58
7      s      8           16
5      o      6           12
2      e      4           8
3     es      2           4
4      i      2           4
6     os      1           2
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    40           80
3     es      5           10
1      -      3           6
4      i      1           2
5      s      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    40           80
3     es      5           10
1      -      3           6
4      i      1           2
5      s      1           2
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    30           60
7      s      7           14
5      o      6           12
2      e      2           4
3     es      2           4
4      i      2           4
6     os      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    30           60
7      s      7           14
5      o      6           12
2      e      2           4
3     es      2           4
4      i      2           4
6     os      1           2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"

```

```

      Suffix freq Percent_Trials
2      e    40          80
3     es     5          10
1      -     3           6
4      i     1           2
5      s     1           2
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    40          80
1      -    17          34
3     es     5          10
5      s     2           4
4      i     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    40          80
1      -    31          62
7      s     8          16
5      o     7          14
3     es     5          10
4      i     1           2
6     os     1           2
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    26          52
1      -    16          32
3     es     5          10
5      s     2           4
4      i     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    26          52
1      -    17          34
3     es     5          10
5      s     2           4
4      i     1           2
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    30          60
7      s     8          16
5      o     6          12
2      e     3           6
3     es     1           2
4      i     1           2
6     os     1           2
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```

```

2      e    40          80
3      es    5          10
1      -     3           6
4      i     1           2
5      s     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    40          80
3      es    5          10
1      -     4           8
4      i     1           2
5      s     1           2
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    31          62
7      s     7          14
5      o     6          12
2      e     2           4
3      es    2           4
4      i     1           2
6      os    1           2
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    40          80
3      es    5          10
1      -     3           6
4      i     1           2
5      s     1           2
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    31          62
2      e    20          40
6      s     8          16
3      es    5          10
5      o     4           8
4      i     2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    31          62
2      e    20          40
6      s     8          16
3      es    5          10
5      o     4           8
4      i     2           4
[1] "n2SgGen"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   30             60
6      s    8             16
2      e    4              8
5      o    4              8
3     es    2              4
4      i    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30             60
6      s    8             16
2      e    4              8
5      o    4              8
3     es    2              4
4      i    2              4
[1] "n3SgGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   22             44
2      e   20             40
3     es    5             10
4      i    2              4
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22             44
2      e   20             40
3     es    5             10
4      i    2              4
5      s    1              2
[1] "n4SgGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29             58
6      s    7             14
2      e    5             10
5      o    4              8
3     es    3              6
4      i    2              4
[1] "Dat"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e   42             84
1      -   31             62
6     es   18             36
10     s   17             34
8      o    8             16
7      i    2              4
2      a    1              2
3     as    1              2

```

```

5      eo      1          2
9      os      1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e     42          84
1      -     32          64
6      es     18          36
10     s     17          34
8      o      8          16
7      i      2           4
2      a      1           2
3      as     1           2
5      eo     1           2
9      os     1           2
[1] "DatSg"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     42          84
1      -     31          62
7      s      8          16
5      o      7          14
3      es     6          12
4      i      2           4
6      os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     42          84
1      -     32          64
7      s      8          16
5      o      7          14
3      es     6          12
4      i      2           4
6      os     1           2
[1] "1SgDat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     32          64
1      -     11          22
3      es     5          10
5      s      2           4
4      i      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     32          64
1      -     11          22
3      es     5          10
5      s      2           4
4      i      1           2
[1] "2SgDat"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     30          60
7      s      8          16
5      o      6          12

```

2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
7	s	8	16
5	o	6	12
2	e	4	8
3	es	2	4
4	i	2	4
6	os	1	2

[1] "3SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	15	30
3	es	6	12
4	i	2	4
5	s	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	42	84
1	-	15	30
3	es	6	12
4	i	2	4
5	s	1	2

[1] "4SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	30	60
7	s	7	14
5	o	6	12
2	e	2	4
3	es	2	4
4	i	2	4
6	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
5	o	7	14
7	s	7	14
2	e	4	8
3	es	3	6
4	i	2	4
6	os	1	2

[1] "5SgDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	42	84
3	es	6	12
1	-	1	2
4	i	1	2

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  42             84
3     es   6             12
1      -   1              2
4      i   1              2
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e  42             84
1      -  30             60
7      s   8             16
5      o   7             14
3     es   6             12
4      i   2              4
6     os   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  42             84
1      -  30             60
7      s   8             16
5      o   7             14
3     es   6             12
4      i   2              4
6     os   1              2
[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e  32             64
1      -  10             20
3     es   5             10
5      s   2              4
4      i   1              2
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -  29             58
7      s   8             16
5      o   6             12
2      e   4              8
3     es   2              4
4      i   2              4
6     os   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -  29             58
7      s   8             16
5      o   6             12
2      e   4              8
3     es   2              4
4      i   2              4

```



```

6      os      1          2
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     42          84
3     es      6          12
1      -      1           2
4      i      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     42          84
3     es      6          12
1      -      1           2
4      i      1           2
[1] "m4SgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     30          60
7      s      7          14
5      o      6          12
2      e      2           4
3     es      2           4
4      i      2           4
6     os      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     30          60
5      o      7          14
7      s      7          14
2      e      2           4
3     es      2           4
4      i      2           4
6     os      1           2
[1] "m5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     42          84
3     es      6          12
1      -      1           2
4      i      1           2
[1] "fSgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     42          84
1      -     11          22
3     es      6          12
5      s      2           4
4      i      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     42          84

```

```

1      -    31          62
7      s     8          16
5      o     7          14
3      es    6          12
4      i     1           2
6      os    1           2
[1] "f1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   32           64
1      -   11           22
3      es    5           10
5      s     2            4
4      i     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   32           64
1      -   11           22
3      es    5           10
5      s     2            4
4      i     1            2
[1] "f2SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   30           60
7      s     8           16
5      o     6           12
2      e     3            6
3      es    1            2
4      i     1            2
6      os    1            2
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   42           84
3      es    6           12
1      -     1            2
4      i     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   42           84
3      es    6           12
1      -     1            2
4      i     1            2
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   31           62

```

```

7      s      7      14
5      o      6      12
2      e      2      4
3     es      2      4
4      i      1      2
6     os      1      2
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    42          84
3     es     6          12
1      -     1           2
4      i     1           2
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    31          62
2      e    27          54
6      s     8          16
3     es     5          10
5      o     4           8
4      i     2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    31          62
2      e    27          54
6      s     8          16
3     es     5          10
5      o     5          10
4      i     2           4
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    30          60
6      s     8          16
2      e     4           8
5      o     4           8
3     es     2           4
4      i     2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    30          60
6      s     8          16
2      e     4           8
5      o     4           8
3     es     2           4
4      i     2           4
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    27          54

```

```

1      -    15          30
3      es    5          10
4      i     2           4
5      s     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    27          54
1      -    15          30
3      es    5          10
4      i     2           4
5      s     1           2
[1] "n4SgDat"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    29          58
6      s     7          14
5      o     5          10
2      e     4           8
3      es    3           6
4      i     2           4
[1] "Abl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
8      o    50          100
5      e    48           96
2      a    44           88
1      -    37           74
7      es   19           38
10     s    18           36
4      as   16           32
3      ao    1            2
6      eo    1            2
9      os    1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
8      o    50          100
5      e    48           96
2      a    44           88
1      -    37           74
7      es   19           38
10     s    18           36
4      as   16           32
3      ao    1            2
6      eo    1            2
9      os    1            2
[1] "AblSg"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
5      o    50          100
3      e    48           96
2      a    44           88

```

1	-	28	56
4	es	1	2
6	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
5	o	50	100
3	e	48	96
2	a	44	88
1	-	30	60
4	es	2	4
6	os	1	2
7	s	1	2
[1] "1SgAbl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	44	88
1	-	5	10
3	e	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	44	88
1	-	8	16
3	e	1	2
4	s	1	2
[1] "2SgAbl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	o	50	100
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	o	50	100
2	os	1	2
[1] "3SgAbl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	48	96
1	-	26	52
3	es	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	48	96
1	-	26	52
3	es	1	2
[1] "4SgAbl"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
1	o	49	98
2	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	o	49	98
2	os	1	2
[1] "5SgAbl"			
[1] "Endings occurring 10 times or less excluded"			

```

      Suffix freq Percent_Trials
2      e    46          92
1      -     2           4
3     es     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    47          94
1      -     2           4
3     es     2           4
[1] "mSgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o    50         100
2      e    48          96
1      -     2           4
4     os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      o    50         100
3      e    48          96
2      a    41          82
1      -     9          18
4     es     1           2
6     os     1           2
7      s     1           2
[1] "m1SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a    41          82
1      -     8          16
3      e     1           2
4      s     1           2
[1] "m2SgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o    50         100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o    50         100
[1] "m3SgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e    48          96
1      -     2           4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    48          96
1      -     2           4
[1] "m4SgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```

```

1      o      49      98
2      os     1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      49      98
2      os     1      2
[1] "m5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      47      94
1      -       2       4
3      es     1      2
[1] "fSgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e      47      94
2      a      44      88
1      -       6      12
4      es     1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      o      49      98
3      e      47      94
2      a      44      88
1      -       7      14
4      es     2       4
6      os     1      2
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      44      88
1      -       5      10
3      e       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      44      88
1      -       5      10
3      e       1       2
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      49      98
2      os     1      2
[1] "f3SgAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e      47      94
1      -       2       4

```

```

3      es      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      47      94
1      -       3       6
3      es      1      2
[1] "f4SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      49      98
2      os      1       2
[1] "f5SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      46      92
1      -       2       4
3      es      2       4
[1] "nSgAbl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
3      o      50      100
1      -      26      52
2      e      24      48
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      o      50      100
1      -      26      52
2      e      24      48
4      os      1       2
[1] "n2SgAbl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      o      50      100
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      o      50      100
[1] "n3SgAbl"
[1] "Endings occurring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      26      52
2      e      24      48
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      26      52
2      e      24      48
[1] "n4SgAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials

```



```

<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      o   49             98
2     os    1              2
[1] "P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   35             70
5      e   30             60
1      -   28             56
7     es   20             40
4     as   19             38
11     s   19             38
9      o    7             14
3     ao    1              2
6     eo    1              2
8      i    1              2
10    os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   35             70
5      e   31             62
1      -   29             58
7     es   20             40
4     as   19             38
11     s   19             38
9      o    8             16
10    os    2              4
3     ao    1              2
6     eo    1              2
8      i    1              2
[1] "P1Nom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   35             70
4      e   29             58
1      -   26             52
5     es   20             40
3     as   19             38
8      s   19             38
6      o    6             12
7     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   35             70
4      e   31             62
1      -   28             56
5     es   20             40
3     as   19             38
8      s   19             38
6      o    6             12
7     os    2              4
[1] "1P1Nom,Acc"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   30             60
3     as   17             34
4      s    2              4
1      -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   31             62
3     as   19             38
4      s    2              4
1      -    1              2
[1] "2PlNom,Acc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   25             50
8      s   18             36
2      a   13             26
3     as    6             12
6      o    6             12
4      e    2              4
5     es    2              4
7     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26             52
8      s   18             36
2      a   13             26
3     as    6             12
6      o    6             12
4      e    2              4
5     es    2              4
7     os    2              4
[1] "3PlNom,Acc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e   29             58
5     es   20             40
1      -   15             30
6      s   11             22
2      a    8             16
3     as    5             10
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   29             58
5     es   20             40
1      -   15             30
6      s   11             22
2      a    8             16
3     as    5             10
[1] "4PlNom,Acc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24             48

```

6	s	18	36
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
1	-	26	52
6	s	19	38
4	o	6	12
2	e	4	8
3	es	2	4
5	os	1	2
[1] "5PlNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	e	21	42
3	es	15	30
1	-	2	4
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	e	29	58
3	es	20	40
1	-	9	18
4	s	5	10
[1] "mPlNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
4	e	29	58
1	-	25	50
5	es	20	40
8	s	19	38
6	o	6	12
2	a	1	2
3	as	1	2
7	os	1	2
[1] "All Endings Included"			
Suffix freq Percent_Trials			
2	a	29	58
4	e	29	58
1	-	26	52
5	es	20	40
3	as	19	38
8	s	19	38
6	o	6	12
7	os	2	4
[1] "fPlNom,Acc"			
[1] "Endings occurring 10 times or less excluded"			
Suffix freq Percent_Trials			
2	a	30	60
4	e	28	56
5	es	20	40
3	as	17	34
1	-	9	18

6	s	8	16
---	---	---	----

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	32	64
4	e	29	58
1	-	26	52
5	es	20	40
8	s	19	38
3	as	18	36
6	o	5	10
7	os	1	2

[1] "nP1Nom,Acc"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	19	38
2	a	13	26
7	s	13	26
4	e	12	24
3	as	7	14
5	es	5	10
6	o	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
7	s	17	34
4	e	16	32
2	a	13	26
5	es	8	16
3	as	7	14
6	o	4	8

[1] "PlAcc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	34	68
5	e	30	60
1	-	26	52
7	es	20	40
4	as	19	38
10	s	19	38
8	o	7	14
3	ao	1	2
6	eo	1	2
9	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	34	68
5	e	30	60
1	-	28	56
7	es	20	40
4	as	19	38
10	s	19	38
8	o	8	16
3	ao	1	2
6	eo	1	2

```

9      os      1          2
[1] "1PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      31          62
4     as      17          34
1      -       4           8
6      s       4           8
3     ao       1           2
5      e       1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      31          62
4     as      18          36
1      -       4           8
6      s       4           8
3     ao       1           2
5      e       1           2
[1] "2PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      25          50
8      s      18          36
2      a      12          24
6      o       7          14
3     as       6          12
4      e       2           4
5     es       2           4
7     os       1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      26          52
8      s      18          36
2      a      12          24
6      o       8          16
3     as       6          12
4      e       2           4
5     es       2           4
7     os       1           2
[1] "3PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e      29          58
6     es      20          40
1      -      14          28
2      a       8          16
8      s       7          14
3     as       5          10
5     eo       1           2
7      o       1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e      29          58
6     es      20          40

```

1	-	14	28
2	a	8	16
8	s	7	14
3	as	5	10
5	eo	1	2
7	o	1	2

[1] "4PlAcc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	18	36
4	o	7	14
2	e	1	2
3	es	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
6	s	19	38
4	o	7	14
2	e	3	6
3	es	2	4
5	os	1	2

[1] "5PlAcc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	29	58
3	es	18	36
1	-	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	20	40
1	-	2	4
3	eo	1	2

[1] "mPlAcc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
1	-	25	50
6	es	20	40
9	s	19	38
7	o	7	14
2	a	1	2
3	as	1	2
5	eo	1	2
8	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	30	60
5	e	29	58
1	-	26	52
7	es	20	40
10	s	19	38

4	as	18	36
8	o	8	16
3	ao	1	2
6	eo	1	2
9	os	1	2

[1] "fPlAcc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	31	62
5	e	29	58
7	es	20	40
4	as	17	34
1	-	5	10
8	s	4	8
3	ao	1	2
6	eo	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	32	64
5	e	30	60
1	-	26	52
7	es	20	40
10	s	19	38
4	as	17	34
8	o	6	12
3	ao	1	2
6	eo	1	2
9	os	1	2

[1] "nPlAcc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	21	42
7	s	14	28
4	e	13	26
2	a	12	24
3	as	7	14
5	es	7	14
6	o	3	6

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	27	54
7	s	17	34
4	e	15	30
2	a	12	24
5	es	9	18
3	as	7	14
6	o	5	10

[1] "PlNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	35	70
5	e	30	60
1	-	27	54
7	es	20	40

4	as	19	38
10	s	19	38
8	o	7	14
3	ao	1	2
6	eo	1	2
9	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	35	70
5	e	31	62
1	-	28	56
7	es	20	40
4	as	19	38
10	s	19	38
8	o	8	16
9	os	2	4
3	ao	1	2
6	eo	1	2

[1] "1PlNom,Acc,Abl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	31	62
4	as	17	34
1	-	4	8
6	s	4	8
3	ao	1	2
5	e	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	31	62
4	as	19	38
1	-	4	8
6	s	4	8
3	ao	1	2
5	e	1	2

[1] "2PlNom,Acc,Abl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	25	50
8	s	18	36
2	a	13	26
6	o	7	14
3	as	6	12
4	e	2	4
5	es	2	4
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
8	s	18	36
2	a	13	26
6	o	8	16
3	as	6	12
4	e	2	4



5	es	2	4
7	os	2	4
[1] "3PlNom,Acc,Abl"			
[1] "Endings occuring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
4	e	29	58
6	es	20	40
1	-	15	30
8	s	11	22
2	a	8	16
3	as	5	10
5	eo	1	2
7	o	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
4	e	29	58
6	es	20	40
1	-	15	30
8	s	11	22
2	a	8	16
3	as	5	10
5	eo	1	2
7	o	1	2
[1] "4PlNom,Acc,Abl"			
[1] "Endings occuring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
1	-	25	50
6	s	18	36
4	o	7	14
2	e	1	2
3	es	1	2
5	os	1	2
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
1	-	26	52
6	s	19	38
4	o	7	14
2	e	4	8
3	es	2	4
5	os	1	2
[1] "5PlNom,Acc,Abl"			
[1] "Endings occuring 10 times or less excluded"			
	Suffix	freq	Percent_Trials
2	e	29	58
3	es	19	38
1	-	2	4
[1] "All Endings Included"			
	Suffix	freq	Percent_Trials
2	e	29	58
4	es	20	40
1	-	9	18
5	s	5	10
3	eo	1	2
[1] "mPlNom,Acc,Abl"			

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
1	-	25	50
6	es	20	40
9	s	19	38
7	o	7	14
2	a	1	2
3	as	1	2
5	eo	1	2
8	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	30	60
5	e	29	58
1	-	26	52
7	es	20	40
4	as	19	38
10	s	19	38
8	o	8	16
9	os	2	4
3	ao	1	2
6	eo	1	2

[1] "fPlNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	31	62
5	e	29	58
7	es	20	40
4	as	17	34
1	-	10	20
8	s	9	18
3	ao	1	2
6	eo	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	32	64
5	e	30	60
1	-	26	52
7	es	20	40
10	s	19	38
4	as	18	36
8	o	6	12
3	ao	1	2
6	eo	1	2
9	os	1	2

[1] "nPlNom,Acc,Abl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	21	42
7	s	14	28
2	a	13	26
4	e	13	26
5	es	8	16

```

3      as      7      14
6      o      3      6
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      27      54
7      s      17      34
4      e      16      32
2      a      13      26
5      es      9      18
3      as      7      14
6      o      5      10
[1] "PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
4      e      29      58
1      -      22      44
6      es      18      36
9      s      17      34
8      o      3      6
2      a      1      2
3      as      1      2
5      eo      1      2
7      i      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
4      e      29      58
1      -      22      44
6      es      18      36
9      s      17      34
8      o      3      6
2      a      1      2
3      as      1      2
5      eo      1      2
7      i      1      2
[1] "1PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e      22      44
5      es      13      26
1      -      11      22
7      s      7      14
2      a      1      2
4      eo      1      2
6      i      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e      22      44
5      es      13      26
1      -      12      24
7      s      7      14
2      a      1      2
4      eo      1      2
6      i      1      2
[1] "2PlGen,Dat"

```

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	17	34
3	e	6	12
4	es	4	8
6	o	3	6
2	as	1	2
5	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	17	34
3	e	7	14
4	es	5	10
6	o	3	6
2	as	1	2
5	i	1	2

[1] "3PlGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	16	32
7	s	8	16
3	eo	1	2
5	i	1	2
6	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	16	32
7	s	8	16
3	eo	1	2
5	i	1	2
6	o	1	2

[1] "4PlGen,Dat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	21	42
6	s	16	32
2	e	7	14
3	es	5	10
5	o	3	6
4	i	1	2

```

[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28           56
4     es   16           32
1      -    2            4
3     eo    1            2
5      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   29           58
4     es   17           34
1      -    3            6
3     eo    1            2
5      i    1            2
6      s    1            2
[1] "mPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28           56
1      -   20           40
4     es   18           36
7      s   17           34
6      o    3            6
3     eo    1            2
5      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   29           58
1      -   21           42
5     es   18           36
8      s   17           34
7      o    3            6
2      a    1            2
4     eo    1            2
6      i    1            2
[1] "fPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   29           58
5     es   18           36
1      -   12           24
7      s    7           14
2      a    1            2
4     eo    1            2
6      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   29           58
1      -   21           42
5     es   18           36
8      s   17           34
7      o    3            6
2      a    1            2

```

```

4      eo      1          2
6      i      1          2
[1] "nP1Gen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    22          44
3      e    19          38
7      s    16          32
4      es    11          22
6      o     2           4
2      as     1           2
5      i     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    22          44
3      e    20          40
7      s    16          32
4      es    11          22
6      o     2           4
2      as     1           2
5      i     1           2
[1] "NomP1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    35          70
1      -    26          52
4      e    21          42
3      as    19          38
8      s    19          38
5      es    14          28
6      o     5          10
7      os     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    35          70
1      -    27          54
4      e    22          44
3      as    19          38
8      s    19          38
5      es    15          30
6      o     5          10
7      os     2           4
[1] "1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    31          62
5      e    22          44
4      as    17          34
7      es    13          26
1      -    11          22
9      s     7          14
3      ao     1           2
6      eo     1           2
8      i     1           2

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   31             62
5      e   22             44
4     as   19             38
7     es   13             26
1      -   12             24
9      s    7             14
3     ao    1              2
6     eo    1              2
8      i    1              2
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   30             60
3     as   17             34
4      s    2              4
1      -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   31             62
3     as   19             38
4      s    2              4
1      -    1              2
[1] "2Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   26             52
9      s   19             38
2      a   13             26
3     as    7             14
7      o    7             14
4      e    6             12
5     es    4              8
6      i    1              2
8     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27             54
9      s   19             38
2      a   13             26
7      o    8             16
3     as    7             14
4      e    7             14
5     es    5             10
8     os    2              4
6      i    1              2
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24             48
8      s   18             36
2      a   13             26
3     as    5             10

```

6	o	4	8
4	e	2	4
5	es	2	4
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	25	50
8	s	18	36
2	a	13	26
3	as	5	10
6	o	4	8
4	e	2	4
5	es	2	4
7	os	2	4

[1] "3Pl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
6	es	20	40
1	-	17	34
9	s	11	22
2	a	8	16
3	as	5	10
5	eo	1	2
7	i	1	2
8	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	29	58
6	es	20	40
1	-	17	34
9	s	11	22
2	a	8	16
3	as	5	10
5	eo	1	2
7	i	1	2
8	o	1	2

[1] "3PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	21	42
1	-	15	30
5	es	14	28
6	s	11	22
2	a	8	16
3	as	5	10

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	21	42
1	-	15	30
5	es	14	28
6	s	11	22
2	a	8	16
3	as	5	10



```

[1] "4Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   26           52
7      s   18           36
5      o    7           14
2      e    6           12
3     es    5           10
4      i    1            2
6     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27           54
7      s   19           38
2      e    8           16
5      o    7           14
3     es    5           10
4      i    1            2
6     os    1            2
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24           48
6      s   18           36
4      o    5           10
2      e    1            2
3     es    1            2
5     os    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26           52
6      s   19           38
4      o    5           10
2      e    4            8
3     es    2            4
5     os    1            2
[1] "5Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   30           60
4     es   19           38
1      -    3            6
3     eo    1            2
5      i    1            2
6      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   30           60
4     es   20           40
1      -    9           18
6      s    5           10
3     eo    1            2
5      i    1            2
[1] "5PlNom"

```

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	15	30
1	-	9	18
4	s	5	10

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	15	30
1	-	9	18
4	s	5	10

[1] "mPl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
1	-	26	52
6	es	20	40
10	s	19	38
8	o	7	14
2	a	1	2
3	as	1	2
5	eo	1	2
7	i	1	2
9	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	30	60
5	e	30	60
1	-	27	54
7	es	20	40
4	as	19	38
11	s	19	38
9	o	8	16
10	os	2	4
3	ao	1	2
6	eo	1	2
8	i	1	2

[1] "mPlNom"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	25	50
4	e	21	42
8	s	19	38
5	es	14	28
6	o	5	10
2	a	1	2
3	as	1	2
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	28	56
1	-	25	50
4	e	21	42

```

3      as  19      38
8       s  19      38
5      es  15      30
6       o   5      10
7      os   2       4
[1] "m1Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2       a   30          60
5       e   22          44
4      as   19          38
7      es   13          26
1       -   11          22
9       s    7          14
3      ao    1           2
6      eo    1           2
8       i    1           2
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2       a   28          56
3      as   19          38
4       s    2           4
1       -    1           2
[1] "m2Pl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1       -   24          48
9       s   19          38
7       o    7          14
4       e    6          12
5      es    4           8
2       a    1           2
3      as    1           2
6       i    1           2
8      os    1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1       -   25          50
9       s   19          38
7       o    8          16
4       e    6          12
5      es    4           8
8      os    2           4
2       a    1           2
3      as    1           2
6       i    1           2
[1] "m2PlNom"

```

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	23	46
8	s	18	36
6	o	4	8
4	e	2	4
5	es	2	4
2	a	1	2
3	as	1	2
7	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	24	48
8	s	18	36
6	o	4	8
4	e	2	4
5	es	2	4
7	os	2	4
2	a	1	2
3	as	1	2

[1] "m3Pl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	20	40
1	-	10	20
6	s	6	12
3	eo	1	2
5	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	20	40
1	-	10	20
6	s	6	12
3	eo	1	2
5	i	1	2

[1] "m3PlNom"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	14	28
1	-	10	20
4	s	6	12

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	21	42
3	es	14	28
1	-	10	20
4	s	6	12

[1] "m4Pl"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	25	50

```

7      s    18          36
5      o     7          14
2      e     6          12
3     es     5          10
4      i     1           2
6     os     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    25           50
7      s    19           38
5      o     7           14
2      e     6           12
3     es     5           10
4      i     1            2
6     os     1            2
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    24           48
6      s    18           36
4      o     5           10
2      e     1            2
3     es     1            2
5     os     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    24           48
6      s    19           38
4      o     5           10
2      e     1            2
3     es     1            2
5     os     1            2
[1] "m5Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    30           60
4     es    20           40
1      -     9           18
6      s     5           10
3     eo     1            2
5      i     1            2
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    21           42
3     es    15           30
1      -     9           18
4      s     5           10

```

```

[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    31           62
5      e    30           60
1      -    21           42
7     es    20           40
4     as    17           34
10     s    17           34
9      o     2            4
3     ao     1            2
6     eo     1            2
8      i     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    32           64
5      e    30           60
1      -    27           54
7     es    20           40
11     s    19           38
4     as    18           36
9      o     6           12
3     ao     1            2
6     eo     1            2
8      i     1            2
10     os     1            2
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    30           60
4      e    21           42
3     as    17           34
5     es    14           28
1      -     9           18
6      s     8           16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    32           64
1      -    26           52
4      e    21           42
8      s    19           38
3     as    18           36
5     es    15           30
6      o     4            8
7     os     1            2
[1] "f1Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    31           62
5      e    22           44
4     as    17           34
7     es    13           26
1      -    11           22
9      s     7           14

```

```

3      ao      1          2
6      eo      1          2
8      i       1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     31          62
5      e     22          44
4      as     18          36
7      es     13          26
1      -     12          24
9      s       7          14
3      ao      1          2
6      eo      1          2
8      i       1          2
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     30          60
3      as     17          34
4      s       2           4
1      -       1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a     31          62
3      as     18          36
4      s       2           4
1      -       1           2
[1] "f2Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     24          48
9      s     19          38
4      e       7          14
5      es      5          10
7      o       5          10
2      a       3           6
3      as      1           2
6      i       1           2
8      os      1           2
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     22          44
8      s     18          36
2      a       3           6
6      o       3           6
3      as      1           2
4      e       1           2

```

```

5     es    1          2
7     os    1          2
[1] "f3Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   29          58
4     es   20          40
1      -    9          18
6      s    6          12
3     eo    1           2
5      i    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   29          58
4     es   20          40
1      -    9          18
6      s    6          12
3     eo    1           2
5      i    1           2
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   21          42
3     es   14          28
1      -    9          18
4      s    6          12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   21          42
3     es   14          28
1      -    9          18
4      s    6          12
[1] "f4Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26          52
7      s   18          36
2      e    7          14
5      o    6          12
3     es    5          10
4      i    1           2
6     os    1           2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25          50
6      s   18          36
4      o    4           8

```



```

2      e      1      2
3      es     1      2
5      os     1      2
[1] "f5Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    30          60
4      es   19          38
1      -     3           6
3      eo     1           2
5      i      1           2
6      s      1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    30          60
4      es   20          40
1      -     9          18
6      s      5          10
3      eo     1           2
5      i      1           2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    21          42
3      es   15          30
1      -     9          18
4      s      5          10
[1] "nP1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    26          52
4      e    19          38
8      s    17          34
2      a    13          26
5      es   11          22
3      as     7          14
7      o     4           8
6      i      1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    28          56
4      e    21          42
8      s    17          34
2      a    13          26
5      es   11          22
3      as     7          14
7      o     5          10
6      i      1           2
[1] "nP1Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials

```

1	-	19	38
2	a	13	26
7	s	13	26
4	e	12	24
3	as	7	14
5	es	4	8
6	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
7	s	17	34
4	e	16	32
2	a	13	26
3	as	7	14
5	es	6	12
6	o	3	6

[1] "n2Pl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	26	52
8	s	17	34
2	a	13	26
3	as	7	14
4	e	5	10
7	o	4	8
5	es	3	6
6	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
8	s	17	34
2	a	13	26
3	as	7	14
4	e	5	10
5	es	4	8
7	o	4	8
6	i	1	2

[1] "n2PlNom"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	17	34
2	a	13	26
6	s	13	26
3	as	5	10
4	e	1	2
5	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	17	34
2	a	13	26
6	s	13	26
3	as	5	10
4	e	1	2
5	o	1	2

```

[1] "n3Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e   19           38
1      -   17           34
5     es   11           22
8      s   10           20
2      a    8           16
3     as    5           10
6      i    1            2
7      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   19           38
1      -   17           34
5     es   11           22
8      s   10           20
2      a    8           16
3     as    5           10
6      i    1            2
7      o    1            2
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   13           26
4      e   12           24
2      a    8           16
6      s    8           16
3     as    5           10
5     es    4            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   13           26
4      e   12           24
2      a    8           16
6      s    8           16
3     as    5           10
5     es    5           10
[1] "n4Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26           52
6      s   17           34
2      e    8           16
3     es    5           10
5      o    5           10
4      i    1            2
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26             52
5      s   17             34
2      e    4              8
4      o    3              6
3     es    1              2
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   34             68
4      e   29             58
1      -   26             52
5     es   20             40
3     as   19             38
8      s   19             38
6      o    6             12
7     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   34             68
4      e   30             60
1      -   28             56
5     es   20             40
3     as   19             38
8      s   19             38
6      o    6             12
7     os    1              2
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   30             60
3     as   17             34
4      s    2              4
1      -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   30             60
3     as   18             36
4      s    2              4
1      -    1              2
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   23             46
8      s   18             36
2      a   12             24
3     as    6             12
6      o    6             12
4      e    2              4
5     es    2              4
7     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials

```

1	-	25	50
8	s	18	36
2	a	12	24
3	as	6	12
6	o	6	12
4	e	2	4
5	es	2	4
7	os	1	2

[1] "3PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
5	es	20	40
1	-	13	26
2	a	8	16
6	s	7	14
3	as	5	10

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	29	58
5	es	20	40
1	-	13	26
2	a	8	16
6	s	7	14
3	as	5	10

[1] "4PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	23	46
6	s	18	36
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	25	50
6	s	19	38
4	o	6	12
2	e	3	6
3	es	2	4
5	os	1	2

[1] "5PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	28	56
3	es	19	38
1	-	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	29	58
3	es	20	40
1	-	2	4

[1] "mPlAcc"

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e   29             58
1      -   25             50
5     es   20             40
8      s   19             38
6      o    6             12
2      a    1              2
3     as    1              2
7     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   29             58
4      e   29             58
1      -   26             52
5     es   20             40
8      s   19             38
3     as   18             36
6      o    6             12
7     os    1              2
[1] "m1PlAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   29             58
3     as   18             36
4      s    2              4
1      -    1              2
[1] "m2PlAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   22             44
8      s   18             36
6      o    6             12
4      e    2              4
5     es    2              4
2      a    1              2
3     as    1              2
7     os    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   24             48
8      s   18             36
6      o    6             12
4      e    2              4
5     es    2              4
2      a    1              2
3     as    1              2
7     os    1              2
[1] "m3PlAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials

```

```

2      e      29      58
3      es     20      40
1      -       2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      29      58
3      es     20      40
1      -       2       4
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      23      46
6      s      18      36
4      o       6      12
2      e       1       2
3      es      1       2
5      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      23      46
6      s      19      38
4      o       6      12
2      e       1       2
3      es      1       2
5      os      1       2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      28      56
3      es     20      40
1      -       2       4
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      30      60
4      e      28      56
5      es     20      40
3      as     17      34
1      -       2       4
6      s       2       4
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      31      62
4      e      29      58
1      -      26      52
5      es     20      40
8      s      19      38
3      as     17      34
6      o       5      10
7      os      1       2
[1] "f1PlAcc"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   30             60
3     as   17             34
4      s    2              4
1      -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   30             60
3     as   17             34
4      s    2              4
1      -    1              2
[1] "f2PlAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   21             42
8      s   18             36
6      o    4              8
2      a    3              6
3     as    1              2
4      e    1              2
5     es    1              2
7     os    1              2
[1] "f3PlAcc"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28             56
3     es   20             40
1      -    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28             56
3     es   20             40
1      -    3              6
[1] "f4PlAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   24             48
6      s   18             36
4      o    5             10
2      e    1              2
3     es    1              2
5     os    1              2
[1] "f5PlAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"

```



	Suffix	freq	Percent_Trials
2	e	29	58
3	es	19	38
1	-	2	4

[1] "nPlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	19	38
7	s	13	26
2	a	12	24
4	e	12	24
3	as	7	14
5	es	5	10
6	o	2	4

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
7	s	17	34
4	e	15	30
2	a	12	24
3	as	7	14
5	es	7	14
6	o	4	8

[1] "n2PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	16	32
6	s	13	26
2	a	12	24
3	as	6	12
5	o	2	4
4	e	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	16	32
6	s	13	26
2	a	12	24
3	as	6	12
5	o	2	4
4	e	1	2

[1] "n3PlAcc"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	13	26
4	e	12	24
2	a	8	16
6	s	7	14
3	as	5	10
5	es	5	10

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	13	26
4	e	12	24
2	a	8	16

```

6      s      7      14
3      as     5      10
5      es     5      10
[1] "n4PlAcc"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25           50
5      s   17           34
4      o    4            8
2      e    3            6
3      es    2            4
[1] "GenPl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
4      e   27           54
1      -   22           44
6      es   17           34
9      s   17           34
8      o    3            6
2      a    1            2
3      as    1            2
5      eo    1            2
7      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   28           56
1      -   22           44
6      es   17           34
9      s   17           34
8      o    3            6
2      a    1            2
3      as    1            2
5      eo    1            2
7      i    1            2
[1] "1PlGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   18           36
1      -   11           22
5      es   11           22
7      s    7           14
2      a    1            2
4      eo    1            2
6      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   18           36
1      -   12           24
5      es   11           22
7      s    7           14
2      a    1            2

```

```

4      eo      1          2
6      i      1          2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    22           44
7      s    17           34
3      e     6           12
4     es     4            8
6      o     3            6
2     as     1            2
5      i     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    22           44
7      s    17           34
3      e     6           12
4     es     4            8
6      o     3            6
2     as     1            2
5      i     1            2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    27           54
4     es    17           34
1      -    16           32
7      s     8           16
3     eo     1            2
5      i     1            2
6      o     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    27           54
4     es    17           34
1      -    16           32
7      s     8           16
3     eo     1            2
5      i     1            2
6      o     1            2
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    20           40
6      s    16           32
2      e     6           12
3     es     5           10
5      o     2            4
4      i     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    21           42
6      s    16           32
2      e     7           14

```

```

3      es      5          10
5      o      3          6
4      i      1          2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    28          56
4      es   16          32
1      -     3           6
3      eo     1           2
5      i     1           2
6      s     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    28          56
4      es   16          32
1      -     3           6
3      eo     1           2
5      i     1           2
6      s     1           2
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    27          54
1      -    20          40
4      es   17          34
7      s    17          34
6      o     3           6
3      eo     1           2
5      i     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    28          56
1      -    21          42
5      es   17          34
8      s    17          34
7      o     3           6
2      a     1           2
4      eo     1           2
6      i     1           2
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    18          36
1      -    11          22
5      es   11          22
7      s     7          14
2      a     1           2
4      eo     1           2
6      i     1           2
[1] "m2PlGen"

```

```

[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   19             38
6      s   17             34
2      e    6             12
3     es    4              8
5      o    3              6
4      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   20             40
6      s   17             34
2      e    6             12
3     es    4              8
5      o    3              6
4      i    1              2
[1] "m3PlGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   27             54
4     es   17             34
1      -    3              6
3     eo    1              2
5      i    1              2
6      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   27             54
4     es   17             34
1      -    3              6
3     eo    1              2
5      i    1              2
6      s    1              2
[1] "m4PlGen"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   20             40
6      s   16             32
2      e    6             12
3     es    5             10
5      o    2              4
4      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   20             40
6      s   16             32
2      e    6             12
3     es    5             10
5      o    3              6
4      i    1              2
[1] "m5PlGen"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28             56
4     es   16             32
1      -    3              6
3     eo    1              2
5      i    1              2
6      s    1              2
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   27             54
5     es   17             34
1      -   12             24
7      s    7             14
2      a    1              2
4     eo    1              2
6      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   28             56
1      -   21             42
5     es   17             34
8      s   17             34
7      o    3              6
2      a    1              2
4     eo    1              2
6      i    1              2
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   18             36
1      -   11             22
5     es   11             22
7      s    7             14
2      a    1              2
4     eo    1              2
6      i    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   18             36
1      -   12             24
5     es   11             22
7      s    7             14
2      a    1              2
4     eo    1              2
6      i    1              2
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   19             38

```

```

6      s      17      34
2      e      6      12
3     es      4      8
5      o      3      6
4      i      1      2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    27      54
4     es    17      34
1      -     3       6
3     eo     1       2
5      i     1       2
6      s     1       2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    27      54
4     es    17      34
1      -     4       8
3     eo     1       2
5      i     1       2
6      s     1       2
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    20      40
6      s    16      32
2      e     7      14
3     es     5      10
5      o     2       4
4      i     1       2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    28      56
4     es    16      32
1      -     3       6
3     eo     1       2
5      i     1       2
6      s     1       2
[1] "nP1Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    22      44
3      e    16      32
7      s    16      32
4     es     8      16
6      o     2       4

```

```

2      as      1          2
5      i      1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    22          44
3      e    17          34
7      s    16          32
4      es     8          16
6      o     2           4
2      as     1           2
5      i     1           2
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    22          44
7      s    16          32
3      e     5          10
4      es     3           6
6      o     2           4
2      as     1           2
5      i     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    22          44
7      s    16          32
3      e     5          10
4      es     4           8
6      o     2           4
2      as     1           2
5      i     1           2
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    16          32
2      e    16          32
3      es     8          16
6      s     8          16
4      i     1           2
5      o     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    16          32
2      e    16          32
3      es     8          16
6      s     8          16
4      i     1           2
5      o     1           2
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    20          40

```



6	s	15	30
2	e	7	14
3	es	5	10
5	o	2	4
4	i	1	2

[1] "DatPl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	28	56
1	-	22	44
6	es	18	36
9	s	17	34
8	o	3	6
2	a	1	2
3	as	1	2
5	eo	1	2
7	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	29	58
1	-	22	44
6	es	18	36
9	s	17	34
8	o	3	6
2	a	1	2
3	as	1	2
5	eo	1	2
7	i	1	2

[1] "1PlDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	e	22	44
5	es	13	26
1	-	7	14
7	s	6	12
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	e	22	44
5	es	13	26
1	-	7	14
7	s	6	12
2	a	1	2
4	eo	1	2
6	i	1	2

[1] "2PlDat"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	17	34
3	e	6	12
4	es	4	8

6	o	3	6
2	as	1	2
5	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	22	44
7	s	17	34
3	e	7	14
4	es	5	10
6	o	3	6
2	as	1	2
5	i	1	2

[1] "3PlDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	13	26
7	s	5	10
3	eo	1	2
5	i	1	2
6	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	13	26
7	s	5	10
3	eo	1	2
5	i	1	2
6	o	1	2

[1] "4PlDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	20	40
6	s	16	32
2	e	6	12
3	es	5	10
5	o	2	4
4	i	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	21	42
6	s	16	32
2	e	7	14
3	es	5	10
5	o	3	6
4	i	1	2

[1] "5PlDat"

[1] "Endings occurring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	17	34
1	-	2	4

```

3      eo      1          2
5      i      1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     29          58
4     es     17          34
1      -      2           4
3      eo      1          2
5      i      1          2
[1] "mPlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     28          56
1      -     20          40
4     es     18          36
7      s     17          34
6      o      3           6
3      eo      1          2
5      i      1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     29          58
1      -     21          42
5     es     18          36
8      s     17          34
7      o      3           6
2      a      1           2
4      eo      1          2
6      i      1          2
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     22          44
5     es     13          26
1      -      7          14
7      s      5          10
2      a      1           2
4      eo      1          2
6      i      1          2
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -     19          38
6      s     17          34
2      e      6          12
3     es      4           8
5      o      3           6
4      i      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     19          38

```

```

6      s      17      34
2      e      6      12
3     es      4      8
5      o      3      6
4      i      1      2
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    28           56
4     es    18           36
1      -     2           4
3     eo     1           2
5      i     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    28           56
4     es    18           36
1      -     2           4
3     eo     1           2
5      i     1           2
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    20           40
6      s    16           32
2      e     6           12
3     es     5           10
5      o     2           4
4      i     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    20           40
6      s    16           32
2      e     6           12
3     es     5           10
5      o     3           6
4      i     1           2
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    29           58
4     es    17           34
1      -     2           4
3     eo     1           2
5      i     1           2
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e    28           56
5     es    18           36
1      -     7           14

```

```

7      s      6      12
2      a      1       2
4     eo      1       2
6      i      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     29          58
1      -     21          42
5     es     18          36
8      s     17          34
7      o      3           6
2      a      1           2
4     eo      1           2
6      i      1           2
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
3      e     22          44
5     es     13          26
1      -      7          14
7      s      6          12
2      a      1           2
4     eo      1           2
6      i      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
3      e     22          44
5     es     13          26
1      -      7          14
7      s      6          12
2      a      1           2
4     eo      1           2
6      i      1           2
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     18          36
6      s     16          32
2      e      7          14
3     es      5          10
5      o      3           6
4      i      1           2
[1] "f3PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     28          56
4     es     18          36
1      -      2           4
3     eo      1           2
5      i      1           2
[1] "All Endings Included"

```

```

      Suffix freq Percent_Trials
2      e    28          56
4     es    18          36
1      -     2           4
3     eo     1           2
5      i     1           2
[1] "f4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    20          40
6      s    16          32
2      e     7          14
3     es     5          10
5      o     2           4
4      i     1           2
[1] "f5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e    29          58
4     es    17          34
1      -     2           4
3     eo     1           2
5      i     1           2
[1] "nP1Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    22          44
3      e    19          38
7      s    16          32
4     es    11          22
6      o     2           4
2     as     1           2
5      i     1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -    22          44
3      e    20          40
7      s    16          32
4     es    11          22
6      o     2           4
2     as     1           2
5      i     1           2
[1] "n2P1Dat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -    22          44
7      s    16          32
3      e     5          10

```

```

4      es      3          6
6      o      2          4
2      as      1          2
5      i      1          2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     22          44
7      s     16          32
3      e      5          10
4      es      3           6
6      o      2           4
2      as      1           2
5      i      1           2
[1] "n3PlDat"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      e     19          38
1      -     13          26
3      es     11          22
6      s      5          10
4      i      1           2
5      o      1           2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e     19          38
1      -     13          26
3      es     11          22
6      s      5          10
4      i      1           2
5      o      1           2
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -     20          40
6      s     15          30
2      e      7          14
3      es      5          10
5      o      2           4
4      i      1           2
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a     29          58
5      e     29          58
1      -     26          52
7      es     19          38
10     s     18          36
4      as     16          32
8      o      6          12
3      ao      1           2
6      eo      1           2

```

```

9      os      1      2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      e      30      60
2      a      29      58
1      -      27      54
7      es     19      38
10     s      18      36
4      as     16      32
8      o       7      14
3      ao      1       2
6      eo      1       2
9      os      1       2
[1] "1PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
2      a      26      52
4      as     15      30
1      -       4       8
6      s       4       8
3      ao      1       2
5      e       1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      a      26      52
4      as     15      30
1      -       4       8
6      s       4       8
3      ao      1       2
5      e       1       2
[1] "2PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      25      50
8      s      17      34
2      a      10      20
3      as      5      10
6      o       5      10
4      e       2       4
5      es      2       4
7      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      25      50
8      s      17      34
2      a      11      22
6      o       6      12
3      as      5      10
4      e       2       4
5      es      2       4
7      os      1       2
[1] "3PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```



4	e	29	58
6	es	19	38
1	-	14	28
2	a	6	12
3	as	5	10
8	s	5	10
5	eo	1	2
7	o	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
4	e	29	58
6	es	19	38
1	-	14	28
2	a	6	12
3	as	5	10
8	s	5	10
5	eo	1	2
7	o	1	2

[1] "4PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	24	48
6	s	17	34
4	o	6	12
2	e	1	2
3	es	1	2
5	os	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	26	52
6	s	17	34
4	o	6	12
2	e	3	6
3	es	2	4
5	os	1	2

[1] "5PlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	28	56
4	es	18	36
1	-	2	4
3	eo	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	29	58
4	es	19	38
1	-	2	4
3	eo	1	2

[1] "mPlAbl"

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
4	e	29	58
1	-	25	50
6	es	19	38

```

9      s      18      36
7      o      6      12
2      a      1       2
3     as      1       2
5     eo      1       2
8     os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5        e    29           58
2        a    26           52
1        -    25           50
7       es    19           38
10       s    18           36
4       as    14           28
8        o     7           14
3       ao     1            2
6       eo     1            2
9       os     1            2
[1] "m1PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2        a    26           52
4       as    14           28
1        -     4            8
6        s     4            8
3       ao     1            2
5        e     1            2
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1        -    24           48
8        s    17           34
6        o     5           10
4        e     2            4
5       es     2            4
2        a     1            2
3       as     1            2
7       os     1            2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1        -    24           48
8        s    17           34
6        o     6           12
4        e     2            4
5       es     2            4
2        a     1            2
3       as     1            2
7       os     1            2
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials

```

```

2      e      29      58
4      es     19      38
1      -      2       4
3      eo      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      29      58
4      es     19      38
1      -      2       4
3      eo      1       2
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
1      -      24      48
6      s      17      34
4      o       6      12
2      e       1       2
3      es      1       2
5      os      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
1      -      24      48
6      s      17      34
4      o       6      12
2      e       1       2
3      es      1       2
5      os      1       2
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
      Suffix freq Percent_Trials
2      e      28      56
4      es     19      38
1      -      2       4
3      eo      1       2
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
      Suffix freq Percent_Trials
5      e      28      56
2      a      26      52
7      es     19      38
4      as     15      30
1      -       4       8
8      s       4       8
3      ao      1       2
6      eo      1       2
[1] "All Endings Included"
      Suffix freq Percent_Trials
5      e      30      60
2      a      27      54
1      -      26      52
7      es     19      38

```

```

10      s      18          36
4       as     15          30
8       o      5           10
3       ao     1           2
6       eo     1           2
9       os     1           2
[1] "f1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    26           52
4     as    15           30
1      -     4            8
6      s     4            8
3     ao     1            2
5      e     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    26           52
4     as    15           30
1      -     4            8
6      s     4            8
3     ao     1            2
5      e     1            2
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    22           44
8      s    17           34
6      o     4            8
2      a     3            6
3     as     1            2
4      e     1            2
5     es     1            2
7     os     1            2
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    28           56
4     es    19           38
1      -     2            4
3     eo     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    29           58
4     es    19           38
1      -     3            6
3     eo     1            2
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)

```

```

[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   25             50
6      s   17             34
4      o    5             10
2      e    1              2
3     es    1              2
5     os    1              2
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   29             58
4     es   19             38
1      -    2              4
3     eo    1              2
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   21             42
4      e   13             26
7      s   13             26
2      a   10             20
5     es    7             14
3     as    6             12
6      o    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27             54
7      s   16             32
4      e   15             30
2      a   11             22
5     es    9             18
3     as    6             12
6      o    4              8
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   19             38
6      s   13             26
2      a   10             20
3     as    5             10
5      o    2              4
4      e    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   19             38
6      s   13             26
2      a   11             22
3     as    5             10
5      o    2              4
4      e    1              2

```

```

[1] "n3PlAbl"
[1] "Endings occurring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   14           28
4      e   13           26
5     es    7           14
2      a    6           12
3     as    5           10
7      s    5           10
6      o    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   14           28
4      e   13           26
5     es    8           16
2      a    6           12
3     as    5           10
7      s    5           10
6      o    1            2
[1] "n4PlAbl"
[1] "Endings occurring 10 times or less excluded"
[1] Suffix      freq      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26           52
5      s   16           32
4      o    4            8
2      e    3            6
3     es    2            4

[1] "mSg and nSg fully match 100% of the time"

[1] "mPl and nPl fully match 70% of the time"

[1] "nPl and fSg fully match 30% of the time"

[1] "Endings that overlap are a,-,a,a,a,-,a,e,a,a,a,a,a,-,a in trials 5,8,12,14,18,22,26,31,33,34,35,36"

[1] "nPl and fPl fully match 40% of the time"

[1] "Endings that overlap are as,s,a,-,as,a,s,as,a,-,s,a,s,e,a,a,a,as,-,- in trials 1,3,5,8,11,14,15,17"

[1] "mPl and fSg fully match 10% of the time"

[1] "Endings that overlap are -,a,-,e,- in trials 8,14,22,31,45"

[1] "mPl and fPl fully match 22% of the time"

[1] "Endings that overlap are s,-,as,a,s,-,s,s,e,-,- in trials 3,8,11,14,15,22,23,27,31,45,48"

[1] "mSg and nSg at least partially match 100% of the time"

```

[1] "mPl and nPl at least partially match 94% of the time"

[1] "fSg and nPl at least partially match 30% of the time"

[1] "Endings that overlap are a,-,a,a,a,-,a,e,a,a,a,a,-,a in trials 5,8,12,14,18,22,26,31,33,34,35,36"

[1] "fPl and nPl at least partially match 40% of the time"

[1] "Endings that overlap are as,s,a,-,as,a,s,as,a,-,s,a,s,e,a,a,a,as,-,- in trials 1,3,5,8,11,14,15,17"

[1] "fSg and mPl at least partially match 10% of the time"

[1] "Endings that overlap are -,a,-,e,- in trials 8,14,22,31,45"

[1] "fPl and mPl at least partially match 22% of the time"

[1] "Endings that overlap are s,-,as,a,s,-,s,s,e,-,- in trials 3,8,11,14,15,22,23,27,31,45,48"

[1] "fPl, mPl, and nPl at least partially match 22% of the time"

[1] "Endings that overlap are s,-,as,a,s,-,s,s,e,-,- in trials 3,8,11,14,15,22,23,27,31,45,48"