

# A Simple 3D Puzzle


Tyler Neylon

345.2023


[ Formats: [html](#) | [pdf](#) ]

## 1 The Puzzle

Here's a fun puzzle: Take six boxes, each  $1 \times 2 \times 2$  in size, and find a way to pack them into a  $3 \times 3 \times 3$  cube.




I learned about this puzzle through Donald Knuth's *The Art of Computer Programming*, §7.2.2.1. The six boxes have a total volume of 24 cubies (I'll call a  $1 \times 1 \times 1$  unit a “cubie,” as Knuth does). They certainly have a chance of fitting into the 27 cubie spaces of the larger  $3 \times 3 \times 3$  volume. But the initial configurations I tried failed to fit more than five boxes in the space allowed:




You might be able to solve this by simply thinking about it. But it's even more fun to play with a physical model.


Did you know that a  $2 \times 2$  Lego brick with 2 tile-heights on top forms a perfect cube?



This allows us to construct the puzzle like so:



Here's the hodgepodge model I built with my kids' Legos:




I'll write a little about the math behind this puzzle below, but for now I'll give you a vertical break so you don't accidentally see the solution. Try out the puzzle first!

*Here be Spoilers*




## 2 The Solution

Here's the solution:



The simplest way to characterize it is to notice that we've left the central cubie unoccupied.

As pointed out by Knuth, there's a nice observation that can help you find this solution. Define a "face cubie" as one that's adjacent to the center cubie. There are 6 of these, positioned like the middle squares of a Rubik's cube:



**Observation 1** Every piece must occupy at least one face cubie.

This can be confirmed by listing all piece placements within the  $3 \times 3 \times 3$  space.

An immediate consequence of this observation is that — since there are 6 face cubies and 6 pieces — each piece must occupy *exactly* 1 face cubie. This alone can give you the solution, but things get even easier when you notice:

**Observation 2**

Any piece occupying the center cubie must also occupy 2 face cubies.

The consequence of *this* is that we must leave the center cubie vacant. In other words, every piece must be against one face of the  $3 \times 3 \times 3$  cube — one piece for each face. While this fact doesn't completely specify the solution, it makes the search space so small that you can now find the answer easily.

---

If you're curious about how algorithms can solve puzzles like this one, I recommend reading Knuth's §7.2.2.1, which is relatively recent (in *The Art of Computer Programming*, volume 4B, published in 2022). He gives credit to Jan

Slothouber and William Graatsma for inventing this puzzle, as referenced in their apparently out-of-print book *Cubics* from 1970 (pp. 108–109).

### 3 Notes on the Images

I wrote custom javascript tools to create the vector images in this article. If I have time, I may one day clean up that code and release it as a library. For now the code is quite messy, and can be found in [this directory hosted on github](#).

I rendered the Lego images with [Studio by BrickLink](#), which is awesome, and I'm grateful it's free.

The dragon image (Here be Spoilers) was created with `dall·e 2`.