# MATH 210: Homework 12

Due on November 2, 2022 at 8:00am

 $Professor\ Smith\ 1:00pm$ 

Ryan Magdaleno

rmagd 2@uic.edu

### Problem 1

$$0 \le \rho \le R$$
,  $0 \le \theta \le 2\pi$ ,  $0 \le \phi \le \pi$ 

$$\int_0^{\pi} \int_0^{2\pi} \int_0^R \rho^2 \sin(\phi) \, d\rho d\theta d\phi$$

### Solution

$$\begin{split} \int_0^R \rho^2 \, \mathrm{d}\rho &= \frac{\rho^3}{3} \bigg|_0^R = \int_0^{2\pi} \frac{R^3}{3} \sin(\phi) \, \mathrm{d}\theta = \frac{2\pi R^3 \sin(\phi)}{3} \\ \frac{2\pi R^3}{3} \cdot \int_0^\pi \sin(\phi) \, \mathrm{d}\phi &= -\frac{2\pi R^2 \cos(\phi)}{3} \bigg|_0^{\phi = \pi} \\ &= -\frac{2\pi R^3 (-1)}{3} + \frac{2\pi R^3 (1)}{3} \\ &= \left[ \frac{4\pi R^3}{3} \right] \end{split}$$

## Problem 2

$$0 \le \rho \le 2, \ 0 \le \theta \le 2\pi, \ 0 \le \phi \le \pi/6$$

$$\int_{0}^{\frac{\pi}{6}} \int_{0}^{2\pi} \int_{0}^{2} \rho^{2} \sin(\phi) d\rho d\theta d\phi$$

### Solution

$$\int_{0}^{2} \rho^{2} d\rho = \frac{\rho^{3}}{3} \Big|_{0}^{2} = \frac{8}{3}$$

$$\int_{0}^{2\pi} 1 d\theta = 2\pi$$

$$\int_{0}^{\frac{\pi}{6}} \frac{16\pi \sin(\phi)}{3} d\phi = \frac{16\pi}{3} \cdot \int \sin(\phi) d\phi = \cos(\pi/6) = \frac{\sqrt{3}}{2}$$

$$\frac{16\pi \cos(\phi)}{3} \Big|_{0}^{\phi = \pi/6} = -\frac{16\pi \frac{\sqrt{3}}{2} + 16\pi}{3}$$

$$= \left[ -\frac{8\sqrt{3}\pi + 16\pi}{3} \right]$$

### Problem 3

$$x=\frac{u}{v+5},\,y=\frac{uv}{v+5}$$
 
$$\iint_D 5x+y \;\mathrm{d}A$$

### Solution

$$5x + y = 3$$
,  $5x + y = 6$ ,  $y = x$ ,  $y = 2x$ 

$$(5x + y = 3) = \left(5\left(\frac{u}{v+5}\right) + \frac{uv}{v+5} = 3\right)$$

$$\frac{u(5+v)}{v+5} = 3 \text{ or } u = 3$$

$$5x + y = 6, u = 6$$

$$y = x : \frac{uv}{v+5} = \frac{u}{v+5}, uv = u, v = 1$$

$$y = 2x : \left(\frac{uv}{v+5} = 2\left(\frac{u}{v+5}\right)\right) = \frac{uv}{u} = \frac{2u}{u}, v = 2$$

$$u = 3, u = 6, v = 1, v = 2, [3, 6] \times [1, 2]$$

$$\frac{\partial x}{\partial u} \cdot \frac{\partial y}{\partial v} - \frac{\partial x}{\partial v} \cdot \frac{\partial y}{\partial u}$$

$$\begin{bmatrix} x_u & x_v \\ y_u & y_v \end{bmatrix} = \begin{bmatrix} \frac{1}{v+5} & \frac{-u}{(v+5)^2} \\ \frac{v}{v+5} & \frac{5u}{(v+5)^2} \end{bmatrix}$$

$$= \left(\frac{1}{v+5} \cdot \frac{5u}{(v+5)^2}\right) - \left(\frac{-u}{(v+5)^2} \cdot \frac{v}{v+5}\right)$$

$$= \frac{5u}{(v+5)^3} - \frac{-uv}{(v+5)^3}$$

$$= \frac{5u+uv}{(v+5)^3}$$
Jacobian =  $\frac{u}{(v+5)^2}$ 

$$5x + y = 3 \text{ or } u$$

$$\int_1^2 \int_3^6 \frac{u^2}{(v+5)^2} du dv = \int_3^6 u^2 du \cdot \int_1^2 \frac{1}{(v+5)^2} dv$$

$$\int_3^6 u^2 du = \frac{u^3}{3} \Big|_3^6 = 72 - 9 = 63$$

$$\int_1^2 \frac{1}{(v+5)^2} dv = \frac{-1}{v+5} \Big|_1^2 = \frac{1}{42}$$

$$63 \cdot \frac{1}{42} = \frac{63}{42} = \boxed{\frac{3}{2}}$$