

Gebze Technical University
Department of Computer Engineering
CSE 312 /CSE 504
Operating Systems
Spring 2021

HW4
Due Date: June 26th
(No late submissions)
2021
File Systems

In this project, you will design and implement a simplified FAT like file system in C or C++.

Part 1

Design a file system that uses File Allocation Table (FAT12) structure to keep your files. Your file system will use a structure like Fig 4.30 and Fig 4.31 of your textbook (all possible FAT12 blocks are supported). Your file attributes will include size, last modification date and time, and name of the file. Write a design report that specifies the following

- Define your directory structure and directory entries;
- Define how and where you keep the free blocks;
- Define your superblock that contains crucial information about the file system such as the block size, root directory position, block positions, etc.

Your report should include the function names of your source code that handles the file system operations listed in the table of Part 3.

Part 2

Write a C/C++ program that creates an empty file system as a (16 MB max) Linux file. This file will include all the information about your file system including the super block, data blocks, free blocks, directories, data, etc. The sample run of the program will be like

makeFileSystem 4 mySystem.dat

where 4 is the block size of the file system in KB. **mySystem.dat** is the Linux file that contains all the file system. When you work on the file system, this file contains all the information for the file system. Note that the size of **mySystem.dat** will be exactly the maximum according to table Fig 4.31 MB whether it contains any information or not.

Part 3

You will write a program that performs file system operation on the file system. The program will work like following

fileSystemOper fileSystem.data operation parameters

where **fileSystemOper** is your program, **fileSystem.data** is the file system data file that you have created in Part 2. You will keep modifying the same **fileSystem.data** file for all your operations. Allowable operations and parameters for these operations are given below in the following table.

Operation	Parameters	Explanation	Example
-----------	------------	-------------	---------

dir	Path	Lists the contents of the directory shown by path on the screen.	<code>fileSystemOper fileSystem.data dir "\</code> lists the contents of the root directory. The output will be similar to dir command of DOS
mkdir rmdir	Path and dir name	Makes or removes a directory	<code>fileSystemOper fileSystem.data mkdir "\ysa\fname"</code> makes a new directory under the directory "ysa" if possible. These two works exactly like mkdir and rmdir commands of DOS shell
dumpe2fs	None	Gives information about the file system.	<code>fileSystemOper fileSystem.data dumpe2fs</code> works like simplified and modified Linux dumpe2fs command. It will list block count, free blocks, number of files and directories, and block size. <u>Different from regular dumpe2fs, this command lists all the occupied blocks and the file names for each of them.</u>
write	Path and file name	Creates and writes data to the file	<code>fileSystemOper fileSystem.data write "\ysa\file" linuxFile</code> Creates a file named <code>file</code> under " <code>\usr\ysa</code> " in your file system, then copies the contents of the Linux file into the new file.
read	Path and file name	Reads data from the file	<code>fileSystemOper fileSystem.data read "\ysa\file" linuxFile</code> Reads the file named <code>file</code> under " <code>\usr\ysa</code> " in your file system, then writes this data to the Linux file. This again works very similar to Linux copy command.
del	Path and file name	Deletes file from the path	<code>fileSystemOper fileSystem.data del "\ysa\file"</code> Deletes the file named <code>file</code> under " <code>\ysa\file</code> " in your file system. This again works very similar to Linux del command.

Here is a sequence file system operation commands that you can use to test your file system. Suppose you have a file named `linuxFile.data` in your Linux current directory.

```
makeFileSystem 4 mySystem.data
fileSystemOper fileSystem.data mkdir "\usr"
fileSystemOper fileSystem.data mkdir "\usr\ysa"
fileSystemOper fileSystem.data mkdir "\bin\ysa" ; Should print error!
fileSystemOper fileSystem.data write "\usr\ysa\file1" linuxFile.data
fileSystemOper fileSystem.data write "\usr\file2" linuxFile.data
fileSystemOper fileSystem.data write "\file3" linuxFile.data
fileSystemOper fileSystem.data dir "\ ; Should list 1 dir, 1 file
fileSystemOper fileSystem.data del "\usr\ysa\file1"
fileSystemOper fileSystem.data dumpe2fs
fileSystemOper fileSystem.data read "\usr\file2" linuxFile2.data
cmp linuxFile2.data linuxFile.data ; Should not print any difference
```

Notes

1. Always be careful about the errors, such as bad block sizes, bad file names, non-existent files or directories, etc.

2. Run experiments that uses up all of your data blocks.
3. Try to get fragmentation and show your fragmented file system using the `dumpe2fs` command.
4. Do not use any code from any other source even a single line!

General Homework Guidelines

1. No cheating, No copying, No peaking to other people homework
2. Follow the instructions very carefully.
3. Send required files only. Do not share your whole file system with us.
4. If you fail to implement one of the requirements, leave it be. Do not send an empty file
5. Respect the file names! Our HW grading is case-sensitive.
6. Failing to comply any of the warnings above will result in getting a **0** for your current homework.

Homework Instructions

1. Download and Install Vmware Player from Official site.
2. Download and install our virtual machine from https://drive.google.com/open?id=1YppX3lNkyTsHV_lvA4w9TomNCUkpLeEg