

## COS 301

## DEPARTMENT OF COMPUTER SCIENCE

# Architectural Requirements and Initial Architecture Design Functional Requirements

Group Members: Student numbers:

Diana Obo u13134885

Priscilla Madigoe u13049128

Kudzai Muranga u13278012

Sandile Khumalo u12031748

May 25, 2016

## IMPAKD LINK

For further references see gitHub. May 25, 2016

## Contents

1	Visi	ion	3
2	Bac	ckground	4
3	Soft	tware Architecture	5
	3.1	Architecture requirements	5
		3.1.1 Architectural scope	5
		3.1.2 Quality requirements	5
		3.1.3 Integration and access channel requirements	5
		3.1.4 Architectural constraints	5
	3.2	Architectural patterns or styles	6
	3.3	Architectural tactics or strategies	6
	3.4	Use of reference architectures and frameworks	6
	3.5	Access and integration channels	7
	3.6	Technologies	7
4	Fun	actional requirements and application design	8
	4.1	Use case prioritization	8
	4.2	Use case/Services contracts	8
	4.3	Required functionality	11
	4.4	Process specifications	11
	4.5	Domain Model	11
5	One	en Issues	12

### 1 Vision

The Property Investor Optimiser project is objective is to evaluate whether a certain rental property is worth buying. It does this by calculating the Return of Investment (ROI) of a property, which can be compared with another property's ROI, to assist a user to optimise their investment strategy according to their portfolio.

The project will assist the user by helping to answer the following questions:

- Given a certain bond (interest rate, deposit as a percentage of property value), rental (occupancy rate, agent commission, rental amount) and environmental conditions (Interest rate, inflation) what is the ROI?
- When is it better to pay a higher or lower deposit for a bond?
- Between two rental scenarios which provides the greater ROI?
- Is it better to try and pay off the bond as fast as possible by paying in extra capital?
- How does purchasing another property influence a users ROI and at which point would this be a good idea?
- At which point does it make sense to buy another property?
- How much tax will the user have to pay?

# 2 Background

### 3 Software Architecture

### 3.1 Architecture requirements

#### 3.1.1 Architectural scope

### 3.1.2 Quality requirements

#### 3.1.3 Integration and access channel requirements

### • Integration

- Logging into the system is done over a HTTPS POST method.
- The user's login details are kept in an HTTP session so the user does not need to log in everytime he/she makes a request to the server.
- The HTTPS sessions are invalidated when the user terminates his/her session by logging out.
- Communication between the server (back-end) and the webpage (front-end) will be facilitated by the REST method which uses JSON objects and HTTPS methods to send requests and get responses.
- The "Create, Read, Update and Delete" or CRUD actions that will make changes to the databse will be logged automatically. This will ensure auditability of the system.

#### • Human Access Channel

- End-users interact with the Web client to display the required information and do desired actions.

#### • System Access Channel

- The Web-based component of the system will be implemented in "Ember.js" which utilises JavaScript, HTML and "Handlebar.js".

#### 3.1.4 Architectural constraints

### $\bullet$ User

 Has to be registered and his/her details in the system inorder to login and be able to use the system

### • Time

 If a user is logged in and remains inactive for more than 30mins the user will have to login again before they can use the system again

### 3.2 Architectural patterns or styles

### MVC (Model View Controller)

Allows the system's states to change and it encapsulates the interactions from the user and transforms these intercations into business logic.

REASON:

- Reduce presentation layers complexity and improves flexibility
  - Separates responsibilities
    - \* Provide view onto information View
    - \* React to user events Controller
    - \* Provide business services and data Model
  - Allows each component to change independently
- Full decoupling
  - Model from both view and controller
- Simplification
  - Through separation of concerns
- Reuse
  - Model components and View components
- Maintainability
  - Different components can be used, developed and maintained by different members of a team
    - \* Model backened developers
    - \* View UI designers
    - \* Controller Front-end developers
- Improved Testability
  - Model/business services tested independently of UI
  - UI tested with mock model

## 3.3 Architectural tactics or strategies

### 3.4 Use of reference architectures and frameworks

- Django
  - Our System is going to be web based, so Django is used for web development back end of the system. The structural pattern we are going to use is MVC and Django implements MVC

#### • JavaEE

 JavaEE contains most of the frameworks and technologies we need to develope and deploy our system.

### **Technologies**

- HTML5: It will be used to create the front end of the system
- Javascript: front end to verify the log in details for each user it will keep track of the user logged in.
- JPA: It will be used to manage the relational data in JavaEE
- EJBs: It will be used to manage concurrency control in the system
- Ember.js: To implement the MVC patter
- Django: To implement the MVC Patten
- CSS: It will be used for the styling of the web page
- Bootsrap: It will be used for the styling of the web page
- Web browsers: Any web browser that supports HTML 5

### 3.5 Access and integration channels

- This is a stand-alone application and therefore will not use other applications for all the required functionality.
- Plug-ins and APIs will be included, and will therefore be integrated with the main application to add specialised functionality.

## 3.6 Technologies

## 4 Functional requirements and application design

## 4.1 Use case prioritization

#### **Critical:**

- calculateROI
- getDefaultValues
- $\bullet$  setDeafultValues

### Important:

- Register
- Login
- logout
- $\bullet$  addProperty
- $\bullet$  updateProperty
- deleteProperty
- $\bullet$  displayGraphs
- displayStatistics

### Nice-to-have:

- updateProfile
- $\bullet$  generateReport

## 4.2 Use case/Services contracts

## login

- Pre-Conditions:
- Post-Conditions:
- ullet Request and Results Data Structures:

## register

• Pre-Conditions:

- Post-Conditions:
- Request and Results Data Structures:

### logout

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:

### viewProfile

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:

### updateProperty

- Pre-Conditions:
  - user must be logged in
- Post-Conditions:
  - the property page and associated fields must be updated
  - database should be updated
- Request and Results Data Structures:

### deleteProperty

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:

## ${\bf add Property}$

- Pre-Conditions:
  - user must be logged in
  - user must be navigated to the addProperty page
  - no duplicate properties
- Post-Conditions:

- property is added
- user should be able to view addProperty
- Request and Results Data Structures:

### updateProfile

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:

## ${\bf compare Two Properties}$

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:

### generateReport

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:

## ${\bf getDe faultValues}$

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:

## displayGraphs

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:

## displayStatistics

- Pre-Conditions:
- Post-Conditions:

• Request and Results Data Structures:

### calculateStatistics

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:

### calucalate ROI

- Pre-Conditions:
- Post-Conditions:
- Request and Results Data Structures:
- 4.3 Required functionality
- 4.4 Process specifications
- 4.5 Domain Model

# 5 Open Issues