

## APPENDICES

### Appendix I

**Watersheds of the San Francisco Estuary, California**



page 173

### Appendix II


**Historical References for Native Stream Fishes for the Period 1854-1981, San Francisco Estuary, California**



page 183

### Appendix III

**Presence of Fish Species by Watershed, San Francisco Estuary, California**









page 185



## APPENDIX I

### Watersheds of the San Francisco Estuary, California




## Watersheds of the San Francisco Estuary, California

**Data Sources:**

Shaded Relief: USGS 30 Meter National Elevation Data  
 Streams: RiverReach 3, US EPA, USGS, 1:100,000, 1997  
 Lakes: California Fish & GAME, SWRCB, 1:24000, 1997

Watersheds: California Fish & GAME, RWQCB, DWR 1:24000, 1997  
 Ocean, Bay: California State Lands Commission, US EPA  
 Region 9, 1:24000, 1994

## (a) Contra Costa County East Watershed Index




Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Watersheds: California Fish & GAME, RWQCB, DWR 1:24000, 1997  
Lakes: California Fish & GAME, SWRCB, 1:24000, 1997

Ocean, Bay: California State Lands Commission,  
US EPA Region 9, 1:24000, 1994



Data Sources:  
Shaded Relief: USGS 30 Meter National Elevation Data  
Lakes: California Fish & GAME, SWRCB, 1:24000, 1997

## (b) Contra Costa County West - Alameda County North Watershed Index



Data Sources:


Shaded Relief: USGS 30 Meter National Elevation Data  
Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Watersheds: California Fish & GAME, SWRCB, 1:24000, 1997  
Lakes: California Fish & GAME, RWQCB, DWR 1:24000, 1997

Ocean, Bay: California State Lands Commission,  
US EPA Region 9, 1:24000, 1997

Ocean, Bay: California State Lands Commission,  
US EPA Region 9 GIS Center



## (C) Alameda County South - East Watershed Index



Ocean, Bay; California State Lands Commission,  
US EPA Region 9, 1:24000, 1997



Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Watersheds: California Fish & GAME, RWQCB, DWR 1:24000, 1997

Data Sources:  
Shaded Relief: USGS 30 Meter National Elevation Data  
Lakes: California Fish & GAME, SWRCB, 1:24000, 1997



## APPENDIX I WATERSHEDS OF THE SAN FRANCISCO ESTUARY, CALIFORNIA

## (d) Santa Clara County Watershed Index



Data Sources:


Shaded Relief: USGS 30 Meter National Elevation Data  
Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Watersheds: California Fish & GAME, RWQCB, DWR 1:24000, 1997  
Lakes: California Fish & GAME, SWRCB, 1:24000, 1997

Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Watersheds: California Fish & GAME, RWQCB, DWR 1:24000, 1997  
Lakes: California Fish & GAME, SWRCB, 1:24000, 1997

Ocean, Bay: California State Lands Commission,  
US EPA Region 9, 1:24000, 1994



## (e) San Mateo County - San Francisco County Watershed Index




Data Sources:  
Shaded Relief: USGS 30 Meter National Elevation Data  
Watersheds: California Fish & GAME, SWRCB, 1:24000, 1997

Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Lakes: California Fish & GAME, RWQCB, DWR 1:24000, 1997

Ocean, Bay: California State Lands Commission,  
US EPA Region 9, 1:24000, 1994



## (f) Marin County - Sonoma County West Watershed Index




Data Sources:  
Shaded Relief: USGS 30 Meter National Elevation Data  
Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Watersheds: California Fish & GAME, SWRCB, 1:24000, 1997  
Lakes: California Fish & GAME, RWQCB, DWR 1:24000, 1997

Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Watersheds: California Fish & GAME, SWRCB, 1:24000, 1997  
Lakes: California Fish & GAME, RWQCB, DWR 1:24000, 1997

Ocean, Bay: California State Lands Commission,  
US EPA Region 9, 1:24000, 1994



(g) Sonoma County East - Napa County Watershed Index



Data Sources:


Shaded Relief: USGS 30 Meter National Elevation Data  
Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Watersheds: California Fish & GAME, SWRCB, 1:24000, 1997  
Lakes: California Fish & GAME, RWQCB, DWR 1:24000, 1997

Streams: RiverReach 3; US EPA, USGS, 1:100,000, 1997  
Watersheds: California Fish & GAME, SWRCB, 1:24000, 1997  
Lakes: California Fish & GAME, RWQCB, DWR 1:24000, 1997

Ocean, Bay: California State Lands Commission,  
US EPA Region 9, 1:24000, 1994



## (h) Solano County Watershed Index



Data Sources:

Shaded Relief: USGS 30 Meter National Elevation Data  
 Lakes: California Fish & Game, SWRCB, 1:24000, 1997  
 Watersheds: California Fish & Game, RWQCB, DWR 1:24000, 1997

Streams: RiverReach 3, US EPA, USGS, 1:100,000, 1997  
 Watersheds: California Fish & Game, RWQCB, DWR 1:24000, 1997

Ocean, Bay: California State Lands Commission,  
 US EPA Region 9, 1:24000, 1994

EPA  
 Region 9 GIS Center

## APPENDIX II

### Historical References for Native Stream

Fishes for the Period 1854-1981,

San Francisco Estuary, California



The full version of Appendix II is available at [www.sfei.org/leidy\\_No530/index.html](http://www.sfei.org/leidy_No530/index.html)

Historical (pre-1981) distributional records for native stream fishes in Appendix 2 are organized taxonomically by family and species, and in phylogenetic order. Scientific nomenclature and phylogeny follow Moyle (2002). In some instances common names for species (e.g., "suckers", "steelhead", etc.) are used, especially when quoting directly from a historical source. Within an individual species account, records are further organized by watershed and county (ies), beginning with Marsh Creek, in eastern Contra Costa County and continuing clockwise around the Estuary to Suisun Creek, Solano County. Named watersheds and tributary streams are presented in Appendix 1. Within a particular watershed, historical records are further organized chronologically from earliest to most recent record. While the amount of available information varies widely between records, data is typically organized as follows:

Collection locality (individually bolded for convenience), date of collection or source, type of survey (e.g., visual, electrofishing, seine or gill netting, fish kill, fish stocking record, etc.) and record collector(s), (source of information and publication date, followed by page number, if applicable, and for museum collections, collection or file number, followed by the number and size range of specimens, when available). In some instances, complete or partial quotations are directly excerpted from the primary source in order to augment a record; in these cases "quotation marks" are used. Records from the published literature are presented by author followed by publication year and, page number, and the number and size range of

specimens, when available. Published sources are included in the Literature Cited section of this study.

Historical records housed in museums and universities and in agency files for Estuary streams and selected portions of San Francisco Bay were collected from the sources listed alphabetically below. Acronyms contained in the various records precede each source.

Note: Appendix II may not include all historical records documented in the literature after 1981. These records are cited in the main body of the report and may be found within Section VII. Literature Cited.


---

<b>ANSP</b>	Academy of Natural Sciences, Philadelphia, PA;
<b>BNMH</b>	British National Museum of Natural History, London, Great Britain
<b>CAS</b>	California Academy of Sciences, San Francisco, CA;
<b>CDFG</b>	California Department of Fish and Game, Stream and Lake and Reservoir Files (Yountville, Menlo Park, and Monterey offices, CA);
<b>CNHM</b>	Chicago Field Museum of Natural History Museum, IL;
<b>CU</b>	Cornell University, NY;
<b>FLMNH</b>	Florida Museum of Natural History, FL;
<b>IU</b>	Indiana University, Natural History Survey, IND (housed at CAS);
<b>KU</b>	Kansas University Natural History Museum, KS;
<b>MHNH</b>	Museum of Natural History, Netherlands;
<b>NRM</b>	Swedish Museum of Natural History, Ichthyology Section;
<b>SFSU</b>	San Francisco State University, CA (records provided by Margaret Bradbury);
<b>SIO</b>	Scripts Institute of Oceanography, CA
<b>SJSU</b>	San Jose State University, CA (records provided by Jerry J. Smith);
<b>SNSU</b>	Sonoma State University, CA (records provided by John D. Hopkirk);
<b>SSU</b>	Sacramento State University, CA (records provided by Martin R. Brittan);
<b>SU</b>	Stanford University, CA (housed at CAS);
<b>UCB</b>	University of California, Berkeley (housed at CAS);
<b>UCDPM</b>	University of California, Davis (records provided by Peter B. Moyle);
<b>UH</b>	University of Hamburg, Ichthyology Collection, Germany;
<b>UMMZ</b>	University of Michigan, Museum of Zoology, Fish Division;
<b>USNM</b>	United States National Museum (Smithsonian Institution) of Natural History, Fish Collection, Washington, D.C.;
<b>YPM</b>	Peabody Museum of Natural History, Yale University, CT;
<b>ZMH</b>	University of Hamburg, Germany;

---

## Appendix III

### Presence of Fish Species by Watershed, San Francisco Estuary, California



#### Note:

The number associated with each stream name corresponds to numbering on maps within Appendix I. Listings of native and nonnative species within watersheds are complied from historical and recent records. The author accepts responsibility for any omissions and errors. The author also acknowledges that fish species may be added and/or deleted from the list as more information is developed from additional field sampling and museum research, and from natural and human-induced species' range contractions and expansions.

## Presence of Fish Species in Watersheds of Contra Costa County East and West Watershed Index

Common Name	Marsh	Mt. Diablo	Walnut/San Ramon	Arroyo Hambre	Canada del Cierbo	Rodeo	Refugio	Pinole	Garrison	San Pablo	Wildcat	Baxter
	1	2	3	4	5	6	7	8	9	10	11	12
Pacific lamprey	—	—	N?	—	—	—	—	—	—	—	—	—
White sturgeon	—	—	N	—	—	—	—	—	—	—	—	—
Common carp	—	—	—	—	—	—	—	—	—	—	—	—
Goldfish	—	—	—	—	—	—	—	—	—	—	—	—
Golden shiner	—	—	—	—	—	—	—	—	—	—	—	—
Fathead minnow	—	—	—	—	—	—	—	—	—	—	—	—
Thicktail chub	N/E	—	N/E	—	—	—	—	—	—	—	—	—
Hitch	N	—	N	—	—	N	—	—	—	—	I/E	—
California roach	N	N	N	N	—	N	—	N	—	N	—	—
Sacramento blackfish	N	—	N	—	—	—	—	—	—	—	—	—
Sacramento splittail	N	—	N	—	—	—	—	—	—	N?	N?	—
Hardhead	N/E	—	—	—	—	—	—	—	—	N/E	N/E	—
Sacramento pikeminnow	N	—	N	—	—	N	—	N	N	N	N	—
Sacramento sucker	N	N	N	N	—	N	—	N	—	N	N	—
Channel catfish	—	—	—	—	—	—	—	—	—	—	—	—
White catfish	—	—	—	—	—	—	—	—	—	—	—	—
Brown bullhead	—	—	—	—	—	—	—	—	—	—	—	—
Black bullhead	—	—	—	—	—	—	—	—	—	—	—	—
Delta smelt	—	—	N?	—	—	—	—	—	—	—	—	—
Coho salmon	—	—	N/E	—	—	—	—	—	—	N/E	—	—
Chinook salmon	N	—	N	N	—	—	—	—	—	—	—	—
Rainbow trout	N?	N	N	N?	—	—	—	N	—	N	N	—
Rainwater killifish	—	—	—	—	—	—	—	—	—	—	—	—
Western mosquitofish	—	—	—	—	—	—	—	—	—	—	—	—
Inland silverside	—	—	—	—	—	—	—	—	—	—	—	—
Threespine stickleback	N	N	N	N	—	N	N	N	—	N	N	N
Striped bass	—	—	—	—	—	—	—	—	—	—	—	—
Sacramento perch	N/E	—	N/E	—	—	—	—	—	—	—	—	—
Black crappie	—	—	—	—	—	—	—	—	—	—	—	—
Green sunfish	—	—	—	—	—	—	—	—	—	—	—	—
Bluegill	—	—	—	—	—	—	—	—	—	—	—	—
Pumpkinseed	—	—	—	—	—	—	—	—	—	—	—	—
Redear sunfish	—	—	—	—	—	—	—	—	—	—	—	—
Largemouth bass	—	—	—	—	—	—	—	—	—	—	—	—
Yellowfin goby	—	—	—	—	—	—	—	—	—	—	—	—
Longjaw mudsucker	—	—	—	—	—	—	—	—	N	—	—	—
Shimofuri goby	—	—	—	—	—	—	—	—	—	—	—	—
Chameleon goby	—	—	—	—	—	—	—	—	—	—	—	—
Staghorn sculpin	—	—	N	—	—	—	—	—	—	—	—	N
Prickly sculpin	—	N	N	—	—	—	—	N	—	N	—	—
No. native species	12	5	17	5	?	5	1	6	3	9	6	2
No. introduced species	4	2	19	5	?	3	1	10	4	5	11	3
Total species	16	7	36	10	?	8	2	16	7	14	17	5

Abbreviations: N, native; I, nonnative; E, extinct in watershed; ?, status uncertain.

**Presence of Fish Species in Watersheds of Contra Costa County West - Alameda County North, South and East  
Watershed Index**

Common Name	Cerrito	Codornices	Strawberry	Claremont	Temescal	Glen Echo	Sausal	Peralta	Lion/Horse-shoe	Arroyo Viejo	San Leandro	San Lorenzo	Alameda
	13	14	15	16	17	18	19	20	21	22	23	24	25
Pacific lamprey	—	—	—	—	—	—	—	—	—	—	—	—	N
River lamprey	—	—	—	—	—	—	—	—	—	—	—	—	N/E?
White sturgeon	—	—	—	—	I	—	—	—	—	—	—	—	N?
Threadfin shad	—	—	—	—	—	—	—	—	—	—	—	I	—
Common carp	—	—	—	—	I	—	—	—	—	—	I	I	—
Goldfish	—	—	—	—	I	I	—	—	—	—	I	I	—
Golden shiner	—	—	—	—	I	—	—	—	—	—	I	I	—
Tui chub	—	—	—	—	—	—	—	—	—	—	—	—	I?
Thicktail Chub	—	—	N/E	—	N/E	—	—	—	—	—	—	—	N/E
Hitch	—	—	—	—	I*	—	—	—	—	—	N	—	N
California roach	—	—	N/I	—	—	—	—	—	—	—	—	N	N
Sacramento blackfish	—	—	—	—	—	—	—	—	—	—	—	—	N
Sacramento splittail	—	—	—	—	—	—	—	—	—	—	—	—	N/E
Hardhead	—	—	—	—	—	—	—	—	—	—	—	—	N?
Sacramento pikeminnow	—	—	—	—	—	—	—	—	—	—	—	N	N
Speckled dace	—	—	—	—	—	—	—	—	—	—	—	—	N/E?
Sacramento sucker	—	—	N/I	—	—	—	—	—	—	N	N	N	—
Channel catfish	—	—	—	—	I*	—	—	—	—	I	I*	I*	—
White catfish	—	—	—	—	—	—	—	—	—	—	—	I*	—
Brown bullhead	—	—	—	—	—	—	—	—	—	—	I*	—	—
Black bullhead	—	—	—	—	—	—	—	—	—	—	—	—	I*
Coho salmon	—	—	N/E	—	—	—	—	—	—	N/E	N?/E	N/E	—
Chinook salmon	—	—	—	—	—	N?	—	—	—	N/E	—	N	—
Rainbow trout	—	N	N/E	—	N/E	—	N	N	N	N?/E	N	N	N
Brown trout	—	—	—	—	—	—	—	—	—	—	—	—	I?
Brook trout	—	—	—	—	—	—	—	—	—	—	—	—	I/E
Rainwater killifish	—	—	—	—	—	—	—	—	—	—	—	—	—
Western mosquitofish	I	I	—	—	—	I	I	—	—	I	—	I	—
Inland silverside	—	—	—	—	—	—	—	—	—	—	—	—	—
Threespine stickleback	N	N	N/I	—	N	N	—	N	—	N	N	N	N
Striped bass	I	—	—	—	—	—	—	—	—	—	—	—	—
Sacramento perch	—	—	N/E	—	N/I	—	—	—	—	—	—	—	N/E?
Black crappie	—	—	—	—	I*	—	—	—	—	I	I*	I*	—
White crappie	—	—	—	—	—	—	—	—	—	—	I*	—	—
Warmouth	—	—	—	—	—	—	—	—	—	I	I*	—	—
Green sunfish	—	—	—	—	I	I	—	—	—	I	I	I	—
Bluegill	—	—	—	—	I	—	—	—	—	I	I	I	—
Redear sunfish	—	—	—	—	I	—	—	—	—	—	I*	I	—
Largemouth bass	—	—	—	—	I	—	—	—	—	I	I*	I	—
Smallmouth bass	—	—	—	—	—	—	—	—	—	—	I	I	—
Redeye bass	—	—	—	—	—	—	—	—	—	—	—	I*	—
Bigscale logperch	—	—	—	—	—	—	—	—	—	—	—	—	—
Shiner perch,	—	—	—	—	—	—	—	—	—	—	—	N	—
Tule perch	—	—	—	—	N/I/E	—	—	—	—	—	—	—	N?
Yellowfin goby	—	—	—	—	—	—	—	—	—	—	—	—	I
Longjaw mudsucker	—	—	—	—	—	—	—	—	—	—	—	—	N
Staghorn sculpin	—	—	—	—	—	—	—	—	—	—	—	—	N
Prickly sculpin	—	N	N/I	—	—	—	—	—	—	N	N	N	—
Riffle sculpin	—	—	—	—	—	—	—	—	—	N?	—	N?	—
Starry flounder	—	—	—	—	—	—	—	—	—	—	—	—	N
<b>No. native species</b>	<b>1</b>	<b>3</b>	<b>8</b>	<b>0</b>	<b>5</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>8</b>	<b>7</b>	<b>24</b>
<b>No. introduced species</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>13</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>11</b>	<b>15</b>	<b>24</b>
<b>Total species</b>	<b>4</b>	<b>4</b>	<b>8</b>	<b>0</b>	<b>17</b>	<b>5</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>19</b>	<b>22</b>	<b>48</b>

Abbreviations: N, native; I, nonnative; E, extinct in watershed; ?, status uncertain. Emboldened font identifies populations at risk of extinction

\* Primarily a reservoir species, but locally common in streams.

## Presence of Fish Species in Watersheds of Santa Clara County Watershed Index

Common Name	Arroyo la Laguna	Lower Penitencia	Coyote	Guadalupe	San Tomas Aquinas/Saratoga	Calabazas	Stevens	Permanente	Adobe	Matadero/Barron	San Francisco
	26	27	28	29	30	31	32	33	34	35	36
Pacific lamprey	—	—	N	N	—	—	—	—	—	—	—
Western brook lamprey	—	—	N/E?	—	—	—	—	—	—	—	—
White sturgeon	—	—	N	N	—	—	—	—	—	—	—
Threadfin shad	—	—	—	I*	—	—	—	—	—	—	—
American shad	—	—	—	N	—	—	—	—	—	—	—
Common carp	—	—	—	—	—	—	—	—	—	—	—
Goldfish	I?	—	—	—	—	—	—	—	—	—	—
Golden shiner	—	—	—	—	—	—	—	—	—	—	—
Fathead minnow	—	—	—	—	—	—	—	—	—	—	—
Red shiner	—	—	—	—	—	—	—	—	—	—	—
Thicktail chub	—	—	N/E	—	—	—	—	—	—	—	—
Hitch	N	—	N	N	N	—	N	—	—	—	N?
California roach	N	—	N	N	N	N?	N	N	N	N	N
Sacramento blackfish	—	—	N	N	—	—	—	—	—	—	—
Sacramento splittail	—	—	N/E?	N/E?	—	—	—	—	—	—	—
Sacramento pikeminnow	—	—	N	N	—	—	N	—	—	—	N/E?
Speckled dace	—	—	N/E	—	—	—	—	—	—	—	N/E?
Sacramento sucker	—	—	N	N	N	—	N	N	N	N	N
Channel catfish	—	—	—	I*	—	—	I*	—	—	—	—
White catfish	—	—	I*	I*	—	—	—	—	—	—	—
Brown bullhead	—	—	—	I	I	—	—	—	—	—	—
Black bullhead	—	—	—	I*	—	—	—	—	—	—	—
Yellow bullhead	—	—	I?	—	—	—	—	—	—	—	—
Longfin smelt	—	—	N	N	—	—	—	—	—	—	—
Pink salmon	—	—	—	N?	—	—	—	—	—	—	—
Coho salmon	—	—	N/E	N?/E	—	—	—	—	—	—	N/E
Chum salmon	—	—	—	N?	—	—	—	—	—	—	—
Chinook salmon	—	—	N	N	N/E?	—	—	—	—	—	N?
Rainbow trout	—	N/E	N	N	N	N/E	N	N/E	N/E	N/E	N
Brown trout	—	I/E?	I/E?	I/E?	—	I/E	—	—	—	—	—
Rainwater killifish	—	—	I	I	I	—	—	I	I	I	I
Western mosquitofish	I	—	I	I	I	I	I	I	I	I	I
Inland silverside	—	—	I	I	—	—	I*	—	—	—	—
Threespine stickleback	N	—	N	N	N	N	N	N	N	N	N
Striped bass	—	—	I	I	—	—	—	—	—	—	—
Sacramento perch	—	—	N/E	—	—	—	—	—	—	—	N/E
Black crappie	—	—	I*	I*	—	—	—	—	—	—	I*?
White crappie	—	—	I*	I*	—	—	—	—	—	—	—
Green sunfish	—	—	I	I	—	—	—	—	—	—	—
Bluegill	—	—	I	I	—	—	I	I	I	I	I
Pumpkinseed	—	—	I	I*	—	—	—	—	—	—	I?
Redear sunfish	—	—	I*	I*	—	—	—	—	—	I	I?
Largemouth bass	—	—	I	I	—	—	I	—	—	—	I
Smallmouth bass	—	—	I	I	—	—	—	—	—	—	—
Bigscale logperch	—	—	I	—	—	—	—	—	—	—	—
Shiner perch	N	N	N	—	—	—	—	—	—	—	—
Tule perch	—	N	N	—	—	—	—	—	—	—	—
Yellowfin goby	—	—	I	I	—	—	—	—	—	—	—
Longjaw mudsucker	—	—	N	N	—	—	—	—	—	—	—
Staghorn sculpin	—	—	N	N	—	—	—	—	—	—	—
Prickly sculpin	—	—	N	N	—	—	—	—	N	N	N
Riffle sculpin	—	—	N	N	—	—	—	—	—	—	N
Starry flounder	—	—	N	N	—	—	—	—	—	—	N
<b>No. native species</b>	<b>3</b>	<b>1</b>	<b>24</b>	<b>23</b>	<b>6</b>	<b>3</b>	<b>6</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>13</b>
<b>No. introduced species</b>	<b>2</b>	<b>2</b>	<b>26</b>	<b>23</b>	<b>5</b>	<b>2</b>	<b>9</b>	<b>4</b>	<b>3</b>	<b>5</b>	<b>9</b>
<b>Total species</b>	<b>5</b>	<b>3</b>	<b>50</b>	<b>46</b>	<b>11</b>	<b>5</b>	<b>15</b>	<b>8</b>	<b>8</b>	<b>11</b>	<b>22</b>

Abbreviations: N, native; I, nonnative; E, extinct in watershed; ?, status uncertain. Emboldened font identifies populations at risk of extinction.

\* Primarily reservoir resident, but locally common in streams.

## Presence of Fish Species in Watersheds of San Mateo-Santa Francisco County Watershed Index

Common Name	Redwood/Arroyo Ojo de Agua	Cordilleras	Belmont	Laurel	San Mateo	Sanchez	Easton	Mills	Colma
	37	38	39	40	41 <sup>a</sup>	42	43	44	45
Pacific lamprey	—	—	—	—	N?	—	—	—	—
California roach	—	—	—	—	N	—	—	—	—
Sacramento sucker	—	—	—	—	N	—	—	—	—
Coho salmon	—	—	—	—	N/E	—	—	—	—
Rainbow trout	—	—	—	—	N	—	—	N?	—
Rainwater killifish	I	I	I	I	I	I	—	—	I
Western mosquitofish	I	I	I	I	I	—	—	I	I
Threespine stickleback	N	N	N	N	N	N	—	—	N
Green sunfish	—	—	—	—	—	—	—	—	—
Redear sunfish	—	—	—	—	—	I	—	—	—
Tule perch	—	—	—	—	N/E?	—	—	—	—
Yellowfin goby	—	—	—	—	—	—	—	—	I
Staghorn sculpin	—	—	—	—	N	—	—	—	N
Prickly sculpin	—	—	—	—	N	—	—	—	—
Riffle sculpin	—	—	—	—	N/E?	—	—	—	—
No. native species	1	1	1	1	10	1	?	1	2
No. introduced species	2	2	2	2	2	4	?	1	3
Total species	3	3	3	3	12	5	?	2	5

<sup>a</sup>Known stream fishes only. Fish species found in Crystal Springs Reservoir not included. Abbreviations: N, native; I, nonnative; E, extinct in watershed; ?, status uncertain.

## Presence of Fish Species in Watersheds of San Francisco County Watershed Index

Common Name	Presidio	Mountain Lake	Lake Merced
	<b>46</b>	<b>47</b>	<b>48</b>
American shad	—	—	
Common carp	—	—	
Goldfish	—	—	
Golden shiner	—	—	
Hitch	—	—	N/I?
California roach	—	—	N/I?
Sacramento blackfish	—	—	N/I?
Sacramento spittail	N/E <sup>1</sup>	—	—
Sacramento sucker	—	—	N/I?
White catfish	—	—	
Rainbow trout	—	—	
Western mosquitofish	—	—	
Threespine stickleback	N	N	N
Sacramento perch	—	—	N/I?
Green sunfish	—	—	
Bluegill	—	—	
Largemouth bass	—	—	
Tule perch	—	—	N/I?
Tidewater goby	—	—	N/E
Prickly sculpin	—	N	N
<b>No. native species</b>	<b>2</b>	<b>2</b>	<b>9(+6?)</b>
<b>No. introduced species</b>	<b>0</b>	<b>0</b>	<b>10</b>
<b>Total species</b>	<b>2</b>	<b>2</b>	<b>19</b>

Abbreviations: N, native; I, nonnative; E, extinct in watershed; ?, status uncertain.

<sup>1</sup>Crissey Field tidal marsh?

## Presence of Fish Species in Watersheds of Marin County - Sonoma County West Watershed Index

Common Name	Coyote	Arroyo Corte Madera del Presidio	Corte Madera	Miller	Pacheco	Arroyo San Jose	Novato	San Antonio
	49	50	51	52	53	54	55	56
Pacific lamprey	—	—	N?	—	—	—	—	—
Common carp	—	—	I	I	—	—	—	—
California roach	—	N	N	N	—	N	N	N
Sacramento pikeminnow	—	N	N	—	—	—	N	—
Sacramento splittail	—	—	—	—	—	—	—	N?
Sacramento sucker	—	—	N	N/E	—	N	N	—
Coho salmon	—	N/E	N/E	—	—	—	—	—
Chinook salmon	—	—	N	—	—	N	—	—
Rainbow trout	N?/E	N	N	N	N?/E	N	N	N/E
Rainwater killifish	—	I	I	—	—	—	I	—
Western mosquitofish	—	I	I	—	—	I	I	I
Inland silverside	I	—	—	—	—	—	—	—
Threespine stickleback	N	N	N	N	N	N	N	N
Striped bass	—	—	—	—	—	—	I	—
Sacramento perch	—	—	N/E	—	—	—	—	—
Black crappie	—	—	I?	—	—	—	—	—
Green sunfish	—	—	—	—	—	—	I	—
Tule perch	—	—	N/E	—	—	—	—	—
Tidewater goby	—	—	N/E	—	—	—	N/E	—
Longjaw mudsucker	—	—	N	—	—	—	—	—
Staghorn sculpin	—	N	N	N	—	—	—	—
Prickly sculpin	—	N	N	N	—	N	N	—
Riffle sculpin	—	—	N	N	—	—	—	—
Starry flounder	—	—	N	—	—	—	—	—
<b>No. native species</b>	<b>2</b>	<b>7</b>	<b>16</b>	<b>7</b>	<b>2</b>	<b>6</b>	<b>7</b>	<b>4</b>
<b>No. introduced species</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>1</b>
<b>Total species</b>	<b>3</b>	<b>9</b>	<b>20</b>	<b>8</b>	<b>2</b>	<b>7</b>	<b>11</b>	<b>5</b>

Abbreviations: N, native; I, nonnative; E, extinct in watershed; ?, status uncertain. Emboldened font identifies populations at risk of extinction.

APPENDIX III PRESENCE OF FISH SPECIES BY WATERSHED, SAN FRANCISCO ESTUARY, CALIFORNIA

192

(f and g) pg. 181

Presence of Fish Species in Watersheds of Sonoma County West, East - Napa County Watershed Index

Common Name	Petaluma	Tolay	Sonoma	Schell
	57	58	59	60
Pacific lamprey	N	—	N	—
River lamprey	—	—	N/E?	—
Green sturgeon	N	—	—	—
White sturgeon	N	—	N	—
Threadfin shad	I	—	—	—
American shad	I	—	—	—
Common carp	I	—	I	—
Goldfish	I	—	—	—
Golden shiner	I	—	—	—
Fathead minnow	I	—	—	—
California roach	N	—	N	N
Sacramento blackfish	N	—	—	—
Sacramento splittail	N	—	N?	—
Sacramento pikeminnow	N	—	N	—
Sacramento sucker	N	—	N	—
Brown bullhead	I	—	—	—
Delta smelt	N	—	—	—
Longfin smelt	N	—	—	—
Coho salmon	—	—	N?/E	—
Chinook salmon	N	—	N	—
Rainbow trout	N	—	N	N
Brown trout	—	—	—	I?
Rainwater killifish	I	—	—	—
Western mosquitofish	I	—	I	I
Inland silverside	I	—	—	—
Threespine stickleback	N	N	N	N
Striped bass	I	—	I	—
Black crappie	I	—	—	—
Green sunfish	I	—	I	—
Bluegill	I	—	I	—
Largemouth bass	I	—	I	—
Bigscale logperch	I	—	—	—
Shiner perch	N	—	N	—
Tule perch	N	—	N	—
Yellowfin goby	I	—	I	—
Longjaw mudsucker	—	—	N	—
Shimofuri goby	I	—	—	—
Chameleon goby	I	—	I	—
Staghorn sculpin	N	—	N	—
Prickly sculpin	N	—	N	—
Riffle sculpin	N	—	N	—
Coastrange sculpin	N/E?	—	—	—
Starry flounder	N	—	N	—
No. native species	20	1	18 (2?)	3
No. introduced species	19	0	8	2
Total species	39	1	26	5

Abbreviations: N, native; I, nonnative; E, extinct in watershed; ?, status uncertain.

(g) pg. 181

Presence of Fish Species in Watersheds of Napa County Watershed Index

Common Name	Huichica	Napa
	61	62
Pacific lamprey	N	N
River lamprey	—	N
White sturgeon	—	N
Threadfin shad	I	I
American shad	I	I
Common carp	I	I
Goldfish	I	I
Golden shiner	I	I
Thicktail chub	—	N/E
Hitch	—	N
California roach	N	N
Sacramento blackfish	—	N
Sacramento splittail	—	N
Hardhead	—	N
Sacramento pikeminnow	—	N
Sacramento sucker	—	N
Channel catfish	I	I
White catfish	I	I
Brown bullhead	I	I
Black bullhead	I	I
Delta smelt	I	N
Wakasagi	I	I
Longfin smelt	—	N
Coho salmon	—	N?/E
Chum salmon	—	N
Chinook salmon	—	N
Rainbow trout	N	N
Brown trout	I	I?
Rainwater killifish	I	I
Western mosquitofish	—	I
Inland silverside	—	I
Threespine stickleback	N	N
Striped bass	—	I
Sacramento perch	—	N/E
Black crappie	—	I*
White crappie	—	I*
Green sunfish	I	I
Bluegill	I	I
Redear sunfish	—	I
Largemouth bass	I	I
Smallmouth bass	—	I
Shiner perch	—	N
Tule perch	—	N
Tidewater goby	—	N?/E
Yellowfin goby	—	I
Longjaw mudsucker	—	N
Shimofuri goby	—	I
Staghorn sculpin	—	N
Prickly sculpin	—	N
Riffle sculpin	—	N
Coastrange sculpin	—	N/E
Starry flounder	—	N
No. native species	4	28
No. introduced species	3	24
Total species	7	52

Abbreviations: N, native; I, nonnative; E, extinct in watershed; ?, status uncertain.

\* Primarily a reservoir resident, but locally common in streams.


**Presence of Fish Species in Watersheds of  
Solano County Watershed Index**

Common Name	Sulphur Springs	Ameri-can Canyon	Green Valley	Suisun
	63	64	65	66
Pacific lamprey	—	—	N	N
Common carp	—	—	I	I
Golden shiner	—	—	—	I
Fathead minnow	—	—	—	I
Hitch	—	—	—	N
California roach	—	N	N	N
Sacramento blackfish	—	—	—	N
Sacramento pikeminnow	—	—	N	N
Sacramento sucker	—	N	N	N
Delta smelt	—	—	—	N
Chinook salmon	—	—	—	N
Rainbow trout	N/E?	N?	N	N
Rainwater killifish	—	—	I	I
Western mosquitofish	—	—	I	—
Inland silverside	—	—	I	—
Threespine stickleback	—	N	N	N
Striped bass	—	—	—	I
Black crappie	—	—	—	I*
Green sunfish	—	—	—	I
Bluegill	—	—	—	I
Largemouth bass	—	—	—	I
Tule perch	—	—	N	N
Yellowfin goby	—	—	I	—
Prickly sculpin	—	N	N	N
Riffle sculpin	—	—	N	—
No. native species	1	5	9	12
No. introduced species	0	0	5	8
Total species	1	5	14	21
Percent native species	100	100	64	58

Abbreviations: N, native; I, nonnative; E, extinct in watershed; ?, status uncertain. \*Reservoir fishes not included.

**This report should be cited as:**

Leidy, R.A. 2007. Ecology, Assemblage Structure, Distribution, and Status of Fishes in Streams Tributary to the San Francisco Estuary, California. SFEI Contribution #530. San Francisco Estuary Institute. Oakland, CA.



*above*

Fish sample station, Arroyo Hondo Creek, Alameda County.

Robert A. Leidy, Ph.D.  
U.S. Environmental Protection Agency  
75 Hawthorne Street  
San Francisco, CA, 94105  
e: leidy.robert@epa.gov

San Francisco Estuary Institute  
770 Pardee Lane, Second Floor  
Oakland, CA 94621  
p: 510-746-SFEI, f: 510-746-7300  
w: www.sfei.org

This report is set in Garmond and Frutiger.  
Printed and bound on recycled paper by  
Alonzo Printing in Hayward, CA.  
[www.alonzoprinting.com](http://www.alonzoprinting.com)



For a copy of the report, please go to:

[www.sfei.org/leidy\\_No530/index.html](http://www.sfei.org/leidy_No530/index.html)

