



Test according A.S.T.M Standard D 5778-12		Date : 30-1-2013
Project : Site Investigation		Cone no. : C10CFIP.F04
Location: Paterson St - Wellington		Project no. : 02TT1
		CPT no. : 32
		2/14





Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Paterson St - Wellington**

Date : **30-1-2013**

Cone no. : **C10CFIIP.F04**

Project no. : **02TT1**

CPT no. : **32**      **4/14**

← Depth in m to reference level ( )

— Effective cone resistance ( $q_e$ ) in MPa —→

2 4 6 8 10 12 14 16 18 20 22 24 26 28 30

G.L. : 0.00 m

1.50 m Predrilled

Refusal (Tonnage)

Hole collapsed dry 0.8

150 cm<sup>2</sup>  
10 cm<sup>2</sup>



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Paterson St - Wellington**


Date : **30-1-2013**


Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **32**

**5/14**





Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Paterson St - Wellington**


Date : **30-1-2013**

Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **32**

**7/14**





← Depth in m to reference level ( )

— Soil behaviour type index (Ic) —→

0.5 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5

0  
-1  
-2  
-3  
-4  
-5  
-6  
-7  
-8  
-9  
-10  
-11  
-12  
-13  
-14  
-15  
-16  
-17  
-18  
-19  
-20  
-21  
-22  
-23  
-24

G.L. : 0.00 m

1.50 m Predrilled

(2) Organic soils  
(3) Clay  
(4) Silt mixtures  
(5) Sand mixtures  
(6) Sand clean to silty  
(7) Gravelly sand

150 cm<sup>2</sup>  
10 cm<sup>2</sup>

7

6

5

4

3

2



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Paterson St - Wellington**


Date : **30-1-2013**

Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **32**

**9/14**



150 cm<sup>2</sup>  
10 cm<sup>2</sup>



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Paterson St - Wellington**

Date : **30-1-2013**


Cone no. : **C10CFIP.F04**


Project no. : **02TT1**


CPT no. : **32**

10/14

Depth in m to reference level ( )







← Depth in m to reference level ( )

Internal friction angle in degrees →

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75

G.L. : 0.00 m

1.50 m Predrilled

Refusal (Tonnage)

Hole collapsed dry 0.8

150 cm<sup>2</sup>  
10 cm<sup>2</sup>



Test according A.S.T.M Standard D 5778-12

Project : **Site Investigation**

Location: **Paterson St - Wellington**

Date : **30-1-2013**

Cone no. : **C10CFIP.F04**

Project no. : **02TT1**

CPT no. : **32**

14/14