
EXTREME HEAT

UCLA Latino Policy & Politics Institute Climate & Health Dashboard

San Bernardino County

County Statistics

Factors Influencing Exposure to Extreme Heat



Median
Age
Latino: 29 yrs
NL white: 45 yrs

Noncitizen Population

Latino: 14% NL white: 2% AZ Limited English

Proficiency Latino: 21%

NL white: 2%

Households

Latino: 42% NL white: 31% Ħ

Poverty Rate

Latino: 15% NL white: 10% **(9**)

Median Income (Household)

Latino: \$75k NL white: \$84k



SNAP Benefits

Latino: 17% NL white: 10%



Insecurity
Latino: 18%
NL white: 10%



Rate Latino: 11% NL white: 5% Fair/Poor Health Status


Latino: 17% NL white: 13% Life

Expectancy
Latino: 78 yrs
NL white: 75 yrs

Neighborhood Statistics

Extreme Heat Days

Latino Neighborhoods and Exposure to Extreme Heat Days (≥ 90°F), 2018-2022



Latino neighborhoods = Census tracts with 70%+ Latino residents
NL white neighborhoods = Census tracts with 70%+ NL white residents

11

Extreme heat days are defined as days where the temperature is at or above 90°F. Exposure to extreme heat poses significant health risks.

Annual Number of Extreme Heat Days (2018-2022)

At 90°F, the risk of heat-related illnesses and conditions increases significantly. **Latino** neighborhoods

no NL white hoods neighborhoods

103 days

66 days

average days ≥ 90°F annually

Longest Period of Consecutive Extreme Heat Days (2022)

The Federal Emergency Management Agency defines a period of extreme heat in most of the U.S. as a period of 2 to 3 days above 90°F.

Latino neighborhoods

NL white neighborhoods

19 days

33 days

consecutive days ≥ 90°F annually

Projected Number of Extreme Heat Days by Mid-Century (2035–2064)

Looking forward, Latino neighborhoods are projected to experience more extreme heat days. **Latino** neighborhoods

NL white neighborhoods

138 days

126 days

expected days ≥ 90°F annually

^{*}NL white = Non-Latino white



Neighborhood Statistics (cont.)

Barriers and Facilitators To Preventing Heat Exposure

Tree Canopy



- · Tree canopy is land shaded by trees.
- Less tree canopy (fewer trees) = **Increased** exposure to extreme heat

% of Land with Tree Canopy

3%

10%

Latino neighborhoods

NL white neighborhoods

Impervious Surfaces



- Impervious surfaces are water-resistant surfaces such as concrete, asphalt, and stone.
- More impervious surfaces (like paved roads) = Increased exposure to extreme

% of Land with Impervious Surfaces

50%

Latino neighborhoods

7% NL white neighborhoods

Older Housing Units



- Older housing units are homes built before 1970 that often have poor insulation and inefficient HVAC systems.
- More older homes = Increased exposure to extreme heat

% of Older Housing Units

43%

Latino neighborhoods

37% **NL** white neighborhoods

Vulnerable Groups

Age

Children and older adults are at higher risk for heat-related illnesses.

28% 9% ages 0-18 ages 65+ Latino neighborhoods

18% 26% ages 0-18 ages 65+ NL white neighborhoods

Workers in Heat-Exposed Industries

Industries with the highest exposure to extreme heat include agriculture, construction, waste management, and warehousing. Jobs in these sectors carry increased risks of heat-related illnesses such as heat stroke, dehydration, chronic heat stress, and even premature death.

% of Workers in Heat-Exposed Industries

32%

Latino neighborhoods

20% NL white neighborhoods

Health

Extreme heat poses serious health risks, especially for people with conditions like heart disease, asthma, diabetes, and obesity. These individuals are more vulnerable because heat places extra stress on the body, worsening symptoms and increasing the risk of medical emergencies.

% of Adults (18+) with Pre-Existing Conditions

12%

11%

Latino **NL** white neighborhoods neighborhoods

Diabetes

41% Latino

36% NL white

neighborhoods neighborhoods

Obesity

Heat-Related Emergency Department Visits per 10,000 people Heat-related emergency room visits

serve as a critical indicator of a neighborhood's vulnerability to

extreme temperatures and the effectiveness of its heat mitigation

strategies.

Latino neighborhoods

NL white neighborhoods

Emergency Department Visits (per 10,000 people)

19

NL white Latino neighborhoods neighborhoods

Heart Attacks

68

51

Latino NL white neighborhoods neighborhoods

Asthma Attacks

Disadvantaged Communities

The CA Environmental Protection Agency defines disadvantaged communities based on their environmental pollution burden and population characteristics. Under Senate Bill 535, revenue from CA's Cap-and-Trade Program is partly directed toward these communities through the CA Climate Investments program to reduce pollution, enhance climate resilience, and improve health and economic well-being.

% of Disadvantaged Communities

87%

4%

Latino neighborhoods

NL white neighborhoods