


EXTREME HEAT

California

State Statistics


Factors Influencing Exposure to Extreme Heat



Neighborhood Statistics

Extreme Heat Days

Latino Neighborhoods and Exposure to Extreme Heat Days ($\geq 90^{\circ}\text{F}$), 2018-2022



Latino neighborhoods = Census tracts with 70%+ Latino residents
NL white neighborhoods = Census tracts with 70%+ NL white residents

!! Extreme heat days are defined as days where the temperature is at or above 90°F . Exposure to extreme heat poses significant health risks.

Annual Number of Extreme Heat Days (2018-2022)

At 90°F , the risk of heat-related illnesses and conditions increases significantly.

Latino neighborhoods NL white neighborhoods
60 days **37 days**
average days $\geq 90^{\circ}\text{F}$ annually

Longest Period of Consecutive Extreme Heat Days (2022)

The Federal Emergency Management Agency defines a period of extreme heat in most of the U.S. as a period of 2 to 3 days above 90°F .

Latino neighborhoods NL white neighborhoods
27 days **20 days**
consecutive days $\geq 90^{\circ}\text{F}$ annually

Projected Number of Extreme Heat Days by Mid-Century (2035-2064)

Looking forward, Latino neighborhoods are projected to experience more extreme heat days.

Latino neighborhoods NL white neighborhoods
92 days **73 days**
expected days $\geq 90^{\circ}\text{F}$ annually

Neighborhood Statistics (cont.)

Barriers and Facilitators To Preventing Heat Exposure

Tree Canopy



- Tree canopy is land shaded by trees.
- Less tree canopy (fewer trees) = Increased exposure to extreme heat**

% of Land with Tree Canopy



Impervious Surfaces



- Impervious surfaces are water-resistant surfaces such as concrete, asphalt, and stone.
- More impervious surfaces (like paved roads) = Increased exposure to extreme heat**

% of Land with Impervious Surfaces



Older Housing Units



- Older housing units are homes built before 1970 that often have poor insulation and inefficient HVAC systems.
- More older homes = Increased exposure to extreme heat**

% of Older Housing Units



Vulnerable Groups

Age

Children and older adults are at higher risk for heat-related illnesses.

28%
ages 0-18
Latino neighborhoods

10%
ages 65+
Latino neighborhoods

18%
ages 0-18
NL white neighborhoods

25%
ages 65+
NL white neighborhoods

Workers in Heat-Exposed Industries

Industries with the highest exposure to extreme heat include agriculture, construction, waste management, and warehousing. Jobs in these sectors carry increased risks of heat-related illnesses such as heat stroke, dehydration, chronic heat stress, and even premature death.

% of Workers in Heat-Exposed Industries

30%
Latino neighborhoods

14%
NL white neighborhoods

Health

Extreme heat poses serious health risks, especially for people with conditions like heart disease, asthma, diabetes, and obesity. These individuals are more vulnerable because heat places extra stress on the body, worsening symptoms and increasing the risk of medical emergencies.

% of Adults (18+) with Pre-Existing Conditions



Emergency Department Visits (per 10,000 people)



Disadvantaged Communities

The CA Environmental Protection Agency defines disadvantaged communities based on their environmental pollution burden and population characteristics. Under Senate Bill 535, revenue from CA's Cap-and-Trade Program is partly directed toward these communities through the CA Climate Investments program to reduce pollution, enhance climate resilience, and improve health and economic well-being.

% of Disadvantaged Communities

76%
Latino neighborhoods

1%
NL white neighborhoods