

# CSE 11

# Accelerated Intro to Programming

## Lecture 1

Greg Miranda, Spring 2021

# Fair Notice of Class Recording Announcement

- Each class online lecture for CSE 12, including this one, will be recorded and made available to students asynchronously.

# Greg Miranda



- **Started at UCSD in Summer 2018**
  - Taught at private colleges (AICASD, UAT) before UCSD
- **Teaching Background:**
  - 5A/8B/11/12
  - Game Programming, Game Design, Web Programming
- **Background:**
  - CE graduate from UCSD in '96
  - 20+ years as a Software Engineer
- **When I'm not teaching:**
  - Consulting
  - Taekwondo

# Announcements

- Discussion starts Wednesday @ 4pm & 5pm
- Quiz 1 due Wednesday @ 8am
- PA0.5 released today – due Thursday
- PA1 released Wednesday – due 4/7

# Coding Experience

- How much coding experience?
  - A – No coding
  - B – A little bit of coding
  - C – Some coding
  - D – Lots of coding

# Coding Experience

- Languages – Select All
  - A – Java
  - B – C++
  - C – Python
  - D – JavaScript or other scripting language
  - E – Other compiled language (ex: C)

# Topics

- Syllabus
- Canvas
- Questions?

# Experimenting with running Java Programs

- How to edit Code?
  - Text Editor
  - Integrated Development Environment (IDE)
- How to run Code?
  - Command Line
    - Mac/Linux
    - Windows



```
class Examples1Lecture {  
    int theNumberFive = 2 + 3;  
}
```

- Fields
- Arithmetic Expression
- Output
- Java / Programming Languages
  - Simplest thing you can do with them: calculators
- More Examples

# Errors / Error Messages

- Big part of programming
  - Understanding when you made a mistake
  - How to fix the mistake
- Possible mistakes
  - Invalid command
    - Expect that that class is defined in a file with the same name .java
    - Class can't be found – typo in the name or a has mismatch with the name of the class
  - Name of field doesn't match value
    - Pick meaningful names

- Possible mistakes (cont.)
  - Could leave off or forget int
    - Syntax error
  - Error messages do not always match what's wrong
    - Use context of program to figure out what happened
  - Other errors we can get
    - When running programs – practice trying to break them a little bit
      - Remove =
      - Remove ;
      - Remove { or }
- Going to be a lot of times where you make a mistake
  - Typo
  - Copy/paste incorrectly
  - Accidentally delete something
  - Or just make a mistake
- Need to practice fixing error messages
  - Use the context of the program to understand the error message
- Errors are a normal part of programming

# Arithmetic in Java

```
class Examples1Lecture {  
    int x = 2 + 9 * 3;  
    int y = 10 / 3;  
}
```

- What's would happen here?
  - What is the value of x?
  - What is the value of y?
  - What about `y = 11 / 3; ?`
- Using parenthesis

- Order of operations & parenthesizing
  - In many ways Java acts like arithmetic
  - But in other ways, Java does not
    - Division has truncation behavior we do not see in math classes
      - Very common in programming
    - Multiplication & division before addition & subtraction

# New Example

- Create a new file

```
class Examples2 {  
    int rate = 20;  
}
```

- class – will talk about more later
  - For now: describes a group of fields
- Problem:
  - Calculate the pay you would receive at a certain hourly rate given a number of hours
    - New field: # of hours worked
  - Calculate total pay using Java as a calculator

- Calculate total pay (cont.)
  - Can we use these fields in another calculation?
  - Why is it useful to do this with fields instead of writing this directly?
    - What if:
      - Use same hourly rate, but a number of different weeks to calculate?
    - What if:
      - We want to change the hourly rate?
    - Change once, changes all values
      - Many times, you will have one field whose value can be used in many places
        - Configure how the program works
    - Changing the value in one spot can affect many other places in the program
      - Powerful concept in programming:
        - Define a value in one place
        - Change it by editing the program
        - Watch its changes be reflected in all the other places next time it's run

- Using `this.hourlyRate`
  - Call that a field look-up or a field access
    - Looking up the current value of a field that has been defined before



