CSE 12 — Basic Data Structures and Object-Oriented Design Lecture 12

Greg Miranda, Spring 2021

Announcements

- Quiz 12 due Wednesday @ 12pm
- PA4 due Wednesday @ 11:59pm
- Survey 5 due Friday @ 11:59pm
- > PAS Thursday (closed PA)

Examl grading

Topics

- Questions on Lecture 12?
- Combine/Sort

Questions on Lecture 12?

SortFast – Draw the picture of sortC()

```
public class SortFast {
 public static String s(int \[ arr) \ return Arrays.toString(arr); \}
 public static int[] combine(int[] part1, int[] part2) {
  int index1 = 0, index2 = 0;
  int[] combined = new int[part1.length + part2.length];
  while(index1 < part1.length && index2 < part2.length) {
   if(part1[index1] < part2[index2]) {
     combined[index1 + index2] = part1[index1];
     index1 += 1:
    else {
     combined[index1 + index2] = part2[index2];
     index2 += 1:
  while(index1 < part1.length) {
   combined[index1 + index2] = part1[index1]; index1 += 1;
  while(index2 < part2.length) {
   combined[index1 + index2] = part2[index2]; index2 += 1;
  System.out.println(s(part1) + " + " + s(part2) + " -> " + s(combined)):
  return combined:
```

```
public static int[] sortC(int[] arr) {
  if(arr.length <= 1) { return arr; }
  else {
   int[] part1 = Arrays.copyOfRange(arr, 0, arr.length / 2);
   int[] part2 = Arrays.copyOfRange(arr, arr.length / 2, arr.length);
   System.out.println(s(arr) + " -> " + s(part1) + " + " + s(part2)):
    int[] sortedPart1 = sortC(part1);
   int[] sortedPart2 = sortC(part2);
   int[] sorted = combine(sortedPart1, sortedPart2);
    return sorted;
main() {
 int[] result = SortFast.sortC(new int[]{34, 93, 12, 49, 69, 25, 39 });
 System.out.println(SortFast.s(result));
```