

**UNIVERSITY COLLEGE TATI (UC TATI)****FINAL EXAMINATION QUESTION BOOKLET**

COURSE CODE	: DMT 1023
COURSE	: PROGRAMMING I
SEMESTER/SESSION	: 1-2024/2025
DURATION	: 3 HOURS

**Instructions:**

1. This booklet contains **4** questions. Answer **ALL**.
2. All answers should be written in the answer booklet.
3. Write legibly and draw sketches wherever required.
4. If in doubt, raise your hand and ask the invigilator.

**DO NOT OPEN THIS BOOKLET UNTIL YOU ARE TOLD TO DO SO**

**THIS BOOKLET CONTAINS 7 PRINTED PAGES INCLUDING COVER PAGE**

---

**QUESTION 1**

- a) Define a programming language and machine code. (2 marks)
- b) List the **three** (3) categories of software. (3 marks)
- c) Describe the number of format specifier functions in Table 1 below.

Table 1

Number Specifiers	Description
%d	
%f	
%o	

(3 marks)

- d) Table 2 shows the data types in C language programming. Write the size (memory used) of the data types below.

Table 2

Integer	Size
int	
long	
float	
double	

(4 marks)

- e) Rewrite the correct program according to the **four (4)** syntax errors on the program below.

```
#include <math.h>
#include <stdio.h>

int main()
{
    int i, sum, num, count = 0;
    printf("All Armstrong number between 1 and 1000 are:\n");
    for (i = 1; i <= 1000; i++)
    {
        num = i;
        while (num != 0)
        {
            num /= 10;
            count++;
        }
        num = i;
        sum = pow(num % 10, count) + pow((num % 100 - num % 10) / 10, count) + pow((num % 1000 - num % 100) / 100, count);
        if (sum == i);
        {
            printf("%d ", i);
        }
        count = 0;
    }
}
```

(4 marks)

---

**QUESTION 2**

- a) Draw the **flowchart** for **do while** looping function. (2 marks)
- b) Refers to the algorithm to find the largest number among the three numbers below:
1. Start
  2. Read the three numbers to be compared as A, B, and C.
  3. Check if A is greater than B.
    - 3.1 If true, then check if A is greater than C.
      - 3.1.1 If true, print 'A' as the greatest number.
      - 3.1.2 If false, print 'C' as the greatest number.
    - 3.2 If false, then check if B is greater than C.
      - 3.1.1 If true, print 'B' as the greatest number.
      - 3.1.2 If false, print 'C' as the greatest number.
  4. End
- i) Draw the **flowchart** according to the algorithm given. (8 marks)
- ii) Write the **program** by using **if.. else if** function. (9 marks)

- c) For the program that compares the two dates given below, illustrate the result for the input and output of the program after the run.

```
#include <stdio.h>
// Declaring the structure of Date
struct Date {
    int date;
    int month;
    int year;
};
// Driver code
int main()
{
    int date1, date2, month1,
        month2, year1, year2;
    // Get the first date
    scanf("%d", &date1);
    printf("Enter the first date: %d", date1);
    scanf("%d", &month1);
    printf("\nEnter the first month: %d", month1);
    scanf("%d", &year1);
    printf("\nEnter the first year: %d", year1);
    // Initialise the structure with first date
    struct Date Date1 = { date1, month1, year1 };
    // Get the second date
    scanf("%d", &date2);
    printf("\nEnter the second date: %d", date2);
    scanf("%d", &month2);
    printf("\nEnter the second month: %d", month2);
    scanf("%d", &year2);
    printf("\nEnter the second year: %d", year2);
    // Initialise the structure with first date
    struct Date Date2 = { date2, month2, year2 };
    printf("\nThe given dates are: ");
    // Comparing the Dates
    if (Date1.date == Date2.date
        && Date1.month == Date2.month
        && Date1.year == Date2.year) {
        printf("Equal");
    }
    else {
        printf("Unequal");
    }
    return 0;
}
```

(7 marks)

**QUESTION 3**

- a) List the **five** (5) looping statements used in C programming. (5 marks)
- b) The program below shows the **if** function looping to prompt the user to enter their cholesterol level and then checks if it is normal, borderline high, or high.

```
#include <stdio.h>
int main()
{
    float cholesterol;
    printf("Enter your cholesterol level: ");
    scanf("%f", &cholesterol);
    if (cholesterol < 200)
    {
        printf("Your cholesterol level is normal.\n");
    }
    else if (cholesterol >= 200 && cholesterol < 240)
    {
        printf("Your cholesterol level is borderline high.\n");
    }
    else
    {
        printf("Your cholesterol level is high.\n");
    }
    return 0;
}
```

Write the **program** by using **while** function statement.

(12 marks)

- c) According to Table 3 below, write the description of each mathematical and logical symbol.

Table 3

Symbol	Description
&&	
!	
<<	
>>	
%	
==	

(7 marks)

---

**QUESTION 4**

a) Express the arithmetic equation below in C language programming.

i) `u=u+2;`

(2 marks)

ii) `v=v/5;`

(2 marks)

iii) `w=w%8;`

(2 marks)

b) Describe the function of the **pre-increment operator (++n)** and **post-increment operator (n++)**.

(4 marks)

c) Produce the program for multiplying the matrix below using the 2D matrix array function in C language programming.

$$\begin{bmatrix} 3 & 4 \\ 1 & 2 \end{bmatrix} \times \begin{bmatrix} 8 & 9 & 1 \\ 5 & 6 & 7 \end{bmatrix}$$

(17 marks)

d) Illustrate the result for matrix (2x2) x (2x3) from 4 c) by manually calculating and showing the calculation steps.

(7 marks)

-----End of question-----

