

**UNIVERSITY COLLEGE TATI (UCTATI)****FINAL EXAMINATION QUESTION BOOKLET**

COURSE CODE	: MPU 3332
COURSE	: RUBBER INDUSTRY IN MALAYSIA
SEMESTER/SESSION	: SEMESTER 2 2024/2025
DURATION	: 1.5 HOURS

Instructions:

1. This booklet contains questions. Answer **60** questions.
2. All answers should be written in **OMR sheet**. Only use **2b** pencil.
3. Write legibly and draw sketches wherever required.
4. If in doubt, raise up your hands and ask the invigilator.

DO NOT OPEN THIS BOOKLET UNTIL YOU ARE TOLD TO DO SO

THIS BOOKLET CONTAINS 14 PRINTED PAGES INCLUDING COVER PAGE

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

1. Which industry heavily relies on the use of rubber for manufacturing tires and belts.
 - A. Textile industry
 - B. Automotive industry
 - C. Electronics industry
 - D. Food industry

2. Rubber compounding means _____.
 - A. Treatment to retard its deterioration due to oxidation
 - B. Depression of its freezing point
 - C. Selecting and combining elastomers and additives
 - D. Improving its curing rate

3. Which of the following is the most important rubber compounding ingredient which is used to retard the deterioration of rubber compounds initiated by oxygen, heat, ozone and light.
 - A. Additive
 - B. Antidegradant
 - C. Softener
 - D. Activator

4. Pick out the **WRONG** statement about procedure for compound development.
 - A. Estimate cost of compound selected for further evaluation
 - B. Use compound to make a product sample
 - C. Test product sample against performance specification
 - D. Scrap and reject of these materials can be recycled-environmental friendly behavior

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

5. Polyisoprene is a _____.
A. Synthetic rubber
B. Natural rubber
C. Filler
D. Softener
6. Which of the following is a copolymer.
A. SBR
B. BR
C. PVC
D. Polystyrene
7. _____ is the process by which the latex is collected from a rubber tree.
A. Rubber tapping
B. Rubber waxing
C. Rubber mixing
D. Rubber calendaring
8. Which of the following is **NOT** the criterion of plasticizer selection.
A. Compatibility
B. Efficiency
C. Cost
D. Selectivity
9. Uncured rubbers have high viscosity so mechanical working of the rubber can increase its temperature up to ____°C.
A. 80
B. 100
C. 150
D. 300

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

10. Fillers such as zinc oxide and carbon black are added to the crude natural rubber before vulcanisation in order to improve its _____.
A. Plasticity
B. Viscosity
C. Weathering characteristics
D. Scorch
11. Premature vulcanization means _____.
A. To secure certain properties in the finished product to satisfy service requirements
B. not thoroughly mixed with the base rubber
C. To attain processing characteristics necessary for efficient utilization of available equipment
D. To achieve the desirable properties and processability at lowest possible cost
12. Scientific name for rubber tree is _____.
A. *Hevea brasiliensis*
B. *Hevea guianensis*
C. *Hevea benthamiana*
D. *Hevea microphylla*
13. Synthetic rubbers are supplied to rubber processors in the form of _____.
A. Pellet
B. Resin
C. Powder
D. Bale
14. Which of the following component is **NOT** involve in tyre manufacturing process.
A. Tread
B. Plies
C. Bead coil
D. Chain

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

15. To avoid premature vulcanization, _____ process is usually employed.
- A. Two roll mill
 - B. Banbury-type internal mixer
 - C. Two stage mixing
 - D. Carcass
16. The main use of filament reinforcement is _____.
- A. In the manufacture of synthetic rubber
 - B. As a plasticiser for unsaturated polyester
 - C. As an anti-skimming agent in paint
 - D. To reduce extensibility but retain the other desirable properties
17. Reinforced tube consist 3 layers which is _____.
- A. Sidewall, reinforcement layer, plies
 - B. Tread, bead, drum
 - C. Outer layer, reinforcement layer, inner tube
 - D. Curing, vulcanized, mixing
18. _____ is a process which rubber stock is passed through a series of gaps of decreasing size by a stand of rotating rolls.
- A. Extrusion
 - B. Calendering
 - C. Coating
 - D. Molding and casting
19. Which of the following is **NOT** about rubber processing into finished goods.
- A. Rubbing
 - B. Mixing
 - C. Shaping
 - D. Compounding

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

20. Out of all the elastomers, natural rubber has the longest elongation range & flexibility of the order of _____ percent.
- A. 2000-2500
 - B. 1500-2000
 - C. 1-1000
 - D. 1000-1500
21. _____ makes the rubber stiffer and stronger but retain extensibility.
- A. Vulcanization
 - B. Extrusion
 - C. Antioxidants
 - D. Lubricants
22. Ziegler process _____.
- A. employs very high pressure
 - B. produces low density polythene
 - C. uses catalyst
 - D. Was developed in 1998
23. Pick out the **WRONG** statement.
- A. Molded parts for footwear are produced by injection molding, compression molding
 - B. Plain hose (no reinforcement) is extruded tubing
 - C. Without crosslink, an elastomer may be elongated beyond elastic limit
 - D. Normal crosslinked polymers can be recycled
24. Function of pneumatic tires on vehicle is _____.
- A. Transmit the motor torque to propel the vehicle
 - B. Reduce the weight of the vehicle, passengers, and cargo
 - C. Expel water of the vehicle when raining
 - D. Consists of multiple layers of rubber-coated cords for vibration

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

25. Sulfur, metallic oxides and organic peroxide are items for _____.
A. Vulcanizing Agents
B. Accelerators
C. Activators and Retarders
D. Antidegradants
26. Carbon black is important as reinforcing filler because _____.
A. Carbon black also provides protection from ultraviolet radiation
B. To secure certain properties in the finished product to satisfy service requirements
C. To attain processing characteristics necessary for efficient utilization of available equipment
D. To achieve the desirable properties and processability at lowest possible cost
27. Which of the following is **NOT** the basic category of shaping processes.
A. Extrusion
B. Calendering
C. Swelling
D. Molding and casting
28. Which of the following processes is used to produce continuous lengths of rubber products like hoses and tubes.
A. Extrusion
B. Machining
C. Casting
D. Welding
29. Crosslink density means _____.
A. Total number of crosslink in the system
B. Increase the time of process and quantity of crosslink
C. Increase its viscosity to permit easier processing in crosslink
D. None of these

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

30. Internal structure of tyre known as _____.
A. Plies
B. Steel
C. Nylon
D. Carcass
31. Which country is the largest producer of rubber in Southeast Asia.
A. Malaysia
B. Indonesia
C. Thailand
D. Vietnam
32. Cis means that two pendent group (H and CH₃) that are _____.
A. Located on the opposite side of the carbon carbon double bond
B. Located on the same side of the carbon carbon double bond
C. Called gutta percha
D. Used for golf balls
33. Rubber belts are normally made of rubber due to its flexibility, but the belt must have little or no extensibility. Therefore, it is reinforced with _____.
A. PVC
B. Polyamides
C. Cellulose
D. Polyester
34. What is the primary environmental concern associated with the disposal of rubber products.
A. Non-biodegradability
B. Air pollution
C. Water contamination
D. Noise pollution

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

35. After the seeds were germinated in Europe, there was a plan to begin commercial cultivation of rubber trees in Southeast Asia. Where were the seedlings first sent.
- A. Australia
 - B. Indonesia
 - C. Sri Lanka (Ceylon)
 - D. Thailand
36. Concurrently with the development of the rubber industry, great strides were made in the technology of working with rubber, which drove up the demand for latex. One of Vandelay Industries' important customers is an American tire company named for the inventor of the process of vulcanization. Who was this inventor.
- A. Richard Bridgestone
 - B. Charles Goodyear
 - C. Harvey Firestone
 - D. Harvey Firestein
37. What are the sequential processes through which rubber latex undergo to give natural rubber.
- A. Tapping-preservation-coagulation
 - B. Preservation-tapping-coagulation
 - C. Tapping-coagulation-preservation
 - D. Coagulation-tapping-preservation
38. What property of rubber makes it suitable for use in shock absorbers.
- A. High density
 - B. High elasticity
 - C. Low thermal conductivity
 - D. High electrical conductivity
39. Where did rubber originate.
- A. The Americas
 - B. Africas
 - C. South East Asia
 - D. India

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

40. The natural rubber industry is quite healthy, because developments in the manufacture of a transportation-related item required the use of natural rubber. What item is it.
- A. Boot soles
 - B. Tires
 - C. Balloons
 - D. Rubber bands
41. What personal protective equipment (PPE) is essential for workers handling raw rubber and chemicals in the manufacturing process.
- I. Safety glasses
 - II. Gloves
 - III. Respirators
 - IV. Safety shoes
- A. I, II
 - B. II, III
 - C. I, IV
 - D. I, II, III, IV
42. Which of the following is a significant advantage of using thermoplastic elastomers (TPE) over traditional vulcanized rubber.
- I. Easier processing and recycling
 - II. Lower strength and durability
 - III. Higher density
 - IV. Greater resistance to heat
- A. I, III, IV
 - B. I, II, III
 - C. I
 - D. I, IV

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

43. Which of the following statement is **TRUE** regarding bullish sentiment in rubber market which leads to increasing of rubber price.

- I. Declining world natural rubber production
- II. Uncertain oil prices
- III. Tighter natural rubber supply
- IV. Increasing natural rubber production

- A. I, IV
- B. I, III
- C. I, II
- D. II, III

44. Established on 1 January 1998, Malaysian Rubber Board (MRB) has under its fold three well established agencies. Which of the following are those three agencies.

- I. RRIM (Rubber Research Institute of Malaysia)
- II. MRRDB (Malaysian Rubber Research and Development Board)
- III. MRELB (Malaysian Rubber Exchange and Licensing Board)
- IV. PRIM (Polymer Rubber Industry in Malaysia)

- A. I, III, IV
- B. III, IV
- C. I, II, III
- D. II, IV

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

45. Accelerators are added to rubber to _____.

- I. Reduce vulcanization time
- II. Increasing speed of vulcanization
- III. Xanthates is a type of accelerator
- IV. Transmit the motor torque to propel the vehicle

- A. I
- B. I, II
- C. I, II, III
- D. I, III, IV

46. Rubber belts are normally made of rubber due to its flexibility, but the belt must have little or no extensibility. Therefore, it is reinforced with _____.

- I. PVC
- II. Nylon
- III. Cellulose
- IV. Polyester

- A. I, IV
- B. II, IV
- C. II, III
- D. IV

47. Compared to other elastomeric materials, natural rubber shows _____.

- I. Higher tensile strength
- II. High tear strength
- III. High resilience
- IV. Resistance to wear

- A. I, II, III, IV
- B. I, III
- C. I, II, IV
- D. II, III, IV

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

48. Natural rubber is used more extensively because _____.

- I. Of its low cost
- II. Increase needs for elastomeric materials-
- III. Highly elastomeric
- IV. High temperature stability

- A. II, IV
- B. I
- C. III
- D. I, II, III, IV

49. What is the primary goal of research in the development of new synthetic rubbers.

- A. To improve sustainability and environmental impact
- B. To reduce costs
- C. To increase production speed
- D. To enhance color options

Choose True or False for each following statement from Question 50 until Question 60:

50. Rubber price will decrease if crude oil prices increase.

- A. True
- B. False

51. A weaker ringgit makes a nation's exports more competitive, thus making rubber price increase.

- A. True
- B. False

52. Tighter natural rubber supply will make rubber price increase.

- A. True
- B. False

53. Malaysia is global consumer of natural rubber latex.

- A. True
- B. False

RUBBER INDUSTRY IN MALAYSIA (MPU 3332)

-
54. Malaysia leads the highest motor vehicle production in ASEAN.
- A. True
 - B. False
55. Scientific name for rubber tree is *Hevea Brasiliensis*.
- A. True
 - B. False
56. Indonesia is the largest producer of rubber in the world.
- A. True
 - B. False
57. Rubber is a natural polymer.
- A. True
 - B. False
58. The latex used in making rubber is not the sap of a rubber tree.
- A. True
 - B. False
59. Rubber waxing is the process by which the latex is collected from a rubber tree.
- A. True
 - B. False
60. Rubber compounding mean depression of its freezing point.
- A. True
 - B. False

-----End of questions-----