## **EX.NO:11C**

#### DATE:

#### REMOTE PROCEDURE CALL FOR LIST OPERATIONS- XMLRPC

### AIM:

To Implement an XML RPC code for the following functions,

- a. No items in a list
- b. Smallest element in a list
- c. Largest element in the list
- d. Converting a list to a set.

#### **PROGRAM**

#### **Server Side:**

```
from xmlrpc.server import SimpleXMLRPCServer def
list length(a):
return len(a) def
list maximum(a):
return max(a) def
list minimum(a):
return min(a) def
list to set(a):
f=list(set(a)) return
f def
list concate(a,b):
return a+b
server = SimpleXMLRPCServer(("localhost", 8000))
print("Listening on port 8000...")
server.register function(list length,"list length")
server.register function(list maximum, "list maximum")
server.register function(list minimum, "list minimum")
server.register function(list to set, "list to set")
server.register function(list concate, "list concate")
server.serve forever()
```

## **Client Side:**

```
import xmlrpc.client proxy= xmlrpc.client.ServerProxy('http://localhost:8000/') while True: print("PRESS 1-->STRAT || 2--> STOP ")
```

```
c=int(input("ENTER YOUR CHOICE"))
a=[]
b=[] if
c = 1:
print("ENTER THE ELEMENTS TO ADD FIRST LIST") print("PRESS -1
TO EXIT THIS LIST") while True:
d=int(input("--->"))
if d==-1: break
a.append(d)
print("ENTER THE ELEMENTS TO ADD SECOND LIST") print("PRESS -2
TO EXIT THIS LIST") while True:
e=int(input("--->"))
if e==-2: break
b.append(e)
if c==2:
break
print(a)
print(b)
print("list length",proxy.list length(a))
print("list maximum",proxy.list maximum(a))
print("list minimum",proxy.list minimum(a))
print("list to set",proxy.list to set(a))
print("list concate",proxy.list concate(a,b))
```

## **OUTPUT**

```
D:\>python server.py
Listening on port 8000...

127.0.0.1 - - [06/Nov/2024 13:05:13] "POST / HTTP/1.1" 200 -
127.0.0.1 - - [06/Nov/2024 13:05:15] "POST / HTTP/1.1" 200 -
127.0.0.1 - - [06/Nov/2024 13:05:17] "POST / HTTP/1.1" 200 -
127.0.0.1 - - [06/Nov/2024 13:05:19] "POST / HTTP/1.1" 200 -
127.0.0.1 - - [06/Nov/2024 13:05:21] "POST / HTTP/1.1" 200 -
```

```
D:\>python client.py
PRESS 1-->START || 2-->STOP
ENTER YOUR CHOICE: 1
ENTER THE ELEMENTS TO ADD TO FIRST LIST
PRESS -1 TO EXIT THIS LIST
--->1
-->3
-->5
-->-1
ENTER THE ELEMENTS TO ADD TO SECOND LIST
PRESS -2 TO EXIT THIS LIST
--->2
--->4
--->6
--->-2
First List: [1, 3, <u>5</u>]
Second List: [2, 4, 6]
list_length 3
list_maximum 5
list_minimum 1
list_to_set [1, 3, 5]
list_concate [1, 3, 5, 2, 4, 6]
PRESS 1-->START || 2-->STOP
ENTER YOUR CHOICE:
```

# **RESULT**

Hence the following list of operations have been Implemented by an XML RPC code for the following functions

- a. No of items in a list
- b. Smallest element in a list
- c. Largest element in the list
- d. Converting a list to a set.