CS 754 : Advanced Image Processing Assignment 5

Meet Udeshi - 14D070007 Arka Sadhu - 140070011


April 14, 2017

$\mathbf{Q}\mathbf{1}$

Mutual Coherence:

$$\mu = 0.996815820660457$$

Histogram of Coherence Values:



$\mathbf{Q2}$

A2.1

Need to show Shift Theorem:

$$R(g(x-x_0,y-y_0)(\rho,\theta)) = R(g(x,y))(\rho - x_0 cos(\theta) - y_0 sin(\theta),\theta)$$
(1)

Let $h(x,y) = g(x - x_0, y - y_0)$

$$R(h(x,y))(\rho,\theta) = \int_{\infty}^{\infty} \int_{\infty}^{\infty} h(x,y) \delta(x cos(\theta) + y sin(\theta) - \rho) dx dy$$

$$R(h(x,y))(\rho,\theta) = \int_{\infty}^{\infty} \int_{\infty}^{\infty} g(x-x_0,y-y_0)\delta(x\cos(\theta)+y\sin(\theta)-\rho)dxdy$$

Put $x_1 = x - x_0$ and $y_1 = y - y_0$

$$R(h(x,y))(\rho,\theta) = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} g(x_1,y_1)\delta((x_1+x_0)\cos(\theta) + (y_1+y_0)\sin(\theta) - \rho)dxdy$$

$$R(h(x,y))(\rho,\theta) = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} g(x_1,y_1) \delta(x_1 cos(\theta) + y_1 sin(\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_1 = R(g(x,y)(\rho_1,\theta) - (\rho - x_0 cos(\theta) - y_0 sin(\theta)) dx_1 dy_2 = R(g(x,y)(\rho_1,\theta) - y_0 sin(\theta)) dx_2 dx_2 dx_3 dx_3 dx$$

where $\rho_1 = \rho - x_0 cos(\theta) - y_0 sin(\theta)$

Therefore

$$R(h(x,y))(\rho,\theta) = R(g(x-x_0,y-y_0))(\rho,\theta) = R(g(x,y))(\rho_1,\theta)$$

Hence Proved

A2.2

Need to show Rotation Theorem: Let $g'(r, \psi) = g(r, \psi - \psi_0)$.

$$R(g'(r,\psi))(\rho,\theta) = R(g)(\rho,\psi_0 - \theta)$$

$$R(g'(r,\psi))(\rho,\theta) = \int_{\infty}^{\infty} \int_{\infty}^{\infty} g'(r,\psi)\delta(\rho - r\cos(\psi - \theta))|r|drd\psi$$

$$R(g'(r,\psi))(\rho,\theta) = \int_{\infty}^{\infty} \int_{\infty}^{\infty} g(r,\psi - \psi_0)\delta(\rho - r\cos(\psi - \theta))|r|drd\psi$$
(2)

Put $\psi_1 = \psi - \psi_0$

$$R(g'(r,\psi))(\rho,\theta) = \int_{\infty}^{\infty} \int_{\infty}^{\infty} g(r,\psi_1)\delta(\rho - r\cos(\psi_1 + \psi_0 - \theta)|r|drd\psi_1$$
$$R(g'(r,\psi))(\rho,\theta) = R(g(r,\psi))(\rho,\psi_0 - \theta)$$

A2.3

Need to show Convolution Theorem: Let

$$h(x,y) = \int_{\infty}^{\infty} \int_{\infty}^{\infty} f(x_{1},y_{1})g(x-x_{1},y-y_{1})dx_{1}dy_{1}$$

$$Rh = Rf * Rg$$

$$Rh = \int_{\infty}^{\infty} \int_{\infty}^{\infty} \int_{\infty}^{\infty} \int_{\infty}^{\infty} f(x_{1},y_{1})g(x-x_{1},y-y_{1})\delta(\rho-x\cos(\theta)-y\sin(\theta))dx_{1}dy_{1}dxdy$$

$$Rh = \int_{\infty}^{\infty} \int_{\infty}^{\infty} \int_{\infty}^{\infty} \int_{\infty}^{\infty} R(g)(\rho-x_{1}\cos(\theta)-y_{1}\sin(\theta),\theta)dx_{1}dy_{1}$$

$$Rh = \int_{\infty}^{\infty} \int_{\infty}^{\infty} \int_{\infty}^{\infty} f(x_{1},y_{1})R(g(\rho-\rho_{1},\theta)\delta(\rho_{1}-x_{1}\cos(\theta)-y_{1}\sin(\theta))dx_{1}dy_{1}d\rho_{1}$$

$$Rh = \int_{\infty}^{\infty} R(f)(\rho_{1},\theta)R(g))(\rho-\rho_{1},\theta)d\rho_{1}$$

$$Rh = Rf * Rg$$

$$(3)$$