Α	mRNA	Protein	
	1.Ribosome □ 2.Purine metabolism □		lowMg
	1.Flagellar assembly □ 2.Sulfur metabolism □ 3.Nitrogen metabolism □	1.Biosynthesis of siderophore group nonribosomal peptides □ 2.Two-component system □ 3.Pyruvate metabolism □	highMg
	1.Flagellar assembly □	1.Biosynthesis of amino acids □ 2.Biosynthesis of secondary metabolites □ 3.Biosynthesis of antibiotics □ 4.Metabolic pathways □ 5.Phenylalanine, tyrosine and tryptophan biosynthesis □	highNa
	1.Ribosome □ 2.Biosynthesis of antibiotics □		glycerol
	1.Pentose phosphate pathway □	1.Biosynthesis of siderophore group nonribosomal peptides □	gluconate
	1.Pyruvate metabolism □ 2.Ribosome □	1.Citrate cycle (TCA cycle) □ 2.Pyruvate metabolism □ 3.Carbon metabolism □	lactate
В	mRNA	Protein	
В	mRNA	Protein	lowMg
В	mRNA 1.Biosynthesis of siderophore group nonribosomal peptides	Protein	lowMg highMg
В		Protein 1.Biosynthesis of amino acids □ 2.Biosynthesis of secondary metabolites □ 3.Biosynthesis of antibiotics □ 4.Metabolic pathways □ 5.Phenylalanine, tyrosine and tryptophan biosynthesis □	
В	1.Biosynthesis of siderophore group nonribosomal peptides □ 1.Pyruvate metabolism □ 2.Pentose and glucuronate interconversions □ 3.Fructose and mannose metabolism □	1.Biosynthesis of amino acids □ 2.Biosynthesis of secondary metabolites □ 3.Biosynthesis of antibiotics □ 4.Metabolic pathways □	highMg
В	1.Biosynthesis of siderophore group nonribosomal peptides □ 1.Pyruvate metabolism □ 2.Pentose and glucuronate interconversions □ 3.Fructose and mannose metabolism □	1.Biosynthesis of amino acids □ 2.Biosynthesis of secondary metabolites □ 3.Biosynthesis of antibiotics □ 4.Metabolic pathways □ 5.Phenylalanine, tyrosine and tryptophan biosynthesis □	highMg highNa