

An English fragment

COGS 532, Spring 2023

April 24, 2023

1 The formalism

We define the components of our formalism.

Definition 1.1 (Vocabulary). The vocabulary of the grammar formalism consists of the following sets:

- i. a set of attribute symbols A ;
- ii. a set of basic value symbols V^b ;
- iii. a set of decorations $D = \{u, x\}$;
- iv. the set of value symbols $V = \{v \mid v \in V^b \text{ or } v = {}^\delta v' \text{ for some } v' \in V^b \text{ and } \delta \in D\}$
- v. a set of variables X ;

Definition 1.2 (Feature map). A feature map of a grammar, designated μ , is a function from A to $\mathcal{P}(V)$.¹ It maps each attribute symbol to the set of possible values it can take.

Definition 1.3 (Feature structures). A possible feature structure defined in a grammar is some set

$$\{a : v \mid a \in A' \text{ and } v \in \mu(a)\} \text{ for some } A' \subseteq A$$

Note that Definition 1.3 guarantees that a feature structure can set a value for an attribute at most once. Also, it rules out nested feature structures, where the value of an attribute is also a feature structure.

Definition 1.4 (Merge). The operation Merge takes as input two feature structures F_1 and F_2 and returns a feature structure F_3 . The result is computed through the following steps:

- i. For each feature $a : v$ in F_1 , if you find a feature ${}^u a : v$ in F_2 delete the latter, and vice versa.
- ii. For each feature $a : v$ in F_1 , if you find a feature ${}^x a : v$ in F_2 delete both features, and vice versa.
- iii. If there are no conflicts in feature structures, merge them into a single feature structure.

2 Notational conventions

Convention 2.1. An attribute value pair $a : v$ is shortened to a^v .

Convention 2.2. When obvious, we omit the attribute. E.g. we write N instead of Cat^N .

¹ \mathcal{P} stands for the power set function.

3 Features

Attribute	Value	Description
Cat	N, V, D, Adj, C, ...	category
Cmp	0, 1, 2, 3	Number of missing complements
Spc	+, -	Specified or not
ϕ	0, 1	Person, number

4 Lexicon

Lexicon 4.1 (nominal).

book	:=	[N, acc]	(1)
book	:=	[N, ^u Fin ⁺]	(2)
blue	:=	[^u N]	(3)
the	:=	[D, ^x N]	(4)
a	:=	[D, ^x N]	(5)
John	:=	[D, Acc]	(6)
John	:=	[D, ^u Fin ⁺]	(7)
him/her	:=	[D, Acc]	(8)
s/he	:=	[D, ^u Fin ⁺]	(9)
to	:=	[P, ^x D ^x acc]	(10)
of	:=	[^u N, ^x D ^x acc]	(11)


Lexicon 4.2 (verbal).

sleep	:=	[V]	(1)
love	:=	[V, ^x D, ^x acc]	(2)
give	:=	[V, ^x D, ^x acc, ^x P]	(3)

Lexicon 4.3 (functional).

-s	:=	[Fin ⁺ , ^x V, ^x D]	(1)
to	:=	[Fin ⁻ , ^x V]	(2)
			(3)

(1) Mary loves John.



(2) the blue book

the	:=	$[D, {}^xN]$	(1)
blue	:=	$[{}^uN]$	(2)
book	:=	$[N, acc]$	(3)
blue book	=	$[N, acc]$	(4)
the blue book	=	$[D, acc]$	(5)
			(6)

(3) (the (wild (destruction (of Rome))))

the	:=	$[D, {}^xN]$	(1)
wild	:=	$[{}^uN]$	(2)
destruction	:=	$[N, acc]$	(3)
of	:=	$[{}^uN, {}^xD, {}^xacc]$	(4)
Rome	:=	$[D, acc]$	(5)
of Rome	=	$[{}^uN]$	(6)
destruction of Rome	=	$[N, acc]$	(7)
wild destruction of Rome	=	$[N, acc]$	(8)
the wild destruction of Rome	=	$[D, acc]$	(9)