

PACKER LAYOUT

SCALE 1:100

* Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.

* Provide 100x50 plate to top of steel beams as shown to allow fixing of joists over.

FOR: MR. J. FELIZARDO & MRS. M PINEDA


FINAL CONSTRUCTION - 25.02.16

AMENDED- 23.02.16 GJ PREPARED - 28.01.16 GJ SHEET:

OF 5

JOB NO: 7689/15

Cape Cod



FLOOR JOISTS

SCALE 1:100

* LVL - Denotes tilling smart lvl

FOR: MR. J. FELIZARDO \$ MRS. M PINEDA

FINAL CONSTRUCTION - 25.02.16 AMENDED- 23.02.16 GJ PREPARED - 28.01.16 GJ

AT: 1 GB O'BRIEN STREET, MOUNT DRUITT. NSW. 2770.


SHEET: 2 OF 5


PREPARED - 28.01.16 GJ


JOB NO: 7689/15 C Cape Cod

^{*} Set down wet area joists 35mm and shower recess joists an additional 25mm

^{*} SJ - Denotes tilling smart joists







FOR: MR. J. FELIZARDO & MRS. M PINEDA

FINAL CONSTRUCTION - 25.02.16

AMENDED- 23.02.16 GJ PREPARED - 28.01.16 GJ SHEET: 5 OF 5

AT: 16B O'BRIEN STREET, MOUNT DRUITT. NSW. 2770.

JOB NO: 7689/15