# Material Safety Data Sheet



Page: 1 of 3

Infosafe No™ 1HAYN RE-ISSUED by HAYMES Issue Date : July 2014

Product Name ELITE TRIM RAPID HIGH GLOSS

Not classified as hazardous

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

ELITE TRIM RAPID HIGH GLOSS **Product Name** 

ETRHGW **Product Code** 

As a high quality water based high gloss trim enamel. **Product Use** 

HAYMES PAINT Company Name

Address P.O Box 167 WENDOUREE VICTORIA 3355 Australia

Office Hours: 7-30 to 5-30 Monday to Friday **Emergency Tel.** 03 5342 6200

Tel: 03 5342 6200 . Office Hours : 7-30 to 5-30 Monday to Friday **Telephone** 

Number/Fax

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Liquid Chemical

Characterization

**Ingredients** Name CAS Proportion Hazard Symbol Risk Phrase Polyacrylate emulsion 50-85 % 10-20 % Pigment - Inorganic Non-hazardous and/or organic Water 7732-18-5 5-15 % Xn R20, R22 Defoamer, PROPRIETARY 5-15 % surfactant, dispersant, & thickeners 57-55-6 1-10 % Propylene glycol Water based paint consisting of a polyacrylate emulsion plus stabilisers, Other Information

pigment, dispersants, defoamers and biocides.

### 3. HAZARDS IDENTIFICATION

**Chronic Effects** No information available for this product.

No adverse effects anticipated by this route of exposure. However it is good Inhalation

work practice to avoid prolonged inhalation of the vapours or mists which may

cause

slight irritation of nose and respiratory tract.

No adverse effects expected due to swallowing of small amounts incidental Ingestion

to industrial handling.

Contact with skin will result in mild irritation. Repeated or prolonged skin Skin

contact may lead to irritation.

May cause slight eye irritation. Eye

## 4. FIRST AID MEASURES

If effects occur remove to fresh air. Seek medical attention. Inhalation

If swallowed, rinse mouth thoroughly with water. Give water to drink. DO NOT Ingestion

induce vomiting. Seek medical advise.

Wash affected areas with copious quantities of water. Skin

If in eyes wash with flowing water for at least 15 minutes. Seek medical Eye

if effects persists.

Advice to Doctor No specific antidote. Supportive care. Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

Product is water based emulsion and will not burn. Dried resin may burn. Specific Hazards

Use water to extinguish burning dried resin.

**Flash Point** Not applicable; water based paint.

Ignition Temperature Not applicable Flammable Limits Not applicable

**UEL** 

Print Date: 14/07/2014 CS: 1.7.2

# Material Safety Data Sheet



Page: 2 of 3

Infosafe  $No^{TM}$  1HAYN Issue Date :July 2014 RE-ISSUED by HAYMES

Product Name ELITE TRIM RAPID HIGH GLOSS

Not classified as hazardous

Flammable Limits

Not applicable

LEL

Flammability Non combustible. Non flammable.

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal Contain using sand and earth - prevent runoff into drains and waterways.

Prevent contamination of sewers, drains and waterways. Collect wastes and store in labelled containers for disposal. Dispose of waste materials in approved landfill. Wash residues from contaminated area with copious

quantity of water.

7. HANDLING AND STORAGE

Packaging No specific requirements with respect to dangerous goods regulations,

workplace OH & S regulations or poisonous substances control regulations.

Other Information Read the use instructions on the label and observe recommendations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**National Exposure** 

None established for this product.

Standards

Personal Protective Avoid skin and eye contact.

Equipment Wear clean body-covering clothing. Use gloves that provide a water barrier

and wear safety glasses. Wash hands thoroughly before eating or drinking.

Eng. Controls Use in a well ventilated area only.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Viscous liquid.

Melting Point0°C - waterBoiling Point100°C - waterSolubility in WaterDispersible

Solubility in Water Disp
Specific Gravity Appr

Approx; 1 to 1.3

(H2O=1)

pH Value 8 - 10
Vapour Pressure 17 mm Hg.
Vapour Density Approx. 1

Vapour Density (Air=1)

Approximately 40-60%.VOC less than 10g /litre.

Flash Point Not applicable; water based paint.

Flammability Non combustible. Non flammable. Ignition Temperature Not applicable

Flammable Limits

Volatile Component

Not applicable

LEL

Flammable Limits Not applicable

UEL

Information

10. STABILITY AND REACTIVITY

Hazardous Reaction Stable at normal conditions. Addition of chemicals and freezing temperatures

may cause coagulation.

11. TOXICOLOGICAL INFORMATION

Toxicology No acute or chronic toxicity data available for this product. If

recommended precautions for handling and use are adhered to no adverse effects are anticipated. Trace residual monomers in the polymer emulsions are not considered to present a significant hazard under normal work

practices and conditions.

Inhalation 
No adverse effects anticipated by this route of exposure. However it is good

work practice to avoid prolonged inhalation of the vapours or mists which may

Print Date: 14/07/2014 CS: 1.7.2

## Material Safety Data Sheet



Page: 3 of 3

Infosafe No™ 1HAYN Issue Date : July 2014 RE-ISSUED by HAYMES

Product Name ELITE TRIM RAPID HIGH GLOSS

Not classified as hazardous

cause

slight irritation of nose and respiratory tract.

No adverse effects expected due to swallowing of small amounts incidental Ingestion

to industrial handling.

Contact with skin will result in mild irritation. Repeated or prolonged skin Skin

> contact may lead to irritation. May cause slight eye irritation.

**Chronic Effects** No information available for this product.

### 12. ECOLOGICAL INFORMATION

No data available for this formulation. **Environ. Protection** 

May be harmful to aquatic life. Avoid contamination of waterways, drains or sewers. Dilution in water will make the water milky and possibly solids in

the paint will separate and sink to bottom of system.

### 13. DISPOSAL CONSIDERATIONS

### 14. TRANSPORT INFORMATION

Not classified as Dangerous Goods, according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail.

Not classified as a dangerous good for transport by road or rail Storage and according to criteria of the Australian Dangerous Goods Code. **Transport** Store in a cool place out of direct sun. Protect from freezing.

### 15. REGULATORY INFORMATION

Not Scheduled **Poisons Schedule** 

Packaging & Labelling

No specific requirements with respect to dangerous goods regulations, workplace OH & S regulations or poisonous substances control regulations.

### 16. OTHER INFORMATION

Manufacturers

Eye

Advice

When surfaces, previously sealed with this coating or similar coatings containing titanium dioxide and/or kaolin and/or calcium carbonate, are prepared by dry sanding or dry blasting techniques it is recommended that an air-purifying (dust) respirator be worn to control the inhalable dust concentrations to less than the recommended Workplace Exposure Standards published by Worksafe Australia (See reference below). For some operations local exhaust ventilation may be required to meet this level of control. 'Standard for the Uniform Scheduling of Drugs and Poisons' National Health

References

and Medical Research Council as amended. 'Exposure Standards for Atmospheric Contaminants in the Occupational

Environment' Worksafe Australia Standard, May 1990.

Poisons Schedule

...End Of MSDS...

Not Scheduled

© Copyright ACOHS Pty Ltd

© Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 14/07/2014 CS: 1.7.2