

## PACKER LAYOUT

SCALE 1:100

- \* Note: Steel beam/timber lintel dimensions shown in brackets is the distance from top of existing ceiling joists to top of new steel beam.
- \* Provide 100x50 plate to top of steel beams to allow fixing of joists over.

MARK-UP A

FOR: MR. I MARIC & MS. S MALNAR

FINAL CONSTRUCTION - 10.06.15

AMENDED - 11.05.15 NL  
PREPARED - 19.04.15 NL


SHEET: 1 OF 4

AT: 12 CELEBES STREET, KINGS PARK. NSW. 2148.


JOB NO: 7627/14 C







BEAM 4 - 150UB18 with 100UC14



BEAM 5 - 150UB14 with 100UC14

STEEL BEAM

SCALE 1:10

FOR: MR. I MARIC & MS. S MALNAR

FINAL CONSTRUCTION - 10.06.15

AMENDED - 11.05.15 NL  
PREPARED - 19.04.15 NL


SHEET: 3 OF 4

AT: 12 CELEBES STREET, KINGS PARK. NSW. 2148.

JOB NO: 7627/14

C





FLITCH BEAM - 250x16 PLATE

# FLITCH BEAM DETAIL

SCALE 1:10

FOR: MR. I MARIC & MS. S MALNAR

FINAL CONSTRUCTION - 10.06.15

AMENDED - 11.05.15 NL  
PREPARED - 19.04.15 NL

SHEET: 4 OF 4

AT: 12 CELEBES STREET, KINGS PARK. NSW. 2148.

JOB NO: 7627/14 C

