

Week 2: Abstract Syntax Trees

We start with some revision of sets. If you are unfamiliar with any of the notation, please ask one of the TAs.

- * 1. Write \mathbb{N} for the set of natural numbers $0, 1, 2, \dots$, and write Σ for the alphabet $\{0, 1\}$. List the elements of the following sets in any order.

- (a) $\{1, 2, 3\} \cup \{2, 4, 6\}$
- (b) $\{1, 2, 3\} \cap \{2, 4, 6\}$
- (c) $\{1, 2, 3\} \times \{2, 4, 6\}$
- (d) $\{1, 2, 3\} \setminus \{2, 4, 6\}$
- (e) $\{2m \mid m \in \mathbb{N}, 0 \leq m \leq 5\}$
- (f) $\{uu \mid u \in \Sigma^*, |u| = 2\}$
- (g) $\{u0v \mid u \in \Sigma^*, v \in \Sigma^*, |uv| = 2\}$
- (h) $\{uvw \mid u \in \Sigma, v \in \Sigma, w \in \Sigma, w \text{ is the xor of } u \text{ and } v\}$

Suppose we have a countably infinite set of variable names, which we will just write as x, y, z , and so on. Recall the tree grammar for arithmetic expressions, where n can be any integer and x any variable name.


$$A ::= n \mid x \mid A + A \mid A - A \mid A * A$$

- * 2. Draw the trees represented by the following inline expressions:


- (a) $(45 + x) * 8$
- (b) $45 + x * 8$
- (c) $3 * 4 * 5$
- (d) $8 - 4 + 1$
- (e) $180 * 2 - 4 + x * x$
- (f) $x * y + (7 - x) * 10$

* 3. Write the following abstract syntax trees as inline expressions:


(a)



(b)



(c)



* 4. Show that each of the following trees is a valid arithmetic expression according to the abstract syntax described by the grammar above, by carrying out a derivation. Write all the syntax trees as inline expressions.

- (a) $3 - 22$
- (b) $1 + y$
- (c) $1 + y * y$
- (d) $(1 + y) * y$
- (e) $66 - 2 * (x + y)$

The abstract syntax of Turtle programs can be defined by the non-terminal P in the following grammar, in which n is any natural number.

$$\begin{aligned} P &::= C \mid C ; P \\ C &::= \text{up} \mid \text{dn} \mid \text{fd } n \mid \text{lt } n \mid \text{rt } n \end{aligned}$$

The tree constructors and their arities are:

n	0
up	0
dn	0
fd	1
lt	1
rt	1
;	2

We shall assume that the sequential composition operator $;$ associates to the right.

5. Give derivations for the following abstract syntax trees:

- (a) dn
- (b) $\text{dn} ; \text{up}$
- (c) $\text{dn} ; \text{fd } 20 ; \text{up}$

* 6. Draw each of the trees given in the previous exercise explicitly.

** 7. Go to <https://github.com/uob-coms20007/turtle> and complete the tasks for Parts 0 and 1 of the Turtle compiler.