



AI for Software Development Software Delivery





Facebook somkiat.cc

Page Messages Notifications 3 Insights Publishing Tools Settings Help

somkiat.cc
@somkiat.cc

Home Posts Videos Photos

Liked Following Share ... + Add a Button





**[https://github.com/up1/
workshop-ai-with-technical-team](https://github.com/up1/workshop-ai-with-technical-team)**



Goals

Integrate Generative AI in Development
Optimize code quality
Team up with AI on coding tasks
Develop innovative solutions






Stages of AI

LLMstudio

Open AI's 5 stages towards AGI




tensorops

<https://www.tensorops.ai/post/openai-unveils-o1-model-the-biggest-leap-towards-agi-since-chatgpt>



Generative AI



<https://grow.google/ai-essentials/>



Generative AI

LLMs

Large Language Models

Text generation

Code generation

Chatbot

Conversation AI

GANs

Generative Adversarial Network

Image generation

Deep fake

Art creation

Simulate financial market

VAEs


Variational Autoencoders

Data compression

Synthetic data generation

Image reconstruction





Large Language Model (LLM)

Type of AI model

Process, understand

Generate human readable data

LLM


Training data !!



Large Language Model (LLM)

Neural network

Predicts the next word in a sequence



Let's go !!



ສືເໜືອງ



ມະນຸງ



ເຕັກ








มีด



LLM components !!


Components of the Decoder-only Transformer




<https://stackoverflow.blog/2024/08/22/lms-evolve-quickly-their-underlying-architecture-not-so-much>



Transformer inside



Transformer process



OpenAI Tokenizer

GPT-4o & GPT-4o mini (coming soon) **GPT-3.5 & GPT-4** GPT-3 (Legacy)

ประเทศไทย

[Clear](#) [Show example](#)

Tokens 10	Characters 9
---------------------	------------------------

ประเทศไทย

[Text](#) [Token IDs](#)

<https://platform.openai.com/tokenizer>



Token Calculator for LLM

Token Calculator for LLMs

Calculate the number of tokens in your text for all LLMs (GPT-4o, GPT-o1, GPT-4, Claude, Gemini, etc)

Token Calculator

Input/Paste your text here

T Tokens 0	# Words 0	Characters (no spaces) 0	Total characters 0
-------------------------	------------------------	------------------------------------	------------------------------

Model	Provider	Context	Input/1M Tokens	Output/1M Tokens	Input Price	Output Price
gpt-o1-preview	OpenAI/Azure	128K	\$15	\$60	\$0.0000	\$0.0000
gpt-o1-mini	OpenAI/Azure	128K	\$3	\$12	\$0.0000	\$0.0000

<https://token-calculator.net/>


The logo features a stylized 'A' shape composed of several thin, curved lines, with a small circular element at the top center.

AI for Software Development
© 2020 - 2024 Siam Chamnkit Company Limited. All rights reserved.

22

Embedding ?


Map items of unstructured data to high-dimensional real vectors



<https://towardsdatascience.com/transformers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>



Visual of Vector space




Distance Metrics in Vector Search

Cosine Distance

$$1 - \frac{A \cdot B}{\|A\| \|B\|}$$

OpenAI




Squared Euclidean (L2 Squared)

$$\sum_{i=1}^n (x_i - y_i)^2$$

Dot Product

$$A \cdot B = \sum_{i=1}^n A_i B_i$$




Manhattan (L1)

$$\sum_{i=1}^n |x_i - y_i|$$


<https://help.openai.com/en/articles/8984345-which-distance-function-should-i-use>



Distance measure in Data Science




Store data in Vector Database



Vector Database ?


Map items of unstructured data to high-dimensional real vectors



<https://towardsdatascience.com/transformers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>




Basic Flow



Vector Database


Indexing data with embedding



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>




Embedding data



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>



Search similar items



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>



LLMs in industry

Model name	Company
Bidirectional Encoder Representation from Transformers (BERT)	Google AI
Generative Pre-trained transformer-3 (GPT-3)	OpenAI
Generative Pre-trained transformer-4 (GPT-4)	OpenAI
Pathways Language Model-E (PaLM-E)	Google AI
BLOOM	NVIDIA AI
Llama 3	Facebook
Claude 3.5 Sonnet	Anthropic



LLM Development timeline




Figure 3: LLM development timeline. The models below the arrow are closed-source while those above the arrow are open-source.

<https://arxiv.org/abs/2311.16989>




Application

Infrastructure


Model



Generative AI (GenAI)



Generative AI (GenAI)



Trust, but verify output !!



Challenges in Gen AI

Lack of high-quality data


Data licenses

Generation latency

High computational power




Generative AI in Nutshell



<https://www.youtube.com/watch?v=2IK3DFHRFw>



Generative AI Application Stack



<https://learn.microsoft.com/en-us/ai/playbook/technology-guidance/generative-ai/>



Generative AI Roadmap

Generate roadmaps with AI

Enter a topic and let the AI generate a roadmap for you

Enter a topic to generate a roadmap for

 Generate

OAuth ↗

UI / UX ↗

SRE ↗

DevRel ↗

Explore AI Roadmaps 

You have generated 0 of 10 roadmaps today.

Need to generate more? [Click here.](#)

<https://roadmap.sh/ai>



Application Tool chains



Global Generative AI Landscape

The Global Generative AI Landscape 2024

AIport

North America

MULTIMODAL	CHATBOTS
AcuteFretty, GPT4All, Gemini, perplexity, AssemblyAI, intuit, Suno, soundful, ElevenLabs, mosaics, COGEMAKER AI	ANTHROPIC, glean, YandexART, Frame.ai, deepgenomics, OBSERVE-AI, Meta, NVIDIA, ImageFX, Speechly, PlayHT, LEVELAI, layer6
TEXT	IMAGE
AssemblyAI, intuit, ImageFX	NVIDIA, Microsoft, OpenAI, Sora, Lumen5, Neuraseal
AUDIO	GAMES
AssemblyAI, Suno, soundful, ElevenLabs, mosaics, COGEMAKER AI	RBLOX
CODE	BUSINESS INTELLIGENCE
mosaics, COGEMAKER AI	LEVELAI, layer6

South America

IMAGE
HUTT DATA

Europe

MULTIMODAL	CHATBOTS	TEXT
runway, YandexART	ultimate.ai, LightOn, YandexGPT	Kafka, contents.com, clearword, SMARTLT.IO
IMAGE	VIDEO	3D
stability.ai	stability.ai	stability.ai, blackshark.ai
CODE	AUDIO	BUSINESS INTELLIGENCE
stability.ai	ACCELERATAI, USICO	GOLUCINITY, DeepMind, wizard, VOICEMOD, SYNTHO

Africa

CHATBOTS	AUDIO	BUSINESS INTELLIGENCE
None	None	None

Asia

CHATBOTS
AI21studio, CHAI, gorial, Tymely, Tencent騰訊, Weibo, SAMSUNG, HUA ZANG, 文, 犬, VIA
TEXT
SAMSUNG, dog, BH, synonym, DID, Tencent騰訊, 文, SAMSUNG
MULTIMODAL
Dubverse, FourOne, codium, tobeline, dog
AUDIO
S, Synapse, dog
GAMES
Synapse, Game Devision, dog
BUSINESS INTELLIGENCE


Oceania

IMAGE	VIDEO	AUDIO
Neptisafe, modress	modress	splash

 COMPANIES DEVELOPING TWO OR MORE TYPES OF MODELS

<https://www.blog.aiport.tech/p/the-first-truly-global-generative>





Tool chains category

Assist
tasks

Interaction
modes

Prompt
composition

Properties of
model



Assist tasks

Finding information faster in context

Generating code

Reasoning about code

Transforming code into something ..

Requirement

Design

Develop

Testing

Deploy

Software Delivery Lifecycle



Interaction modes

Chat interfaces

In-line assistance (typing in code editor)


CLI (command-line interface)



Prompt composition

Prompt engineering

Compose prompts from user inputs and context



<https://platform.openai.com/docs/guides/prompt-engineering>



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks


Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering>



Iterative Prompt Development




Iterative Process

- Try something
- Analyze where the result does not give what you want
- Clarify instructions, give more time to think
- Refine prompts with a batch of examples

<https://www.deeplearning.ai/short-courses/chatgpt-prompt-engineering-for-developers/>



Basic of Prompt Engineer



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks

Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering/six-strategies-for-getting-better-results>



Example Prompt

Prompt examples

Explore what's possible with some example prompts

 Search...

All categories 



Grammar correction

Convert ungrammatical statements into standard English.



Summarize for a 2nd grader

Simplify text to a level appropriate for a second-grade student.



Parse unstructured data

Create tables from unstructured text.



Emoji Translation

Translate regular text into emoji text.



Calculate time complexity

Find the time complexity of a function.



Explain code

Explain a complicated piece of code.



Keywords

Extract keywords from a block of text.



Product name generator

Generate product names from a description and seed words.

<https://platform.openai.com/docs/examples>




OpenAI Playground

The screenshot shows the OpenAI Playground interface. On the left, a sidebar menu includes PLAYGROUND, Chat (selected), Assistants, TTS, and Completions. The main area is titled "Chat" and shows "gpt-4o" selected. A "SYSTEM" section allows entering system instructions. Below it is a text input field with placeholder "Enter user message...". To the right of the input field are "User" and "File" buttons, and "Add" and "Run" buttons. The right side of the interface contains a "Presets" dropdown, "Save" and "Load" buttons, and a "Compare" button. A "Functions" section has a "+ Add function" button. Configuration sliders include "Response format" (Text, 0), "Temperature" (1), "Maximum Tokens" (256), "Stop sequences" (Enter sequence and press Tab), "Top P" (1), "Frequency penalty" (0), and "Presence penalty" (0). A note at the bottom states: "API and Playground requests will not be used to train our models." with a "Learn more" link.

<https://platform.openai.com/playground>



Prompt Structure



<https://learn.microsoft.com/en-us/ai/playbook/technology-guidance/generative-ai/working-with-langs/prompt-engineering>



Prompting Guide

Prompt Engineering

Prompt Engineering Guide

Prompt engineering is a relatively new discipline for developing and optimizing prompts to efficiently use language models (LMs) for a wide variety of applications and research topics. Prompt engineering skills help to better understand the capabilities and limitations of large language models (LLMs).


Researchers use prompt engineering to improve the capacity of LLMs on a wide range of common and complex tasks such as question answering and arithmetic reasoning. Developers use prompt engineering to design robust and effective prompting techniques that interface with LLMs and other tools.

Prompt engineering is not just about designing and developing prompts. It encompasses a wide range of skills and techniques that are useful for interacting and developing with LLMs. It's an important skill to interface, build with, and understand capabilities of LLMs. You can use prompt engineering to improve safety of LLMs and build new capabilities like augmenting LLMs with domain knowledge and external tools.

<https://www.promptingguide.ai/>



Structure of Prompt



<https://platform.openai.com/docs/guides/prompt-engineering>



Structure of Prompt !!

APE
Action, Purpose,
Expectation

RACE
Role, Action,
Context,
Expectation

TAG
Task, Action, Goal


COAST
Context, Objective,
Action, Scenario,
Task

RISE
Role, Input, Step,
Expectation

<https://twitter.com/pradeepeth/status/1673271866696544257>



Prompt Generator



<https://docs.anthropic.com/en/docs/build-with-claude/prompt-engineering/prompt-generator>



Prompt Generator

OpenAI GPT prompt generator


As we explain in our guide [How to write a good prompt](#), the key to writing a good prompt is to be very specific about what you want. You don't have to remember all the important informations. Use our easy generator to create your perfect prompt:

Task	Write a blogpost
Topic	OpenAI
Style	Academic
Tone	Assertive
Audience	5-year old
Length	2 paragraphs
Format	Text

<https://gptforwork.com/tools/prompt-generator>



Evolution of Prompt Engineering




<https://github.com/promptslab/Awesome-Prompt-Engineering>




Basic Prompts

User



Prompt Pipelines



<https://cobusgreyling.medium.com/the-evolution-of-prompt-engineering-29c3d6943af2>



Hallucinations in LLMs

The diagram shows two separate AI interactions between a user (person icon) and a large language model (robot icon). In the top interaction, the user asks if 9677 is a prime number. The model responds that it is not, providing a factorization. This response is marked with a red 'X' and grouped under 'incorrect assertion'. In the bottom interaction, the user asks if 9677 is divisible by 13. The model correctly responds 'No', which is marked with a green checkmark and grouped under 'snowballed hallucination'.

Is 9677 a prime number?

No, 9677 is not a prime number.
It can be factored into 13 and 745, as $9677 = 13 \times 745$.

Is 9677 divisible by 13?

No

} incorrect assertion
} snowballed hallucination

in a separate session,
GPT-4 recognizes its
claim as incorrect!



Hallucinations in LLMs

Training data set
issue

Architecture and
training objective

Prompt engineering

Over-optimization



Count r in Strawberry !!

The word "strawberry" contains 2 instances of the letter "r".

The word "strawberry" contains 2 occurrences of the letter "r".

<https://hackernoon.com/why-cant-ai-count-the-number-of-rs-in-the-word-strawberry>



Count r in Strawberry !!

✳️ Perplexity

Counting the Letter "R" in "Strawberry"

To count the number of times the letter "R" appears in the word "strawberry", we can break it down character by character:

S-T-R-A-W-B-E-R-R-Y

In this analysis, we see that the letter "R" appears 3 times in the word "strawberry" ① ② ③.

Some key points:

- Language models like ChatGPT do not always count letters correctly in words like "strawberry" ② ③
- This is because they break down words into tokens rather than individual letters, and the tokens may not map directly to the letters ②
- To get the right answer, you can have the AI spell out the word and count the "R"s as it goes ④
- Counting letters is a simple task for humans but can trip up even advanced AI systems ⑤ ⑥

So in summary, the letter "R" appears 3 times in the word "strawberry". While this is obvious to humans, it can be a tricky problem for current AI language models to solve consistently.



Count r in Strawberry !!

Count r in Strawberry

step-by-step of your thinking



Chain of Thought Prompting (CoT)


Technique used to improve the reasoning ability of
LLM

Try to break down a complex problem into smaller,
More manageable steps, lead to final answer

OpenAI o1 model



Chain of Thought Prompting (CoT)



Chain of Thought Prompting (CoT)

(a) Few-shot

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The answer is 8. ✗

(b) Few-shot-CoT

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: Roger started with 5 balls. 2 cans of 3 tennis balls each is 6 tennis balls. $5 + 6 = 11$. The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The juggler can juggle 16 balls. Half of the balls are golf balls. So there are $16 / 2 = 8$ golf balls. Half of the golf balls are blue. So there are $8 / 2 = 4$ blue golf balls. The answer is 4. ✓

(c) Zero-shot

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: The answer (arabic numerals) is

(Output) 8 ✗

(d) Zero-shot-CoT (Ours)

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: Let's think step by step.

(Output) There are 16 balls in total. Half of the balls are golf balls. That means that there are 8 golf balls. Half of the golf balls are blue. That means that there are 4 blue golf balls. ✓

<https://www.promptingguide.ai/techniques/cot>



Advice from OpenAI (o1 model)

CoT prompt may not enhance performance

Keep prompts simple and direct

Avoid CoT

Use delimiter for clarity


Limit additional context in RAG

<https://platform.openai.com/docs/guides/reasoning/advice-on-prompting>



How reason works ?

Reasoning token (invisible token but billed)



<https://platform.openai.com/docs/guides/reasoning/advice-on-prompting>



Write code to generate prompt



Retrieval Augmented Generation (RAG)



What is RAG ?

Enhance LLM with external knowledge

Improve your LLM models, more accurate answer

Proprietary
knowledge

Up-to-date
Information


Citing sources

Data security
Access control List
(ACL)




RAG with LLM

Improve your LLM models, more accurate answer



Retrieval-Augmented Generation (RAG) Framework




<https://www.k2view.com/blog/rag-genai>




RAG ?

Without




with RAG




<https://medium.com/google-cloud/google-cloud-rag-api-c7e3c9931b3e>



RAG ?



RAG ?




https://huggingface.co/learn/cookbook/advanced_rag



Google RAG APIs

What's my company's PTO policy?



<https://medium.com/google-cloud/google-cloud-rag-api-c7e3c9931b3e>



RAG Key Terms

Tokenization

Chunking

Embedding


Embedding models

Similarity search
Vector search

LLM window
context



RAG Key Terms



<https://levelup.gitconnected.com/semantic-chunking-for-enhanced-rag-applications-b6bc92942af0>



Tokenization

Process of breaking down text into smaller units
called **t**okens

Tokens can be words, characters, or subwords,
depending on the task

Help prepare text data for analysis
by representing it in a structured way



Chunking

Chunking is the grouping of tokens into meaningful sections, often based on grammatical structure, like noun phrases or verb phrases.

Helps in understanding the structure of sentences and the relationships between words



Chunking Strategies !!

Fixed length

Recursive characters

Document-based

Semantic

Phrase-based on linguistic patterns

<https://www.linkedin.com/pulse/prompt-engineering-chunking-strategies-ravi-naarla/>



Embedding


Embedding is a representation of text data in **numerical vector form**

Each word or sentence is represented as a **high-dimensional vector**, capturing its semantic meaning

Embeddings allow text to be used in **machine learning models** by converting it into a format the models can process.



Summary



Hello world


Token	Hello	World
Token id	1	2

[1,2]

```
[[ -3.95261124e-02 -1.66764930e-02 9.81786475e-02 1.27390521e-02  
-4.50244620e-02 -1.57272965e-02 6.66662678e-02 2.10209060e-02  
9.99843255e-02 3.95087115e-02 3.87372263e-02 -2.51084827e-02  
5.32396603e-03 4.54628207e-02 7.42979953e-03 2.00463505e-03  
-4.58151475e-02 -1.20408414e-03 -8.42441767e-02 -3.62469666e-02  
-1.61933392e-01 6.05303086e-02 4.38679755e-03 -1.14583876e-03  
-1.38427421e-01 2.52840482e-02 5.86531451e-03 -8.12693834e-02  
4.02542809e-03 -1.90829430e-02 -1.93073396e-02 9.50673595e-03  
-1.89097337e-02 3.16560529e-02 -4.22104448e-02 -1.75430663e-02  
3.54745984e-02 1.34416856e-02 4.95691150e-02 5.71430475e-02
```



Flow Example




Fine-Tuning



RAG vs Fine-Tuning



Fine-Tuning



RAG vs Fine-tuning

Scenario	RAG Preferred	Fine-Tuning Preferred
Skillset Requirements	Strong in information retrieval engineering	Strong in deep learning model fine-tuning
Data Freshness	Real-time or frequently updated data needed	Static, domain-specific data suffices
Domain Complexity	Multiple domains or high data diversity	Specialized, jargon-heavy domains (e.g., medical)
Resource Needs	Lower computation for diverse, dynamic responses	High computational power available for model tuning

<https://www.linkedin.com/pulse/fine-tuning-vs-prompting-rag-which-pick-your-llm-dr-rabi-prasad-722cc/>


<https://www.kdnuggets.com/go-out-stay-in-rag-vs-fine-tuning>



AI Agent



Goal or Result-based




<https://github.com/e2b-dev/awesome-ai-agents>



Goal-based agent


Attempts to choose best strategy to achieve goal on environment



<https://www.baeldung.com/cs/goal-based-vs-utility-based-agents>



AI Agent



<https://aws.amazon.com/th/what-is/ai-agents/>



Types of AI Agent

Simple reflex

Model-based
reflex

Goal-based

Utility-based

Learning

Hierarchical

<https://github.com/e2b-dev/awesome-ai-agents>



End-to-end Software Agent




<https://www.cognition.ai/blog/introducing-devin>



The AI Scientist: Towards Fully Automated Open-Ended Scientific Discovery

Chris Lu^{1,2,*}, Cong Lu^{3,4,*}, Robert Tjarko Lange^{1,*}, Jakob Foerster^{2,†}, Jeff Clune^{3,4,5,†} and David Ha^{1,†}

*Equal Contribution, ¹Sakana AI, ²FLAIR, University of Oxford, ³University of British Columbia, ⁴Vector Institute, ⁵Canada CIFAR AI Chair, [†]Equal Advising



<https://arxiv.org/abs/2408.06292>



Let's Start



Chat and Search



Chat and Search

Gemini



ChatGPT



perplexity



ChatGPT from OpenAI

ChatGPT ▾

The image shows the ChatGPT interface. At the top center is the AI logo. Below it are four cards with generated prompts:

- Create a Renaissance-style painting
- Pick outfit to look good on camera
- Activities to make friends in new city
- Thank my interviewer

At the bottom left is a message input field with the placeholder "Message ChatGPT". At the bottom right is a small upward arrow icon.

ChatGPT can make mistakes. Check important info.

<https://chatgpt.com/>



Google Gemini

Hello, somkiat
How can I help you today?

Help create a weekly meal plan for two

Settle a debate: how should you store bread?

Improve the readability of the following code

Revise my writing and fix my grammar

Your conversations are processed by human reviewers to improve the technologies powering Gemini


Enter a prompt here

Gemini may display inaccurate info, including about people, so double-check its responses. [Your privacy & Gemini Apps](#)

<https://gemini.google.com/app>



Microsoft Bing Copilot



<https://www.bing.com/chat>



Claude.AI

Using limited free plan [Upgrade](#)

* Good afternoon, Somkiat

How can Claude help you today?

Claude 3.5 Sonnet

Get started with an example below



Add content

Generate excel formulas

Summarize meeting notes

Write a memo




<https://claude.ai/new>



Claude AI + Artifact

Try to automatically compile and run generated code



<https://www.anthropic.com/news/clause-3-5-sonnet>



Demo

Claude Q Generate "Hello World" SVG ...

generate svg file for word "Hello World"

✖ Edit

Certainly! I'll create an SVG file with the text "Hello World." for you.

🔗 Hello World SVG
Click to open image

I've created an SVG file containing the text "Hello World". Here are some details about the SVG:

1. The SVG has a viewBox of 0 0 200 100, which means it has a width of 200 units and a height of 100 units.
2. The text "Hello World" is positioned at x=10 and y=50 within this viewBox.
3. The font used is Arial (with a sans-serif fallback), and the font size is 24 units.
4. The text color is black.

You can use this SVG in various ways, such as embedding it in a webpage or using it as a standalone image. The SVG format allows for scaling without loss of quality, making it suitable for various display sizes.

Would you like me to explain any part of the SVG code or make any modifications to the design?

Copy Retry ...

✳️

Claude can make mistakes. Please double-check responses.

Subscribe to Pro for 5x more usage with Claude 3.5 Sonnet. Subscribe to Pro X

Reply to Claude... ...

Claude 3.5 Sonnet A 1

Last edited just now ... Publish

<https://claude.ai/>



Demo

The screenshot shows a Claude AI interface with a demo titled "React Login Form with Tailwind CSS". The demo includes a description of the component's features, a code snippet, and a preview of the login form.

Description: I'd be happy to create a login form using React and Tailwind CSS for you. This is a great use case for a reusable component, so I'll create it as a React artifact.

Code Snippet:

```
</> React Login Form with Tailwind CSS  
Click to open component
```

I've created a React component for a login form using Tailwind CSS. This component includes:

1. A form with email and password input fields
2. State management for email and password using React hooks
3. A submit handler that logs the email and password (you'll need to replace this with your actual login logic)
4. Tailwind CSS classes for styling, including responsive design
5. A "Remember me" checkbox
6. A "Forgot your password?" link
7. A submit button

To use this component in your React application:

1. Make sure you have React and Tailwind CSS set up in your project.
2. Copy this component into your project.

Preview:

← React Login Form with Tailwind CSS

Preview Code X

Sign in to your account

Email address

Password

Remember me

[Forgot your password?](#)

Sign in

Last edited just now

Subscribe to Pro for 5x more usage with Claude 3.5 Sonnet.

Reply to Claude...

Claude 3.5 Sonnet 2 1

<https://claude.ai/>



Perplexity.ai

The screenshot shows the Perplexity.ai web interface. At the top, there's a navigation bar with a logo, a search bar containing the query "Create login form with reactjs and tailwind css", and a timestamp "Now". To the right of the search bar are icons for "Edit", "Share", and a user profile. On the left, there's a sidebar with links for "New Thread", "Home", "Discover", "Library", "Sign in", and a prominent "Sign Up" button. The main content area displays the search results. The first result is titled "Create login form with reactjs and tailwind css" and has an "Edit" link. Below it is an "Answer" section with a brief explanatory text. A code block shows bash commands: "npx create-react-app my-login-form" and "cd my-login-form". Further down, another section titled "Step 2: Install Tailwind CSS" provides instructions: "Next, you need to install Tailwind CSS. You can do this by following these steps...". A sidebar on the right offers options to "Search Images", "Search Videos", and "Generate Image", each with a plus sign icon. At the bottom right, there's a "Sign in or create an account" prompt with "Continue with Google" and "See all options (Apple, SSO)" buttons, along with fields for "Your email" and "Continue with email".

<https://www.perplexity.ai/>



Perplexity.AI

Create REST API with nodejs and express

❖ Sources

Creating a REST API with Node.js and Express | Postman Blog · blog.postman · 1

How to create a backend API in Express JS - DEV Community · dev · 2

Create Simple REST API with Node.js & Express - YouTube · youtube · 3

 View 4 more

❖ Perplexity

To create a REST API using Node.js and Express, follow these structured steps:

Prerequisites

- **Node.js:** Ensure Node.js is installed on your system. You can download it from the official site.
- **NPM:** This comes with Node.js and is used to manage packages.

Step-by-Step Guide

1. Set Up Your Project

- **Create a Project Folder:** Choose a name for your project folder, e.g., `express-api`.
- **Initialize Node.js Application:** Open your terminal, navigate to your project folder, and

<https://www.perplexity.ai/search/create-rest-api-with-nodejs-an-H1bLD2YdSJyQgOrjbgvk5g>



DeepSeek

Launching DeepSeek-V2.5, combining general and coding capabilities, API and Web upgraded.

deepseek

Brand new experience, redefining possibilities

Start Now

Free access to DeepSeek-V2.5.

Ignite questions, illuminate solutions.

Access API

128K context length.


\$0.14-\$0.28 for 1 million more.

<https://www.deepseek.com/>



WebLLM Chat


High-performance in-browser LLM inference engine



<https://webllm.mlc.ai/>



WebLLM Architecture



<https://blog.mlc.ai/2024/06/13/webllm-a-high-performance-in-browser-llm-inference-engine>




Chrome build-in AI

API	Explainer	Web	Extensions	Chrome Status
Prompt API	GitHub	In EPP	Origin trial	Not applicable
Summarizer API	GitHub	Origin trial	Origin trial	View
Language Detector API	GitHub	Origin trial	Known bug	View
Translator API	GitHub	In EPP	In EPP	View
Writer API	GitHub	Known bug	Known bug	View
Rewriter API	GitHub	Known bug	Known bug	View

<https://developer.chrome.com/docs/ai/built-in-apis>



Chrome build-in AI



<https://developer.chrome.com/docs/ai/built-in-apis>



Chrome Canary



Nightly build for developers

Get on the bleeding edge of the web. Be warned: Canary can be unstable.

[Download Chrome Canary](#)

For macOS 11 or later.


By downloading Chrome, you agree to the [Google Terms of Service](#) and [Chrome and ChromeOS Additional Terms of Service](#)

You can also download Chrome for [Windows 64-bit](#), [Windows 32-bit](#), [Windows ARM](#), [Linux](#) and [Android](#).

<https://www.google.com/chrome/canary/>



ChatGPT Search



Chat and Search

User	Company	Console	Best model
ChatGPT	OpenAI	OpenAI platform	GPT-4o
Claude	Anthropic	Anthropic console	Claude 3.5 sonnet
Gemini	Google	Google AI Studio	Gemini 1.5 pro



LLMs on Devices

Provider
Server

OpenAI
Anthropic
Gemini
Local LLM

Web browser

WebLLM
Chrome build-in AI

Devices
Mobile phone

Lightweight models
Mllm model
Gemini nano


<https://github.com/UbiquitousLearning/mllm>
<https://deepmind.google/technologies/gemini/nano/>



Generative AI Use Cases



Generative AI Use Case Impact/Feasibility Matrix



<https://altair.com/blog/executive-insights/want-to-identify-good-generative-ai-use-cases-dont-be-boring>



Generative Design



Canva

The screenshot shows the Canva interface. On the left, the 'Magic Media' section is active, featuring an 'Images' tab selected over 'Videos'. A text input field contains the prompt: 'Blue and green space rover lost in a strange planet'. Below it is a 'Try an example' button and a '+' button. To the right, the 'Storyboard' feature is displayed, showing a grid-based storyboard for a scene titled 'Day • Establishing Shot • Pan'. The storyboard frame 1 depicts a landscape with clouds and green hills. Annotations include 'Add sandstorm CGI in post prod' in a pink box, 'Sam' next to a red box, 'APPROVED BY DIRECTOR' in a yellow box, and 'Vim' next to a yellow box. Below the storyboard, the text reads: 'Action: Opening shot of the barren, red Martian landscape. We hear the sound of a rover approaching. Cut to the inside'.

Canva

Magic Media

Design

Brand

Elements

Text

Uploads

Apps

Magic Media

Images Videos

Describe the image you want and we'll generate it for you.

Blue and green space rover lost in a strange planet

Try an example

Charlie

+

Styles See all

None Filmic Watercolor

Generate AI Images

Storyboard

1

Add sandstorm CGI in post prod

Sam

APPROVED BY DIRECTOR

Vim

Day • Establishing Shot • Pan

Action: Opening shot of the barren, red Martian landscape. We hear the sound of a rover approaching. Cut to the inside

<https://www.canva.com/ai-image-generator/>



Figma AI



Products ▾ Solutions ▾ Community ▾ Resources ▾ Pricing

Contact sales


[Log In](#)

[Get started for free](#)

Your creativity, unblocked with Figma AI

Get started faster, find what you're looking for, and stay in the flow. Make space for more creativity.

[Learn about our approach to building AI](#)



<https://www.figma.com/ai/>



AI for Software Development
© 2020 - 2024 Siam Chamnankit Company Limited. All rights reserved.

128

FigJam AI



Products ▾ Enterprise ▾ Pricing Resources ▾ Community ▾ Contact sales Log in Get started for free

Redesign the way you jam with FigJam AI

FigJam AI helps you instantly visualize ideas, suggest best practices, and automate tedious tasks.

Try it out



<https://www.figma.com/figjam/ai/>



Notion AI

 Notion ≡

Just ask Notion AI.

Knowledge, answers, ideas. One click away.

[Get Notion free](#)

 **Get answers**
Just ask Q&A, and find the info you need in seconds.

 **Write better**
Get help writing and brainstorming in Notion, not in a separate browser tab.

 **Autofill tables**
Turn overwhelming data into clear, actionable information in seconds.



<https://www.notion.so/product/ai>



Generative Generation



Mid Journey

kc i ep,g
ab logit
go hi o
Vi i oiaabl
R ncti trec,gl srtarhc,rocev QH nni eelltttssssaaaaabbbbbaaa ushhing t mediand . s gl
n sle c,gfei nvwsecrhi uoC na ,w ,derr ttttteeesssii dddhhhi Katsnngiasypes nint statio
sle,c elei na grdyCdeni ane uaebattedoooll tttttaaagggggee d mmtth,, of d hfane pic p it
ssg cb surone grdtildida fiuel sk seeaaSS oo ddddeeeeegggnnnfffffeeylll, a hhaaniaaatnt s oan a tonblo
agsa t europeanuan kin u dkl ,gg lrattteddeeettttllllaaaawccc eeetsstt nnsssdronnnracktry m ories f s
nsn i,escic pganhk i ei rtnapkee fftttnnneeeiiiuuuuubbbaarrttiiihhtyb apllddhmacohh colaccarde wlns
snst,e o,3yat i, u i k etite rr22ni it a snosi rtfit s iw yii vv,,J ssttaoni bv v pri tel
d n n v,5yrchh nmna s n w oo usnum trmen witthhooiitcifoiturocsni suilA rolroddd h rliia tcecssi r,,n a p
shacimm,yc inmt tioopSveaoA mdi emgc emi npey otfenccoi esoAn oP,oluahIpeeossubwinc rii,ng igl,
eheta,ne e ntmt timiuvaaoA elea nr ,rrrrrrr ul cmm ni ev,octn ygolsIIrkhhhek iiaetkwimin
hetaene aito w ih,ie A itgc d o ssss a m ia cid nttha circlppIgottfantrhh paaad
ah ike a to wg um ss assae x e ,s i t na ii isttJ isee maao i e asuuuerem
is p a ich g masm iae t ad reneeeensert /egsz e i r e fsnughJflsnetolepgw h,rrrogn
ik s ci ,Abmuca sn n a ai nr,T e s rsTf ga n i t souglwotin a iynnetedonn
pd a h lc u a s,e m nd een an g e n sit or gi i s r c lanbt sl m gce idd l fi
pd a h lyr ao ua h o dn n re c n t c s ou l elcem gciltyafpss
s bU ripn s [M]O-[IO]_ [M]E-[I]_ [E]-[V]D-[I] [psc m i t cc luelceornit eamooe
pl alr ijt laAMna [M]E-[I]_ [E]-[V]D-[I] [psc m i se rsmrey tfitsnblp w
i nc y ti i r as ne c nw dhn T / sap t n ch T / ps me mo g cir esecetafo lnioa n
H c i so g ne ia sbu c uro cou a a,io on ni de e;eh n v t ee arr,dsftherir hso
l r ic n Mvlipb, c c usrv ierrri s S e o ya ge t arh agr daocheraptog
uf e i cm u e mvl/pu,b ci e estcioa n,nt c e g io rrh gr l h n nwptola
ss s i er a te at tmv 5i b y eP ti iob dmgva i r wde ae no p h nlns ufs
n tt ro mn ec ao o uta o 5rrmbb conyyyyynneerits L ob ris tn i y r aoiomatt ye iihmn noae lu p
ve o uu c i n im luni to suyyneoooooon bo r vei ei i e saotgetr/lofls atl sis coafirta
et ti e t ai ciam teona lnuj o si s e fnnu aa t/poff a all nas iscrtedhh
t mm c B tf ibiG ard ,tt , tu on r, a dinsrlg netem if a llretmais rrudhp
in ro ll el t th r i ,lfaurugln,yopci vh igeisyi gfeeaem ee
po Mi ef ri aa ts i dol o ,y ccigonwt onbcarlgnotpyb enni
tre ix i htr Koo rr hhh ll ci ta ol oc intnnts reeyn lWirtah enigg
the neo tt gggg ll en o o,snt ng Brsey idWinpaM enigaamm
ic e on , o waav naapaJ b e ,eedidies8eeec a iernnaa eniggammii/
listipeop r vvvvvvvssssssiiittttaam gubrti by et arai h euknyg sltnos enigami//
s, reaos, --LLLa ,,,llooopp eh legerbreep uso ltseeysiocwytf umupgotaaniR enggami/
cosmooeen rr iiiiirrrrrn ,ysp ,elgne ,erna,slbh , tananot13atcict a enigami//
tth theure,, g ooddddeeRR ,nairt srudthclgog gnarifgnar3 esfcnoP enigami/
filleed rchhitte

<https://www.midjourney.com/>



FreePik

The FreePik homepage features a large, vibrant background image of a flower. At the top left is the "FREEPIK" logo. The top navigation bar includes links for Tools, Images, Icons, Videos, Templates, PSD, Mockups (with a "NEW" badge), More, Pricing, and Sign in. A central call-to-action reads "Create great designs, faster" with the subtext "High-quality photos, videos, vectors, PSD, AI images, icons... to go from ideas to outstanding designs". Below this is a search bar with "Assets" dropdown, a search input, and a magnifying glass icon. There are also three smaller search boxes for "menu", "coloring pages", and "magazine mockup". At the bottom, a call-to-action button says "Sign up now" next to the text "Sign up for 10 daily free downloads and access to AI tools".

<https://www.freepik.com/>



DALL.E 2 from OpenAI



Research ▾ Product ▾ Safety Company ▾

DALL·E 2

DALL·E 2 is an AI system that can create realistic images and art from a description in natural language.

[Try DALL·E ➔](#)

[Follow on Instagram ➔](#)

<https://openai.com/dall-e-2>



AI DeepFake !!



Celebrity Deepfakes AI Image Generator Premium Sign up Log in 日本語 English



Online Deepfake Maker

オンラインフェイススワップツール

動画を作成する

<https://deepfakesweb.com/>



AI-Powered !!



AI Data Analyst

Julius

Docs

Analyze your data with computational AI.

Chat with your files and get expert-level insights in seconds.

Try Julius AI >



Loved by over 1,200,000 users worldwide



HARVARD
UNIVERSITY

BCG

Yale

zapie

<https://julius.ai/>



AI Research Assistant

Think Smarter,
Not Harder

The ultimate tool for understanding the information that matters
most to you, built with Gemini 1.5

Try NotebookLM

<https://notebooklm.google/>



Transcription Services



Pricing Business

Convert audio to text

Automatically transcribe your meetings, interviews, lectures, and other conversations.

State of the art A.I., simple interface

Try It Free

Login →

Transcribe audio to text in 100+ languages




<https://transkriptor.com/>



AI for Software Development

© 2020 - 2024 Siam Chamnankit Company Limited. All rights reserved.

Presentation Creator



The screenshot shows the homepage of the Gamma Presentation Creator website. At the top left is the Gamma logo. To the right are links for English, Pricing, Careers, and Login, followed by a "Try for free" button. The main visual is a background illustration of two people working at a desk with laptops, surrounded by colorful geometric shapes like triangles and squares. The central text reads "A new medium for presenting ideas." in large, bold, purple and orange letters, followed by "Powered by AI." in black. Below this, smaller text says "Beautiful presentations, documents, and websites." and "No design or coding skills required." A blue "Sign up for free" button is at the bottom.

A new medium
for presenting
ideas.

Powered by AI.

Beautiful presentations, documents, and websites.
No design or coding skills required.

Sign up for free

<https://gamma.app/>



Software Development Life Cycle



SDLC

Requirement

Design

Develop

Testing

Deploy



Planning

Written planning process

Arch diagrams

Testing

Automated testing

TDD

Testing environments

Testing in prod

Performance testing

Load testing

Generate test data

Development

Automated dev env

CI/CD

Prototyping

Code review

Code generation

Templates

Cross-platform dev

Preview env

Post-commit code review

Linting

Static code analysis

Project mgmt

Shipping

FF & experimentation

Logging

Monitoring & alerting

Staged rollouts

Maintenance

Debug production

Documentation


Runbook examples

Mitigation runbook

pragmaticengineer.com



SDLC



Impacts with productivity ?

Automated
simple tasks

Improve quality
and reliability

Improve
communication


Faster
prototype



Survey




"Which AI tools have you tried or used for software development?"



pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>






pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>



"Which AI tools have you tried or used for software development?"



pragmaticengineer.com


<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>



**Generative AI isn't just a tool
it's your team member**



3 Pillar of Software Development



Requirement and Analysis



Requirement and Analysis

Requirement

Design

Develop


Testing

Deploy

Requirements writing and analysis
User story generation



Agents AI for Automated tasks



The screenshot shows the Taskade website's AI Agile User Story Generator page. At the top, there's a navigation bar with links for Product, Solutions, Learn, Tools, Pricing, Help, Log in, and a prominent 'Sign up for free' button. Below the navigation is a breadcrumb trail showing 'Project Management > Agile User Story'. To the right are search and categories filters. The main title 'AI Agile User Story Generator' is displayed with a small AI icon. A sub-headline explains the tool's purpose: 'Improve your Agile development process with our AI-powered user story generator – create user stories quickly and easily for successful project outcomes.' Two buttons are visible: 'Generate AI Agile User Story' and 'Start with AI'. Below these buttons, four features are listed with icons: Dynamic AI builders, 100% fully customizable, Download & edit on-the-go, and Generate, publish, & share everywhere.

taskade

Product Solutions Learn Tools Pricing Help Log in Sign up for free

Project Management Agile User Story

Search Categories

AI Agile User Story Generator

Improve your Agile development process with our AI-powered user story generator – create user stories quickly and easily for successful project outcomes.

Generate AI Agile User Story Start with AI

Dynamic AI builders 100% fully customizable Download & edit on-the-go Generate, publish, & share everywhere

<https://www.taskade.com/generate/project-management/agile-user-story>



Example with food delivery

Food Delivery Workflow Template

🛒 Order Processing #order

- Check for new orders
 - Verify customer details
 - Confirm payment status
- Prepare order items
 - Gather ingredients
 - Cook or prepare food
 - Package items securely

🚚 Delivery Management #delivery

- Assign delivery driver
- Plan delivery route
 - Prioritize multiple deliveries
 - Use GPS for directions
- Confirm delivery with customer
 - Send delivery notification
 - Obtain customer signature

📊 Post-Delivery Tasks #postdelivery

⌚ What would you like to do next? ▶

+ Create project ➡



✍ Continue writing

☰ Make longer

<https://www.taskade.com/generate/project-management/agile-user-story>




User Story Generator



<https://userstorygenerator.ai/>



Napkin



The image shows the Napkin AI homepage. At the top left is the Napkin logo with the word "beta" underneath. To the right are navigation links: Home, Pricing, About us, Sign in, and a "Get Napkin Free" button with a right-pointing arrow. The main headline "Get visuals from your text" is displayed in large, bold, dark font, accompanied by a blue lightning bolt icon. Below the headline, a subtext explains: "Napkin turns your text into visuals so sharing your ideas is quick and effective." On the left, there's a screenshot of the Napkin interface showing various visual elements like circles and arrows. On the right, a flowchart illustrates the process: "Start" leads to a decision diamond "Have a doc?". If "No", it goes to a "Type" action; if "Yes", it branches off. The URL <https://www.napkin.ai/> is visible at the bottom of the page.

<https://www.napkin.ai/>



Product Owner ChatGPT Prompt

The screenshot shows a web page with a light blue header. In the top left corner is the PromptLeo logo, which consists of a purple hexagon containing a white icon of a head with a brain-like pattern. To the right of the logo is the word "PromptLeo". To the right of the logo are navigation links: "Docs", "Contact", "Pricing", "Log In", "Sign Up", and a small user icon. The main title "Product Owner ChatGPT Prompts" is centered in large, bold, dark blue font. Below the title is a paragraph of text: "With so many tools available in 2023, it can be difficult to know how you can get the most out of ChatGPT. To help you out, this page offers over 100 ChatGPT prompt examples, ideas, and templates focusing on prompts for product owners." The background of the page has a subtle grid pattern.

Product Owner ChatGPT Prompts

With so many tools available in 2023, it can be difficult to know how you can get the most out of ChatGPT. To help you out, this page offers over 100 ChatGPT prompt examples, ideas, and templates focusing on prompts for product owners.

<https://promptleo.com/prompt/chatgpt/product-owner>



Requirement analysis

Clarify of User requirement ?

<https://github.com/up1/workshop-ai-with-technical-team/wiki/Requirement-analysis>



Design Process



Design

Requirement

Design

Develop

Testing

Deploy

Architecture writing assistance


Sequence flow diagram generation

Data modeling

UX/UI design assistance



Excalidraw with AI



<https://excalidraw.com/>



Demo

Text to diagram AI Beta Mermaid

Currently we use Mermaid as a middle step, so you'll get best results if you describe a diagram, workflow, flow chart, and similar.

Prompt 9 requests left today

Try to generate authentication service from below
1. Customer call api gateway with REST API /login
2. Api gateway check user and password from auth service via gRPC
3. API gateway send response to client

Preview

```
graph TD; Customer[Customer] -- "REST API /login with credentials" --> APIGateway[APIGateway]; APIGateway -- "gRPC check user and password" --> AuthService[Authservice]; AuthService -- "gRPC response (success or failure)" --> APIGateway; APIGateway -- "HTTP response (success or failure)" --> Customer;
```

Generate → Cmd Enter View as Mermaid → Insert →



Database

The screenshot shows a database management interface with the following elements:

- Header:** "New database" button, "Diagram" tab (selected), "Migrations" tab.
- Left Panel:** "User Management Database ..." and "User and Shipping Address ..." buttons.
- Tables:**
 - shipping_addresses:** Contains columns: id (Primary key, Integer), user_id (Text), address_line1 (Text), address_line2 (Text), city (Text), state (Text), postal_code (Text), country (Text).
 - users:** Contains columns: id (Primary key, Integer), name (Text), email (Text).
- Bottom Buttons:** "PG 18 | Local-only database" (disabled), "Primary key", "Identity", "Unique", "Nullable".
- Right Panel:**
 - A callout bubble: "Create table of user that have many shipping address".
 - "Executed SQL" dropdown.
 - Text: "The tables 'users' and 'shipping_addresses' have been created successfully. Here's a brief overview:" followed by a bulleted list:
 - Users Table:** Contains user information with columns for 'id', 'name', and 'email'.
 - Shipping Addresses Table:** Stores multiple addresses for each user, with columns for 'id', 'user_id' (foreign key referencing 'users'), 'address_line1', 'address_line2', 'city', 'state', 'postal_code', and 'country'.
 - Text: "Conversation renamed to User and Shipping Address Management change".
 - "Message AI or write SQL" input field with an upward arrow icon.

<https://database.build/>



DiagramGPT

The screenshot shows the DiagramGPT interface. At the top left is the DiagramGPT logo. At the top right is a link to 'Brought to you by the folks at eraser'. Below the logo are two tabs: 'Twitter data model' (selected) and 'Flowchart'. A large central area contains a dark gray box with the text: 'Data model for Twitter that includes users, followers, DMs, likes, bookmarks, retweets, tweets, lists'. At the bottom right of this box is a blue 'Generate Diagram' button. Below this is another dark gray box labeled 'Eraser Diagram' with a checkmark and the word 'Complete'. To the right of this box are two buttons: a white one with a blue outline and a black one labeled 'Save and Edit Diagram'.

<https://www.eraser.io/diagramgpt>



MongoDB Compass

The screenshot shows the MongoDB Compass interface. At the top, there's a search bar with a placeholder question: "How many users signed up last month?". To the right of the search bar is a "Generate" button. Below the search bar, the text "Use natural language to generate queries and pipelines" is displayed. Underneath this text, a message states: "Atlas users can now quickly create queries and aggregations with MongoDB's intelligent AI-powered feature, available today in Compass." At the bottom of the interface, there are two buttons: a green "Log in to Atlas to enable" button and a blue "Not now" button. A note at the bottom reads: "This is a feature powered by generative AI, and may give inaccurate responses. Please see our FAQ for more information."

How many users signed up last month?

Generate

Use natural language to generate queries and pipelines

Atlas users can now quickly create queries and aggregations with MongoDB's intelligent AI-powered feature, available today in Compass.

Log in to Atlas to enable

Not now

This is a feature powered by generative AI, and may give inaccurate responses. Please see our FAQ for more information.

<https://www.mongodb.com/products/tools/compass>



v0.dev

The screenshot displays the v0.dev platform's user interface. At the top, there is a navigation bar with a logo on the left and a "Private Beta" button on the right. Below the navigation bar, a dark modal window titled "A 'report an issue' modal" is open, featuring three small icons: a square with a diagonal line, a checkmark, and a left arrow. Underneath the modal, there are four small buttons labeled "Product categories", "Hero section", "Contact form", and "Ecommerce dashboard". The main content area is divided into two sections: "New Generations" and "Featured". The "New Generations" section contains four prototypes: "Soccer Game", "Enhance Your Education Journey", "A website in a black and white theme", and "product tour like appcues". Each prototype has a star icon in the top right corner. Below each prototype, there is a small circular profile picture and a caption starting with "page for a soccer game," "A hero section for a...", "A website in a black and...", and "product tour like appcues". The "Featured" section below contains two prototypes: "Data" and "Product". Each prototype has a star icon in the top right corner.

<https://v0.dev/>



Val Town

The screenshot shows a software development interface with a dark-themed header bar. The top bar includes a search icon, a 'New' button, and a user profile icon. Below the header, there's a navigation bar with tabs for 'val town' and 'up1/zanyTomatoLamprey'. A sidebar on the left contains a file tree with a selected item 'up1/zanyTomatoLamprey version 1'. The main content area displays a code editor with a dark background and white text. The code is a React component for a login form, including imports, state definitions, and a functional component structure. A callout box highlights a line of code: 'add forgot password link'. Another callout box shows a note about adding a 'Forgot Password' link to the existing login form. A third callout box lists three steps for the change: 1. An edit to the existing code, 2. Changes required (adding a 'Forgot Password' link to the LoginForm component, updating CSS, and adding a placeholder handler), and 3. The response will be in the entire val format. Below the code editor, a message says 'Here's the updated code with the "Forgot Password" link added:' followed by a preview of 'up1/zanyTomatoLamprey version 2'. This preview shows the updated code with the new link added. The right side of the interface features a preview window for 'https://up1-zanytomatolamprey.web.val.run'. The preview shows a 'Login' page with fields for 'Username' and 'Password', a blue 'Login' button, and a 'Forgot Password?' link. A green message at the bottom states 'Password reset functionality not implemented yet.' There are also 'View Source' and 'Logs Requests' buttons at the bottom of the preview window.

<https://www.val.town/>



OpenUI

User Profile Card

I need a user profile card with an avatar, name, and social media links in Tailwind CSS.

Version 0

HTML JSX

```
<div class="bg-card dark:bg-card-foreground text-card-foreground dark:text-card-foreground">
  <div class="flex items-center justify-center">
    
  </div>
  <div class="text-center mt-4">
    <h2 class="text-lg font-bold">John Doe</h2>
    <div class="mt-2">
      <a href="#" class="text-primary hover:underline">Twitter</a>
      <span class="mx-2">></span>
      <a href="#" class="text-primary hover:underline">LinkedIn</a>
      <span class="mx-2">></span>
      <a href="#" class="text-primary hover:underline">GitHub</a>
    </div>
  </div>
</div>
```

Ask for changes to the current UI

<https://openui.fly.dev/>




Magic Pattern

The screenshot shows the Magic Patterns web application interface. At the top, there is a navigation bar with links for 'Magic Patterns', 'Use Cases', 'Customers', and a user profile icon. Below the navigation bar, a large heading reads 'Prototype your product ideas with AI.' followed by a subtext: 'Iterate on components & designs in our AI-native editor. Export to React or Figma.' Three buttons are visible: 'Generate a new UI' (disabled), 'Add a new feature to an existing UI' (highlighted in blue), and 'Apply a theme to an existing UI'. The main area features a flowchart diagram: 'Import your existing UI' (with a dashed box for 'Add an image or screenshot') leads to 'Describe what to add to the existing UI' (with input fields for 'e.g. add an error state' and '(Optional) Include an image'), which then leads to a 'Generate' button.

<https://www.magicpatterns.com/>



Make Real



<https://github.com/tldraw/make-real>



Screenshot to Code

Screenshot to Code

Sign in Get started

Build User Interfaces 10x Faster

Convert any screenshot or design to clean code (with support for most frameworks)

Get started GitHub 46,018 stars

#1 tool used by developers and designers from leading companies. Fully open source with 46,000+ stars on GitHub.

Microsoft Amazon MIT

Stanford ByteDance Baidu 百度

<https://github.com/abi/screenshot-to-code>



Demo

The image shows a screenshot of the Screenshot to Code AI interface. On the left, there's a sidebar with settings for "Generating" (HTML + Tailwind) and "AI Model" (GPT-4o). A progress bar indicates "Generating images...". Below it, the "ORIGINAL SCREENSHOT" of a Google search results page for "Google Logo" is shown. On the right, the generated "CODE" is displayed, which is identical to the screenshot: a Google search results page for "Google Logo". The interface includes tabs for "Desktop", "Mobile", and "Code".

<https://screenshottocode.com/>



Development Process



Develop

Requirement

Design

Develop

Testing

Deploy

Code generation

Review and explain code

Debugging code


Improve consistency

Code translation



Development

Generative AI can increase developer speed, but less so for complex tasks.



<https://www.mckinsey.com/capabilities/mckinsey-digital/our-insights/unleashing-developer-productivity-with-generative-ai>



Tools (Seamless with developer)

GitHub Copilot

Codium AI

aider

Continue

Bito



Category of Tools

Chat AI

Code AI

Agent AI

ChatGPT
Gemini
Claude.ai
Bing



Category of Tools

Chat AI

ChatGPT
Gemini
Claude.ai
Bing

Code AI


GitHub Copilot

AI Agent
Public and Local

Aider
Continue
Codium




Development




<https://martinfowler.com/articles/2023-chatgpt-xu-hao.html>




Development



Development



Development + Testing



Main Features

Ask question

Generate code


Refactor code

Document code

Find problems in your code



GitHub Copilot



The screenshot shows the GitHub Copilot homepage. At the top, there's a navigation bar with links for Product, Solutions, Resources, Open Source, Enterprise, Pricing, a search bar, a dashboard button, and a user profile icon. Below the navigation is a secondary navigation bar with links for Features, Copilot (which is underlined), Security, Code review, Search, Issues, Actions, Packages, Codespaces, and Discussions. A prominent banner in the center says "Copilot Enterprise now available". The main headline reads "The world's most widely adopted AI developer tool." Below the headline is a button labeled "Get started with Copilot >". In the bottom right corner, there's a small, stylized blue and purple AI character.

<https://github.com/features/copilot>



Using GitHub Copilot Chat correlates with better code quality

85% of developers felt more confident in their code quality when authoring code with GitHub Copilot and GitHub Copilot Chat

85%




Code reviews were more actionable and completed 15% faster than without GitHub Copilot Chat

15%




88% of developers reported maintaining flow state with GitHub Copilot Chat

88%



GitHub Copilot + Multi-models



<https://github.blog/news-insights/product-news/bringing-developer-choice-to-copilot/>



Auto pilot with Code

 Continue

Enterprise

About Us


Docs

Blog



Amplified developers, automated development

The leading open-source AI code assistant. You can connect any models and any context to build custom autocomplete and chat experiences inside the IDE



VS Code



JetBrains

<https://github.com/continuedev/continue>



CodeGPT



Academy Developers ▾ Partners Pricing Business Solutions

Get Started

AI Coding for Developers

Explore our **AI Code Assistants** and **Copilot Generator Platform**, tailored for AI coding. We offer the perfect solution, specifically designed to make it simple for the engineering teams to code using AI.

Create Free Account

Download VSCode/Cursor Extension

<https://codegpt.co/>



AI for Software Development
© 2020 - 2024 Siam Chamnankit Company Limited. All rights reserved.

Code Review

The screenshot shows the homepage of the Codium AI website. At the top, there is a dark blue header with the Codium AI logo on the left and navigation links for Products, Pricing, Blog, Contact, and About on the right. The main title "Generating meaningful tests for busy devs" is displayed in large, white, sans-serif font. Below the title, a descriptive paragraph explains the product's purpose: "With CodiumAI, you get non-trivial tests (and trivial, too!) suggested right inside your IDE or Git platform, so you can code smart and stay confident when you push. Code, as you meant it." At the bottom of the main section, there is a call-to-action button labeled "Get your FREE Codiumate now:" followed by two smaller buttons for "VS Code" and "JetBrains".

Codium^{ai} Products ▾ Pricing Blog Contact About ▾

Generating meaningful tests for busy devs

With CodiumAI, you get non-trivial tests (and trivial, too!) suggested right inside your IDE or Git platform, so you can code smart and stay confident when you push. Code, as you meant it.


Get your FREE Codiumate now:

VS Code → JetBrains →

<https://www.codium.ai/>



Code Review




The image shows a screenshot of the Codeium AI Assistant interface. At the top, there is a dark header bar with the text "Introducing Codeium Teams →". Below this, the main title "The modern coding superpower" is displayed in large, bold, white and teal text. A subtitle "AI assistant" is partially visible below the main title. At the bottom, there are two buttons: a teal button labeled "Get Extension >" and a white button labeled "Try in browser".

<https://codeium.com/>



AI Code Review



The screenshot shows the Bito AI Code Review homepage. At the top, there's a navigation bar with links for Product, Enterprise, Resources, Pricing, and Docs, along with Sign In and Get Started for Free buttons. The main headline reads "Cut review time by 50%" and "High quality AI code reviews". Below this are two buttons: "Get Started" and "Get a demo". To the right, there's a large screenshot of the Bito interface showing a sidebar with options like "Merge Requests" and a video feed of a developer. The main area displays a "Code Review Agent Run Status" section with a "Watch demo" button, followed by a "Code Review" section with a bulleted list of features, and a "High-level Feedback" section.

Cut review time by 50%

High quality
AI code reviews

Get Started → Get a demo

Accessible, accurate AI tools trusted by developers across the world.

<https://bito.ai/>



GPT Engineer

Build for the web 10x faster

Chat with AI to build web apps. Sync with GitHub. One-click deploy.

A page showing top stories from Hacker News



A landing page for my startup



An app to help me track my crypto portfolio



A dashboard to manage my startup's operations



Describe your front-end...




Build front-end with React, Tailwind & Vite.

<https://gptengineer.app/>



GPT Engineer



<https://gptengineer.app/>



Sample

The screenshot shows a software application titled "Billify-generator by uhticb03nM8Yn2R8ib1ArRgr1". The main interface is a "Bill Generator" page with fields for "Bill To" (Name, Phone, Address), "Ship To" (Same as Bill To), "Invoice Information" (Invoice Number, dd/mm/yyyy, Payment Date), "Your Company" (Name, Phone, Address), and "Item Details" (Add item, Totals: Sub Total ₹ 0.00, Tax (Amount) ₹ 0.00, Grand Total ₹ 0.00, Notes). To the right is a "Template Gallery" displaying six different invoice templates labeled Template 1 through Template 6.

Billify-generator by uhticb03nM8Yn2R8ib1ArRgr1

preview--billify-generator:gptengineer.rur

Bill Generator

Bill To

Name _____ Phone _____
Address _____

Ship To Same as Bill To

Invoice Information

Invoice Number YTV Invoice Date dd/mm/yyyy Payment Date dd/mm/yyyy

Your Company

Name _____ Phone _____
Address _____

Item Details

Add item

Totals
Sub Total ₹ 0.00
Tax (Amount) ₹ 0.00
Grand Total ₹ 0.00
Notes

Template Gallery

Template 1

Template 2

Template 3

Template 4

Template 5

Template 6

<https://gptengineer.app/projects/1340b42f-5412-43e0-b239-b5fdabd2feb7>



Bolt.new

What do you want to build?

Prompt, run, edit, and deploy full-stack web apps.

How can Bolt help you today?

Start a blog with Astro Build a mobile app with NativeScript Create a docs site with Vitepress

Scaffold UI with shadcn Draft a presentation with Sliddev Code a video with Remotion

or start a blank app with your favorite stack

Icons for various stacks: Next.js, React, TypeScript, Apollo GraphQL, Tailwind CSS, Vite, Next.js, React, TypeScript, Apollo GraphQL, Tailwind CSS, Vite.


<https://bolt.new/>



AI in Editor



What is your favorite coding editor with GenAI features (that help your work)?



pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ide-that-software-engineers-love>



Cursor.sh



Pricing Features Forum Docs Careers Blog

Sign In

Download

The AI Code Editor

Built to make you extraordinarily productive, Cursor is the best way to code with AI.



Download for Free



Watch Demo
1 Minute

<https://www.cursor.com/>



Cursor Directory

cursor.directory

Get latest updates [Subscribe](#) [Live](#) [Learn](#) [About](#)

Search... All Popular

Topic	Count
TypeScript	15
Python	9
Next.js	9
React	9
PHP	5
C#	4
Expo	4
React Native	4
Tailwind	4
Supabase	4
Web Development	3
Game Development	3
JavaScript	3
Laravel	3

TypeScript

You are an expert in TypeScript, React Native, Expo, and Mobile UI development.

Code Style and Structure

- Write concise, technical TypeScript code; accurate examples.
- Use functional and declarative programming patterns; avoid classes.
- Prefer iteration and modularization over duplication.
- Use descriptive variable names with auxiliary verbs (e.g., isLoading, hasError).
- Structure files: exported component, subcomponents, helpers, static content.
- Follow Expo's official documentation for best practices.

Krish Kalaria
expo-router expo-status-bar +7 more ~

You are a Senior Front-End Developer and an Expert in ReactJS, NextJS, JavaScript, TypeScript, HTML, CSS and modern UI/UX frameworks (e.g., TailwindCSS, Shadon, Radix). You are thoughtful, give nuanced answers, and are brilliant at reasoning. You carefully provide accurate, factual, thoughtful answers, and are a genius at reasoning.

Code Style and Structure

- Follow the user's requirements carefully & to the letter.
- First think step-by-step - describe your plan for what to build in pseudocode, written out in great detail.

Mohammadali Karimi
Tailwind CSS Shadon UI +1 more ~

You are an expert in TypeScript, Node.js, Next.js App Router, React, Shadon UI, Radix UI and Tailwind.

Code Style and Structure

- Mditate concisely, functionally, TypeScript-like.

Nathan Brachotte
gatsby react +2 more ~

You are an expert in Solidity, TypeScript, Node.js, Next.js 14 App Router, React, Vite, View v2, Wagmi v2, Shadon UI, Radix UI, and Tailwind Aria.

[Submit +](#)

<https://cursor.directory/>



Windsurf by codeium



Built to keep you in *flow state*

The first agentic IDE, and then some. The Windsurf Editor is where the work of developers and AI truly flow together, allowing for a coding experience that feels like literal magic.

 Download the Windsurf Editor

See all download options

<https://codeium.com/windsurf>



AI for Software Development

© 2020 - 2024 Siam Chamnankit Company Limited. All rights reserved.

Pair programming and TDD



AI Pair Programming

Aider is AI pair programming in your terminal


Aider lets you pair program with LLMs, to edit code in your local git repository. Start a new project or work with an existing git repo. Aider works best with GPT-4o & Claude 3.5 Sonnet and can [connect to almost any LLM](#).




<https://github.com/paul-gauthier/aider>




Test-Driven-Development




Test-Driven-Development



Test-Driven-Development




AI-DD



<https://dev.to/dawiddahl/ai-is-changing-the-way-we-code-ai-driven-development-aidd-2ngo>




TDD with AI



<https://github.com/allenheltondev/tdd-ai>



TDD with AI



<https://arxiv.org/html/2405.10849v1>



Test-Driven-Generation (TDG)



Test-Driven-Generation (TDG)

Development practice that integrate Generative AI into the development life-cycle

TDD

+

Pair
programming


+

Generative AI

<https://chanwit.medium.com/test-driven-generation-tdg-adopting-tdd-again-this-time-with-gen-ai-27f986bed6f8>




Test-Driven-Generation (TDG)



<https://chanwit.medium.com/test-driven-generation-tdg-adopting-tdd-again-this-time-with-gen-ai-27f986bed6f8>



Test-Driven-Generation (TDG)



Workshop with Coding



Workshop with Coding

Chat

Text Editor with AI

Pair programming
with AI

AI Agent



Pair programming with Aider

GPT-4o and
o1

Claude 3.5
Sonnet



DeepSeek
Coder

llama

<https://aider.chat/>



Working with APIs



ANTHROPIC
Gemini




Prompt caching

Innovative technique designed to optimize the inference process of LLM

Store and reuse precomputed states

Reduce cost and increase speed



ANTHROPIC
Gemini

<https://medium.com/@1kg/prompt-cache-what-is-prompt-caching-a-comprehensive-guide-e6cbae48e6a3>



When to Use ?

Conversational agents

Coding assistance

Large document processing

Detailed instruction sets

Agentic search and tool use

Talk to books, papers, docs and large content

<https://www.anthropic.com/news/prompt-caching>




Anthropic



<https://www.anthropic.com/news/prompt-caching>




OpenAI



<https://platform.openai.com/docs/guides/prompt-caching>



Gemini



<https://ai.google.dev/gemini-api/docs/caching?lang=python>



Google AI Studio

Get started with the Gemini API

Google AI Studio is the fastest way to start building with Gemini, our next generation family of multimodal generative AI models.

[Sign in to Google AI Studio](#)

Try the 2 million token context window

Explore what is possible with the 2 million token context window.

[Try it out](#)

Get a Gemini API Key

Grab your API key and start integrating Gemini models into your apps.

[Get your API key](#)

Prompt Gallery

Visit our prompt gallery for examples of what's possible with Gemini models.

[Explore the Gallery](#)

<https://ai.google.dev/aistudio>



Google AI Studio

The screenshot shows the Google AI Studio interface. On the left, there's a sidebar with links like 'Get API key', 'Create new prompt' (which is highlighted), 'New tuned model', 'My library', 'Allow Drive access', 'Prompt Gallery', 'Developer documentation', 'Developer forum', and 'Gemini API for Enterprise'. Below that is a note about Gemini making mistakes. At the bottom left is a user profile icon and email address. The main area has tabs for 'Untitled prompt' and 'Edit'. It contains sections for 'System Instructions' (optional tone and style instructions for the model) and 'User' (a task description). A code editor shows the following Python code:

```
def sort_list(list_to_sort):
    """
    This function sorts a list of numbers in ascending order using the bubble sort algorithm.

    Args:
        list_to_sort: A list of numbers to be sorted.

    Returns:
        A new list with the numbers sorted in ascending order.
    """
    # Create a copy of the list to avoid modifying the original
    sorted_list = list_to_sort.copy()
    n = len(sorted_list)


    # Iterate through the list n-1 times
    for i in range(n-1):
        # Flag to track if any swaps were made in a pass
        swapped = False
        # Iterate through the unsorted portion of the list
        for j in range(n-i-1):
            # Compare adjacent elements and swap if necessary
            if sorted_list[j] > sorted_list[j+1]:
                sorted_list[j], sorted_list[j+1] = sorted_list[j+1], sorted_list[j]
                swapped = True
    return sorted_list
```

To the right of the code editor are several settings: 'Enable Autosave', 'Compare', 'Get code', 'Run settings' (which is also highlighted), 'Model' set to 'Gemini 1.5 Flash', 'Token Count' at 441 / 1,000,000, 'Temperature' set to 1, 'Tools' (JSON mode, Edit schema, Code execution, Function calling), and 'Advanced settings'.

<https://ai.google.dev/aistudio>



DeepSeek



deepseek

<https://api-docs.deepseek.com/news/news0802/>



Testing Process with High quality process

Functional

Non-Functional



Testing

Requirement

Design

Develop


Testing

Deploy

Test cases writing
Test code generation
Bug detection
Test planning
Data test generation



Test Case generator



The screenshot shows the Taskade website's AI Test Case Generator page. At the top, there's a navigation bar with links for Product, Solutions, Learn, Tools, Pricing, Help, Log in, and a prominent green "Sign up for free" button. Below the navigation is a breadcrumb trail showing the user has navigated from the main site to Programming > Test Case. To the right are a search bar and a "Categories" dropdown. The main headline is "AI Test Case Generator" featuring a blue robot icon. A sub-headline reads: "Elevate your testing process with our AI-powered test case generator. Create and execute tests faster, more efficiently, and with higher accuracy." Below this are two buttons: "Save Workflow" (gray) and "Generate Now" (pink). At the bottom, there's a row of icons with labels: Dynamic AI builders, 100% fully customizable, Download & edit on-the-go, and Generate, publish, & share everywhere.

taskade Product Solutions Learn Tools Pricing Help Log in Sign up for free

Programming > Test Case

Search Categories

AI Test Case Generator

Elevate your testing process with our AI-powered test case generator. Create and execute tests faster, more efficiently, and with higher accuracy.

Save Workflow Generate Now

Dynamic AI builders 100% fully customizable Download & edit on-the-go Generate, publish, & share everywhere

<https://www.taskade.com/generate/programming/test-case>




Testing with Postman

Postbot, our AI-powered assistant, will supercharge your API development.

Speed up your most common API development workflows with natural-language input, conversational interactions, and contextual suggestions.

[Get Started](#)



<https://www.postman.com/product/postbot/>



PostBot

The screenshot shows the Postman application interface. A request is being made to `https://jsonplaceholder.typicode.com/users/1` using the `GET` method. The `Tests` tab is selected. The response body is displayed in Pretty JSON format:

```
1 {  
2   "id": 1,  
3   "name": "Leanne Graham",  
4   "username": "Bret",  
5   "email": "Sincere@april.biz",  
6   "address": {  
7     "street": "Kulas Light",  
8     "suite": "Apt. 556".  
9   }  
10 }  
11 
```

The response status is `200 OK`. A context menu is open on the right side of the interface, showing options like `Add tests to this request`, `Test for response...`, `Visualize response...`, `Save a field from response`, and `Add documentation`. A modal window titled `New on Postbot` provides information about the AI feature.

New on Postbot

I can auto-complete tests to help you work faster!

If you have a response available and type `pm.test()`, I'll suggest important tests that you might be looking for. Once you've entered the test name, I'll also provide the code to validate what you need.

Hi! How can I help?

<https://www.postman.com/product/postbot/>



6 Keys software quality

Defect density

Code duplication

Hardcode token/key

Security
vulnerabilities

Outdated package

Non-permissive
opensource libraries



Deployment Process



Deploy and manage

Requirement

Design

Develop

Testing

Deploy

CI/CD pipeline

Infrastructure as a code

Automated script

Performance and monitoring suggestion

Document generation

AI-assist support

ChatOps, AIOps



PromptOps



Solutions ▾ Resources ▾ Contact us Log In

ChatGPT for your DevOps Teams

Turn DevOps tasks into automated workflows with a single prompt straight from Slack

[Get started](#)

[Learn More](#)

A screenshot of the PromptOps Slack integration. At the top, there's a message from the "PromptOps APP" bot: "Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!". Below this, a Slack conversation shows a user named "Sergoy" reporting an issue: "Uh oh, MOAR 408 errors in graph-engine. Help, @PromptOps!". The "PromptOps APP" bot responds with "Eleven ran into this issue last week" and suggests a fix: "aws easily fixed it by bumping up CPU cores on nginx node. Should I do it?". Two buttons at the bottom right of the message are "Yes" and "No". At the bottom of the screenshot, there are four buttons: "Acknowledge", "Resolve", "Run a play ▾", and "Edit code".

PromptOps APP
Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!
Sergoy 02:14am
Uh oh, MOAR 408 errors in graph-engine.
Help, @PromptOps!
PromptOps APP 02:14am
Eleven ran into this issue last week
aws easily fixed it by bumping up CPU cores on nginx node.
Should I do it?
Yes No

Acknowledge Resolve Run a play ▾ Edit code

<https://www.promptops.com/devops/>




ChatOps for DevOps




[Product](#)[How it Works](#)[Learn](#)[Company](#)[Uptime](#)[Sign In](#)[Book a demo](#)[Sign Up](#)

> ChatGPT for DevOps

Converse with your engineering platforms, powered by LLM.
A virtual teammate to handle DevOps requests so you can handle the rest.

[Add Kubi to Slack](#)

-  Kubi (DevOps)
@Alerts I got an alert from Prometheus:

Deployment 'alert-manager' on namespace 'Openfaas' is experiencing high traffic
-  Kubi (DevOps)
@Alerts Should I increase the number of replicas on 'alert-manager'?
-  Jeff (R&D)
Yes
-  Kubi (DevOps)

✓ The following deployment has been updated:
Deployment: alert-manager
Namespace: Openfaas
Replicas: 3

<https://www.kubiya.ai/>



K8sGPT



**CLOUD NATIVE
SANDBOX** K8sGPT joins the
CNCF Sandbox

K8sGPT is a tool for scanning your kubernetes clusters, diagnosing and triaging issues in simple english. It has SRE experience codified into its analyzers and helps to pull out the most relevant information to enrich it with AI.

Get it now!

<https://k8sgpt.ai/>



Workshop



 Claude

<https://github.com/up1/workshop-ai-with-technical-team>



Tips and Techniques

Scope of prompt

Error in result

Setup and config
project

Latest information

Use technical
keywords



Risks when using Generative AI





Risks

Quality of output generated
Explainability of decisions
Security policy !!
Sensitive data !!



Tips

Understand what you want


Modular approach

Clear and Precise inputs

Make sure you understand the code



Quality process ?



Skill Required


Knowledge of ethical AI principles, legal and regulatory compliance, stakeholder management



Security !!



OWASP Top 10 for LLM app



<https://llmtop10.com/>



OWASP Top 10 for LLM app

LLM01

Prompt Injection

Crafty inputs can manipulate a Large Language Model, causing unintended actions. Direct injections overwrite system prompts, while indirect ones manipulate inputs from external sources.

LLM02

Insecure Output Handling

This vulnerability occurs when an LLM output is accepted without scrutiny, exposing backend systems. Misuse may lead to severe consequences like XSS, CSRF, SSRF, privilege escalation, or remote code execution.

LLM03

Training Data Poisoning

This occurs when LLM training data is tampered, introducing vulnerabilities or biases that compromise security, effectiveness, or ethical behavior. Sources include Common Crawl, WebText, OpenWebText, & books.

LLM04

Model Denial of Service

Attackers cause resource-heavy operations on Large Language Models leading to service degradation or high costs. The vulnerability is magnified due to the resource-intensive nature of LLMs and unpredictability of user inputs.

LLM05

Supply Chain Vulnerabilities

LLM application lifecycle can be compromised by vulnerable components or services, leading to security attacks. Using third-party datasets, pre-trained models, and plugins can add vulnerabilities.

LLM06

Sensitive Information Disclosure

LLM's may reveal confidential data in its responses, leading to unauthorized data access, privacy violations, and security breaches. It's crucial to implement data sanitization and strict user policies to mitigate this.

<https://llmtop10.com/>



OWASP Top 10 for LLM app

LLM07

Insecure Plugin Design

LLM plugins can have insecure inputs and insufficient access control. This lack of application control makes them easier to exploit and can result in consequences like remote code execution.

LLM08

Excessive Agency

LLM-based systems may undertake actions leading to unintended consequences. The issue arises from excessive functionality, permissions, or autonomy granted to the LLM-based systems.

LLM09

Overreliance

Systems or people overly depending on LLMs without oversight may face misinformation, miscommunication, legal issues, and security vulnerabilities due to incorrect or inappropriate content generated by LLMs.

LLM10


Model Theft

This involves unauthorized access, copying, or exfiltration of proprietary LLM models. The impact includes economic losses, compromised competitive advantage, and potential access to sensitive information.

<https://llmtop10.com/>




Prompt Injection !!



<https://llmtop10.com/>



Prompt Injection !!




https://learnprompting.org/docs/prompt_hacking/injection



Secure GenAI

Generative AI Security Scoping Matrix

A MENTAL MODEL TO CLASSIFY USE CASES



<https://aws.amazon.com/blogs/security/securing-generative-ai-data-compliance-and-privacy-considerations/>



National AI Policies & Strategies


The screenshot shows the homepage of the OECD.AI Policy Observatory. The top navigation bar includes links for Blog, Experts, AI Principles, Policy areas, Trends, and a search bar. Below the navigation is a breadcrumb trail: Home > National strategies & policies. A large teal header banner reads "National AI policies & strategies". A descriptive text below the banner states: "This section provides a live repository of over 1000 AI policy initiatives from 69 countries, territories and the group targeted by the policy." A grid of cards displays national AI policies, with visible entries for the African Union, Costa Rica, Iceland, Luxembourg, Argentina, Croatia, India, and Malta.

Countries & territories	Policy instruments	Target Groups
African Union	Costa Rica	Iceland
Argentina	Croatia	India
		Luxembourg
		Malta

<https://oecd.ai/en/dashboards/overview>



Test & Secure your LLM apps



<https://www.promptfoo.dev/>



Local LLM



Local LLM

Run LLM on local machine/device
Try to customize with your requirement

Reduce cost

Data privacy


Responsive

Offline mode




Local LLM

Improve your LLM models, more accurate answer



Models ?

How to download models ?



Local LLM Server



Local LLM with LM Studio

The image shows the LM Studio website and its desktop application side-by-side.

Website Screenshot:

- Header:** LM Studio logo, Docs, Blog, Download.
- Section:** LM Studio logo, "Discover, download, and run local LLMs".
- Announcement:** LM Studio v0.3.0 is finally here! 🎉🎉🎉 Read the announcement.
- Run Models:** Run LLaMa, Phi, Gamma, DeepSeek, Owen, Mistral on your computer.
- Built With:** Open source projects like `llama.cpp` and `lmstudio.js`.
- Downloads:** Download LM Studio for Mac (M1/M2/M3) 0.3.2, Download LM Studio for Windows (x64) 0.3.2, Download LM Studio for Linux (x86) 0.3.2.
- Footer:** LM Studio is provided under the [terms of use](#).

Application Screenshot:


A screenshot of the LM Studio application window titled "LM Studio Community Edition 2.26.0.0.0.0.0". The window displays a file tree on the left and a configuration panel on the right. The configuration panel includes sections for "Advanced Configuration" (with fields for "System Prompt" and "Model"), "P Serial" (set to 1), "C Sensors" (set to 1), "IP AutomationAddress" (set to 1), and "IP AutomationPort" (set to 5). A cursor is visible over the "IP AutomationAddress" field.

<https://lmstudio.ai/>



Local LLM with LM Studio

Load model from Hugging Face




<https://lmstudio.ai/>



Local LLM with Ollama

\$ollama run **llama3.1**



<https://ollama.com/>



Local LLM with LocalAI



<https://localai.io/>



More

GPT4All

LlamaFile

Jan.ai

NextChat

Anything LLM

<https://github.com/Hannibal046/Awesome-LLM>



LLM Models



Hugging Face Model Hub

NEW AI Tools are now available in HuggingChat

The AI community building the future.

The platform where the machine learning community collaborates on models, datasets, and applications.

Models 450,541

Tasks

- Text-to-image
- Image-to-Text
- Text-to-video
- Visual Question Answering
- Document Question Answering
- Graph Machine Learning

Computer Vision

- Object Detection
- Image Classification
- Object Detection
- Image Segmentation
- Image-to-Image
- Unconditional Image Generation
- Video Classification
- Zero-Shot Image Classification

Natural Language Processing

- Text Classification
- Text Generation
- Code Generation
- Question Answering
- Zero-Shot Classification
- Translation
- Summarization
- Conversational
- Text Generation
- Text-to-Text Generation

Audio

- Text-to-Speech
- Automatic Speech Recognition
- Audio-to-Audio
- Audio Classification
- Music Activity Detection

Tabular

- Tabular Classification
- Tabular Regression

Reinforcement Learning

- Reinforcement Learning
- Robitics

Model

- meta-llama/Llama-2-7b
- stabilityai/stable-diffusion-v1-base
- openai/clip-vit-large-patch14
- lllyasviel/ControlNet-v1-2
- ceresense/zeroscope_v2_XL
- meta-llama/Llama-2-20b
- tiiuae/falcon-40b-instruct
- MirroredH/MixedCodes-v1B-v1.0
- CompVis/stable-diffusion-v2-4
- StabilityAI/stable-diffusion-v2-2
- Salesforce/qwen-2b-8w-inat

<https://huggingface.co/>



Hugging Face :: Model

The screenshot shows the Hugging Face Model Hub interface. On the left, there's a sidebar with sections for Tasks (Libraries, Datasets, Languages, Licenses), Other, Filter Tasks by name, Multimodal (Image-Text-to-Text, Visual Question Answering, Document Question Answering, Video-Text-to-Text, Any-to-Any), and Computer Vision (Depth Estimation, Image Classification, Object Detection, Image Segmentation, Text-to-Image, Image-to-Text, Image-to-Image, Image-to-Video, Unconditional Image Generation, Video Classification, Text-to-Video, Zero-Shot Image Classification, Mask Generation, Zero-Shot Object Detection, Text-to-3D). The main area is titled 'Models 233,861' and has a search bar with 'llama'. It includes 'Full-text search' and 'Sort: Trending' buttons. The search results list several Llama models:

- black-forest-labs/FLUX.1-dev** (Text-to-Image, Updated Aug 16, 919k, 4.73k)
- meta-llama/Meta-Llama-3.1-8B-Instruct** (Text Generation, Updated Aug 21, 3.09M, 2.61k)
- jinaai/reader-lm-1.5b** (Text Generation, Updated 5 days ago, 8.28k, 382)
- black-forest-labs/FLUX.1-schnell** (Text-to-Image, Updated Aug 16, 1.06M, 2.35k)
- nvidia/Llama-3_1-Nemotron-51B-Instruct** (Text Generation, Updated about 14 hours ago, 61, 79)
- dleemiller/word-llama-12-supercat** (Updated Aug 12, 81)
- ICTNLP/Llama-3.1-8B-Omni** (Updated 12 days ago, 1.39k, 324)

<https://huggingface.co/>



Big Code model leader board

★ Big Code Models Leaderboard

Inspired from the [Open LLM Leaderboard](#) and [Open LLM-Perf Leaderboard](#), we compare performance of base multilingual code generation models on [HumanEval](#) benchmark and [MultiPL-E](#). We also measure throughput and provide information about the models. We only compare open pre-trained multilingual code models, that people can start from as base models for their trainings.

Evaluation table Performance Plot About Submit results ↗

See All Columns

Search for your model and press ENTER...

Filter model types

all base instruction-tuned EXT external-evaluation

T	Model	Win Rate	humaneval-python	java	javascript	cpp
♦ EXT	OpenCodeInterpreter-DS-33B	55.83	75.23	54.8	69.06	64.47
♦ EXT	Nxcode-CQ-7B-croc	55.42	87.23	60.91	71.69	68.04
♦	CodeQwen1.5-7B-Chat	55.08	87.2	61.04	70.31	67.85
♦ EXT	CodeFuse-DeepSeek-33b	54.33	76.83	60.76	66.46	65.22
♦ EXT	DeepSeek-Coder-33b-instruct	52	80.02	52.03	65.13	62.36
♦ EXT	Artifigenz-Coder-DS-6.7B	51.5	70.89	56.84	66.16	59.75
♦ EXT	DeepSeek-Coder-7b-instruct	50.33	86.22	53.34	65.8	59.66
♦ EXT	OpenCodeInterpreter-DS-6.7B	49.67	73.2	51.41	63.85	60.81

<https://huggingface.co/spaces/bigcode/bigcode-models-leaderboard>



Model in Ollama

The screenshot shows the Ollama library interface. At the top left is a circular icon of a cartoon llama head. To its right, the word "Models" is displayed. Below this is a search bar containing the text "deepseek". To the right of the search bar is a dropdown menu set to "Featured".

The first model listed is "deepseek-coder-v2". Its description reads: "An open-source Mixture-of-Experts code language model that achieves performance comparable to GPT4-Turbo in code-specific tasks." Below the description are three blue buttons labeled "Code", "16B", and "236B". Underneath these buttons are three small icons with the numbers "307K", "65", and "3 months ago" respectively.

The second model listed is "deepseek-coder". Its description reads: "DeepSeek Coder is a capable coding model trained on two trillion code and natural language tokens." Below the description are four blue buttons labeled "Code", "1B", "7B", and "33B". Underneath these buttons are three small icons with the numbers "303.9K", "102", and "9 months ago" respectively.


<https://ollama.com/library>



LiteLLM as a Proxy



LiteLLM as a Proxy




<https://www.litellm.ai/>



Workshop

Use docker compose to build and run



<https://docs.openwebui.com/>



Retrieval-Augmented Generation (RAG)



What is RAG ?

Enhance LLM with external knowledge

Improve your LLM models, more accurate answer

Proprietary
knowledge


Up-to-data
Information

Citing sources

Data security
Access control List
(ACL)




RAG



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>




RAG Data Pipeline



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>




RAG Agent



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>



RAG Process




<https://medium.com/@codeawake/ai-chatbot-5bd2fa3324e3>




RAG with LLM

Improve your LLM models, more accurate answer



RAG with LLM




<https://aws.amazon.com/th/what-is/retrieval-augmented-generation/>




Better RAG application

How can we make better RAG applications?



Hybrid Search




Data Cleaning




Prompting



Evaluation




Data Collection



<https://stackoverflow.blog/2024/08/15/practical-tips-for-retrieval-augmented-generation-rag/>




Demo with Chatbot



<https://redis.io/blog/build-e-commerce-chatbot-with-redis/>




RAG with MongoDB



<https://www.mongodb.com/developer/products/atlas/taking-rag-to-production-documentation-ai-chatbot/>



Frameworks and Tools




<https://www.langchain.com/>



LangChain


Framework for develop application powered by LLM




<https://python.langchain.com/>



Data Analysis Agent



Steps to develop




<https://redis.io/blog/build-e-commerce-chatbot-with-redis/>



AI Agent



AI Agent



Workshop AI Agent with Aider

GPT-4o

Claude 3.5
Sonnet

DeepSeek
Coder

Ollama

<https://aider.chat/docs/llms/ollama.html>



LLM

Prompt



LLM




Answer

<https://towardsdatascience.com/intro-to-lm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




LLM → RAG



<https://towardsdatascience.com/intro-to-llm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




Agent



<https://towardsdatascience.com/intro-to-lm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




LLM → RAG → Agent



<https://towardsdatascience.com/intro-to-llm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>



Workshop Record Expense



Here is the extracted data from the payment slip in JSON format:

```
{  
    "payment_status": "Completed",  
    "date_time": "20 Aug 24 1:33 PM",  
    "payer_name": "Mr. Somkiat P",  
    "bank": "KBank",  
    "payer_account": "xxx-x-x9323-x",  
    "payee_name": "AMZ_SD4330 UNION MALL",  
    "company_name": "DEEMAPHARUAY CO., LTD.",  
    "transaction_id": "202408202155006",  
    "payment_reference_id": "014233133358BQR09410",  
    "amount": "45.00 Baht",  
    "fee": "0.00 Baht"  
}
```



Workshop Record Expense

Requirement

Design

Develop

Testing

Deploy

Generative AI



AI Agent Tools



Aider

Aider is AI pair programming in your terminal

Aider lets you pair program with LLMs, to edit code in your local git repository. Start a new project or work with an existing git repo. Aider works best with GPT-4o & Claude 3.5 Sonnet and can [connect to almost any LLM](#).



<https://aider.chat/>



AI for Software Development

© 2020 - 2024 Siam Chamnankit Company Limited. All rights reserved.

Microsoft AutoGen

AutoGen


An Open-Source Programming Framework for Agentic AI

Getting Started - 3min 

<https://microsoft.github.io/autogen/>



Multi-Agent Orchestrator from AWS



<https://github.com/awslabs/multi-agent-orchestrator>



Swarms



The screenshot shows the GitHub profile for the 'swarms' repository. At the top, there's a large logo consisting of a black square containing a red hexagonal pattern that looks like a molecular or crystal structure. To the right of the logo, the word 'Swarms' is written in a large, bold, red sans-serif font.

Below the logo, a subtitle in a smaller gray font reads: *The Enterprise-Grade Production-Ready Multi-Agent Orchestration Framework*.

Underneath the subtitle, there are several buttons and links:

- A blue button with a yellow Python icon labeled "PYTHON".
- A dark gray button with a white PyPI icon labeled "PYPI".
- A blue button with a white version number icon labeled "V6.2.0".
- A blue link with a Twitter icon labeled "Twitter".
- A blue link with a Discord icon labeled "Discord".
- A blue link with a YouTube icon labeled "Swarms Platform".
- A blue link with a book icon labeled "Documentation".
- A dark gray button with a white Discord icon labeled "DISCORD".
- A blue button with a white "JOIN OUR SERVER" icon labeled "JOIN OUR SERVER".
- A dark gray button with a white YouTube icon labeled "YOUTUBE".
- A red button with a white "SUBSCRIBE" icon labeled "SUBSCRIBE".
- A dark gray button with a white LinkedIn icon labeled "LINKEDIN".
- A blue button with a white "CONNECT" icon labeled "CONNECT".
- A dark gray button with a white X.com icon labeled "X.COM".
- A blue button with a white "FOLLOW" icon labeled "FOLLOW".

At the bottom of the screenshot, there are several status indicators:

- "Issues 30 open"
- "Forks 239"
- "Stars 1.8k"
- "license AGPL-3.0"
- "Stars 1.8k"
- "dependencies up to date"
- "downloads/month 75k"


Below these indicators, there are three sharing options:

- "Share @kyegomez/swarms" with an X icon
- "Share facebook" with a Facebook icon
- "Share linkedin" with a LinkedIn icon

<https://github.com/kyegomez/swarms>



Learning Flow with AI



Software Development

Requirement

Design

Develop

Testing

Deploy

Generative AI

Improve Productivity ... (Replace human !!)



Q/A

