

CSS Transform functions

Beyond box placement, more detailed visual controls

- Shift visuals X/Y
- Rotation
- Skew (shifting unequally)
- Scale (zoom in/out)
- 3d interactions

Translate (shift x/y coords)



Some Paragraph Text

```
.kitten {  
  transform: translate( 2rem, 5rem );  
}
```



So

Text


Translate details

- Values can be all units, including percentages
- Negative values are fine (when meaningful)
- Creates a positioned element
 - like `position` other than `static`
- `translateX()` and `translateY()`
 - also `translateZ()`
- pass multiple to `transform` as space-separated

```
.some-selector {  
  transform: translate( 1rem, 5rem);  
}  
.other-selector { /* Same effect as above */  
  transform: translateX( 1rem ) translateY( 5rem );  
}
```

CSS Rotation

```
.kitten {  
  transform: rotate( -45deg );  
}
```



Some Paragraph Text

Rotate Details

- Units are degrees, rads, grads, or turns
 - positive (clockwise-tilt) or negative
- `rotate()` is `rotateZ()`
 - exist: `rotateX()`, `rotateY()`, or `rotateZ()`
- Easier to work with one transform at a time
- inline vs block effects are exaggerated
 - rotating a block will still have full width

Combining Transformations

```
img.kitten { /* Note block vs inline-block */  
  display: inline-block; /* Consider impacts of wrapping */  
}  
  
p.kitten-label {  
  display: inline-block;  
  color: red;  
  background-color: #FFFFFFF60;  
  border: 2px dashed red;  
  transform:  
    translateX(-173px)  
    translateY(-65px)  
    rotate(-45deg);  
}
```



CSS Skew

```
transform: skew();
```

- technically distorts x/y of each POINT
- one arg: `skew()` or `skewX()`
 - shifts left X at top, to right X at bottom
- two args: shift left X, up Y at top left, to right X, down Y at bottom left
- arguments are angles (degrees, rads, grads, turns)
- easier to see effects by playing in debugger
 - notice how a quarter turn (90deg) results in a flat line

Skew X

```
#kitten-unskewed {  
  display: inline-block;  
}  
  
#kitten-skewed {  
  display: inline-block;  
  transform: skew(20deg);  
}
```



Totally Skewed

```
#kitten-still-unskeved {  
  display: inline-block;  
}  
  
#kitten-slightly-skewed {  
  display: inline-block;  
  transform: skew(20deg);  
}  
  
#kitten-totally-skewed {  
  display: inline-block;  
  transform: skew(20deg, 10deg);  
}
```



Scale

Resizes (zoom in/out)

- `scale()`
 - one arg: Scale both x and y by that multiplier
 - two arg: Scale X by first arg, Y by second

Notice that like all transformations, document flow is not impacted by visuals

Kitten grows scales

```
#kitten-unscaled {  
  display: inline-block;  
}  
  
#kitten-scaled {  
  display: inline-block;  
  transform: scale(2);  
}
```



Rarely used transformations

- `rotate3d()`
- `scale3d()`
- `translate3d()`
- `matrix()`
- `matrix3d()`
- `perspective()`