

Description

The IIS performs a search for Cameron A. Fairchild and finds one high-confidence match. The IIS generates an evaluated history and forecast for Cameron and returns this to the EHR-S. One dose of vaccine was not administered at the correct age and is marked as not valid. The EHR-S displays the evaluated history and forecast, including the not valid dose.

Comments

No Comments

Pre-condition

A query is performed by the sending system. The IIS (simulated by the NIST test tool) contains an immunization events for the person.

Post-Condition

The response is made available to the EHR-S for processing. The clinician is able to view the evaluated history and forecast from the IIS. There is no obligation to incorporate the data into the EHR-S or maintain the displayed evaluated history and forecast.

Test Objectives

Receive a response message containing the evaluated history and forecast; display evaluated history and forecast.

Evaluation Criteria

Confirms valid receipt and display of response message using the Juror Document.

Notes

Important note regarding the Query Tag (QPD-2): The NIST response message is predefined and is based on the query message. Most systems will automatically create the query tag (Identifier) and will require it for importing, linking, and processing the response message. The NIST test message can be modified such that the query tag matches that query tag generated by the system-under test.

Important note regarding the MSH-10 and MSA-2: The NIST response message is predefined and is based on the query message. Most systems will automatically create the message control Identifier and may require it for importing, linking, and processing the response message. The NIST response test message can be modified such that MSA-2 matches MSH-10 of the query message generated by the system-under test.