

December 9, 2015
Revision 2.0

Installation Guide: NIST HL7v2 Validation Tools

Submitted by:

National Institute of Standards and Technology (NIST)

December 9, 2015

Table of Contents

Introduction 3

War File Installation Quick Guide 4

War File Installation Detailed Guide – Windows 7 5

 I. Download and Install Java..... 5

 II. Download and Install Tomcat 7 10

 III. Run Tomcat 16

 IV. Copy war file into Tomcat Webapps folder 19

December 9, 2015

Introduction

This Installation Guide provides step-by-step instructions to install the war files of the following NIST HL7v2 Validation Tools. The war files may be downloaded from the Documentation Page of the tools online:

- Electronic Laboratory Reporting (ELR) 2014 and 2015 Edition - <http://hl7v2-elr-testing.nist.gov>
- Syndromic Surveillance 2014 Edition - <http://hl7v2-ss-testing.nist.gov>
- Immunization Messaging 2014 Edition- <http://hl7v2-iz-testing.nist.gov>
- Lab Results Interface (LRI) 2014 Edition - <http://hl7v2-lab-testing.nist.gov>
- Immunization Messaging 2015 Edition – <http://hl7v2-iz-r1.5-testing.nist.gov>
- Syndromic Surveillance 2015 - <<http://hl7v2-ss-testing.nist.gov>>

December 9, 201515

War File Installation Quick Guide

1. Download and Install Java version 5 or later.
2. Download and Install Tomcat 7.
3. Open the Tomcat bin folder. (For example - C:\Program Files\Apache Software Foundation\Tomcat 7.0\bin)
4. Right click on the Tomcat7w file and select "Run as administrator". (Note: If you don't have administrator privileges, contact your administrator.)
5. In the Tomcat 7 Properties window, select Startup Type "Automatic". Apply the settings.
6. Start the Tomcat service if it is not already started.
7. Check the status of the Tomcat service by opening up a browser window and navigating to: <http://localhost:8080/>. The Tomcat page should load successfully.
8. Copy and paste the Validation Tool war file into the Tomcat webapps folder. (For example - C:\Program Files\Apache Software Foundation\Tomcat 7.0\webapps)
9. Copy the name of war file and paste it after the URL address in the browser window: "http://localhost:8080/". (For example, for the Immunization war file "mu-immunization-1.0.14-SNAPSHOT.war", the URL becomes "http://localhost:8080/mu-immunization-1.0.14-SNAPSHOT".)
10. Press Enter or refresh the browser page. The Validation Tool is now loaded and available for use locally on your computer.


December 9, 201515

War File Installation Detailed Guide – Windows 7

In order to run the Validation Tool war file, Java (version 5 or later) and Tomcat 7 must be installed. Tomcat must also be running. If both Java and Tomcat (with the correct versions) have been installed, skip to [Section III. Run Tomcat](#). Otherwise, begin by following the steps below to install Java and Tomcat.

I. Download and Install Java

1. First, check if Java is already installed:
 - a. Click on the Start/Windows Icon and type “cmd” in the search box to open up the Command prompt.
 - b. Type “java -version” in the command prompt.
 - i. If the Java version is listed and version is 5 or later (as shown below), skip to [Section II. Download and Install Tomcat 7](#).



```
C:\Windows\system32\cmd.exe

C:\>java -version
java version "1.7.0_09"
Java(TM) SE Runtime Environment (build 1.7.0_09-b05)
Java HotSpot(TM) 64-Bit Server VM (build 23.5-b02, mixed mode)

C:\>
```


- ii. If you receive an “Unknown Command” error message or if the Java version listed is 5 or earlier, continue with the remaining steps to download and install Java.
2. Navigate to <http://www.oracle.com/technetwork/java/javase/downloads/index.html>
3. Click on the Download button for Java Platform (JDK).

December 9, 201515



December 9, 201515

4. Check the button next to the Accept License Agreement option for the latest version of Java.



ORACLE Sign In/Register for Account Help Select Country/Region Communities I am a... I want to... Search

PRODUCTS AND SERVICES SOLUTIONS DOWNLOADS STORE SUPPORT TRAINING PARTNERS ABOUT Oracle Technology Network

Oracle Technology Network > Java > Java SE > Downloads

Overview Downloads Documentation Community Technologies Training

Java SE Development Kit 7 Downloads

Thank you for downloading this release of the Java™ Platform, Standard Edition Development Kit (JDK™). The JDK is a development environment for building applications, applets, and components using the Java programming language.

The JDK includes tools useful for developing and testing programs written in the Java programming language and running on the Java platform.

Looking for JavaFX SDK?
JavaFX SDK is now included in the JDK for Windows, Mac OS X, and Linux x86/x64.

See also:

- Java Developer Newsletter (tick the checkbox under Subscription Center > Oracle Technology News)
- Java Developer Day hands-on workshops (free) and other events
- Java Magazine

Java SE Development Kit 7u9
You must accept the Oracle Binary Code License Agreement for Java SE to download this software.

☒ Accept License Agreement ☐ Decline License Agreement

Product / File Description	File Size	Download
Linux x86	120.63 MB	jdk-7u9-linux-i586.rpm
Linux x86	92.85 MB	jdk-7u9-linux-i586.tar.gz
Linux x64	118.82 MB	jdk-7u9-linux-x64.rpm

Java SDKs and Tools

- Java SE
- Java EE and Glassfish
- Java ME
- JavaFX
- Java Card
- NetBeans IDE

Java Resources

- New to Java?
- APIs
- Code Samples & Apps
- Developer Training
- Documentation
- Java.com
- Java.net
- Student Developers
- Tutorials

Java magazine Get it now for FREE! Subscribe Today

December 9, 2015

- For 64-bit machines, find “Windows x64” in the Product/File Description column and click on the corresponding download link. For 32-bit machines, click on the download link for “Windows x86”.

The screenshot shows the Oracle Java SE Development Kit 7 Downloads page. The page has a red header with the Oracle logo and navigation links. The main content area is titled "Java SE Development Kit 7 Downloads" and includes a table of download links. The table has three columns: Product / File Description, File Size, and Download. The download links are listed in a table with the following data:

Product / File Description	File Size	Download
Linux x86	120.63 MB	jdk-7u9-linux-i586.rpm
Linux x86	92.85 MB	jdk-7u9-linux-i586.tar.gz
Linux x64	118.82 MB	jdk-7u9-linux-x64.rpm
Linux x64	91.59 MB	jdk-7u9-linux-x64.tar.gz
Mac OS X	143.47 MB	jdk-7u9-macosx-x64.dmg
Solaris x86	135.14 MB	jdk-7u9-solaris-i586.tar.Z
Solaris x86	91.51 MB	jdk-7u9-solaris-i586.tar.gz
Solaris SPARC	135.7 MB	jdk-7u9-solaris-sparc.tar.Z
Solaris SPARC	95.15 MB	jdk-7u9-solaris-sparc.tar.gz
Solaris SPARC 64-bit	22.8 MB	jdk-7u9-solaris-sparcv9.tar.Z
Solaris SPARC 64-bit	17.51 MB	jdk-7u9-solaris-sparcv9.tar.gz
Solaris x64	22.48 MB	jdk-7u9-solaris-x64.tar.Z
Solaris x64	14.94 MB	jdk-7u9-solaris-x64.tar.gz
Windows x86	88.35 MB	jdk-7u9-windows-i586.exe
Windows x64	90.03 MB	jdk-7u9-windows-x64.exe

The "Windows x64" download link is highlighted with a red box. The page also includes a sidebar with links to Java SE, Java EE, Java ME, Java SE Support, Java SE Advanced & Suite, Java Embedded, JavaFX, Java DB, Web Tier, Java Card, Java TV, New to Java, Community, Java Magazine, and Java Advanced. There are also links to Java SDKs and Tools, Java Resources, and Java Magazine.


- Save the installation file.
- Open the folder containing the installation file and double click on the executable file to begin the installation.

December 9, 2015

8. The Java Installation Wizard window opens. Click on the Next button.




9. Select optional features to install, if desired, or leave unselected. Click on the Next button.



December 9, 2015

10. Select the folder to save the installation files by clicking on the Change button or use the default folder displayed. Click on the Next button.




11. Click on the Close button to close the Installation Wizard window. Java is now installed. If prompted, reboot the computer.



December 9, 2015

II. Download and Install Tomcat 7

1. First, check if Tomcat is already installed:
 - a. Click on the Start/Windows Icon and select All Programs.
 - i. If Apache Tomcat is listed, skip to [Section III. Run Tomcat.](#)



- ii. If Apache Tomcat is not listed, continue with the remaining steps to download and install Tomcat.
2. Navigate to <http://tomcat.apache.org/download-70.cgi>
3. Change the mirror, if desired, by clicking on the drop down button. (For instance, <http://www.bizdirusa.com/mirrors/apache/>) Otherwise, leave the mirror as selected.

December 9, 201515




The screenshot shows the Apache Tomcat website. The header includes the Apache Tomcat logo (a cat) and the Apache Software Foundation logo with the URL <http://www.apache.org/>. A search bar is located in the top right corner.

The main content area is divided into several sections:

- Apache Tomcat**: A sidebar menu with links to [Home](#), [Taglibs](#), and [Maven Plugin](#).
- Download**: A section with links to [Which version?](#), [Tomcat 7.0](#), [Tomcat 6.0](#), [Tomcat 5.5](#), [Tomcat Connectors](#), [Tomcat Native](#), and [Archives](#).
- Documentation**: A section with links to [Tomcat 7.0](#), [Tomcat 6.0](#), [Tomcat 5.5](#), [Tomcat Connectors](#), [Tomcat Native](#), [Wiki](#), and [Migration Guide](#).
- Problems?**: A section with links to [Security Reports](#), [Find help](#), [FAQ](#), [Mailing Lists](#), and [Bug Database](#).
- Tomcat 7 Downloads**: A section with a welcome message and links to [KEYS](#), [7.0.33](#), [Browse](#), and [Archives](#).
- Quick Navigation**: A section with links to [KEYS](#), [7.0.33](#), [Browse](#), and [Archives](#).
- Release Integrity**: A section explaining the importance of verifying the integrity of downloaded files using OpenPGP signatures and MD5 checksums.
- Mirrors**: A section explaining the current mirror and providing a list of other mirrors. A red box highlights the "Other mirrors" section, which includes a dropdown menu showing <http://www.bizdirusa.com/mirrors/apache/> and a [Change](#) button.
- 7.0.33**: A section with a link to the [README](#) file for packaging information.
- Binary Distributions**: A section with a list of core distributions:
 - Core:
 - [zip \(pgp, md5\)](#)
 - [tar.gz \(pgp, md5\)](#)
 - [32-bit Windows zip \(pgp, md5\)](#)

4. Scroll down to the Binary Distributions heading. Under the Core section, click on the “32-bit/64-bit Windows Service Installer” link.

December 9, 201515



Apache Tomcat

The Apache Software Foundation
http://www.apache.org/

Search the Site

Apache Tomcat

- [Home](#)
- [Taglibs](#)
- [Maven Plugin](#)

Download

- [Which version?](#)
- [Tomcat 7.0](#)
- [Tomcat 6.0](#)
- [Tomcat 5.5](#)
- [Tomcat Connectors](#)
- [Tomcat Native](#)
- [Archives](#)

Documentation

- [Tomcat 7.0](#)
- [Tomcat 6.0](#)
- [Tomcat 5.5](#)
- [Tomcat Connectors](#)
- [Tomcat Native](#)
- [Wiki](#)
- [Migration Guide](#)

Problems?

- [Security Reports](#)
- [Find help](#)
- [FAQ](#)
- [Mailing Lists](#)
- [Bug Database](#)
- [IRC](#)

Get Involved

- [Overview](#)

Tomcat 7 Downloads

Welcome to the Tomcat 7.x download page. This page provides download links for obtaining the latest version of Tomcat 7.0.x, as well as links to the archives of older releases.

Quick Navigation

[KEYS](#) | [7.0.33](#) | [Browse](#) | [Archives](#)

Release Integrity

You **must** verify the integrity of the downloaded files. We provide OpenPGP signatures for every release file. This signature should be matched against the [KEYS](#) file which contains the OpenPGP keys of Tomcat's Release Managers. We also provide an [MD5](#) checksum for every release file. After you download the file, you should calculate a checksum for your download, and make sure it is the same as ours.

Mirrors

You are currently using <http://www.bizdirusa.com/mirrors/apache/>. If you encounter a problem with this mirror, please select another mirror. If all mirrors are failing, there are *backup* mirrors (at the end of the mirrors list) that should be available.

Other mirrors:

7.0.33

Please see the [README](#) file for packaging information. It explains what every distribution contains.


Binary Distributions

- Core:
 - [zip](#) (pgp, md5)
 - [tar.gz](#) (pgp, md5)
 - [32-bit Windows zip](#) (pgp, md5)
 - [64-bit Windows zip](#) (pgp, md5)
 - [64-bit Itanium Windows zip](#) (pgp, md5)
 - [32-bit/64-bit Windows Service Installer](#) (pgp, md5)
- Full documentation:
 - [6.0.0](#) (pgp, md5)
 - [6.0.1](#) (pgp, md5)
 - [6.0.2](#) (pgp, md5)
 - [6.0.3](#) (pgp, md5)
 - [6.0.4](#) (pgp, md5)
 - [6.0.5](#) (pgp, md5)
 - [6.0.6](#) (pgp, md5)
 - [6.0.7](#) (pgp, md5)
 - [6.0.8](#) (pgp, md5)
 - [6.0.9](#) (pgp, md5)
 - [6.0.10](#) (pgp, md5)
 - [6.0.11](#) (pgp, md5)
 - [6.0.12](#) (pgp, md5)
 - [6.0.13](#) (pgp, md5)
 - [6.0.14](#) (pgp, md5)
 - [6.0.15](#) (pgp, md5)
 - [6.0.16](#) (pgp, md5)
 - [6.0.17](#) (pgp, md5)
 - [6.0.18](#) (pgp, md5)
 - [6.0.19](#) (pgp, md5)
 - [6.0.20](#) (pgp, md5)
 - [6.0.21](#) (pgp, md5)
 - [6.0.22](#) (pgp, md5)
 - [6.0.23](#) (pgp, md5)
 - [6.0.24](#) (pgp, md5)
 - [6.0.25](#) (pgp, md5)
 - [6.0.26](#) (pgp, md5)
 - [6.0.27](#) (pgp, md5)
 - [6.0.28](#) (pgp, md5)
 - [6.0.29](#) (pgp, md5)
 - [6.0.30](#) (pgp, md5)
 - [6.0.31](#) (pgp, md5)
 - [6.0.32](#) (pgp, md5)
 - [6.0.33](#) (pgp, md5)


5. Save the installation file.
6. Open the folder containing the installation file and double click on the executable file to begin the installation.

December 9, 2015 15

7. The Setup Wizard window opens. Click Next.




8. Scroll through the license agreement and click on the I Agree button.




December 9, 2015 15

9. Check the boxes next to the features you'd like to install. Click on the Next button.




10. The port information is automatically populated. Click on the Next button.




December 9, 2015 15

11. The Java Virtual Machine path is automatically populated. Click on the Next button.




12. Select the folder to save the installation files by clicking on the Browse button or use the default folder displayed. Click on the Install button.



December 9, 2015 15


13. Click on the Finish button to close the Setup Wizard. Tomcat is now installed and will begin running.



December 9, 201515


III. Run Tomcat

1. Using Windows Explorer, open the folder - C:\Program Files\Apache Software Foundation\Tomcat 7.0\bin (or whichever folder Tomcat was installed in).
2. Right click on the Tomcat7w file.
3. Select "Run as administrator". (Note: If you don't have administrator privileges, contact your administrator.)




4. In the Tomcat 7 Properties window, select Startup Type "Automatic". (Note: This setting will automatically start the Tomcat service at windows startup. You may choose to leave Startup Type to "Manual", but you will have to start and stop Tomcat manually.)

December 9, 2015 15




5. Click on the "Apply" button, then the "OK" button.




6. Start the service if it is not already started by clicking on the "Start" button.

December 9, 2015 15




December 9, 2015

7. If you need to run several validation tools, it is strongly recommended that you allocate more memory to Tomcat. This can be done by navigating to the Java tab, and entering the suggested values of 256 in Initial memory pool and 512 in Maximum memory pool. Click on the Apply button to save the values.



8. Check the status of the service by opening up a browser window and navigating to: <http://localhost:8080/>. The Tomcat page should load successfully.

December 9, 2015



December 9, 2015

IV. Copy war file into Tomcat Webapps folder

1. Download the Validation Tool war file by clicking on the Documentation tab of the Validation Tool and expanding the “Validation Tool Download” heading by clicking on it.

NIST Immunization Test Suite 1.0-beta

Home 1 SOAP Envelope 2 SOAP Connectivity 3 ☒ HL7 Context-free 4 HL7 Context-based 5 Isolated Testing Documentation

About Preferences

▶ User Documentation

▶ Test Case Documentation

▶ Resource Documentation

▼ Validation Tool Downloads

Document	Date Posted
Installation.Guide.-.NIST.HL7v2.Validation.Tools.v1-2.docx	12/07/2015
iztool-1.0-beta	12/07/2015

▶ Release Notes

▶ Known Issues

NIST
National Institute of Standards and Technology
U.S. Department of Commerce

Deployment Information
Date: 12/12/2015 04:12:24, Version: 1.0-beta

Supported Browsers
Firefox, Chrome, Safari, IE 9 and 10

External Links
[Disclaimer](#) | [Privacy/Policy](#) | [Website Administrator](#)

2. Click on the war file link to download the war file.

December 9, 201515

NIST Immunization Test Suite 1.0-beta

Home | 1 SOAP Envelope | 2 SOAP Connectivity | 3 HL7 Context-free | 4 HL7 Context-based | 5 Isolated Testing | Documentation | About | Preferences

► User Documentation

► Test Case Documentation

► Resource Documentation

▼ Validation Tool Downloads

Document	Date Posted
Installation Guide - NIST.HL7v2.Validation.Tools.v1-2.docx	12/07/2015
Document	Date Posted
itool-1.0-beta	12/07/2015

► Release Notes

► Known Issues

NIST National Institute of Standards and Technology U.S. Department of Commerce

Deployment Information
Date: 12/07/2015 13:17:27, Version: 1.0-beta

Supported Browsers
Firefox, Chrome, Safari, IE 9 and 10

External Links
[Disclaimer](#) | [Privacy/Policy](#) | [Website Administrator](#)



ITL INFORMATION TECHNOLOGY LABORATORY

3. Open the folder containing the downloaded war file and copy the file onto the clipboard.
4. Open the webapps directory folder: C:\Program Files\Apache Software Foundation\Tomcat 7.0\webapps.
5. Paste the war file into the webapps folder.

December 9, 201515

- Copy the name of war file and paste it after the URL address in the browser window:
“http://localhost:8080/”.

For example, for the Immunization war file “mu-immunization-1.0.14-SNAPSHOT.war”, the URL becomes “http://localhost:8080/mu-immunization-1.0.14-SNAPSHOT”.



- Press Enter or refresh the browser page. The Validation Tool is now loaded and available for use locally on your computer.

