-Description

Mr. William A. Jones is a 51 year old white male who presented with a complaint of diarrhea times 3 days. Dr. Nicholas Radon ordered a stool culture test to be performed. A stool specimen for the microbiology test was collected from the patient and sent to the clinical lab at Century Hospital, 2070 Test Park, Los Angeles, CA, 90067, for processing. The stool specimen was analyzed and preliminary result are sent 24 hours later, identifying E. coli O157:H7, Salmonella and Shigella flexneri.

Approximately 48 hours later the Final results, including susceptibility testing of Shigella flexneri are available. The final result report was generated by the LIS and transmitted to the patient's record in the ambulatory EHR used in Dr. Radon's office practice.

Comments

This test case is evaluating correct use of the status codes in OBR-25 and OBX-11.

Special case test aspects include ensuring that the system can correctly populate the data elements for linking parent/child results in accordance with the requirements specified in the implementation guide for the FRN and FRU profiles.

PreCondition-

LRI_4.0_1.1-NG has been previously sent.

-PostCondition-

No Post Condition.

TestObjectives

· Determine if the system can correctly create a valid Parent-Child message for a final Stool Culture/Susceptibility microbiology test report

Notes to Testers

Check that the parent-child linkage is correctly implemented:

The second OBR has OBR-26 populated with the result that spawned the respective susceptibility testing, e.g. the second group, first sequence of the Stool culture (Salmonella I, group O:4)

The third OBR has OBR-26 populated with the result that spawned the respective susceptibility testing, e.g. the third group, first sequence Stool culture (Shigella flexneri).

In both cases the OBR-29 references the Placer and Filler Order Number of the Stool culture OBR.

-Test Case Information-

LRI_4.1_2.1-NG_FRU - Culture-Escherichia coli, Salmonella, Shigella - Parent/Child Susceptibility - Final

Test Case ID LRI_4.1_2.1-NG_FRU

-MSH-

Location	Data Element	Data	Categorization
MSH.1	Field Separator		IG Fixed Data
MSH.2	Encoding Characters	^\&	IG Fixed Data
MSH.3	Sending Application		
MSH.3.1	Namespace ID	NIST Test Lab APP	Configurable Data
MSH.4	Sending Facility		
MSH.4.1	Namespace ID	NIST Lab Facility	Configurable Data
MSH.6	Receiving Facility		
MSH.6.1	Namespace ID	NIST EHR Facility	Configurable Data
MSH.7	Date/Time Of Message		
MSH.7.1	Time	20150926140551	System Generated
MSH.9	Message Type		
MSH.9.1	Message Code	ORU	IG Fixed Data
MSH.9.2	Event Type	R01	IG Fixed Data
MSH.9.3	Message Structure	ORU_R01	IG Fixed Data
MSH.10	Message Control ID	LRI_4.1_2.1-NG_FRU	System Generated
MSH.11	Processing ID		
MSH.11.1	Processing ID	D	Changeable Data
MSH.12	VersionID		
MSH.12.1	Version ID	2.5.1	IG Fixed Data
MSH.15	Accept Acknowledgment Type	AL	IG Fixed Data
MSH.16	Application Acknowledgment Type	AL	IG Fixed Data
MSH.21	Message Profile Identifier		
MSH.21.1	Entity Identifier	LRI_Common_Component	IG Fixed Data
MSH.21.3	Universal ID	2.16.840.1.113883.9.16	IG Fixed Data
MSH.21.4	Universal ID Type	ISO	IG Fixed Data
MSH.21[2]	Message Profile Identifier		
MSH.21[2].1	Entity Identifier	LRI_NG_Component	IG Fixed Data
MSH.21[2].3	Universal ID	2.16.840.1.113883.9.13	IG Fixed Data
MSH.21[2].4	Universal ID Type	ISO	IG Fixed Data
MSH.21[3]	Message Profile Identifier		
MSH.21[3].1	Entity Identifier	LRI_FRU_Component	IG Fixed Data
MSH.21[3].3	Universal ID	2.16.840.1.113883.9.83	IG Fixed Data
MSH.21[3].4	Universal ID Type	ISO	IG Fixed Data

-PID-

TID				
Location	Data Element	Data	Categorization	
PID.1	Set ID - PID	1	IG Fixed Data	
PID.3	Patient Identifier List			
PID.3.1	ID Number	PATID1234	Configurable Data	
PID.3.4	Assigning Authority			
PID.3.4.1	Namespace ID	NIST MPI	Changeable Data	
PID.3.5	Identifier Type Code	MR	Configurable Data	
PID.5	Patient Name			
PID.5.1	Family Name			
PID.5.1.1	Surname	Jones	Changeable Data	
PID.5.2	Given Name	William	Changeable Data	
PID.5.3	Second and Further Given Names or Initials Thereof	A	Changeable Data	
PID.5.7	Name Type Code	L	Changeable Data	

PID.7Location	Date/Time of Bital Element	Data	Categorization
PID.7.1	Time	19610627	Changeable Data
PID.8	Administrative Sex	M	Changeable Data
PID.10	Race		
PID.10.1	Identifier	2106-3	Changeable Data
PID.10.2	Text	White	Changeable Data
PID.10.3	Name of the Coding System	HL70005	Changeable Data
PID.18	Patient Account Number		
PID.18.1	ID Number	PATID1234	Configurable Data
PID.18.4	Assigning Authority		
PID.18.4.1	Namespace ID	NIST MPI	Changeable Data
PID.18.5	Identifier Type Code	AN	Configurable Data

-ORC-

ORC -			
Location	Data Element	Data	Categorization
ORC.1	Order Control	RE	Test Case Fixed Data
ORC.2	Placer Order Number		
ORC.2.1	Entity Identifier	ORD723222-4	Changeable Data
ORC.2.2	Namespace ID	NIST EHR	Changeable Data
ORC.3	Filler Order Number		
ORC.3.1	Entity Identifier	R-783274-4	Changeable Data
ORC.3.2	Namespace ID	NIST Lab Filler	Changeable Data
ORC.4	Placer Group Number		
ORC.4.1	Entity Identifier	GORD874211	Changeable Data
ORC.4.2	Namespace ID	NIST EHR	Changeable Data
ORC.12	Ordering Provider		
ORC.12.1	ID Number	5742200012	Changeable Data
ORC.12.2	Family Name		
ORC.12.2.1	Surname	Radon	Changeable Data
ORC.12.3	Given Name	Nicholas	Changeable Data
ORC.12.9	Assigning Authority		
ORC.12.9.1	Namespace ID	NPI	Changeable Data
ORC.12.10	Name Type Code	L	Changeable Data
ORC.12.13	Identifier Type Code	NPI	Changeable Data

-OBR-

Location	Data Element	Data	Categorization
OBR.1	Set ID - OBR	1	IG Fixed Data
OBR.2	Placer Order Number		
OBR.2.1	Entity Identifier	ORD723222-4	Changeable Data
OBR.2.2	Namespace ID	NIST EHR	Changeable Data
OBR.3	Filler Order Number		
OBR.3.1	Entity Identifier	R-783274-4	Changeable Data
OBR.3.2	Namespace ID	NIST Lab Filler	Changeable Data
OBR.4	Universal Service Identifier		
OBR.4.1	Identifier	625-4	Test Case Fixed Data
OBR.4.2	Text	Bacteria identified in Stool by Culture	Test Case Fixed Data
OBR.4.3	Name of Coding System	LN	Test Case Fixed Data
OBR.4.4	Alternate Identifier	3456543	Changeable Data
OBR.4.5	Alternate Text	CULTURE STOOL	Changeable Data
OBR.4.6	Name of Alternate Coding System	99USL	Changeable Data
OBR.4.7	Coding System Version	2.52	Changeable Data
OBR.4.9	Original Text	Stool Culture	Changeable Data
OBR.7	Observation Date/Time		
OBR.7.1	Time	201509231400	Changeable Data
OBR.16	Ordering Provider		
OBR.16.1	ID Number	5742200012	Changeable Data

OBRocation	Family Nampata Element	Data	Categorization
OBR.16.2.1	Surname	Radon	Changeable Data
OBR.16.3	Given Name	Nicholas	Changeable Data
OBR.16.9	Assigning Authority		
OBR.16.9.1	Namespace ID	NPI	Changeable Data
OBR.16.10	Name Type Code	L	Changeable Data
OBR.16.13	Identifier Type Code	NPI	Changeable Data
OBR.22	Results Rpt/Status Chng - Date/Time		
OBR.22.1	Time	20150926140551	Changeable Data
OBR.25	Result Status	F	Test Case Fixed Data
OBR.28	Result Copies To		
OBR.28.1	ID Number	10092000194	Changeable Data
OBR.28.2	Family Name		
OBR.28.2.1	Surname	Hamlin	Changeable Data
OBR.28.3	Given Name	Pafford	Changeable Data
OBR.28.9	Assigning Authority		
OBR.28.9.1	Namespace ID	NPI	Changeable Data
OBR.28.10	Name Type Code	L	Changeable Data
OBR.28.13	Identifier Type Code	NPI	Changeable Data
OBR.47	Filler Supplemental Service Information		
OBR.47.1	Identifier	MIC	Test Case Fixed Data
OBR.47.2	Text	Observation of type microbiology	Test Case Fixed Data
OBR.47.3	Name of the Coding System	HL70411	IG Fixed Data
OBR.47.7	Coding System Version	2.5.1	IG Fixed Data
OBR.49	Results Handling		
OBR.49.1	Identifier	CC	Test Case Fixed Data
OBR.49.2	Text	Copies Requested	Test Case Fixed Data
OBR.49.3	Name of the Coding System	HL70507	IG Fixed Data

-OBX-

Location	Data Element	Data	Categorization
OBX.1	Set ID - OBX	1	IG Fixed Data
OBX.2	Value Type	CWE	Test Case Fixed Data
OBX.3	Observation Identifier		
OBX.3.1	Identifier	625-4	Test Case Fixed Data
OBX.3.2	Text	Bacteria identified in Stool by Culture	Test Case Fixed Data
OBX.3.3	Name of the Coding System	LN	Test Case Fixed Data
OBX.3.7	Coding System Version	2.52	Changeable Data
OBX.3.9	Original Text	Stool Culture	Test Case Fixed Data
OBX.4	Observation Sub-ID		
OBX.4.2	Group	1	Changeable Data
OBX.4.3	Sequence	1	Changeable Data
OBX.4.4	Identifier	Islt-1	Changeable Data
OBX.5	Observation Value		
OBX.5.1	Identifier	103429008	Changeable Data
OBX.5.2	Text	Enterohemorrhagic Escherichia coli, serotype O157:H7	Changeable Data
OBX.5.3	Name of the Coding System	SCT	Changeable Data
OBX.5.7	Coding System Version	201509USEd	Changeable Data
OBX.5.9	Original Text	Shiga toxin producing E. coli O157:H7 isolated	Changeable Data
OBX.8	Abnormal Flags	A	Test Case Fixed Data
OBX.11	Observation Result Status	F	Test Case Fixed Data
OBX.14	Date/Time of the Observation		
OBX.14.1	Time	201509231400	Changeable Data
	Date/Time of the Analysis		

OB Location	Time Data Element	201509251930 Data	Changeallegorization
OBX.23	Performing Organization Name		
OBX.23.1	Organization Name	Century Hospital	Changeable Data
OBX.23.6	Assigning Authority		
OBX.23.6.1	Namespace ID	CLIA	Changeable Data
OBX.23.7	Identifier Type Code	XX	Changeable Data
OBX.23.10	Organization Identifier	24D9871327	Changeable Data
OBX.24	Performing Organization Address		
OBX.24.1	Street Address		
OBX.24.1.1	Street or Mailing Address	2070 Test Park	Changeable Data
OBX.24.3	City	Los Angeles	Changeable Data
OBX.24.4	State or Province	CA	Changeable Data
OBX.24.5	Zip or Postal Code	90067	Changeable Data
OBX.24.7	Address Type	В	Changeable Data
OBX.25	Performing Organization Medical Director		
OBX.25.1	ID Number	5432178916	Changeable Data
OBX.25.2	Family Name		
OBX.25.2.1	Surname	Knowsalot	Changeable Data
OBX.25.3	Given Name	Phil	Changeable Data
OBX.25.4	Second and Further Given Names or Initials Thereof	J.	Changeable Data
OBX.25.9	Assigning Authority		
OBX.25.9.1	Namespace ID	NPI	Changeable Data
OBX.25.10	Name Type Code	L	Changeable Data
OBX.25.13	Identifier Type Code	NPI	Changeable Data
OBX.29	Observation Type	RSLT	Test Case Fixed Data

-NTE-

Location	Data Element	Data	Categorization
NTE.1	Set ID - NTE	1	IG Fixed Data
NTE.3	Comment	Susceptibility testing for E.coli is not performed, because antibiotics should not be used to treat this infection. There is no evidence that treatment with antibiotics is helpful, and taking antibiotics may increase the risk of hemolytic-uremic syndrome (HUS). Antidiarrheal agents like Imodium may also increase that risk. Non-specific supportive therapy, including hydration, is important.	Changeable Data

-OBX-

Location	Data Element	Data	Categorization
OBX.1	Set ID - OBX	2	IG Fixed Data
OBX.2	Value Type	CWE	Test Case Fixed Data
OBX.3	Observation Identifier		
OBX.3.1	Identifier	625-4	Test Case Fixed Data
OBX.3.2	Text	Bacteria identified in Stool by Culture	Test Case Fixed Data
OBX.3.3	Name of the Coding System	LN	Test Case Fixed Data
OBX.3.7	Coding System Version	2.52	Changeable Data
OBX.3.9	Original Text	Stool Culture	Test Case Fixed Data
OBX.4	Observation Sub-ID		
OBX.4.2	Group	2	Changeable Data
OBX.4.3	Sequence	1	Changeable Data
OBX.4.4	Identifier	Islt-2	Changeable Data
OBX.5	Observation Value		
OBX.5.1	Identifier	398567006	Changeable Data
OBX.5.2	Text	Salmonella I, group O:4	Changeable Data

OB Yocation	Name of the Coding System	SCT Data	Changeahlegorization
OBX.5.7	Coding System Version	201509USEd	Changeable Data
OBX.5.9	Original Text	Salmonella I, group O:4 isolated	Changeable Data
OBX.8	Abnormal Flags	A	Test Case Fixed Data
OBX.11	Observation Result Status	F	Test Case Fixed Data
OBX.14	Date/Time of the Observation		
OBX.14.1	Time	201509231400	Changeable Data
OBX.19	Date/Time of the Analysis		
OBX.19.1	Time	201509251930	Changeable Data
OBX.23	Performing Organization Name		
OBX.23.1	Organization Name	Century Hospital	Changeable Data
OBX.23.6	Assigning Authority		
OBX.23.6.1	Namespace ID	CLIA	Changeable Data
OBX.23.7	Identifier Type Code	XX	Changeable Data
OBX.23.10	Organization Identifier	24D9871327	Changeable Data
OBX.24	Performing Organization Address		
OBX.24.1	Street Address		
OBX.24.1.1	Street or Mailing Address	2070 Test Park	Changeable Data
OBX.24.3	City	Los Angeles	Changeable Data
OBX.24.4	State or Province	CA	Changeable Data
OBX.24.5	Zip or Postal Code	90067	Changeable Data
OBX.24.7	Address Type	В	Changeable Data
OBX.25	Performing Organization Medical Director		
OBX.25.1	ID Number	5432178916	Changeable Data
OBX.25.2	Family Name		
OBX.25.2.1	Surname	Knowsalot	Changeable Data
OBX.25.3	Given Name	Phil	Changeable Data
OBX.25.4	Second and Further Given Names or Initials Thereof	J.	Changeable Data
OBX.25.9	Assigning Authority		
OBX.25.9.1	Namespace ID	NPI	Changeable Data
OBX.25.10	Name Type Code	L	Changeable Data
OBX.25.13	Identifier Type Code	NPI	Changeable Data
OBX.29	Observation Type	RSLT	Test Case Fixed Data

-NTE-

Location	Data Element	Data	Categorization
NTE.1	Set ID - NTE	1	IG Fixed Data
NTE.3	Comment	Salmonella gastrointestinal infections usually resolve in 5-7 days and most do not require treatment other than oral fluids. Persons with severe diarrhea may require rehydration with intravenous fluids. Antibiotic therapy can prolong the duration of excretion of non-typhoidal Salmonella and is recommended only for patients with severe illness (e.g., those with severe diarrhea, high fever, bloodstream infection, or who need hospitalization) or those at risk of severe disease or complications, including young infants, older adults (over 65 years old) and immunocompromised persons. Antibiotic resistance is increasing among some Salmonella bacteria; therefore, susceptibility testing can help guide appropriate therapy. Choices for antibiotic therapy for severe infections include fluoroquinolones, third-generation cephalosporins, and ampicillin (for susceptible infections).	

·...

Location	Data Element	Data	Categorization
OBX.1	Set ID - OBX	3	IG Fixed Data
OBX.2	Value Type	CWE	Test Case Fixed Data
OBX.3	Observation Identifier		
OBX.3.1	Identifier	625-4	Test Case Fixed Data
OBX.3.2	Text	Bacteria identified in Stool by Culture	Test Case Fixed Data
OBX.3.3	Name of the Coding System	LN	Test Case Fixed Data
OBX.3.7	Coding System Version	2.52	Changeable Data
OBX.3.9	Original Text	Stool Culture	Test Case Fixed Data
OBX.4	Observation Sub-ID		
OBX.4.2	Group	3	Changeable Data
OBX.4.3	Sequence	1	Changeable Data
OBX.4.4	Identifier	Islt-3	Changeable Data
OBX.5	Observation Value		Changeable Data
OBX.5.1	Identifier	85729005	Changeable Data
OBX.5.2	Text	Shigella flexneri	Changeable Data Changeable Data
OBX.5.3	Name of the Coding System	SCT SCT	Changeable Data Changeable Data
OBX.5.7	Coding System Version	201509USEd	Changeable Data
OBX.5.9	Original Text	Shigella flexneri isolated	Changeable Data
			Test Case Fixed Data
OBX.8	Abnormal Flags	A	
OBX.11	Observation Result Status	F	Test Case Fixed Data
OBX.14	Date/Time of the Observation	201700221400	C1 11 D
OBX.14.1	Time	201509231400	Changeable Data
OBX.19	Date/Time of the Analysis		
OBX.19.1	Time	201509251930	Changeable Data
OBX.23	Performing Organization Name		
OBX.23.1	Organization Name	Century Hospital	Changeable Data
OBX.23.6	Assigning Authority		
OBX.23.6.1	Namespace ID	CLIA	Changeable Data
OBX.23.7	Identifier Type Code	XX	Changeable Data
OBX.23.10	Organization Identifier	24D9871327	Changeable Data
OBX.24	Performing Organization Address		
OBX.24.1	Street Address		
OBX.24.1.1	Street or Mailing Address	2070 Test Park	Changeable Data
OBX.24.3	City	Los Angeles	Changeable Data
OBX.24.4	State or Province	CA	Changeable Data
OBX.24.5	Zip or Postal Code	90067	Changeable Data
OBX.24.7	Address Type	В	Changeable Data
	Performing Organization Medical		
OBX.25	Director		
OBX.25.1	ID Number	5432178916	Changeable Data
OBX.25.2	Family Name		
OBX.25.2.1	Surname	Knowsalot	Changeable Data
OBX.25.3	Given Name	Phil	Changeable Data
OBX.25.4	Second and Further Given Names or Initials Thereof	J.	Changeable Data
OBX.25.9	Assigning Authority		
OBX.25.9.1	Namespace ID	NPI	Changeable Data
	Name Type Code	L	Changeable Data
OBX-25-10	Name Type Code		
OBX.25.10 OBX.25.13	Identifier Type Code	NPI	Changeable Data

-NTE-

Location	Data Element	Data	Categorization
NTE.1	Set ID - NTE	1	IG Fixed Data
		Antibiotic treatment is recommended for patients with severe disease, bloody	

Location	Data Element	diarrhea, or compropised immune systems. Resistance to traditional first-line drugs like	Categorization
NTE.3	Comment	ampicillin and trimethoprim- sulfamethoxazole is common, and resistance to some other antibiotics is increasing. With this in mind, antibiotic susceptibility testing can help guide appropriate therapy. When an ampicillin- or trimethroprim-sulfamethoxazole-resistant strain is isolated, choices for therapy include fluoroquinolones, ceftriaxone, and azithromycin.	Changeable Data

-SPM-

Location	Data Element	Data	Categorization
SPM.1	Set ID - SPM	1	IG Fixed Data
SPM.2	Specimen ID		
SPM.2.1			
SPM.2.1.1		S-2015-66	Configurable Data
SPM.2.1.2		GoodHealthC_EHR	Configurable Data
SPM.2.2			
SPM.2.2.1		S-9911-33	Changeable Data
SPM.2.2.2		NIST Lab Filler	Changeable Data
SPM.4	Specimen Type		
SPM.4.1	Identifier	119339001	Changeable Data
SPM.4.2	Text	Stool specimen	Changeable Data
SPM.4.3	Name of the Coding System	SCT	Changeable Data
SPM.4.7	Coding System Version	201509USEd	Changeable Data
SPM.4.9	Original Text	Stool	Changeable Data
SPM.17	Specimen Collection Date/Time		
SPM.17.1	Range Start Date/Time		
SPM.17.1.1	Time	201509231400	Changeable Data

-ORC-

		ORC	
Location	Data Element	Data	Categorization
ORC.1	Order Control	RE	Test Case Fixed Data
ORC.3	Filler Order Number		
ORC.3.1	Entity Identifier	R-783274-6	Changeable Data
ORC.3.2	Namespace ID	NIST Lab Filler	Changeable Data
ORC.4	Placer Group Number		
ORC.4.1	Entity Identifier	GORD874211	Changeable Data
ORC.4.2	Namespace ID	NIST EHR	Changeable Data
ORC.12	Ordering Provider		
ORC.12.1	ID Number	5742200012	Changeable Data
ORC.12.2	Family Name		
ORC.12.2.1	Surname	Radon	Changeable Data
ORC.12.3	Given Name	Nicholas	Changeable Data
ORC.12.9	Assigning Authority		
ORC.12.9.1	Namespace ID	NPI	Changeable Data
ORC.12.10	Name Type Code	L	Changeable Data
ORC.12.13	Identifier Type Code	NPI	Changeable Data

-OBR-

Location	Data Element	Data	Categorization
OBR.1	Set ID - OBR	2	IG Fixed Data
OBR.3	Filler Order Number		
OBR.3.1	Entity Identifier	R-783274-6	Changeable Data
OBR.3.2	Namespace ID	NIST Lab Filler	Changeable Data
OBR.4	Universal Service Identifier		
OBR.4.1	Identifier	50545-3	Test Case Fixed Data

OBR.4.2	Text Data Element	Bacterial susceptibility and in Isolate by Minimum inhibitory concentration (MIC)	Categorization Test Case Fixed Data
OBR.4.3	Name of Coding System	LN	Test Case Fixed Data
OBR.4.7	Coding System Version	2.52	Changeable Data
OBR.4.9	Original Text	Bacteria susceptibility	Changeable Data
OBR.7	Observation Date/Time		Change work Butter
OBR.7.1	Time	201509231400	Changeable Data
OBR.11	Specimen Action Code	G	Test Case Fixed Data
OBR.16	Ordering Provider		1 COV CUISC 1 II CU D UM
OBR.16.1	ID Number	5742200012	Changeable Data
OBR.16.2	Family Name	3712200012	Changeable Bata
OBR.16.2.1	Surname	Radon	Changeable Data
OBR.16.3	Given Name	Nicholas	Changeable Data
OBR.16.9	Assigning Authority	T (CHOMS	Changeage Bata
OBR.16.9.1	Namespace ID	NPI	Changeable Data
OBR.16.10	Name Type Code	L	Changeable Data
OBR.16.13	Identifier Type Code	NPI	Changeable Data
OBR.10.13	Results Rpt/Status Chng - Date/Time	112.1	Changeaoic Data
OBR.22.1	Time	20150927112054	Changeable Data
	Result Status	F	Test Case Fixed Data
OBR.25	Parent Result	1	1081 Case Pixeu Data
OBR.26	Parent Result Parent Observation Identifier		
OBR.26.1.1	Identifier	625-4	Test Case Fixed Data
		1	
OBR.26.1.2	Text	Bacteria identified in Stool by Culture	Test Case Fixed Data
OBR.26.1.3	Name of the Coding System	LN	Test Case Fixed Data
OBR.26.1.7	Coding System Version	2.52	Changeable Data
OBR.26.1.9	Original Text	Stool Culture	Changeable Data
OBR.26.2	Parent Observation Sub-Identifier		m . G . Bi . 1B .
OBR.26.2.2	Group	2	Test Case Fixed Data
OBR.26.2.3	Sequence	1	Test Case Fixed Data
OBR.26.2.4	Identifier	Islt-2	Test Case Fixed Data
OBR.28	Result Copies To		
OBR.28.1	ID Number	10092000194	Changeable Data
OBR.28.2	Family Name		
OBR.28.2.1	Surname	Hamlin	Changeable Data
OBR.28.3	Given Name	Pafford	Changeable Data
OBR.28.9	Assigning Authority		
OBR.28.9.1	Namespace ID	NPI	Changeable Data
OBR.28.10	Name Type Code	L	Changeable Data
OBR.28.13	Identifier Type Code	NPI	Changeable Data
OBR.29	Parent		
OBR.29.1	Placer Assigned Identifier		
OBR.29.1.1	Entity Identifier	ORD723222-4	Changeable Data
OBR.29.1.2	Namespace ID	NIST EHR	Changeable Data
OBR.29.2	Filler Assigned Identifier		
OBR.29.2.1	Entity Identifier	R-783274-4	Changeable Data
OBR.29.2.2	Namespace ID	NIST Lab Filler	Changeable Data
OBR.47	Filler Supplemental Service Information		
OBR.47.1	Identifier	MIC	Test Case Fixed Data
OBR.47.2	Text	Observation of type microbiology	Test Case Fixed Data
OBR.47.3	Name of the Coding System	HL70411	IG Fixed Data
OBR.47.7	Coding System Version	2.5.1	IG Fixed Data
OBR.49	Results Handling		
OBR.49.1	Identifier	CC	Test Case Fixed Data
OBR.49.2	Text	Copies Requested	Test Case Fixed Data

-OBX-

Location	Data Element	Data	Categorization
OBX.1	Set ID - OBX	1	IG Fixed Data
OBX.2	Value Type	SN	Test Case Fixed Data
OBX.3	Observation Identifier		
OBX.3.1	Identifier	28-1	Test Case Fixed Data
OBX.3.2	Text	Ampicillin [Susceptibility] by Minimum inhibitory concentration (MIC)	Test Case Fixed Data
OBX.3.3	Name of the Coding System	LN	Test Case Fixed Data
OBX.3.7	Coding System Version	2.52	Changeable Data
OBX.4	Observation Sub-ID		
OBX.4.2	Group	1	Test Case Fixed Data
OBX.4.3	Sequence	1	Test Case Fixed Data
OBX.4.4	Identifier	Islt-2	Test Case Fixed Data
OBX.5	Observation Value		
OBX.5.1	Comparator	<	Test Case Fixed Data
OBX.5.2	Num1	0.06	Test Case Fixed Data
OBX.6	Units		
OBX.6.1	Identifier	ug/mL	Changeable Data
OBX.6.3	Name of the Coding System	UCUM	Changeable Data
OBX.6.7	Coding System Version	1.9	Changeable Data
OBX.8	Abnormal Flags	S	Test Case Fixed Data
OBX.11	Observation Result Status	F	Test Case Fixed Data
OBX.14	Date/Time of the Observation		
OBX.14.1	Time	201509231400	Changeable Data
OBX.19	Date/Time of the Analysis		
OBX.19.1	Time	201509261100	Changeable Data
OBX.23	Performing Organization Name		
OBX.23.1	Organization Name	Century Hospital	Changeable Data
OBX.23.6	Assigning Authority		
OBX.23.6.1	Namespace ID	CLIA	Changeable Data
OBX.23.7	Identifier Type Code	XX	Changeable Data
OBX.23.10	Organization Identifier	24D9871327	Changeable Data
OBX.24	Performing Organization Address		_
OBX.24.1	Street Address		
OBX.24.1.1	Street or Mailing Address	2070 Test Park	Changeable Data
OBX.24.3	City	Los Angeles	Changeable Data
OBX.24.4	State or Province	CA	Changeable Data
OBX.24.5	Zip or Postal Code	90067	Changeable Data
OBX.24.7	Address Type	В	Changeable Data
OBX.25	Performing Organization Medical Director		
OBX.25.1	ID Number	5432178916	Changeable Data
OBX.25.2	Family Name		
OBX.25.2.1	Surname	Knowsalot	Changeable Data
OBX.25.3	Given Name	Phil	Changeable Data
OBX.25.4	Second and Further Given Names or Initials Thereof	J.	Changeable Data
OBX.25.9	Assigning Authority		
OBX.25.9.1	Namespace ID	NPI	Changeable Data
OBX.25.10	Name Type Code	L	Changeable Data
OBX.25.13	Identifier Type Code	NPI	Changeable Data
OBX.29	Observation Type	RSLT	Test Case Fixed Data
OBX.30	Observation SubType	SUR	Test Case Fixed Data

OBX-

Location Data Element Data Categorization

OBX Location	Set ID - OB AData Element	2 Data	IG Fix Calegiorization
OBX.2	Value Type	SN	Test Case Fixed Data
OBX.3	Observation Identifier		
OBX.3.1	Identifier	267-5	Test Case Fixed Data
OBX.3.2	Text	Gentamicin [Susceptibility] by Minimum inhibitory concentration (MIC)	Test Case Fixed Data
OBX.3.3	Name of the Coding System	LN	Test Case Fixed Data
OBX.3.7	Coding System Version	2.52	Changeable Data
OBX.4	Observation Sub-ID		
OBX.4.2	Group	1	Test Case Fixed Data
OBX.4.3	Sequence	1	Test Case Fixed Data
OBX.4.4	Identifier	Islt-2	Test Case Fixed Data
OBX.5	Observation Value		
OBX.5.2	Num1	0.05	Test Case Fixed Data
OBX.6	Units		
OBX.6.1	Identifier	ug/mL	Changeable Data
OBX.6.3	Name of the Coding System	UCUM	Changeable Data
OBX.6.7	Coding System Version	1.9	Changeable Data
OBX.8	Abnormal Flags	S	Test Case Fixed Data
OBX.11	Observation Result Status	F	Test Case Fixed Data
OBX.14	Date/Time of the Observation		
OBX.14.1	Time	201509231400	Changeable Data
OBX.19	Date/Time of the Analysis		
OBX.19.1	Time	201509261100	Changeable Data
OBX.23	Performing Organization Name		
OBX.23.1	Organization Name	Century Hospital	Changeable Data
OBX.23.6	Assigning Authority		
OBX.23.6.1	Namespace ID	CLIA	Changeable Data
OBX.23.7	Identifier Type Code	XX	Changeable Data
OBX.23.10	Organization Identifier	24D9871327	Changeable Data
OBX.24	Performing Organization Address		
OBX.24.1	Street Address		
OBX.24.1.1	Street or Mailing Address	2070 Test Park	Changeable Data
OBX.24.3	City	Los Angeles	Changeable Data
OBX.24.4	State or Province	CA	Changeable Data
OBX.24.5	Zip or Postal Code	90067	Changeable Data
OBX.24.7	Address Type	В	Changeable Data
OBX.25	Performing Organization Medical Director		
OBX.25.1	ID Number	5432178916	Changeable Data
OBX.25.2	Family Name		
OBX.25.2.1	Surname	Knowsalot	Changeable Data
OBX.25.3	Given Name	Phil	Changeable Data
OBX.25.4	Second and Further Given Names or Initials Thereof	J.	Changeable Data
OBX.25.9	Assigning Authority		
OBX.25.9.1	Namespace ID	NPI	Changeable Data
OBX.25.10	Name Type Code	L	Changeable Data
OBX.25.13	Identifier Type Code	NPI	Changeable Data
OBX.29	Observation Type	RSLT	Test Case Fixed Data
OBX.30	Observation SubType	SUR	Test Case Fixed Data

-OBX-

Location	Data Element	Data	Categorization
OBX.1	Set ID - OBX	3	IG Fixed Data
OBX.2	Value Type	SN	Test Case Fixed Data
OBX.3	Observation Identifier		

Identifier Data Element	185-9 Data	Test Cost Fixed Dates
Text	Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC)	Test Case Fixed Data
Name of the Coding System	LN	Test Case Fixed Data
Coding System Version	2.52	Changeable Data
Observation Sub-ID		
Group	1	Test Case Fixed Data
Sequence	1	Test Case Fixed Data
Identifier	Islt-2	Test Case Fixed Data
Observation Value		
Num1	0.05	Test Case Fixed Data
Units		
Identifier	ug/mL	Changeable Data
Name of the Coding System	UCUM	Changeable Data
Coding System Version	1.9	Changeable Data
Abnormal Flags	S	Test Case Fixed Data
Observation Result Status	F	Test Case Fixed Data
Date/Time of the Observation		
Time	201509231400	Changeable Data
Date/Time of the Analysis		
Time	201509261100	Changeable Data
Performing Organization Name		
	Century Hospital	Changeable Data
	CLIA	Changeable Data
1		Changeable Data
1		Changeable Data
	2070 Test Park	Changeable Data
		Changeable Data
-		Changeable Data
		Changeable Data
		Changeable Data
**	В	Changeaole Data
	5432178916	Changeable Data
Family Name		
Surname	Knowsalot	Changeable Data
Surname Given Name	Knowsalot Phil	
		Changeable Data Changeable Data Changeable Data
Given Name Second and Further Given Names or Initials Thereof	Phil	Changeable Data
Given Name Second and Further Given Names or Initials Thereof Assigning Authority	Phil	Changeable Data Changeable Data
Given Name Second and Further Given Names or Initials Thereof Assigning Authority Namespace ID	Phil J. NPI	Changeable Data Changeable Data Changeable Data
Given Name Second and Further Given Names or Initials Thereof Assigning Authority Namespace ID Name Type Code	Phil J. NPI L	Changeable Data Changeable Data Changeable Data Changeable Data
Given Name Second and Further Given Names or Initials Thereof Assigning Authority Namespace ID	Phil J. NPI	Changeable Data Changeable Data Changeable Data
	Text Name of the Coding System Coding System Version Observation Sub-ID Group Sequence Identifier Observation Value Numl Units Identifier Name of the Coding System Coding System Version Abnormal Flags Observation Result Status Date/Time of the Observation Time Date/Time of the Analysis Time Performing Organization Name Organization Name Assigning Authority Namespace ID Identifier Type Code Organization Identifier Performing Organization Address Street Address Street Address City State or Province Zip or Postal Code Address Type Performing Organization Medical Director ID Number	Text Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC) Name of the Coding System

-ORC-

Location	Data Element	Data	Categorization
ORC.1	Order Control	RE	Test Case Fixed Data
ORC.3	Filler Order Number		
ORC.3.1	Entity Identifier	R-783274-7	Changeable Data
ORC.3.2	Namespace ID	NIST Lab Filler	Changeable Data
ORC.4	Placer Group Number		
ORC.4.1	Entity Identifier	GORD874211	Changeable Data

OR Location	Namespace Data Element	NIST EHR Data	Changeallegorization
ORC.12	Ordering Provider		
ORC.12.1	ID Number	5742200012	Changeable Data
ORC.12.2	Family Name		
ORC.12.2.1	Surname	Radon	Changeable Data
ORC.12.3	Given Name	Nicholas	Changeable Data
ORC.12.9	Assigning Authority		
ORC.12.9.1	Namespace ID	NPI	Changeable Data
ORC.12.10	Name Type Code	L	Changeable Data
ORC.12.13	Identifier Type Code	NPI	Changeable Data

-OBR-

Location	Data Element	Data	Categorization	
OBR.1	Set ID - OBR	3	IG Fixed Data	
OBR.3	Filler Order Number	Order Number		
OBR.3.1	Entity Identifier	R-783274-7	Changeable Data	
OBR.3.2	Namespace ID	NIST Lab Filler	Changeable Data	
OBR.4	Universal Service Identifier			
OBR.4.1	Identifier	50545-3	Test Case Fixed Data	
OBR.4.2	Text	Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)	Test Case Fixed Data	
OBR.4.3	Name of Coding System	LN	Test Case Fixed Data	
OBR.4.7	Coding System Version	2.52	Changeable Data	
OBR.4.9	Original Text	Bacteria susceptibility	Changeable Data	
OBR.7	Observation Date/Time			
OBR.7.1	Time	201509231400	Changeable Data	
OBR.11	Specimen Action Code	G	Test Case Fixed Data	
OBR.16	Ordering Provider			
OBR.16.1	ID Number	5742200012	Changeable Data	
OBR.16.2	Family Name			
OBR.16.2.1	Surname	Radon	Changeable Data	
OBR.16.3	Given Name	Nicholas	Changeable Data	
OBR.16.9	Assigning Authority			
OBR.16.9.1	Namespace ID	NPI	Changeable Data	
OBR.16.10	Name Type Code	L	Changeable Data	
OBR.16.13	Identifier Type Code	NPI	Changeable Data	
OBR.22	Results Rpt/Status Chng - Date/Time			
OBR.22.1	Time	20150927112054	Changeable Data	
DBR.25 Result Status F		F	Test Case Fixed Data	
OBR.26	Parent Result			
OBR.26.1	Parent Observation Identifier			
OBR.26.1.1	Identifier	625-4	Test Case Fixed Data	
OBR.26.1.2	Text	Bacteria identified in Stool by Culture	Test Case Fixed Data	
OBR.26.1.3	Name of the Coding System	LN	Test Case Fixed Data	
OBR.26.1.7	Coding System Version	2.52	Changeable Data	
OBR.26.1.9	Original Text	Stool Culture	Changeable Data	
OBR.26.2	Parent Observation Sub-Identifier			
OBR.26.2.2	Group	3	Test Case Fixed Data	
OBR.26.2.3	Sequence	1	Test Case Fixed Data	
OBR.26.2.4	Identifier	Islt-3	Test Case Fixed Data	
OBR.28	Result Copies To			
OBR.28.1	ID Number	10092000194	Changeable Data	
OBR.28.2	Family Name			
OBR.28.2.1	Surname	Hamlin	Changeable Data	
OBR.28.3	Given Name	Pafford	Changeable Data	
OBR.28.9	Assigning Authority			
OBR.28.9.1	Namespace ID	NPI	Changeable Data	

OBRocation	Name Type Sade Element	L Data	Changeablegorization
OBR.28.13	Identifier Type Code	NPI	Changeable Data
OBR.29	Parent		
OBR.29.1	Placer Assigned Identifier		
OBR.29.1.1	Entity Identifier	ORD723222-4	Changeable Data
OBR.29.1.2	Namespace ID	NIST EHR	Changeable Data
OBR.29.2	Filler Assigned Identifier		
OBR.29.2.1	Entity Identifier	R-783274-4	Changeable Data
OBR.29.2.2	Namespace ID	NIST Lab Filler	Changeable Data
OBR.47	Filler Supplemental Service Information		
OBR.47.1	Identifier	MIC	Test Case Fixed Data
OBR.47.2	Text	Observation of type microbiology	Test Case Fixed Data
OBR.47.3	Name of the Coding System	HL70411	IG Fixed Data
OBR.47.7	Coding System Version	2.5.1	IG Fixed Data
OBR.49	Results Handling		
OBR.49.1	Identifier	CC	Test Case Fixed Data
OBR.49.2	Text	Copies Requested	Test Case Fixed Data
OBR.49.3	Name of the Coding System	HL70507	IG Fixed Data

-OBX-

Location	Data Element	Data	Categorization	
OBX.1	Set ID - OBX	1	IG Fixed Data Test Case Fixed Data	
OBX.2	Value Type	SN		
OBX.3	Observation Identifier			
OBX.3.1	Identifier	28-1	Test Case Fixed Data	
OBX.3.2	Text	Ampicillin [Susceptibility] by Minimum inhibitory concentration (MIC)	Test Case Fixed Data	
OBX.3.3	Name of the Coding System	LN	Test Case Fixed Data	
OBX.3.7	Coding System Version	2.52	Changeable Data	
OBX.4	Observation Sub-ID			
OBX.4.2	Group	1	Test Case Fixed Data	
OBX.4.3	Sequence	1	Test Case Fixed Data	
OBX.4.4	Identifier	Islt-3	Test Case Fixed Data	
OBX.5	Observation Value			
OBX.5.1	Comparator	<	Test Case Fixed Data	
OBX.5.2	Num1	16	Test Case Fixed Data	
OBX.6	Units			
OBX.6.1	Identifier	ug/mL	Changeable Data	
OBX.6.3	Name of the Coding System	UCUM	Changeable Data	
OBX.6.7	Coding System Version	1.9	Changeable Data	
OBX.8	Abnormal Flags	I	Test Case Fixed Data	
OBX.11	Observation Result Status	F	Test Case Fixed Data	
OBX.14	Date/Time of the Observation			
OBX.14.1	Time	201509231400	Changeable Data	
OBX.19	Date/Time of the Analysis			
OBX.19.1	Time	201509261100	Changeable Data	
OBX.23	Performing Organization Name			
OBX.23.1	Organization Name	Century Hospital	Changeable Data	
OBX.23.6	Assigning Authority			
OBX.23.6.1	Namespace ID	CLIA	Changeable Data	
OBX.23.7	Identifier Type Code	XX	Changeable Data	
OBX.23.10	Organization Identifier	24D9871327	Changeable Data	
OBX.24	Performing Organization Address			
OBX.24.1	Street Address			
OBX.24.1.1	Street or Mailing Address	2070 Test Park	Changeable Data	
OBX.24.3	City	Los Angeles	Changeable Data	

OB X 244ion	State or Propined Element	CA Data	Change attegorization	
OBX,24.5	Zip or Postal Code	90067	Changeable Data	
OBX.24.7	Address Type	В	Changeable Data	
OBX.25	Performing Organization Medical Director			
OBX.25.1	ID Number	5432178916	Changeable Data	
OBX.25.2	Family Name			
OBX.25.2.1	Surname	Knowsalot	Changeable Data	
OBX.25.3	Given Name	Phil	Changeable Data	
OBX.25.4	Second and Further Given Names or Initials Thereof	J.	Changeable Data	
OBX.25.9	Assigning Authority			
OBX.25.9.1	Namespace ID	NPI	Changeable Data	
OBX.25.10	Name Type Code	L	Changeable Data	
OBX.25.13	Identifier Type Code	NPI	Changeable Data	
OBX.29	Observation Type	RSLT	Test Case Fixed Data	
OBX.30	Observation SubType	SUR	Test Case Fixed Data	

1 attent information			
Ele me nt	Data		
Name	William A Jones		
Date/Time of Birth	06/27/1961		
Administrative Sex	Male		
Race	White		
Alt Race			

Order Observation[*]

Order Observation

Ordering Provider-

Element	Data
Name	Nicholas Radon
Identifier number	5742200012

Observation Details

Data	
ORD723222-4	
R-783274-4	
GORD874211	_
Bacteria identified in Stool by Culture	
09/23/2015 2:00 PM	
F	
09/26/2015 2:05 PM	
Pafford	_
10092000194	
	ORD723222-4 R-783274-4 GORD874211 Bacteria identified in Stool by Culture 09/23/2015 2:00 PM F 09/26/2015 2:05 PM Pafford

Element	Data
Priority	
Start Date/time	
End Date/time	

Results Performing Laboratory-

Data
Century Hospital
24D9871327
2070 Test Park Los Angeles CA 90067
Phil J. Knowsalot
5432178916

Specimen Information-

Element	Data
Specimen Type	Stool specimen
Alt Specimen Type	
Specimen Original Text	Stool
Start date/time	201509231400

-Lab results-

Element		Data						
Test performed		Stool Culture						
Test Report date		09/26/2015 14:05						
Result Observation Name	Result	UOM	Range	Abnormal Flag	Status	Date/Time of Observation	Date/Time of Analysis	Notes

	Stool Culture	Shiga toxin producing E. coli O157:H7 isolated		A	F	09/23/2015 14:00	09/25/2015 19:30	Susceptibility testing for E.coli is not performed, because antibiotics should not be used to treat this infection. There is no evidence that treatment with antibiotics is helpful, and taking antibiotics may increase the risk of hemolytic-uremic syndrome (HUS). Antidiarrheal agents like Imodium may also increase that risk. Nonspecific supportive therapy, including hydration, is important. Salmonella
								gastrointestinal infections usually resolve in 5-7 days and most do not require treatment other than oral fluids. Persons with severe diarrhea may require rehydration with intravenous fluids. Antibiotic therapy can prolong the duration of excretion of non-typhoidal Salmonella and is recommended only for

Stool Culture	Salmonella I, group O:4 isolated		A	F	09/23/2015 14:00	09/25/2015	patients with severe illness (e.g., those with severe diarrhea, high fever, bloodstream infection, or who need hospitalization) or those at risk of severe disease or complications, including young infants, older adults (over 65 years old) and immunocompromise persons. Antibiotic resistance is increasing among some Salmonella bacteria; therefore, susceptibility testing can help guide appropriate therapy. Choices for antibiotic therapy for severe infections include fluoroquinolones, third-generation cephalosporins.
							cephalosporins, and ampicillin (for susceptible infections).

Stool Culture	Shigella flexneri isolated			A	F	09/23/2015 14:00	09/25/2015 19:30	Antibiotic treatment is recommended for patients with severe disease, bloody diarrhea, or compromised immune systems. Resistance to traditional first-line drugs like ampicillin and trimethoprim-sulfamethoxazole is common, and resistance to some other antibiotics is increasing. With this in mind, antibiotic susceptibility testing can help guide appropriate therapy. When an ampicillin- or trimethroprim-sulfamethoxazole-resistant strain is isolated, choices for therapy include fluoroquinolones, ceftriaxone, and azithromycin.	-
---------------	----------------------------------	--	--	---	---	---------------------	---------------------	---	---

Order Observation-

Ordering Provider

Element	Data		
Name	Nicholas Radon		
Identifier number	5742200012		

Observation Details

Element	Data				
Observation General Information					
Placer Order Number					
Filler Order Number	R-783274-6				
Placer Group Number	GORD874211				

Identifier	
Text	
Alt Identifier	
Alt Text	
Original Text	
Observation Details	
Observation Details	D . 11
Universal Service Identifier	Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)
Observation Date/Time	09/23/2015 2:00 PM
Observation end Date/Time	
Specimen Action Code	G
Relevant Clinical Information	
Relevant Clinical Information Original Text	
Observation Result Information	
Result Status	F
Results Report/Status Change - Date/Time	09/27/2015 11:20 AM
Results Copy To	
Name	Pafford
Identifier	10092000194
Results Handling	
Standard	
Observation Notes	

-Timing	/Onar	ntity	Inforn	nation-

Element	Data
Priority	
Start Date/time	
End Date/time	

Results Performing Laboratory

Element	Data
Laboratory Name	Century Hospital
Organization identifier	24D9871327
Address	2070 Test Park Los Angeles CA 90067
Director Name	Phil J. Knowsalot
Director identifier	5432178916

-Lab results-

Element				Data					
Test perform	Test performed			Bacteria susceptibility					
Test Report	Test Report date			09/27/2015 11:20					
Result Observation Name	Result	UOM	Range	Abnormal Flag	Status	Date/Time of Observation	Date/Time of Analysis	Notes	

Ampicillin [Susceptibility by Minimum inhibitory concentration (MIC)	< 0.06	ug/mL	S	F	09/23/2015 14:00	09/26/2015 11:00	
Gentamicin [Susceptibility by Minimum inhibitory concentration (MIC)	0.05	ug/mL	S	F	09/23/2015 14:00	09/26/2015 11:00	
Ciprofloxacin [Susceptibility by Minimum inhibitory concentration (MIC)	v] 0.05	ug/mL	S	F	09/23/2015 14:00	09/26/2015 11:00	

Order Observation

Ordering Provider

Element	Data		
Name	Nicholas Radon		
Identifier number	5742200012		

Observation Details

Element	Data
Observation General Information	
Placer Order Number	
Filler Order Number	R-783274-7
Placer Group Number	GORD874211
Parent Universal Service Identifier	
Identifier	
Text	
Alt Identifier	
Alt Text	
Original Text	
Observation Details	
Universal Service Identifier	Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)
Observation Date/Time	09/23/2015 2:00 PM
Observation end Date/Time	
Specimen Action Code	G
Relevant Clinical Information	
Relevant Clinical Information Original Text	
Observation Result Information	
Result Status	F
Results Report/Status Change - Date/Time	09/27/2015 11:20 AM
Results Copy To	
Name	Pafford

Identifier	10092000194
Results Handling	
Standard	
Observation Notes	

-Timing/	Ouan	tity In	forma	ition

	· ·
Element	Data
Priority	
Start Date/time	
End Date/time	

Results Performing Laboratory

Element	Data
Laboratory Name	Century Hospital
Organization identifier	24D9871327
Address	2070 Test Park Los Angeles CA 90067
Director Name	Phil J. Knowsalot
Director identifier	5432178916

Lab results

Element			Data	Data				
Test performed			Bacteria sus	Bacteria susceptibility				
Test Report date			09/27/2015	09/27/2015 11:20				
Result Observation Name	Result	UOM	Range	Abnormal Flag	Status	Date/Time of Observation	Date/Time of Analysis	Notes
Ampicillin [Susceptibility by Minimum inhibitory concentration (MIC)	< 16	ug/mL		I	F	09/23/2015 14:00	09/26/2015 11:00	

MSH|^~\&|NIST Test Lab APP|NIST Lab Facility||NIST EHR Facility|20150926140551||ORU^R01^ORU_R01|LRI_4.1_2.1-NG_FRU|D|2. 5.1|||AL|AL|||||LRI_Common_Component^^2.16.840.1.113883.9.16^ISO~LRI_NG_Component^^2.16.840.1.113883.9.13^ISO~LRI_FRU_Component^^2.16.840.1.113883.9.83^ISO

 $PID|1||PATID1234^{\wedge\wedge}NIST\ MPI^{MR}||Jones^{William^{\wedge\wedge\wedge\wedge}L}||19610627|M||2106-3^{White}^{HL70005}|||||||PATID1234^{\wedge\wedge}NIST\ MPI^{AN}||PATID1234^{\wedge\wedge}NIST\ MPI^{AN}||PATID1234^{\wedge\wedge}NIST\$

ORC|RE|ORD723222-4^NIST EHR|R-783274-4^NIST Lab Filler|GORD874211^NIST EHR|||||||||5742200012^Radorr^Nicholas^^^^^NPI^L^^^NPI

NTE[1] Susceptibility testing for E.coli is not performed, because antibiotics should not be used to treat this infect ion. There is no evidence that treatment with antibiotics is helpful, and taking antibiotics may increase the risk of he molytic-uremic syndrome (HUS). Antidiarrheal agents like Imodium may also increase that risk. Non-specific supportive the erapy, including hydration, is important.

NTE[1||Salmonella gastrointestinal infections usually resolve in 5-7 days and most do not require treatment other than oral fluids. Persons with severe diarrhea may require rehydration with intravenous fluids. Antibiotic therapy can prolon g the duration of excretion of non-typhoidal Salmonella and is recommended only for patients with severe illness (e.g., those with severe diarrhea, high fever, bloodstream infection, or who need hospitalization) or those at risk of severe d isease or complications, including young infants, older adults (over 65 years old) and immunocompromised persons. Antibi otic resistance is increasing among some Salmonella bacteria; therefore, susceptibility testing can help guide appropria te therapy. Choices for antibiotic therapy for severe infections include fluoroquinolones, third-generation cephalosporins, and ampicillin (for susceptible infections).

NTE[1][Antibiotic treatment is recommended for patients with severe disease, bloody diarrhea, or compromised immune systems. Resistance to traditional first-line drugs like ampicillin and trimethoprim-sulfamethoxazole is common, and resistance to some other antibiotics is increasing. With this in mind, antibiotic susceptibility testing can help guide appropriate therapy. When an ampicillin- or trimethroprim-sulfamethoxazole-resistant strain is isolated, choices for therapy include fluoroquinolones, ceftriaxone, and azithromycin.

ORC|RE||R-783274-6^NIST Lab Filler|GORD874211^NIST EHR||||||||5742200012^Radon^Nicholas^^^^NPI^L^^^NPI

 $OBR|2||R-783274-6^{NIST} Lab\ Filler|50545-3^{Bacterial} susceptibility\ panel\ in\ Isolate\ by\ Minimum\ inhibitory\ concentration\ (MIC)^{LN^{^2}.52^{Bacteria}} susceptibility|||201509231400||||G|||||5742200012^{Radon^{Nicholas^{^{^*}.NPI^{L^{^*}.NPI}}||||201509231400|||G|||||5742200012^{Radon^{Nicholas^{^*}.NPI^{L^{^*}.NPI}}||||20150927112054|||F|625-4&Bacteria\ identified\ in\ Stool\ by\ Culture&LN&&&&2.52&&Stool\ Culture^&2&1&Islt-2||10092000194^{Hamlin^{Pa}} fford^{^{^*}.NPI^{L^{^*}.NPI}}||NIC^{^*}.NPI^{C^{^*}.NPI^{C^{^*}.NPI}}||NIC^{^*}.S1||CC^{^*}.Copies\ Requested^{^*}.HL70507$

 $OBX|1|SN|28-1^{Ampicillin} \ [Susceptibility] \ by \ Minimum \ inhibitory \ concentration (MIC)^{LN}^{2.52}|^{1^1^1Slt-2}|<^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug/mL^{0.06}|ug$

 $OBX[2|SN|267-5^Gentamic in [Susceptibility] \ by \ Minimum \ inhibitory \ concentration (MIC)^LN^^^2.52|^1^1^1Slt-2|^0.05|ug/mL^0UCUM^^1.9||S|||F|||201509231400|||||201509261100||||Century \ Hospital^^^CLIA^XX^^24D9871327|2070 \ Test \ Park^Los \ Angeles^CA^90067^B|5432178916^Knowsalot^Phil^J.^^^NPI||||RSLT|SUR$

OBX|3|SN|185-9^Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC)^LN^^^2.52|^1^1^Islt-2|^0.05|ug

ORC|RE||R-783274-7^NIST Lab Filler|GORD874211^NIST EHR||||||||5742200012^Radon^Nicholas^^^^^NPI^L^^^NPI

 $OBX|1|SN|28-1^Ampicillin [Susceptibility] \ by \ Minimum \ inhibitory \ concentration (MIC)^LN^^^2.52|^1^1^ISIt-3|<^16|ug/mL^^UCUM^^^1.9||I||F|||201509231400|||||201509261100||||Century \ Hospital^^^^CLIA^XX^^^24D9871327|2070 \ Test \ Park^^Los \ Angelles^CA^90067^^B|5432178916^Knowsalot^Phil^J.^^^^NPI^L^^^NPI|||RSLT|SUR$