

Patient Information

Element	Data
Name	William A Jones
Date/Time of Birth	06/27/1961
Administrative Sex	Male
Race	White
Alt Race	

Order Observation[*]**Order Observation****Ordering Provider**

Element	Data
Name	Nicholas Radon
Identifier number	5742200012

Observation Details

Element	Data
Observation General Information	
Placer Order Number	ORD723222-4
Filler Order Number	R-783274-4
Placer Group Number	GORD874211
Parent Universal Service Identifier	
Identifier	
Text	
Alt Identifier	
Alt Text	
Original Text	
Observation Details	
Universal Service Identifier	Bacteria identified in Stool by Culture
Observation Date/Time	09/23/2015 2:00 PM
Observation end Date/Time	
Specimen Action Code	
Relevant Clinical Information	
Relevant Clinical Information Original Text	
Observation Result Information	
Result Status	F
Results Report/Status Change - Date/Time	09/26/2015 2:05 PM
Results Copy To	
Name	Pafford
Identifier	10092000194
Results Handling	
Standard	
Observation Notes	

Timing/Quantity Information

Element	Data
Priority	
Start Date/time	
End Date/time	

Results Performing Laboratory

Element	Data
Laboratory Name	Century Hospital
Organization identifier	24D9871327
Address	2070 Test Park Los Angeles CA 90067
Director Name	Phil J. Knowsalot
Director identifier	5432178916

Specimen Information

Element	Data
Specimen Type	Stool specimen
Alt Specimen Type	
Specimen Original Text	Stool
Start date/time	201509231400

Lab results

Element				Data					
Test performed				Stool Culture					
Test Report date				09/26/2015 14:05					
Result Observation Name	Result	UOM	Range	Abnormal Flag	Status	Date/Time of Observation	Date/Time of Analysis	Notes	

Stool Culture	Shiga toxin producing E. coli O157:H7 isolated			A	F	09/23/2015 14:00	09/25/2015 19:30	<p>Susceptibility testing for E.coli is not performed, because antibiotics should not be used to treat this infection. There is no evidence that treatment with antibiotics is helpful, and taking antibiotics may increase the risk of hemolytic-uremic syndrome (HUS). Antidiarrheal agents like Imodium may also increase that risk. Non-specific supportive therapy, including hydration, is important.</p>
								<p>Salmonella gastrointestinal infections usually resolve in 5-7 days and most do not require treatment other than oral fluids. Persons with severe diarrhea may require rehydration with intravenous fluids. Antibiotic therapy can prolong the duration of excretion of non-typhoidal Salmonella and is recommended only for</p>

Stool Culture	Salmonella I, group O:4 isolated		A	F	09/23/2015 14:00	09/25/2015 19:30	<p>patients with severe illness (e.g., those with severe diarrhea, high fever, bloodstream infection, or who need hospitalization) or those at risk of severe disease or complications, including young infants, older adults (over 65 years old) and immunocompromised persons. Antibiotic resistance is increasing among some Salmonella bacteria; therefore, susceptibility testing can help guide appropriate therapy. Choices for antibiotic therapy for severe infections include fluoroquinolones, third-generation cephalosporins, and ampicillin (for susceptible infections).</p>
---------------	----------------------------------------	--	---	---	---------------------	---------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Stool Culture	Shigella flexneri isolated			A	F	09/23/2015 14:00	09/25/2015 19:30	Antibiotic treatment is recommended for patients with severe disease, bloody diarrhea, or compromised immune systems. Resistance to traditional first-line drugs like ampicillin and trimethoprim-sulfamethoxazole is common, and resistance to some other antibiotics is increasing. With this in mind, antibiotic susceptibility testing can help guide appropriate therapy. When an ampicillin- or trimethoprim-sulfamethoxazole-resistant strain is isolated, choices for therapy include fluoroquinolones, ceftriaxone, and azithromycin.
---------------	----------------------------	--	--	---	---	------------------	------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Order Observation

Ordering Provider

Element	Data
Name	Nicholas Radon
Identifier number	5742200012

Observation Details

Element	Data
Observation General Information	
Placer Order Number	
Filler Order Number	R-783274-6
Placer Group Number	GORD874211

Parent Universal Service Identifier	
Identifier	
Text	
Alt Identifier	
Alt Text	
Original Text	
Observation Details	
Universal Service Identifier	Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)
Observation Date/Time	09/23/2015 2:00 PM
Observation end Date/Time	
Specimen Action Code	G
Relevant Clinical Information	
Relevant Clinical Information Original Text	
Observation Result Information	
Result Status	F
Results Report/Status Change - Date/Time	09/27/2015 11:20 AM
Results Copy To	
Name	Pafford
Identifier	10092000194
Results Handling	
Standard	
Observation Notes	

Timing/Quantity Information

Element	Data
Priority	
Start Date/time	
End Date/time	

Results Performing Laboratory

Element	Data
Laboratory Name	Century Hospital
Organization identifier	24D9871327
Address	2070 Test Park Los Angeles CA 90067
Director Name	Phil J. Knowsalot
Director identifier	5432178916

Lab results

Element		Data						
Test performed		Bacteria susceptibility						
Test Report date		09/27/2015 11:20						
Result Observation Name	Result	UOM	Range	Abnormal Flag	Status	Date/Time of Observation	Date/Time of Analysis	Notes

Ampicillin [Susceptibility] by Minimum inhibitory concentration (MIC)	< 0.06	ug/mL		S	F	09/23/2015 14:00	09/26/2015 11:00	
Gentamicin [Susceptibility] by Minimum inhibitory concentration (MIC)	0.05	ug/mL		S	F	09/23/2015 14:00	09/26/2015 11:00	
Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC)	0.05	ug/mL		S	F	09/23/2015 14:00	09/26/2015 11:00	

Order Observation

Ordering Provider

Element	Data
Name	Nicholas Radon
Identifier number	5742200012

Observation Details

Element	Data
Observation General Information	
Placer Order Number	
Filler Order Number	R-783274-7
Placer Group Number	GORD874211
Parent Universal Service Identifier	
Identifier	
Text	
Alt Identifier	
Alt Text	
Original Text	
Observation Details	
Universal Service Identifier	Bacterial susceptibility panel in Isolate by Minimum inhibitory concentration (MIC)
Observation Date/Time	09/23/2015 2:00 PM
Observation end Date/Time	
Specimen Action Code	G
Relevant Clinical Information	
Relevant Clinical Information Original Text	
Observation Result Information	
Result Status	C
Results Report/Status Change - Date/Time	09/27/2015 4:42 PM
Results Copy To	
Name	Pafford

Identifier	10092000194
Results Handling	
Standard	
Observation Notes	

Timing/Quantity Information

Element	Data
Priority	
Start Date/time	
End Date/time	

Results Performing Laboratory

Element	Data
Laboratory Name	Century Hospital
Organization identifier	24D9871327
Address	2070 Test Park Los Angeles CA 90067
Director Name	Phil J. Knowsalot
Director identifier	5432178916

Lab results

Element		Data						
Test performed		Bacteria susceptibility						
Test Report date		09/27/2015 16:42						
Result Observation Name	Result	UOM	Range	Abnormal Flag	Status	Date/Time of Observation	Date/Time of Analysis	Notes
Ampicillin [Susceptibility] by Minimum inhibitory concentration (MIC)	< 16	ug/mL		I	F	09/23/2015 14:00	09/26/2015 11:00	
Trimethoprim+Sulfamethoxazole [Susceptibility] by Minimum inhibitory concentration (MIC)	2 / 38	ug/mL		S	B	09/23/2015 14:00	09/27/2015 11:20	Due to the indeterminate amoxicillin test result, additional antibiotics were tested and appended to the previous report.
Ciprofloxacin [Susceptibility] by Minimum inhibitory concentration (MIC)	0.05	ug/mL		S	B	09/23/2015 14:00	09/27/2015 11:20	Due to the indeterminate amoxicillin test result, additional antibiotics were tested and appended to the previous report.

