

A

A

B

B

C

C


D

D

Battery Input (12s1p)

Input voltage range: 36-50.4V

Reverse Polarity Protection



LED forward drop = 2.0V
Max VBAT = 50.4V
Min VBAT = 36V

Max LED current = $(50.4-2)/10000 = 4.84\text{mA}$
Min LED current = $(36-2)/10000 = 3.4\text{mA}$

Title: Power

Project: Power Distribution Board.PnjPcb

Rev: 3 Reviewer: Cindy Li

Engineer: Farris Matar

Date: 2021-12-14 Sheet: 1 of 9




A

A

17V Regulator @ 4A Max

Input voltage range: 36-50.4V



Title: 17V Buck Converter

Project: Power Distribution Board.PnjPcb

Rev: 3 Reviewer: Cindy Li


Engineer: Farris Matar

Date: 2021-12-14 Sheet: 2 of 9



48-5V Buck Converter @ 10A Max

Input voltage range: 36-50.4V



Title: 5V Buck Converter	
Project: Power Distribution Board.PjPcb	
Rev: 3	Reviewer: Cindy Li
Engineer: Farris Matar	
Date: 2021-12-14	Sheet: 3 of 9

A

A

B

B


C

C

D

D

3.3V LDO @ 500mA Max




Current Calculations

Green LED voltage drop: 2.2V
 $- I = (3.3 - 2.2V) / 220 = 5mA$

Title: 3.3V Linear Regulator	
Project: Power Distribution Board.PpjPcb	
Rev: 3	Reviewer: Cindy Li
Engineer: Farris Matar	
Date: 2021-12-14	Sheet: 4 of 9






5V Smart High-Side Switches






Title: Load Monitoring 1	
Project: Power Distribution Board.PjPcb	
Rev: 3	Reviewer: Cindy Li
Engineer: Farris Matar	
Date: 2021-12-14	Sheet: 5 of 9

A

17V Load Smart Switch**5V Outputs**

5V power to Science and Gimbal boards
(plus two spare)

Power Rail Voltage Monitoring


Title: Load Monitoring 2

Project: Power Distribution Board.PjPcb




Rev: 3 Reviewer: Cindy Li

Engineer: Farris Matar


Date: 2021-12-14 Sheet: 6 of 9

**Current Calculations**

RGB LED voltage drops:
 - Red: $2.1V: I = (3.3-2.1V)/120 = 10mA$
 - Blue: $3.1V: I = (3.3-3.1V)/20 = 10mA$
 - Green: $3.1V: I = (3.3-3.1V)/20 = 10mA$


STM32F446RET6**USB Connector****Temperature Sensor****Mounting Holes**

MH1 MOUNTING_HOLE_5/32	MH2 MOUNTING_HOLE_5/32
MH3 MOUNTING_HOLE_5/32	MH4 MOUNTING_HOLE_5/32

LCSC Part #: C69336**Debug/Programming**

Title: Microcontroller	
Project: Power Distribution Board.PpjPcb	
Rev: 3	Reviewer: Cindy Li
Engineer: Farris Matar	Date: 2021-12-14
Sheet: 7	of 9



CAN Transceivers



Title: CAN	
Project: Power Distribution Board.PjPcb	
Rev: 3	Reviewer: Cindy Li
Engineer: Farris Matar	Date: 2021-12-14
Sheet: 8	of 9

URM04 Ultrasonic Sensors

RS-485 Transceiver



Title:	RS-485		
Project:	Power Distribution Board.PnjPcb		
Rev:	3	Reviewer:	Cindy Li
Engineer:	Farris Matar		
Date:	2021-12-14	Sheet:	9 of 9

