Resource Usage Report for carry_save_adder_I2

Table of Contents

Parameter Value: 8	5
Parameter Value: 7	4
Parameter Value: 6	4
Parameter Value: 5	4
Parameter Value: 4	3
Parameter Value: 3	3
Parameter Value: 2	3
Parameter Value: 1	3

Parameter Value: 1

Module	port_bits	cell_count	wire_count	port_count	hierarchy_depth	wire_bits	\$_XOR_	\$_AND_	full_adder	half_adder	\$_OR_	\$_XOR_	\$_AND_	\$_OR_
carry_save_adder_l2	40	8	5	5	2	40	16	16	8	0	8	16	16	8
carry_save_adder_l2 -> full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder -> half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0
half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0

Parameter Value: 2

Module	port_bits	cell_count	wire_count	port_count	hierarchy_depth	wire_bits	\$_XOR_	\$_AND_	full_adder	half_adder	\$_OR_	\$_XOR_	\$_AND_	\$_OR_
carry_save_adder_l2	40	8	5	5	2	40	16	16	8	0	8	16	16	8
carry_save_adder_l2 -> full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder -> half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0
half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0

Parameter Value: 3

Module	port_bits	cell_count	wire_count	port_count	hierarchy_depth	wire_bits	\$_XOR_	\$_AND_	full_adder	half_adder	\$_OR_	\$_XOR_	\$_AND_	\$_OR_
carry_save_adder_l2	40	8	5	5	2	40	16	16	8	0	8	16	16	8
carry_save_adder_l2 -> full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder -> half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0
half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0

Parameter Value: 4

Module	port_bits	cell_count	wire_count	port_count	hierarchy_depth	wire_bits	\$_XOR_	\$_AND_	full_adder	half_adder	\$_OR_	\$_XOR_	\$_AND_	\$_OR_
carry_save_adder_l2	40	8	5	5	2	40	16	16	8	0	8	16	16	8
carry_save_adder_l2 -> full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder -> half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0
half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0

Parameter Value: 5

Module	port_bits	cell_count	wire_count	port_count	hierarchy_depth	wire_bits	\$_XOR_	\$_AND_	full_adder	half_adder	\$_OR_	\$_XOR_	\$_AND_	\$_OR_
carry_save_adder_l2	40	8	5	5	2	40	16	16	8	0	8	16	16	8
carry_save_adder_l2 -> full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder -> half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0
half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0

Parameter Value: 6

Module	port_bits	cell_count	wire_count	port_count	hierarchy_depth	wire_bits	\$_XOR_	\$_AND_	full_adder	half_adder	\$_OR_	\$_XOR_	\$_AND_	\$_OR_
carry_save_adder_l2	40	8	5	5	2	40	16	16	8	0	8	16	16	8
carry_save_adder_l2 -> full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder -> half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0
half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0

Parameter Value: 7

Module	port_bits	cell_count	wire_count	port_count	hierarchy_depth	wire_bits	\$_XOR_	\$_AND_	full_adder	half_adder	\$_OR_	\$_XOR_	\$_AND_	\$_OR_
carry_save_adder_l2	40	8	5	5	2	40	16	16	8	0	8	16	16	8
carry_save_adder_l2 -> full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder -> half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0
half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0

Parameter Value: 8

Module	port_bits	cell_count	wire_count	port_count	hierarchy_depth	wire_bits	\$_XOR_	\$_AND_	full_adder	half_adder	\$_OR_	\$_XOR_	\$_AND_	\$_OR_
carry_save_adder_l2	40	8	5	5	2	40	16	16	8	0	8	16	16	8
carry_save_adder_l2 -> full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder	5	3	8	5	1	8	2	2	0	2	1	2	2	1
full_adder -> half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0
half_adder	4	2	4	4	0	4	1	1	0	0	0	1	1	0