

Diving deeper with logical functions

DATA ANALYSIS IN EXCEL



Nick Edwards
Analyst at Mynd

Customer segmentation

- **Customer segmentation** divides a business' customer base into distinct groups based on their behaviors and characteristics
 - Based on various criteria:
 - Demographics
 - Geographic location
 - Purchasing behavior
 - Gain a better understanding of their customers
 - Improve the product, marketing or services



Nesting logical tests using IF

- **Nesting functions** are a technique where two or more functions are used in a single formula.

Syntax for IF()

```
IF(logical test, [value if true], [value if false])
```

Syntax for a nested IF()

```
IF(logical test, [value if true],  
    IF(logical test, [value if true],  
        ..., [value if false]))
```

Nesting logical tests using IFS

Syntax for `IFS()`

```
IFS(logical test 1, [value if true 1],[logical test 2], [value if true 2]...)
```

- Easier than nesting multiple `IF()` s together
- Returns the value for the first TRUE test
- There is no `[value if false]`
 - Returns `#N/A` if none of the tests are true

SWITCHing values

Syntax for SWITCH()

```
SWITCH(expression, value 1, result 1, [default or value 2],[result 2],...)
```

SWITCHing values

Syntax for SWITCH()

```
SWITCH(expression, value 1, result 1, [default or value 2],[result 2],...)
```

Example: SWITCH the value in cell C1 based on the corresponding list:

Answer: SWITCH(C1,0,FALSE,1,TRUE)

Value	Result
0	FALSE
1	TRUE

SWITCHing values

Syntax for SWITCH()


```
SWITCH(expression, value 1, result 1, [default or value 2],[result 2],...)
```

Example: SWITCH the result in `2 - 1` to `TRUE` if it equals `1`, and `FALSE` if it equals 0 or 2.


Value	Result
0	BLUE
1	GREEN
2	RED

Answer: `SWITCH(2-1,0,"BLUE",1,"GREEN",2,"RED")` --> `2-1 = 1` --> `Green`


Row level evaluations




Aggregate functions




Aggregate functions



Aggregate logical functions



Aggregate logical functions



Syntax for COUNTIF and COUNTIFS

Syntax for COUNTIF()

```
`COUNTIF(range, criteria)`
```

Syntax for COUNTIFS()

```
`COUNTIFS(range 1, criteria 1, [range 2], [criteria 2])`
```

- Each criteria must be TRUE

Let's practice!

DATA ANALYSIS IN EXCEL

Intermediate logical functions in Excel

DATA ANALYSIS IN EXCEL



Nick Edwards
Analyst at Mynd

Let's practice!

DATA ANALYSIS IN EXCEL