The All-Routers multicast addresses

IPv6 Address Prefixes

An IPv6 address prefix, in the format ipv6-prefix/prefix-length, can be used to represent bit-wise contiguous blocks of the entire address space. The IPv6-prefix must be in the form documented in RFC 2373 where the address is specified in hexadecimal using 16-bit values between colons. The prefix length is a decimal value that indicates how many of the high-order contiguous bits of the address comprise the prefix (the network portion of the address). For example, 2001:0DB8:8086:6502::/32 is a valid IPv6 prefix.

The IPv6 prefix identifies the type of IPv6 address. The following table shows the prefixes for each IPv6 address type.

Table 5: IPv6 Address Type Prefixes

Address Type	Binary Prefix	IPv6 Notation		
Unspecified	0000 (128 bits)	::/128		
Loopback	0001 (128 bits)	::1/128		
Multicast	11111111	FF00::/8		
Link-Local (unicast)	1111111010	FE80::/10		
Site-Local (unicast)	1111111111	FEC0::/10		
Global (unicast)	All other addresses.	All other addresses.		
Anycast	Taken from the unicast ad	Taken from the unicast address space.		

Protocols and Applications

The following table lists the protocol literal values and port numbers; either can be entered in ASA commands.

Table 6: Protocol Literal Values

Literal	Value	Description
ah	51	Authentication Header for IPv6, RFC 1826.
eigrp	88	Enhanced Interior Gateway Routing Protocol.
esp	50	Encapsulated Security Payload for IPv6, RFC 1827.
gre	47	Generic Routing Encapsulation.
icmp	1	Internet Control Message Protocol, RFC 792.
icmp6	58	Internet Control Message Protocol for IPv6, RFC 2463.
igmp	2	Internet Group Management Protocol, RFC 1112.

Literal	Value	Description
igrp	9	Interior Gateway Routing Protocol.
ip	0	Internet Protocol.
ipinip	4	IP-in-IP encapsulation.
ipsec	50	IP Security. Entering the ipsec protocol literal is equivalent to entering the esp protocol literal.
nos	94	Network Operating System (Novell's NetWare).
ospf	89	Open Shortest Path First routing protocol, RFC 1247.
pcp	108	Payload Compression Protocol.
pim	103	Protocol Independent Multicast.
pptp	47	Point-to-Point Tunneling Protocol. Entering the pptp protocol literal is equivalent to entering the gre protocol literal.
snp	109	Sitara Networks Protocol.
tcp	6	Transmission Control Protocol, RFC 793.
udp	17	User Datagram Protocol, RFC 768.

You can view protocol numbers online at the IANA website:

http://www.iana.org/assignments/protocol-numbers

TCP and UDP Ports

The following table lists the literal values and port numbers; either can be entered in ASA commands. See the following caveats:

- The ASA uses port 1521 for SQL*Net. This is the default port used by Oracle for SQL*Net. This value, however, does not agree with IANA port assignments.
- The ASA listens for RADIUS on ports 1645 and 1646. If your RADIUS server uses the standard ports 1812 and 1813, you can configure the ASA to listen to those ports using the **authentication-port** and **accounting-port** commands.
- To assign a port for DNS access, use the **domain** literal value, not **dns**. If you use **dns**, the ASA assumes you meant to use the **dnsix** literal value.

You can view port numbers online at the IANA website:

http://www.iana.org/assignments/port-numbers

Table 7: Port Literal Values

Literal	TCP or UDP?	Value	Description
aol	ТСР	5190	America Online
bgp	ТСР	179	Border Gateway Protocol, RFC 1163
biff	UDP	512	Used by mail system to notify users that new mail is received
bootpc	UDP	68	Bootstrap Protocol Client
bootps	UDP	67	Bootstrap Protocol Server
chargen	ТСР	19	Character Generator
cifs	TCP, UDP	3020	Common Internet File System
citrix-ica	ТСР	1494	Citrix Independent Computing Architecture (ICA) protocol
cmd	ТСР	514	Similar to exec except that cmd has automatic authentication
ctiqbe	ТСР	2748	Computer Telephony Interface Quick Buffer Encoding
daytime	ТСР	13	Day time, RFC 867
discard	TCP, UDP	9	Discard
dnsix	UDP	195	DNSIX Session Management Module Audit Redirector
domain	TCP, UDP	53	DNS
echo	TCP, UDP	7	Echo
exec	ТСР	512	Remote process execution
finger	ТСР	79	Finger
ftp	ТСР	21	File Transfer Protocol (control port)
ftp-data	ТСР	20	File Transfer Protocol (data port)
gopher	ТСР	70	Gopher
h323	ТСР	1720	H.323 call signaling
hostname	ТСР	101	NIC Host Name Server
http	TCP, UDP	80	World Wide Web HTTP
https	ТСР	443	HTTP over SSL
ident	ТСР	113	Ident authentication service

Literal	TCP or UDP?	Value	Description
imap4	ТСР	143	Internet Message Access Protocol, version 4
irc	ТСР	194	Internet Relay Chat protocol
isakmp	UDP	500	Internet Security Association and Key Management Protocol
kerberos	TCP, UDP	750	Kerberos
klogin	ТСР	543	KLOGIN
kshell	ТСР	544	Korn Shell
ldap	ТСР	389	Lightweight Directory Access Protocol
ldaps	ТСР	636	Lightweight Directory Access Protocol (SSL)
login	ТСР	513	Remote login
lotusnotes	ТСР	1352	IBM Lotus Notes
lpd	ТСР	515	Line Printer Daemon - printer spooler
mobile-ip	UDP	434	Mobile IP-Agent
nameserver	UDP	42	Host Name Server
netbios-dgm	UDP	138	NetBIOS Datagram Service
netbios-ns	UDP	137	NetBIOS Name Service
netbios-ssn	ТСР	139	NetBIOS Session Service
nfs	TCP, UDP	2049	Network File System - Sun Microsystems
nntp	ТСР	119	Network News Transfer Protocol
ntp	UDP	123	Network Time Protocol
pcanywhere-data	ТСР	5631	pcAnywhere data
pcanywhere-status	UDP	5632	pcAnywhere status
pim-auto-rp	TCP, UDP	496	Protocol Independent Multicast, reverse path flooding, dense mode
pop2	ТСР	109	Post Office Protocol - Version 2
pop3	ТСР	110	Post Office Protocol - Version 3
pptp	ТСР	1723	Point-to-Point Tunneling Protocol
radius	UDP	1645	Remote Authentication Dial-In User Service

Literal	TCP or UDP?	Value	Description
radius-acct	UDP	1646	Remote Authentication Dial-In User Service (accounting)
rip	UDP	520	Routing Information Protocol
rsh	ТСР	514	Remote Shell
rtsp	ТСР	554	Real Time Streaming Protocol
secureid-udp	UDP	5510	SecureID over UDP
sip	TCP, UDP	5060	Session Initiation Protocol
smtp	ТСР	25	Simple Mail Transport Protocol
snmp	UDP	161	Simple Network Management Protocol
snmptrap	UDP	162	Simple Network Management Protocol - Trap
sqlnet	ТСР	1521	Structured Query Language Network
ssh	ТСР	22	Secure Shell
sunrpc	TCP, UDP	111	Sun Remote Procedure Call
syslog	UDP	514	System Log
tacacs	TCP, UDP	49	Terminal Access Controller Access Control System Plus
talk	TCP, UDP	517	Talk
telnet	ТСР	23	RFC 854 Telnet
tftp	UDP	69	Trivial File Transfer Protocol
time	UDP	37	Time
uucp	ТСР	540	UNIX-to-UNIX Copy Program
vxlan	UDP	4789	Virtual eXtensible Local Area Network (VXLAN)
who	UDP	513	Who
whois	ТСР	43	Who Is
www	TCP, UDP	80	World Wide Web
xdmcp	UDP	177	X Display Manager Control Protocol

Local Ports and Protocols

The following table lists the protocols, TCP ports, and UDP ports that the ASA may open to process traffic destined to the ASA. Unless you enable the features and services listed in this table, the ASA does *not* open any local protocols or any TCP or UDP ports. You must configure a feature or service for the ASA to open the default listening protocol or port. In many cases you can configure ports other than the default port when you enable a feature or service.

Table 8: Protocols and Ports Opened by Features and Services

Feature or Service	Protocol	Port Number	Comments	
DHCP	UDP	67,68	_	
Failover Control	105	N/A	_	
НТТР	ТСР	80	_	
HTTPS	ТСР	443	_	
ICMP	1	N/A	_	
IGMP	2	N/A	Protocol only open on destination IP address 224.0.0.1	
ISAKMP/IKE	UDP	500	Configurable.	
IPsec (ESP)	50	N/A	_	
IPsec over UDP (NAT-T)	UDP	4500	_	
IPsec over TCP (CTCP)	ТСР	_	No default port is used. You must specify the port number when configuring IPsec over TCP.	
NTP	UDP	123	_	
OSPF	89	N/A	Protocol only open on destination IP address 224.0.0.5 and 224.0.0.6	
PIM	103	N/A	Protocol only open on destination IP address 224.0.0.13	
RIP	UDP	520	_	
RIPv2	UDP	520	Port only open on destination IP address 224.0.0.9	
SNMP	UDP	161	Configurable.	
SSH	ТСР	22	_	
Stateful Update	8 (non-secure) 9 (secure)	N/A	_	

Feature or Service	Protocol	Port Number	Comments
Telnet	ТСР	23	_
VPN Load Balancing	UDP	9023	Configurable.
VPN Individual User Authentication Proxy	UDP	1645, 1646	Port accessible only over VPN tunnel.

ICMP Types

The following table lists the ICMP type numbers and names that you can enter in ASA commands.

Table 9: ICMP Types

ICMP Number	ICMP Name
0	echo-reply
3	unreachable
4	source-quench
5	redirect
6	alternate-address
8	echo
9	router-advertisement
10	router-solicitation
11	time-exceeded
12	parameter-problem
13	timestamp-request
14	timestamp-reply
15	information-request
16	information-reply
17	mask-request
18	mask-reply
30	traceroute
31	conversion-error
32	mobile-redirect