

Graphs Questions

Question 1 : MEDIUM

Redundant Connection

You are given a graph that started as a tree with n nodes labeled from 1 to n , with one additional edge added. The added edge has two different vertices chosen from 1 to n , and was not an edge that already existed. The graph is represented as an array `edges` of length n where `edges[i] = [ai, bi]` indicates that there is an edge between nodes a_i and b_i in the graph.

Return an edge that can be removed so that the resulting graph is a tree of n nodes. If there are multiple answers, return the answer that occurs last in the input. [\[Go to Qs\]](#)

Question 2 : MEDIUM

Rotting Oranges

You are given an $m \times n$ grid where each cell can have one of three values:

- 0 representing an empty cell,
- 1 representing a fresh orange, or
- 2 representing a rotten orange.

Every minute, any fresh orange that is 4-directionally adjacent to a rotten orange becomes rotten.

Return the minimum number of minutes that must elapse until no cell has a fresh orange. If this is impossible, return -1. [\[Go to Qs\]](#)

Question 3 : MEDIUM

Max Area of Island

You are given an $m \times n$ binary matrix grid. An island is a group of 1's (representing land) connected 4-directionally (horizontal or vertical.) You may assume all four edges of the grid are surrounded by water.

The area of an island is the number of cells with a value 1 in the island.

Return the maximum area of an island in the grid. If there is no island, return 0. [\[Go to Qs\]](#)

Question 4 : **MEDIUM**

Word Ladder

A transformation sequence from word `beginWord` to word `endWord` using a dictionary `wordList` is a sequence of words `beginWord -> s1 -> s2 -> ... -> sk` such that:

Every adjacent pair of words differs by a single letter.

Every s_i for $1 \leq i \leq k$ is in `wordList`. Note that `beginWord` does not need to be in `wordList`.

$s_k == \text{endWord}$

Given two words, `beginWord` and `endWord`, and a dictionary `wordList`, return the number of words in the shortest transformation sequence from `beginWord` to `endWord`, or 0 if no such sequence exists. [\[Go to Qs\]](#)

Question 5 : **HARD**

Redundant Connection II

In this problem, a rooted tree is a directed graph such that, there is exactly one node (the root) for which all other nodes are descendants of this node, plus every node has exactly one parent, except for the root node which has no parents.

The given input is a directed graph that started as a rooted tree with n nodes (with distinct values from 1 to n), with one additional directed edge added. The added edge has two different vertices chosen from 1 to n , and was not an edge that already existed.

The resulting graph is given as a 2D-array of edges. Each element of edges is a pair $[u_i, v_i]$ that represents a directed edge connecting nodes u_i and v_i , where u_i is a parent of child v_i .

Return an edge that can be removed so that the resulting graph is a rooted tree of n nodes. If there are multiple answers, return the answer that occurs last in the given 2D-array. [\[Go to Qs\]](#)

Question 6 : **HARD**

Couples Holding Hands

There are n couples sitting in $2n$ seats arranged in a row and want to hold hands.

The people and seats are represented by an integer array `row` where `row[i]` is the ID of the person sitting in the i th seat. The couples are numbered in order, the first couple being (0, 1), the second couple being (2, 3), and so on with the last couple being ($2n - 2$, $2n - 1$).

Return the minimum number of swaps so that every couple is sitting side by side. A swap consists of choosing any two people, then they stand up and switch seats. [\[Go to Qs\]](#)

Question 7 : HARD**Course Schedule III**

There are n different online courses numbered from 1 to n . You are given an array `courses` where `courses[i] = [durationi, lastDayi]` indicate that the i th course should be taken continuously for `durationi` days and must be finished before or on `lastDayi`.

You will start on the 1st day and you cannot take two or more courses simultaneously.

Return the maximum number of courses that you can take. [\[Go to Qs\]](#)

Question 8 : HARD**Alien Dictionary**

There is a new alien language which uses the latin alphabet. However, the order among letters are unknown to you. You receive a list of non-empty words from the dictionary, where words are sorted lexicographically by the rules of this new language. Derive the order of letters in this language. [\[Go to Qs\]](#)

Input:

```
[  
  "wrt",  
  "wrf",  
  "er",  
  "ett",  
  "rftt"  
]
```

Output: "wertf"

Question 9 : MEDIUM**Number of Closed Islands**

Given a 2D grid consists of 0s (land) and 1s (water). An island is a maximal 4-directionally connected group of 0s and a closed island is an island totally (all left, top, right, bottom) surrounded by 1s.

Return the number of closed islands [\[Go to Qs\]](#)

Question 10 : MEDIUM

Shortest Path with Alternating Colors

You are given an integer n , the number of nodes in a directed graph where the nodes are labeled from 0 to $n - 1$. Each edge is red or blue in this graph, and there could be self-edges and parallel edges.

You are given two arrays `redEdges` and `blueEdges` where:

`redEdges[i] = [ai, bi]` indicates that there is a directed red edge from node a_i to node b_i in the graph, and

`blueEdges[j] = [uj, vj]` indicates that there is a directed blue edge from node u_j to node v_j in the graph.

Return an array `answer` of length n , where each `answer[x]` is the length of the shortest path from node 0 to node x such that the edge colors alternate along the path, or -1 if such a path does not exist. [\[Go to Qs\]](#)

APNA
COLLEGE