


ID2209 Distributed Artifical Intelligence and Intelligent Agents

Homework 3





Homework3 Introduction

- Topics covered in this session:
 - Coordination and Communication
 - Agent Mobility

Complementary materials: Guide on JADE
 Agent Mobility http://www.iro.umontreal.ca/~vaucher/Agents/
 Jade/Mobility.html


2



Task 1

The aim of this task is to understand how agents communicate and cooperate to achieve their goal using the N Queens problems as example.









Example of a special case of the N Queens problem: 8 Queens Puzzle


- > The problem of placing 8 queens on an 8 by 8 chessboard, so that no two queens threatens each other.
- How to solve it: no two queens share the same row, column or diagonal
- Many different solutions different arrangements
- ➤ N Queens problem is the problem of placing N queens in an n by n chessboard.
- Exceptions for N are 2 and 3





Examples of Possible Solutions for N=8, N=10





Source: https://en.wikipedia.org/wiki/Eight_queens_puzzle



Task#1

- The N-Queens problem (chess):
 - Each queen is modelled as an agent.
 - Each queen moves along a row in a matrix and places itself such that it will not be attacked by another queen.
 - A queen may be attacked by another if they are in the same column, or row or along the same diagonal



Task #1 continue

- Messages are passed between the agents in order to update each other of their positions.
- Each agent can communicate with the agent(s) that precedes or comes after it. It sends the positions of the queens positioned so far.
- If the positions of the previous queens are unacceptable for the current queen it sends a corresponding message to the previous queen to find another position.
- This process continues all queens have positions that are acceptable for all



Task #1 deliverables

- Implement solutions for n=4,5,6,...
- Introduce a possibility to get different solutions. How many solutions you get for different n.
- Deliver a report including description of your solution, code and protocol(s) of communication



Task2



- Goal:
 - Hands on experience with Agent Mobility

 Extending (Dutch Auction) for intra-platform mobility.

ID2209 DAIIA LABS 11/25/2014 9



Programming agent mobility in JADE

- ➤ Programming guide (should be very easy to follow): http://www.iro.umontreal.ca/~vaucher/Agents/Jade/Mobility.html
- ➤ Intra-platform mobility → moving between containers in the same platform
- ➤ Specificmethods for agent mobility: doMove(), beforeMove(), afterMove(), doClone(), beforeClone(), afterClone()



Scenario described

- Consider a auctioneer agent in an auctioneer
 - Agent Container

And

- Two separate containers for two separate/different <u>participant</u> types
 - (e.g. <u>participants</u> from HM and <u>participants</u> from Galileo Museum).








http://www.museogalileo.it/en/index.html
http://www.heritagemalta.org/museums/museums.html



Scenario Description

- auctioneer agent clones 2 agents
- each participant agent also clones 2 agents
- each of which moves to a different 'participant agent container' and executes **Dutch Auction** with the participant agents in that container.





Assumptions

- Consider <u>at least</u> two participants in each 'participant agent container'.
- These participants
 - One being the actual participant agent and the other ones are their clones.



Scenario continued

- Upon the end of execution
 - the clones migrate back to their home container, share best price obtained among them and announce the best price offered from any of the participants.







Deliverables

- Upload your report and documented Source Code (with instructions for execution) in Canvas.
- An announcement with the doodle link for registration of demo will be sent after deadline of homework