


Waiting Queue




On the Post Correspondence Problem



On the Halting Problem



Triangulation of a Triangle




Matrices


$$C = \begin{pmatrix} a_{11} & \cdots & * & * & \cdots & * \\ \vdots & \ddots & \vdots & \vdots & & \vdots \\ 0 & \cdots & a_{rr} & * & \cdots & * \\ \hline 0 & \cdots & 0 & 0 & \cdots & 0 \\ \vdots & & \vdots & \vdots & & \vdots \\ 0 & \cdots & 0 & 0 & \cdots & 0 \end{pmatrix}$$

$$\begin{array}{c} b_{11} & \cdots & * & * & \cdots & * \\ \vdots & \ddots & \vdots & \vdots & & \vdots \\ 0 & \cdots & b_{ss} & * & \cdots & * \\ \hline 0 & \cdots & b_{ss} & * & \cdots & * \\ \hline 0 & \cdots & 0 & 0 & \cdots & 0 \\ \vdots & & \vdots & \vdots & & \vdots \\ 0 & \cdots & 0 & 0 & \cdots & 0 \end{pmatrix}$$

Manchester Encoding



Network Package Routing




Swapping Algorithm Description


Algorithm 1 Swapping values

- 1: **procedure** SWAP(a,b)
- 2: $t \leftarrow a$
- 3: $a \leftarrow b$
- 4: $b \leftarrow t$

Binary Trees



Skip List



Countinuous First Neighbors

