

RASDproj

Sofia Martellozzo - Valeria Detomas

Prof. Elisabetta Di Nitto - Anno 2021/2022

Contents

1	Introduction	4
1.1	Purpose	4
1.1.1	Goals	4
1.2	Scope	4
1.2.1	world phenomena	5
1.2.2	shared phenomena	5
1.3	Glossary	6
1.3.1	Definitions	6
1.3.2	Acronyms	6
1.3.3	Abbreviations	6
2	Overall Description	6
2.1	Product Perspective	6
2.1.1	Class Diagram	6
2.1.2	State Diagram	7
2.2	Product Functions	9
2.2.1	Farmers insert data	9
2.2.2	Farmers visualize data	9
2.2.3	Identify how farmers are performing	10
2.2.4	Interaction between farmers	10
2.3	Scenarios	10
2.3.1	Scenario 1	10
2.4	User Characteristics	10
2.4.1	Farmer	11
2.4.2	Policy Maker	11
2.5	Domain Assumptions, Dependencies and Constraints	11
2.5.1	Domain Assumptions	11
2.5.2	Constraints	12
3	Specific Requirements	12
3.0.1	External Interface Requirements	12
3.0.2	User Interfaces	12
3.0.3	Hardware Interfaces	12
3.0.4	Software Interfaces	12
3.0.5	Communication Interfaces	12
3.1	Functional Requirements	13
3.1.1	Use Case Diagram	13
3.1.2	Use Cases Description ad Sequence Diagram	14
3.1.3	Scenarios	36
3.1.4	Requirements	36
3.1.5	Traceability Matrix	37
3.2	Performance Requirements	37
3.3	Design Constraints	37
3.3.1	Standards Compliance	37

3.3.2	Any Other Constraints	37
3.4	Software System Attributes	38
3.4.1	Reliability	38
3.4.2	Availability	38
3.4.3	Security	38
3.4.4	Maintanability	38
3.4.5	Portability	38
4	Formal Analysis using Alloy	38
5	Effort Spent	38

1 Introduction

1.1 Purpose

The purpose of this document is to thoroughly describe Data-driven Predictive Farming in Telangana (DREAM). It presents functional and non functional requirements of the system and its components. Moreover it provides use cases and scenarios for the users involved.

This document is meant as a contractual basis for the customer and the developer.

1.1.1 Goals

- allow policy makers to retrieve information from farmers
- allow farmers to communicate with each other
- allow farmers to insert data, questions, problems
- the impact of meteorological data on farmers activity can be used for further information
- allow farmers to retrieve information relevant for their activity (meteo, humidity..)

1.2 Scope

The aim of the system is to acquire and combine data and information of farmers in Telangana. The system will also provide support both to Telangana's policy makers and farmers thanks to new innovative technologies.

(non so se vogliamo mettere questo : The system consists in a back-end server application and in a web application front-end)

Thanks to the system policy makers are able to get a complete picture of the agriculture status in the whole state. In order to do this, DREAM provides information that makes them able to give incentives to those farmers who are performing well and keep track of those who needs help. The farmers have access to a forum on which they are able to communicate with other farmers, a forum to spread useful suggestions and to request for help to those who are having a harder time. The application provides a personalized page for each farmer in which they can find, based on his location and type of production, specific advice, meteorological forecasts and the condition of the soil. This information are already provided by Telangana's government. In this page they can also find several buttons, one that allows them to specify any problem that they face, another one to update their production trend. There is also another button to let those who are recognized as good farmers send advice to the system, so that everyone can improve their knowledge about the local farming ... Data concerning weather are already provided by Telangana's government,

1.2.1 world phenomena

- farmers decide type of production
- weather conditions influence production
- agronomists visit periodically farmers
- agronomists respond to help requests from farmers
- farmers can be identified as those who are performing well or not.
- farmers receive some type of advantage if they are the best one in their production activity

1.2.2 shared phenomena

- humidity of soil is measured by sensors
- amount of water used by each farmer is retrieved by water irrigation system
- Telengana's governments collects data concerning weather forecast
- farmers insert data about their production in the system
- farmers can insert problems they face into the system
- farmers can answer to requests for help from other farmers
- farmers can discuss with each other through the system
- the system identifies the farmers who are performing well

1.3 Glossary

1.3.1 Definitions

1.3.2 Acronyms

1.3.3 Abbreviations

2 Overall Description

2.1 Product Perspective

2.1.1 Class Diagram




Figure 1: UML diagram.

2.1.2 State Diagram




Figure 2: Update Farmer page.




Figure 3: Analysis of farmers.




Figure 4: Request of help.

2.2 Product Functions

This section provides a summary of the main features and functions offered by the software regarding the goals already described in section 1.1.1

In the following description it is important to highlight that both the policy makers and the farmers must be logged in.

2.2.1 Farmers insert data

This functionality is accessible to all farmers. The application provides a form in which the farmer can easily insert data of his/her production. The form is easy to fill in, in order to complete it the farmer need to indicate:

- the **type of product**
- the **amount** produced of the selected type
- the **date** relative to the date of the production

If the farmer needs to add more than one type of product, he/she can fill in the form multiple times. After completing the form the user is redirected to the homepage and the policy makers can see the updated data. This functionality can be done more than once a day since the farmer can select the date, so it is possible for him to insert data of past days too. This operation can be repeated more than once a day since the farmer can select the date, so it is possible for him/her to insert data of past days too.

2.2.2 Farmers visualize data

This functionality lets the farmer visualize all the data acquired from the system. The farmer can visualize all data on his homepage.

The application shows:

- meteorological short-term and long-term forecast
- amount of water used by the farmer
- humidity of soil
- personalized suggestions concerning specific crops to plant or specific fertilizers to use – based on their location and type of production

Should I say why he needs to visualize this data or how he uses it

This functionality is always up to date, and does not need any input from the farmer. It is used by the farmer only to have a general view of his farm and on how he could improve the productivity of his farm.

2.2.3 Identify how farmers are performing

The main features of the policy makers is to evaluate the work of each Farmer. In order to do that, they periodically analyze each farm page: the system allows them to visualize all the data in those pages (but not to modify it). The analysis takes place twice a month. With this analysis they classify the workers in two different way:

- GOOD farmer : those how have been able to produce a significant amount of product with low resources, despite bad weather in that period.
- BAD farmer : those who did not produce much.

Policy makers inform each farmer the result they have achieved with a notification:

- GOOD farmers receive a special incentive, and also a request to submit from their personal web page some advice that could be useful to the others.
- To BAD farmers is asked to submit an explicit request of help specifying the problems they had.

The system has a specific web page that allows all the users to look at a map of the area in which are specified all the farms. It is also shown if the farm's owner has performed a good job in that period. At the end of each analysis the policy makers update the map (they are the only ones that are able to modify it).

2.2.4 Interaction between farmers

This functionality permits the farmers to communicate with each other. The application has a specific web page where the farmers can send messages whenever they want. If a farmer has an issue, before submitting a formal request of help to the policy makers by their home page, he can ask informally an advice by sending a message in the Forum. It is not necessary to be a good farmer in order to answer someone else's message. All the messages are visible to everyone and 24h. Since it is an online application an internet connection is required to read or write on this page.

2.3 Scenarios

2.3.1 Scenario 1

2.4 User Characteristics

Dream has two different customers that need to be distinguished in order to provide the various features specified in subsection 2.2.

2.4.1 Farmer

- Can register on Dream in order to be recognized as farmer.
- Must log in on the website to use the services offered.
- Can discuss with other farmers.
- Is able to insert data about their daily production.
- Can ask for help to other farmers or to policy makers.
- Can retrieve data regarding weather forecast, water irrigation system or humidity of soil.
- Can look for advice of several products.
- Can check whether their performance is identified as good or bad.

2.4.2 Policy Maker

- Already has the credential to access to the system.
- Must login to Dream to benefit of its services.
- Can look all farms' pages.
- Can update the map.
- Can send suggestions to whom explicitly notices a problem.
- Can send notifications to the farmers.
- Decides the value of the incentive for the good farmers.
- Evaluates the performance of the farmers.

2.5 Domain Assumptions, Dependencies and Constraints

This subsection focuses on what it is assumed in order for our system to offer the services as expected. Moreover it focuses on the limitations that the system could face.

2.5.1 Domain Assumptions

- DA1** In order to access the system users need to have Internet connection.
- DA2** Farmers always insert correct data on their production activity.
- DA3** Data from sensors is always correct.
- DA4** Date and Time on the system are always correct.
- DA5** The position of the Farm is always correct.
- DA6** Internet connection works always without errors.
- DA7** Meteorological data is accurate.
- DA8** Every farm has a different position.
- DA9** Each farm belongs to exactly one farmer.
- DA10** Discussion on the forum are related only to the farm activity.
- DA11** Formal request of help must be related to a farmer's own production.
- DA12** Advice on a product must be given by a farmer that produces the same type.
- DA13** Performances of farmers are always identified correctly.
- DA14** Farmers can insert data more than once a day.

DA15 The username must be unique.

DA16 Policy Makers have a given username and password to access the system.

2.5.2 Constraints

3 Specific Requirements

3.0.1 External Interface Requirements

3.0.2 User Interfaces

qui ci vanno tutti i mockups con descrizione

3.0.3 Hardware Interfaces

The application does not need any specific hardware requirements.

3.0.4 Software Interfaces

The web app requires a computer with a web browser installed and connected to The system has to rely on a DBMS API. It allows the management of all the data the system needs in order to provide its functionalities, described in subsection 2.2.

3.0.5 Communication Interfaces

All the communications between users and Dream website are made via HTTPS.

3.1 Functional Requirements

3.1.1 Use Case Diagram




Figure 5: Use Case diagram.

3.1.2 Use Cases Description ad Sequence Diagram

1. Farmer Registration

Name	Farmer Registration
Actors	Farmer
Entry conditions	The web application has started
Flow of events	<ul style="list-style-type: none">(a) The farmer wants to sign up(b) The farmer inserts email, name, password, farm's name and farm's position(c) The farmer clicks submit(d) The system checks if email is unique and if all the form is correctly fill up(e) The system inserts the information in the data base
Exit conditions	The farmer is signed up
Exceptions	<ul style="list-style-type: none">• If the farmer did not insert data correctly the system will send an alert and let the user do that again• If the email is already present in the database the system will send an alert saying that the email already exists

Table 1: *Farmer Registration* use case description




Figure 6: *Farmer Registration* sequence diagram

2. Farmer Login

Name	Farmer Login
Actors	Farmer
Entry conditions	The web application has started
Flow of events	<ul style="list-style-type: none"> (a) The farmer wants to log in (b) The farmer inserts email and password (c) The farmer clicks submit (d) The system checks if the credentials are correct (e) The system notifies the farmer about the correct login
Exit conditions	The farmer has logged in

Exceptions

- If the system does not recognize the email it will send an alert to the farmer saying that the email inserted is wrong
- If the password is not correct the system will notify the farmer

Table 2: *Farmer Login* use case description




Figure 7: *Farmer Login* sequence diagram

3. Farmer send a message on the Forum

Name	Farmer sends a message on the forum
------	-------------------------------------

Actors	Farmer
Entry conditions	The farmer has logged in
Flow of events	<ol style="list-style-type: none"> 4. (a) The farmer wants to send a message (b) The farmer clicks on forum button (c) The system send the ser to the forum page (d) The farmer inserts the message (e) The farmer clicks on send message (f) The system inserts the message into the database
Exit conditions	The farmer's message is published
Exceptions	<ul style="list-style-type: none"> • If the message body is empty the system shows an error alert

Table 3: *Farmer message* use case description




Figure 8: *Farmer message* sequence diagram

5. Find a farmer on the Map

Name	Farmer visualizes the map
Actors	Farmer
Entry conditions	The farmer has logged in
Flow of events	<p>(a) The farmer wants to visualize the map</p> <p>(b) The farmer clicks on map button</p> <p>(c) The system send the farmer to the map page</p> <p>(d) The farmer visualizes the map and selects a farm</p> <p>(e) The system retrieves the information about the farm and shows them to the farmer</p> <p>(f) The farmer visualizes the data about the selected farm</p>
Exit conditions	The farmer visualized the map
Exceptions	

Table 4: *Farms' map visualization* use case description




Figure 9: *Farms' map visualization* sequence diagram

6. Find farm's information

Name	Farmer visualizes their own data
Actors	Farmer
Entry conditions	The farmer has logged in
Flow of events	<ul style="list-style-type: none"> (a) The farmer wants to visualize his own page (b) The farmer clicks on the profile page button (c) The system retrieves the information about the farmer and redirect him to the farmer's farm page (d) The farmer visualize his own page
Exit conditions	The farmer visualizes his own data
Exceptions	<ul style="list-style-type: none"> (a)

Table 5: *Farm information visualization* use case description




Figure 10: *Farm information visualization* sequence diagram

7. Submit a request of help

I put only the case of a formal request to the Policy Maker (button on Farm Page) if you want we can create 2 "seccion" (alt) one with this formal request and one sending a message on Forum (but is yet specified in 3)

Name	Farmer submit a request of help
Actors	Farmer
Entry conditions	The farmer has logged in

Flow of events

- (a) The farmer wants to ask for help
- (b) The farmer clicks on his own page button
- (c) The farmer clicks on Help button
- (d) The farmer chooses the type of production on which he had problems
- (e) The farmer fill the form specifying the problem in details
- (f) The farmer click on submit button and send the message
- (g) The system send the notification to the Policy Makers
- (h) The system notifies the farmer that the operation went succesfully
- (i) The system returns a list of advices found in the database about this type of production

Exit conditions	The help request is send to the Policy Makers
------------------------	-----------------------------------------------

Exceptions

- If no type of production is selected the system notifies the farmer and waits for him to insert it
- If the request body is empty the system notifies the farmer and waits for him to fill it

Table 6: *Farmer ask for help* use case description




Figure 11: *Farmer ask for help* sequence diagram

8. Submit an advice

Name	Farmer submit an advice
Actors	Farmer
Entry conditions	The farmer has logged in

Flow of events

- (a) The farmer has to submit an advice
- (b) The farmer clicks on his own page button
- (c) The farmer clicks on Advice button
- (d) The farmer chooses the type of production on which he wants to give advices
- (e) The farmer fills the form writing his advice
- (f) The farmer clicks submit button and sends the message
- (g) The system saves the advice in the database
- (h) The system notifies the farmer that the operation went successfully

Exit conditions	The farmer submits an advice
------------------------	------------------------------

Exceptions

- If the farmer is not a "good" one, the system doesn't save the advice and notifies him with an error message
-

Table 7: *Farmer send advice* use case description




Figure 12: *Farmer send advice* sequence diagram

9. Visualize notifications

Name	Farmer visualizes his notifications
Actors	Farmer
Entry conditions	The farmer has logged in

Flow of events

- (a) The farmer wants to reads his notifications
- (b) The farmer clicks on his own page button
- (c) The farmer clicks on Notification button
- (d) The system returns a list of messages
- (e) The farmer select one message between the ones in the list
- (f) The system return the body of the message

Exit conditions	The farmer visualizes his notifications
Exceptions	<ul style="list-style-type: none">•

Table 8: *Farmer visualize notifications* use case description




Figure 13: *Farmer visualize notifications* sequence diagram

10. Policy Maker login

Name	Farmer visualizes their own data
------	----------------------------------

Actors	Policy Maker
Entry conditions	The web application has started
Flow of events	<ul style="list-style-type: none"> (a) The Policy Maker wants to log in (b) The Policy Maker inserts code and password (c) The Policy Maker clicks submit button (d) The system checks if the credentials are correct (e) The system notifies the Policy Maker about the correct login
Exit conditions	The Policy Maker has logged in
Exceptions	<ul style="list-style-type: none"> • If the system does not recognize the code it will send and alert the Policy Maker saying the code inserted is wrong • If the password is not correct the system will notify the Policy Maker

Table 9: *Policy Maker login* use case description




Figure 14: *Policy Maker login* sequence diagram

11. Find a farm's page

Name	Policy Maker visualizes a farm's page
Actors	Policy Maker
Entry conditions	The Policy Maker has logged in

Flow of events

- (a) The Policy Maker wants to visualize one farm's page
- (b) The Policy Maker type the name of the farm on the search form
- (c) The Policy Maker clicks search button
- (d) The system redirect the Policy Maker to the farm's page

Exit conditions	The Policy Maker visualizes the farm's page
Exceptions	<ul style="list-style-type: none">• If no name is inserted in the search form the system notifies the Policy Maker of the missing data• If the name inserted is not found by the system in the database, it send an error message

Table 10: *Farm's page visualization* use case description




Figure 15: *Farm's page visualization* sequence diagram

12. Find a farmer on the Map

Name	Policy Maker visualizes a farm's page
Actors	Policy Maker
Entry conditions	The Policy Maker has logged in

Flow of events

- (a) The Policy Maker wants to visualize the map
- (b) The Policy Maker clicks on map button
- (c) The system redirect the Policy Maker to the map page
- (d) The Policy Maker visualizes the map and select a farm
- (e) The system retrieves the information about the farm (also the last evaluation) and shows them to the Policy Maker
- (f) The Policy Maker visualizes the data about the selected farm

Exit conditions	The Policy Maker visualizes his own data
------------------------	------------------------------------------

Exceptions

-
-

Table 11: *Farm visualization on map* use case description




Figure 16: *Farm visualization on map* sequence diagram

13. Update the Map

Name	Policy Maker update the map
Actors	Policy Maker
Entry conditions	The Policy Maker has logged in

Flow of events

- (a) The Policy Maker wants to report an evaluation
- (b) The Policy Maker clicks on map button
- (c) The system redirect the Policy Maker to the map page
- (d) The Policy Maker visualizes the map and select a farm
- (e) The system retrieves the information about the farm (also the last evaluation) and shows them to the Policy Maker
- (f) The Policy Maker clicks update button
- (g) The Policy Maker select the evaluation
 - The Policy Maker select "good" , an amount of money for the award and writes the body of the message
 - The Policy Maker select "bad" and writes the body of the message
- (h) The Policy Maker clicks submit button and send the message
- (i) The system save the evaluation on the map
- (j) The system send the message to the Fram's owner
- (k) The system notifies the Policy Maker that the operation went succesfully

Exit conditions	The Policy Maker visualizes the map updated
Exceptions	<ul style="list-style-type: none"> •

Table 12: *Map updating* use case description




Figure 17: *Map updating* sequence diagram

14. Reply to a request of help

Name	Policy Maker send anvice
Actors	Policy Maker
Entry conditions	The Policy Maker has logged in

Flow of events

- (a) The Policy Maker wants to send specific advices to a farmer
- (b) The Policy Maker wants to see the farm's farm information
- (c) The Policy Maker type the name of the farm on search form
- (d) The Policy Maker clicks search button
- (e) The Policy Maker wants to see the advices stored in the database on the type of production the farmers ask for help on
- (f) The Policy Maker analyze the data
- (g) The Policy Maker select the farmer (addressee),the type of production and writes the solution he found
- (h) The Policy Maker clicks send button
- (i) The system sends the message to the farmer
- (j) The system notifies the Policy Maker that the operation went succesfully

Exit conditions	The Policy Maker send solutions
------------------------	---------------------------------

Exceptions

•

Table 13: *Problem resolution* use case description




Figure 18: *Problem resolution* sequence diagram

3.1.3 Scenarios

3.1.4 Requirements

- R1** the system must allow farmers to register
- R2** the system must allow farmers to log in
- R3** the system must save the farmers registration data
- R4** the system must guarantee that each email address is unique
- R5** the system must verify that the email address is valid (the type!)
- R6** the system must save the farmers information about their production submitted
- R7** the system must allow farmers to insert the type of production
- R8** the system must allow farmers to insert the amount of production type
- R9** the system must allow farmers to specify a problem they faced to the Policy Makers
- R10** the system must allow farmers to select the type of production on which they had troubles
- R11** the system must save the advice submitted by the farmers
- R12** the system must allow farmers to select the type of product in their suggestion
- R13** the system must be able to show to the farmers advices send by the Policy

Makers (as a notification)

R14 the system must be able to show the meteorological data of the Farm's position

R15 the system must be able to show the farm's sensor data

R16 the system must allow farmers to send messages on the forum

R17 the system must register date and time of a message in the forum

R18 the system must be able to show all the messages on the forum

R19 the system must be able to show the map of the zone

R20 the system must be able to show the farms position on the map

R21 the system must be able to show on the map if a farm is performing well or not

R22 the system must allow farmers to visualise notification send by Policy Makers

R23 the system does not allow Policy Makers to register

R24 the system must allow Policy Makers to log in

R25 the system must allow Policy Makers to search a farm by name (OK?)

R26 the system must allow Policy Makers to see all farms' pages

R27 the system must not allow Policy Makers to modify any farm's page

R28 the system must allow Policy Makers to update the performance of a farmer

R29 the system must allow Policy Makers to send notification to the farmers

R30 the system must allow Policy Makers to receive request of help by the farmers

3.1.5 Traceability Matrix

3.2 Performance Requirements

The system serves its user with a web application. All the computations will take place on the server side, thus the app is meant to be lightweighted. Moreover the load in the night is expected to be really low. There are no problems about reliability. The insertion of new data requires a quick response in order to store it in the system.

3.3 Design Constraints

3.3.1 Standards Compliance

The only standard that needs to be highlighted here is the interaction with the database. It is important that the information are stored in a standardized form. In such manner, it is easier to memorize and retrieve data.

3.3.2 Any Other Constraints

Interaction between Dream and users needs to consider also regulatory policies. As a matter of fact the application asks and retrieves data of each farmer. More information about security and privacy will be provided in the section 3.4.3

3.4 Software System Attributes

3.4.1 Reliability

The system must prevent any failure in order to guarantee continuity. Simultaneous accesses are expected to work, especially in the afternoon when users are expected to insert and retrieve more information.

3.4.2 Availability

It is expected that the system has the lowest downtime possible. The system is available with a minimum time of 96%, so that it about 14 days a year of downtime are allowed.

3.4.3 Security

Security of the data and of the communication user-system is a primary concern. Users credential are stored in a data base, so the system crypt the password data before store it. The system recognises the right type of user during the log in phase to ensure providing the correct level visibility of the data and the permission to update them or not. In this way farmer's privacy is guaranteed. As a matter of fact a farmer can't see another farmer's page.

3.4.4 Maintainability

The web application requires ordinary maintenance for improvements and in order to fix potential bugs. It is going to be scheduled at local night time, when user traffic is the lowest. Moreover the system must be designed in a way that allows future addition of features.

3.4.5 Portability

The system as a web application must run on different software system as Windows, Linux and macOS. On the server side is crucial focusing on the interaction between APIs and the data base to insert, update or read data.

4 Formal Analysis using Alloy

5 Effort Spent