

# Frontend exam topics

2022-04-28 version by JV

Frontend exam, scope for learning before the exam. Include also our frontend project stub.

=====

## 1. React: a JavaScript SPA UI building library

- renders the output page (HTML+CSS+JS) DOM based on
  - o your page template code (public>index.html+ React components inside other React components) AND
  - o the data provided by AJAX (with or without Redux)

## 2. JSX: Basics - XML-like language mixing JS and React component markup, not XML as it's not following XML rules, nor HTML structure rules either.

- One syntax example: What is the following?

```
var a =123;  
<Xyz abc={{a}} /> // first go to JS mode with { }, then create an object {a},  
(thus same as ={{a:a}})
```

- React components with **CapitalFirstLetter**, HTML elements/attributes with small letter

- **className(s)** attribute or so (in React, react-rendered) vs. **class** attribute (HTML, already ready html. Thus, being able to mix JSX and ready html, *only if unavoidable*)

- when returning JSX, wrap it inside ( ) (((Or make sure to start JSX from same line as the return keyword)))

((A bit advanced video <https://www.youtube.com/watch?v=FO4couzJlk&t=67s> (from 1:07 to 14:27) )))

## 3. React Hooks: Basics

### a. React hooks basics (recap also the ES object destructor assignment if needed)

<https://youtu.be/mxK8b99iJtQ?t=150> //Skip pre-release react installation! no need for: "npm i ..."

- from 02:30 to 19:50, 18 mins // Simple output and input UI with react hooks. (No AJAX/persistence here) Pay attention to: 1. only arrow functions used! 2. function definitions vs. func calls! (function definitions / ready function objects passed, not calls) 3. set state function is created automatically, 4. React dev tools used to study component state 5. Above also Mother passing to Children data and/or event-handler function objects, in Childrens' props.

((<https://reactjs.org/docs/hooks-intro.html>))

<https://youtu.be/dpw9EHDh2bM?t=1061>

- from 17:45 until 54:13 = <36 mins NOTICE, NOT THE LATTER PART OF THE SHOW!

- Here anything with class/constructor you can just follow, only fully understand the hooks version of the same.

- What 4 things happen with this: **const [age,setAge]=useState(7);** ?

- <https://www.youtube.com/watch?v=TNhaISOuy6Q>

- from 0:00 **until 6:58**, our 3 Hooks (useState, useEffect, useContext) shown in just 7 mins, but going fast. Pause and read code! state/props created/changed => useEffect( ) fires!

- post cleanup happens with the function that `useEffect` possibly returns after it's done with what it wants to do!

- note: side effects = things happening outside of the React state/prop change ⇔ re-render cycle. So e.g. saving something, even crucial to our business process, to backend via AJAX is a "side effect".

<https://reactjs.org/docs/hooks-overview.html>

<https://reactjs.org/docs/hooks-state.html>      Effect Hooks

<https://reactjs.org/docs/hooks-effect.html>

- `useEffect` is an inner function of component function. It HAS replaced the React component life-cycle event handlers (Where you can 'attach' your event-handler functions). inner function = function defined inside the component function. So, the visibility of the function is inside the outer function, inside that component only.

### **b. General rules of Hooks**

<https://reactjs.org/docs/hooks-rules.html>

### **c. Custom Hooks (a bit Advanced topic)**

<https://reactjs.org/docs/hooks-custom.html>

- custom hooks, like the ones in the second video:

`useWindowWidth`

`useDocumentTitle`

### **d. Context Hooks (Advanced topic, useful still in our case)**

<https://reactjs.org/docs/hooks-reference.html#usecontext>

<https://www.youtube.com/watch?v=IhMKvyLRWo0>

What do these bolded mean?: `const some = useCustomX(()=>({value, setValue}))[value, setValue];`

Hook only fired if value or setValue changed! Not if any other prop or state.

What happens here? `JSON.stringify(myJSObject, null, 2);`

`JSON.stringify(object_to_be_stringified_as_JSON, null_as_no_replacer_function_needed_here, white_space_as_third_parameter)`

## **4. create-react-app**

**The tool & dev project environment it creates:** Basic understanding.

- What kind of project create-react-app creates? (`npm start` => dev time environment with Node server and e.g. React Dev tools)

- What's the relationship with the `/public/index.html` and the React app? How the React app starts and builds up the page?

- How is it related to the build version = when published and put to 'production environment'?

(`npm build` => `/build` folder with only few mashed up `.html` and `.js` (and needed `.css` plus other static files), no Node anymore, no ES5,6,7,8, just browser runnable JS, served to the

client's web browser by even a static web server, from ports 80/443 or so)

## 5. SPA = Single-Page Application

Only one web page downloaded from the Web Server, but then with JS & AJAX that single page's DOM updated constantly. Showing/hiding certain Views so that it looks like we would have several Pages

- SPA in general. Single page which is changed based on user actions, by JS code, AJAX requests/responses and react-router routing "going to a new View" with possible routing parameters.
- React components can be Views = SPA pages we can get routed to
  - Some others are re-usable children of the Views
  - Some are container components who have/fetch the data
    - Some others are presentational components who get the data from parent, and who only show what they get (plus possibly provide links/buttons related to `_that_` item that it's showing)

## 6. React routing

SPA front-end routing between the Views (~like "going" to a different page)

- though really just showing and hiding React Views
- we can also send parameter data while going to another View, e.g. id:s
- How is the react-router routing working in general.

[https://youtu.be/Law7wfdg\\_Is?t=73](https://youtu.be/Law7wfdg_Is?t=73)

- from 1:13 (link above already at that time) until 16:46 at least.
- after 16:46 starts "customer routing" i.e. routing with parameters. 33 mins in total.

**Ingredients of routing:** **react-router-dom** node module, **Router** at root component, **Switch**, **"url" patterns**, possible **parameters**, mapped to (view) **component**, **Link** components in (view) components' code.

## 7. Theming

- How is the theme (((and redux store. NOT THIS TIME))) shared with / provided to all React components? (Answer: Injected to the root React element, and theme-abled child components used.

## 8. AJAX

- Something about AJAX? (Do we get the result out as JSON text, or already auto-parsed to be a JS object)

## 9. LocalStorage

Browsers are able to save text files to the computer's disk and open them with a key/name e.g. days later. If objects are stringified=(serialized as JSON text) we can even persist (data) objects.

## 10.Full-stack open 202X, the reading list

- has now the green parts that are interesting from Frontend learning point of view!

[https://github.com/valju/docs\\_backend\\_design/blob/master/FSO/FSOReadingList.pdf](https://github.com/valju/docs_backend_design/blob/master/FSO/FSOReadingList.pdf) (in Backend docs repo) Note: some things from part 7 might be added for the Spring 2022 exam and onwards!

## 11.For thoughts: Possible frontend project design & creation steps

[https://github.com/valju/docs\\_frontend\\_design/blob/master/FrontendRelatedSteps\\_SimilarToOurCases.pdf](https://github.com/valju/docs_frontend_design/blob/master/FrontendRelatedSteps_SimilarToOurCases.pdf)

**NOT TO EXAM THIS TIME FROM THIS ON**

=====