

ICPSR 4652

**Midlife in the United States (MIDUS
2), 2004-2006**

ICPSR Codebook for M2_P1_Coded Text Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Midlife in the United States (MIDUS 2), 2004-2006

Carol D. Ryff

University of Wisconsin-Madison

David M. Almeida

Pennsylvania State University

John Z. Ayanian

University of Michigan

Deborah S. Carr

Boston University

Paul D. Cleary

Yale School of Medicine

Christopher Coe

University of Wisconsin-Madison

Richard J. Davidson

University of Wisconsin-Madison

Robert F. Krueger

University of Minnesota

Marge E. Lachman

Brandeis University

Nadine F. Marks

University of Wisconsin-Madison

Daniel K. Mroczek

Northwestern University

Teresa E. Seeman

University of California-Los Angeles

Marsha Mailick Seltzer
University of Wisconsin-Madison

Burton H. Singer
Princeton University

Richard P. Sloan
Columbia University

Patricia Ann Tun
Brandeis University

Maxine Weinstein
Georgetown University

David R. Williams
Harvard School of Public Health

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/4652/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #4652
Midlife in the United States (MIDUS 2), 2004-2006
DS3: M2_P1_Coded Text Data

1. **Variable Link:** The variable **M2ID** is the individual-level linking variable for the MIDUS datasets. The variable **M2FAMNUM** is the household-level linking variable for the MIDUS datasets.
2. **Variable Differences:** Some variables that are included in the data set released by ICPSR are not referenced in the P.I. documentation; no further information was provided.
3. **Additional Information:** For additional information on the Midlife in the United States survey series, please visit the [MIDUS](#) website.

ICPSR 4652

Midlife in the United States (MIDUS 2), 2004-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

M2_P1_Coded Text Data

M2ID: MIDUS 2 ID number

Based upon 4,963 valid cases out of 4,963 total cases.

- Mean: 14607.40
- Minimum: 10001.00
- Maximum: 19193.00
- Standard Deviation: 2663.20

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

M2FAMNUM: MIDUS 2 Family number

Based upon 4,963 valid cases out of 4,963 total cases.

- Mean: 109464.15
- Minimum: 100001.00
- Maximum: 120966.00
- Standard Deviation: 7971.53

Location: 6-11 (width: 6; decimal: 0)

Variable Type: numeric

SAMPLMAJ: Major sample identification

Value	Label	Unweighted Frequency	%
1	Main (RDD) random digit dialing	2257	45.5 %
2	Sibling	733	14.8 %
3	Twin	1484	29.9 %
4	City oversample	489	9.9 %
13	Milwaukee	0	0.0 %
14	Boston New	0	0.0 %
	Total	4,963	100%

Based upon 4,963 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

B1PRAGE_2019: Respondent's calculated age at MIDUS 2 Project 1 phone interview, updated as of 8-5-2019

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30	-	1	0.0 %
32	-	1	0.0 %
33	-	8	0.2 %
34	-	57	1.1 %
35	-	87	1.8 %
36	-	81	1.6 %
37	-	88	1.8 %
38	-	90	1.8 %
39	-	96	1.9 %
40	-	108	2.2 %
41	-	124	2.5 %
42	-	115	2.3 %
43	-	128	2.6 %
44	-	133	2.7 %
45	-	160	3.2 %
46	-	123	2.5 %
47	-	126	2.5 %
48	-	142	2.9 %
49	-	139	2.8 %
50	-	146	2.9 %
51	-	143	2.9 %
52	-	101	2.0 %
53	-	132	2.7 %
54	-	135	2.7 %
55	-	166	3.3 %
56	-	137	2.8 %
57	-	147	3.0 %
58	-	107	2.2 %
59	-	131	2.6 %
60	-	111	2.2 %
61	-	113	2.3 %
62	-	117	2.4 %
63	-	102	2.1 %
64	-	99	2.0 %
65	-	125	2.5 %
66	-	88	1.8 %
67	-	90	1.8 %
68	-	81	1.6 %
69	-	99	2.0 %

Value	Label	Unweighted Frequency	%
70	-	75	1.5 %
71	-	76	1.5 %
72	-	73	1.5 %
73	-	69	1.4 %
74	-	66	1.3 %
75	-	69	1.4 %
76	-	46	0.9 %
77	-	66	1.3 %
78	-	37	0.7 %
79	-	52	1.0 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,963 valid cases out of 4,963 total cases.

- Mean: 55.41
- Median: 55.00
- Mode: 55.00
- Minimum: 28.00
- Maximum: 84.00
- Standard Deviation: 12.45

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98

B1PRSEX: Respondent's gender

Value	Label	Unweighted Frequency	%
1	Male	2316	46.7 %
2	Female	2647	53.3 %
	Total	4,963	100%

Based upon 4,963 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

B1PA7BJA: Other specify (OS)-diagnosis for suspected or confirmed heart trouble #1

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	7	0.1 %
3	Blocked/closed artery	36	0.7 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	11	0.2 %
6	High blood pressure	13	0.3 %
7	Irregular/fast heart beat/arrhythmia	77	1.6 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	0	0.0 %
11	Palpitation	0	0.0 %
12	Valve disease	31	0.6 %
13	Mitrovalve prolapse	0	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	0	0.0 %
19	Other	83	1.7 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	4	0.1 %
24	Heart attack	8	0.2 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	7	0.1 %
27	Cardiomyopathy	8	0.2 %
28	Stroke	9	0.2 %
29	Heart murmur	3	0.1 %
30	Heart failure/Enlarged heart	4	0.1 %
	Missing Data		
99	Inapp	4662	93.9 %
	Total	4,963	100%

Based upon 301 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 30.00

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA7BJB: Other specify (OS)-diagnosis for suspected or confirmed heart trouble #2

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	0	0.0 %
3	Blocked/closed artery	5	0.1 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	0	0.0 %
6	High blood pressure	1	0.0 %
7	Irregular/fast heart beat/arrhythmia	5	0.1 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	0	0.0 %
11	Palpitation	0	0.0 %
12	Valve disease	2	0.0 %
13	Mitrovalve prolapse	0	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	0	0.0 %
19	Other	4	0.1 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	4	0.1 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	0	0.0 %
27	Cardiomyopathy	1	0.0 %
28	Stroke	1	0.0 %
29	Heart murmur	3	0.1 %
30	Heart failure/enlarged heart	4	0.1 %
	Missing Data		
99	Inapp	4933	99.4 %
	Total	4,963	100%

Based upon 30 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 30.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

B1PA7BJC: Other specify (OS)-diagnosis for suspected or confirmed heart trouble #3

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	0	0.0 %
3	Blocked/closed artery	0	0.0 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	0	0.0 %
6	High blood pressure	0	0.0 %
7	Irregular/fast heart beat/arrhythmia	0	0.0 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	0	0.0 %
11	Palpitation	0	0.0 %
12	Valve disease	1	0.0 %
13	Mitrovalve prolapse	0	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	0	0.0 %
19	Other	0	0.0 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	1	0.0 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	1	0.0 %
27	Cardiomyopathy	0	0.0 %
28	Stroke	0	0.0 %
29	Heart murmur	0	0.0 %
30	Heart failure/enlarged heart	0	0.0 %
	Missing Data		
99	Inapp	4960	99.9 %
	Total	4,963	100%

Based upon 3 valid cases out of 4,963 total cases.

- Minimum: 12.00
- Maximum: 26.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA7BJD: Other specify (OS)-diagnosis for suspected or confirmed heart trouble #4

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	0	0.0 %
3	Blocked/closed artery	0	0.0 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	0	0.0 %
6	High blood pressure	1	0.0 %
7	Irregular/fast heart beat/arrhythmia	0	0.0 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	0	0.0 %
11	Palpitation	0	0.0 %
12	Valve disease	0	0.0 %
13	Mitrovalve prolapse	0	0.0 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	0	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	0	0.0 %
19	Other	0	0.0 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	0	0.0 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	0	0.0 %
27	Cardiomyopathy	0	0.0 %
28	Stroke	0	0.0 %
29	Heart murmur	0	0.0 %
30	Heart failure/enlarged heart	0	0.0 %
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA22A: Other specify (OS)-location of pain or discomfort #1

Value	Label	Unweighted Frequency	%
1	Left chest	2	0.0 %
2	Right chest	18	0.4 %
3	Back	1	0.0 %
4	Center chest	7	0.1 %
5	Whole chest	5	0.1 %
6	Left arm	4	0.1 %
7	Right arm	2	0.0 %
8	Jaw	0	0.0 %
9	Lung	13	0.3 %
10	Neck	2	0.0 %
11	Stomach	1	0.0 %
12	Other	14	0.3 %
13	Both sides of chest	3	0.1 %
14	Upper chest	3	0.1 %
15	Below chest	3	0.1 %
16	Legs	4	0.1 %
17	One or both arms	2	0.0 %
	Missing Data		
99	Inapp	4879	98.3 %
	Total	4,963	100%

Based upon 84 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA22B: Other specify (OS)-location of pain or discomfort #2

Value	Label	Unweighted Frequency	%
1	Left chest	4	0.1 %

Value	Label	Unweighted Frequency	%
2	Right chest	0	0.0 %
3	Back	0	0.0 %
4	Center chest	3	0.1 %
5	Whole chest	0	0.0 %
6	Left arm	2	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	2	0.0 %
10	Neck	0	0.0 %
11	Stomach	0	0.0 %
12	Other	2	0.0 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	Inapp	4950	99.7 %
	Total	4,963	100%

Based upon 13 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA22C: Other specify (OS)-location of pain or discomfort #3

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %
2	Right chest	0	0.0 %
3	Back	0	0.0 %
4	Center chest	2	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	0	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Stomach	0	0.0 %
12	Other	0	0.0 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA23CJA: Other specify (OS)-what doctor said it was about a severe pain across the front of chest #1

Value	Label	Unweighted Frequency	%
1	Heart	22	0.4 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	21	0.4 %
4	Gas	5	0.1 %
5	Acid reflux	22	0.4 %
6	Stress/anxiety	28	0.6 %
7	Indigestion	2	0.0 %
8	Hernia	8	0.2 %
9	Ulcer	0	0.0 %
10	Esophageal	0	0.0 %
11	Other	28	0.6 %
12	Heart burn	0	0.0 %
13	Muscle	21	0.4 %
14	Cartilage	0	0.0 %
15	Lung/asthma	15	0.3 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	3	0.1 %
18	Pancreas	0	0.0 %

Value	Label	Unweighted Frequency	%
19	Exercise routine/activity	0	0.0 %
20	Stomach	6	0.1 %
21	Artery	4	0.1 %
22	Nerve	5	0.1 %
	Missing Data		
97	Don't know	13	0.3 %
99	Inapp	4760	95.9 %
	Total	4,963	100%

Based upon 190 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 22.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99)

B1PA23CJB: Other specify (OS)-what doctor said it was about a severe pain across the front of chest #2

Value	Label	Unweighted Frequency	%
1	Heart	1	0.0 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	2	0.0 %
4	Gas	0	0.0 %
5	Acid reflux	3	0.1 %
6	Stress/anxiety	1	0.0 %
7	Indigestion	1	0.0 %
8	Hernia	1	0.0 %
9	Ulcer	0	0.0 %
10	Esophageal	0	0.0 %
11	Other	4	0.1 %
12	Heart burn	0	0.0 %
13	Muscle	0	0.0 %
14	Cartilage	0	0.0 %
15	Lung/asthma	1	0.0 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	0	0.0 %
18	Pancreas	0	0.0 %
19	Exercise routine/activity	0	0.0 %
20	Stomach	0	0.0 %

Value	Label	Unweighted Frequency	%
21	Artery	0	0.0 %
22	Nerve	0	0.0 %
	Missing Data		
97	Don't know	1	0.0 %
99	Inapp	4948	99.7 %
	Total	4,963	100%

Based upon 14 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA23CJC: Other specify (OS)-what doctor said it was about a severe pain across the front of chest #3

Value	Label	Unweighted Frequency	%
1	Heart	0	0.0 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	0	0.0 %
4	Gas	0	0.0 %
5	Acid reflux	0	0.0 %
6	Stress/anxiety	1	0.0 %
7	Indigestion	0	0.0 %
8	Hernia	0	0.0 %
9	Ulcer	0	0.0 %
10	Esophageal	0	0.0 %
11	Other	1	0.0 %
12	Heart burn	0	0.0 %
13	Muscle	0	0.0 %
14	Cartilage	0	0.0 %
15	Lung/asthma	1	0.0 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	0	0.0 %
18	Pancreas	0	0.0 %
19	Exercise routine/activity	0	0.0 %
20	Stomach	0	0.0 %
21	Artery	0	0.0 %
22	Nerve	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	Inapp	4960	99.9 %
	Total	4,963	100%

Based upon 3 valid cases out of 4,963 total cases.

- Minimum: 6.00
- Maximum: 15.00

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA28JA: Other specify (OS)-type of cancer respondent has had #1

Value	Label	Unweighted Frequency	%
110	Breast	1	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	2	0.0 %
113	Lungs	1	0.0 %
114	Leukemia	4	0.1 %
115	Lymph nodes	2	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	37	0.7 %
119	Uterine	4	0.1 %
120	Bone	0	0.0 %
121	Spine/back	0	0.0 %
122	Blood	1	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	5	0.1 %
126	Brain/head	1	0.0 %
127	Eye	0	0.0 %
128	Ear	1	0.0 %
129	Nervous system	1	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	3	0.1 %
132	Esophagus	1	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %

Value	Label	Unweighted Frequency	%
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	3	0.1 %
139	Bladder	9	0.2 %
140	Pancreas	2	0.0 %
141	Thyroid	17	0.3 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	1	0.0 %
146	Female reproductive system	4	0.1 %
147	Testicular	5	0.1 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	1	0.0 %
151	Nose	3	0.1 %
152	Neck	0	0.0 %
153	Throat	1	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4841	97.5 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 122 valid cases out of 4,963 total cases.

- Minimum: 110.00
- Maximum: 166.00

Location: 37-39 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA28JB: Other specify (OS)-type of cancer respondent has had #2

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	1	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	1	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	1	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	2	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %

Value	Label	Unweighted Frequency	%
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	1	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	1	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4956	99.9 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7 valid cases out of 4,963 total cases.

- Minimum: 115.00
- Maximum: 156.00

Location: 40-42 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA29AIA: Other specify (OS)-type of treatment/therapy currently using for cancer #1

Value	Label	Unweighted Frequency	%
1	Medication	38	0.8 %
2	Sunscreen	10	0.2 %
3	Supplement	0	0.0 %
4	Nutrition	0	0.0 %
5	Other	6	0.1 %
6	Removal	0	0.0 %
7	Doctor	6	0.1 %
8	Burning	2	0.0 %
9	Creams	5	0.1 %
	Missing Data		
99	Inapp	4896	98.7 %
	Total	4,963	100%

Based upon 67 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA29AIB: Other specify (OS)-type of treatment/therapy currently using for cancer #2

Value	Label	Unweighted Frequency	%
1	Medication	0	0.0 %
2	Sunscreen	0	0.0 %
3	Supplement	0	0.0 %
4	Nutrition	0	0.0 %
5	Other	0	0.0 %
6	Removal	0	0.0 %
7	Doctor	3	0.1 %
8	Burning	0	0.0 %
9	Creams	1	0.0 %
	Missing Data		
99	Inapp	4959	99.9 %
	Total	4,963	100%

Based upon 4 valid cases out of 4,963 total cases.

- Minimum: 7.00
- Maximum: 9.00

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PA31JA: Other specify (OS)-type of cancer mother has had #1

Value	Label	Unweighted Frequency	%
110	Breast	3	0.1 %
111	Cervical	0	0.0 %
112	Colon/rectal	5	0.1 %
113	Lungs	7	0.1 %
114	Leukemia	2	0.0 %
115	Lymph nodes	7	0.1 %
116	Ovarian	1	0.0 %
117	Prostate	0	0.0 %
118	Skin	5	0.1 %

Value	Label	Unweighted Frequency	%
119	Uterine	5	0.1 %
120	Bone	16	0.3 %
121	Spine/back	0	0.0 %
122	Blood	3	0.1 %
123	Myeloma	4	0.1 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	27	0.5 %
127	Eye	1	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	6	0.1 %
132	Esophagus	4	0.1 %
133	Stomach	40	0.8 %
134	Intestine	6	0.1 %
135	Liver	29	0.6 %
136	Gall bladder	2	0.0 %
137	Appendix	0	0.0 %
138	Kidney	20	0.4 %
139	Bladder	15	0.3 %
140	Pancreas	35	0.7 %
141	Thyroid	5	0.1 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	1	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	21	0.4 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	4	0.1 %
153	Throat	12	0.2 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	1	0.0 %
157	Finger	0	0.0 %

Value	Label	Unweighted Frequency	%
158	Hip	0	0.0 %
159	Leg	2	0.0 %
	Missing Data		
997	Don't know	4	0.1 %
999	Inapp	4645	93.6 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 314 valid cases out of 4,963 total cases.

- Minimum: 110.00
- Maximum: 165.00

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA31JB: Other specify (OS)-type of cancer mother has had #2

Value	Label	Unweighted Frequency	%
110	Breast	1	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	1	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	6	0.1 %
121	Spine/back	0	0.0 %
122	Blood	1	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	3	0.1 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %

Value	Label	Unweighted Frequency	%
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	5	0.1 %
134	Intestine	0	0.0 %
135	Liver	4	0.1 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	5	0.1 %
139	Bladder	0	0.0 %
140	Pancreas	4	0.1 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4932	99.4 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 31 valid cases out of 4,963 total cases.

- Minimum: 110.00
- Maximum: 164.00

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

B1PA31JC: Other specify (OS)-type of cancer mother has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	1	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	1	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	1	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %

Value	Label	Unweighted Frequency	%
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4960	99.9 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 4,963 total cases.

- Minimum: 126.00
- Maximum: 140.00

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA31JD: Other specify (OS)-type of cancer mother has had #4

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %

Value	Label	Unweighted Frequency	%
120	Bone	0	0.0 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	1	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %

Value	Label	Unweighted Frequency	%
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4962	100.0 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 138.00
- Maximum: 138.00

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA32JA: Other specify (OS)-type of cancer father has had #1

Value	Label	Unweighted Frequency	%
110	Breast	1	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	7	0.1 %
113	Lungs	13	0.3 %
114	Leukemia	6	0.1 %
115	Lymph nodes	11	0.2 %
116	Ovarian	0	0.0 %
117	Prostate	1	0.0 %
118	Skin	10	0.2 %
119	Uterine	0	0.0 %
120	Bone	28	0.6 %
121	Spine/back	3	0.1 %
122	Blood	2	0.0 %
123	Myeloma	9	0.2 %
124	Heart	2	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	30	0.6 %
127	Eye	1	0.0 %
128	Ear	1	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	1	0.0 %
131	Mouth	14	0.3 %
132	Esophagus	17	0.3 %

Value	Label	Unweighted Frequency	%
133	Stomach	38	0.8 %
134	Intestine	2	0.0 %
135	Liver	44	0.9 %
136	Gall bladder	2	0.0 %
137	Appendix	0	0.0 %
138	Kidney	17	0.3 %
139	Bladder	29	0.6 %
140	Pancreas	38	0.8 %
141	Thyroid	1	0.0 %
142	Adrenal glands	2	0.0 %
143	Parotid glands	1	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	10	0.2 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	2	0.0 %
151	Nose	1	0.0 %
152	Neck	2	0.0 %
153	Throat	26	0.5 %
154	Larynx	3	0.1 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	2	0.0 %
	Missing Data		
997	Don't know	7	0.1 %
999	Inapp	4546	91.6 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 410 valid cases out of 4,963 total cases.

- Minimum: 110.00
- Maximum: 166.00

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA32JB: Other specify (OS)-type of cancer father has had #2

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	6	0.1 %
114	Leukemia	0	0.0 %
115	Lymph nodes	2	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	4	0.1 %
121	Spine/back	0	0.0 %
122	Blood	1	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	8	0.2 %
127	Eye	2	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	3	0.1 %
134	Intestine	2	0.0 %
135	Liver	1	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	1	0.0 %
138	Kidney	4	0.1 %
139	Bladder	1	0.0 %
140	Pancreas	4	0.1 %
141	Thyroid	1	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %

Value	Label	Unweighted Frequency	%
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	1	0.0 %
154	Larynx	2	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4919	99.1 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 44 valid cases out of 4,963 total cases.

- Minimum: 113.00
- Maximum: 165.00

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA32JC: Other specify (OS)-type of cancer father has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	1	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %

Value	Label	Unweighted Frequency	%
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	2	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	2	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	1	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999	Inapp	4957	99.9 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6 valid cases out of 4,963 total cases.

- Minimum: 113.00
- Maximum: 153.00

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA32JD: Other specify (OS)-type of cancer father has had #4

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/back	1	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %

Value	Label	Unweighted Frequency	%
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4962	100.0 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 121.00
- Maximum: 121.00

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA33JA: Other specify (OS)-type of cancer brother has had #1

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	3	0.1 %
113	Lungs	2	0.0 %
114	Leukemia	4	0.1 %
115	Lymph nodes	9	0.2 %
116	Ovarian	0	0.0 %
117	Prostate	2	0.0 %
118	Skin	7	0.1 %
119	Uterine	0	0.0 %
120	Bone	12	0.2 %
121	Spine/back	3	0.1 %
122	Blood	2	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	17	0.3 %
127	Eye	0	0.0 %
128	Ear	1	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	5	0.1 %
132	Esophagus	5	0.1 %
133	Stomach	16	0.3 %
134	Intestine	2	0.0 %
135	Liver	14	0.3 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	15	0.3 %
139	Bladder	9	0.2 %
140	Pancreas	9	0.2 %
141	Thyroid	6	0.1 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	5	0.1 %
148	Penis	1	0.0 %

Value	Label	Unweighted Frequency	%
149	Spleen	1	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	2	0.0 %
153	Throat	11	0.2 %
154	Larynx	1	0.0 %
155	Tonsils	1	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
997	Don't know	3	0.1 %
999	Inapp	4785	96.4 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 175 valid cases out of 4,963 total cases.

- Minimum: 112.00
- Maximum: 165.00

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA33JB: Other specify (OS)-type of cancer brother has had #2

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	3	0.1 %
114	Leukemia	0	0.0 %
115	Lymph nodes	1	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	1	0.0 %
121	Spine/back	0	0.0 %

Value	Label	Unweighted Frequency	%
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	6	0.1 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	1	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	1	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	3	0.1 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	4	0.1 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	1	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	1	0.0 %
159	Leg	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999	Inapp	4941	99.6 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 22 valid cases out of 4,963 total cases.

- Minimum: 113.00
- Maximum: 158.00

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA33JC: Other specify (OS)-type of cancer brother has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	2	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	1	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	1	0.0 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %

Value	Label	Unweighted Frequency	%
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4959	99.9 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4 valid cases out of 4,963 total cases.

- Minimum: 113.00
- Maximum: 120.00

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA33JD: Other specify (OS)-type of cancer brother has had #4

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	1	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %

Value	Label	Unweighted Frequency	%
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4962	100.0 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 133.00
- Maximum: 133.00

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA34JA: Other specify (OS)-type of cancer sister has had #1

Value	Label	Unweighted Frequency	%
110	Breast	5	0.1 %
111	Cervical	1	0.0 %
112	Colon/rectal	4	0.1 %
113	Lungs	3	0.1 %
114	Leukemia	2	0.0 %
115	Lymph nodes	8	0.2 %
116	Ovarian	1	0.0 %
117	Prostate	0	0.0 %
118	Skin	6	0.1 %
119	Uterine	1	0.0 %
120	Bone	7	0.1 %
121	Spine/back	3	0.1 %
122	Blood	0	0.0 %

Value	Label	Unweighted Frequency	%
123	Myeloma	1	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	20	0.4 %
127	Eye	2	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	1	0.0 %
131	Mouth	3	0.1 %
132	Esophagus	1	0.0 %
133	Stomach	14	0.3 %
134	Intestine	1	0.0 %
135	Liver	12	0.2 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	2	0.0 %
139	Bladder	4	0.1 %
140	Pancreas	6	0.1 %
141	Thyroid	10	0.2 %
142	Adrenal glands	1	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	1	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	11	0.2 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	1	0.0 %
153	Throat	7	0.1 %
154	Larynx	1	0.0 %
155	Tonsils	1	0.0 %
156	Shoulder	1	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	1	0.0 %
	Missing Data		
997	Don't know	3	0.1 %

Value	Label	Unweighted Frequency	%
999	Inapp	4807	96.9 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 153 valid cases out of 4,963 total cases.

- Minimum: 110.00
- Maximum: 165.00

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA34JB: Other specify (OS)-type of cancer sister has had #2

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	4	0.1 %
114	Leukemia	0	0.0 %
115	Lymph nodes	1	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	3	0.1 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	1	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	4	0.1 %
127	Eye	1	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	1	0.0 %
134	Intestine	0	0.0 %

Value	Label	Unweighted Frequency	%
135	Liver	2	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	4	0.1 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	2	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
997	Don't know	1	0.0 %
999	Inapp	4938	99.5 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24 valid cases out of 4,963 total cases.

- Minimum: 113.00
- Maximum: 164.00

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA34JC: Other specify (OS)-type of cancer sister has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	1	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %

Value	Label	Unweighted Frequency	%
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4962	100.0 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 124.00
- Maximum: 124.00

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA35JA: Other specify (OS)-type of cancer child has had #1

Value	Label	Unweighted Frequency	%
110	Breast	1	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	5	0.1 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	2	0.0 %
119	Uterine	0	0.0 %
120	Bone	2	0.0 %
121	Spine/back	1	0.0 %
122	Blood	3	0.1 %

Value	Label	Unweighted Frequency	%
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	6	0.1 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	1	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	1	0.0 %
132	Esophagus	2	0.0 %
133	Stomach	1	0.0 %
134	Intestine	1	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	2	0.0 %
141	Thyroid	2	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	1	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	1	0.0 %
153	Throat	0	0.0 %
154	Larynx	1	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	1	0.0 %
157	Finger	1	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
997	Don't know	1	0.0 %

Value	Label	Unweighted Frequency	%
999	Inapp	4925	99.2 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 37 valid cases out of 4,963 total cases.

- Minimum: 110.00
- Maximum: 165.00

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA35JB: Other specify (OS)-type of cancer child has had #2

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	1	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	1	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %

Value	Label	Unweighted Frequency	%
135	Liver	1	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	1	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	1	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4957	99.9 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6 valid cases out of 4,963 total cases.

- Minimum: 113.00
- Maximum: 160.00

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PA35JC: Other specify (OS)-type of cancer child has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/rectal	0	0.0 %
113	Lungs	1	0.0 %
114	Leukemia	0	0.0 %
115	Lymph nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/head	1	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous system	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal glands	0	0.0 %
143	Parotid glands	0	0.0 %
144	Pituitary gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female reproductive system	0	0.0 %
147	Testicular	1	0.0 %
148	Penis	0	0.0 %

Value	Label	Unweighted Frequency	%
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	Inapp	4960	99.9 %
	Total	4,963	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 4,963 total cases.

- Minimum: 113.00
- Maximum: 147.00

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PB3KA: Other specify (OS)-respondent's current employment situation #1

Value	Label	Unweighted Frequency	%
1	Disabled	37	0.7 %
2	Caregiving for family	2	0.0 %
3	Volunteer	14	0.3 %
4	Homemaker	0	0.0 %
5	Health problem	11	0.2 %
6	Live on insurance benefit	0	0.0 %
7	Laid off	0	0.0 %
8	Working	11	0.2 %
9	Self-employed	8	0.2 %
10	Part-time work	0	0.0 %
11	Apprenticeship	0	0.0 %
12	Not specified	3	0.1 %
13	Unpaid internship	0	0.0 %

Value	Label	Unweighted Frequency	%
14	Temporary or seasonal work	8	0.2 %
15	Other	21	0.4 %
16	Looking for work	4	0.1 %
17	Retired	5	0.1 %
18	Sick leave	3	0.1 %
19	Social security	3	0.1 %
	Missing Data		
99	Inapp	4833	97.4 %
	Total	4,963	100%

Based upon 130 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PB3KB: Other specify (OS)-respondent's current employment situation #2

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Caregiving for family	0	0.0 %
3	Volunteer	3	0.1 %
4	Homemaker	0	0.0 %
5	Health problem	1	0.0 %
6	Live on insurance benefit	0	0.0 %
7	Laid off	0	0.0 %
8	Working	0	0.0 %
9	Self-employed	0	0.0 %
10	Part-time work	0	0.0 %
11	Apprenticeship	0	0.0 %
12	Not specified	0	0.0 %
13	Unpaid internship	0	0.0 %
14	Temporary or seasonal work	1	0.0 %
15	Other	3	0.1 %
16	Looking for work	0	0.0 %
17	Retired	8	0.2 %
18	Sick leave	1	0.0 %
19	Social security	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
99	Inapp	4946	99.7 %
	Total	4,963	100%

Based upon 17 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 18.00

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PB3KC: Other specify (OS)-respondent's current employment situation #3

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Caregiving for family	0	0.0 %
3	Volunteer	1	0.0 %
4	Homemaker	0	0.0 %
5	Health problem	0	0.0 %
6	Live on insurance benefit	0	0.0 %
7	Laid off	0	0.0 %
8	Working	0	0.0 %
9	Self-employed	0	0.0 %
10	Part-time work	0	0.0 %
11	Apprenticeship	0	0.0 %
12	Not specified	0	0.0 %
13	Unpaid internship	0	0.0 %
14	Temporary or seasonal work	1	0.0 %
15	Other	0	0.0 %
16	Looking for work	0	0.0 %
17	Retired	0	0.0 %
18	Sick leave	0	0.0 %
19	Social security	0	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 14.00

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PB5GA: Other specify (OS)-reason for respondent's unemployment #1

Value	Label	Unweighted Frequency	%
1	Disabled	32	0.6 %
2	Had a baby/child care/married/homemaker	54	1.1 %
3	Health problem/accident	161	3.2 %
4	Other	56	1.1 %
5	Schooling	6	0.1 %
6	Moved	20	0.4 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	22	0.4 %
9	Laid off	25	0.5 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	17	0.3 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	32	0.6 %
14	Resigned/chose to quit	7	0.1 %
15	Didn't like working condition	0	0.0 %
16	Retired	37	0.7 %
	Missing Data		
98	Refused/missing	4	0.1 %
99	Inapp	4490	90.5 %
	Total	4,963	100%

Based upon 469 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PB5GB: Other specify (OS)-reason for respondent's unemployment #2

Value	Label	Unweighted Frequency	%
1	Disabled	3	0.1 %
2	Had a baby/child care/married/homemaker	5	0.1 %
3	Health problem/accident	18	0.4 %
4	Other	4	0.1 %
5	Schooling	0	0.0 %
6	Moved	3	0.1 %

Value	Label	Unweighted Frequency	%
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	4	0.1 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
16	Retired	6	0.1 %
	Missing Data		
99	Inapp	4920	99.1 %
	Total	4,963	100%

Based upon 43 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PB5GC: Other specify (OS)-reason for respondent's unemployment #3

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	0	0.0 %
3	Health problem/accident	4	0.1 %
4	Other	0	0.0 %
5	Schooling	0	0.0 %
6	Moved	0	0.0 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
16	Retired	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	Inapp	4958	99.9 %
	Total	4,963	100%

Based upon 5 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 16.00

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PB36GA: Other specify (OS)-reason for spouse/partner's unemployment #1

Value	Label	Unweighted Frequency	%
1	Disabled	40	0.8 %
2	Had a baby/child care/married/homemaker	90	1.8 %
3	Health problem/accident	115	2.3 %
4	Other	12	0.2 %
5	Schooling	5	0.1 %
6	Moved	17	0.3 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	14	0.3 %
9	Laid off	7	0.1 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	3	0.1 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	29	0.6 %
14	Resigned/chose to quit	6	0.1 %
15	Didn't like working condition	0	0.0 %
16	Retired	15	0.3 %
	Missing Data		
98	Refused/missing	2	0.0 %
99	Inapp	4608	92.8 %
	Total	4,963	100%

Based upon 353 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PB36GB: Other specify (OS)-reason for spouse/partner's unemployment #2

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	8	0.2 %
3	Health problem/accident	11	0.2 %
4	Other	0	0.0 %
5	Schooling	0	0.0 %
6	Moved	1	0.0 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	1	0.0 %
9	Laid off	3	0.1 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	1	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	1	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
16	Retired	22	0.4 %
	Missing Data		
99	Inapp	4915	99.0 %
	Total	4,963	100%

Based upon 48 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PC6A: Other specify (OS)-anyone you have not already mentioned lived in your household in last 12 months #1

Value	Label	Unweighted Frequency	%
1	Friend	29	0.6 %
2	Sister	19	0.4 %
3	Brother	0	0.0 %
4	Spouse	10	0.2 %
5	Nephew	0	0.0 %
6	In-laws	29	0.6 %
7	Roommate	9	0.2 %
8	Parents	27	0.5 %

Value	Label	Unweighted Frequency	%
9	Niece	25	0.5 %
10	Other: non family member	21	0.4 %
11	Other: family member	3	0.1 %
12	Children	31	0.6 %
13	Boyfriend/girlfriend/domestic partner/fiance	9	0.2 %
14	Grandchildren	31	0.6 %
15	Other	43	0.9 %
	Missing Data		
97	Don't know	1	0.0 %
99	Inapp	4676	94.2 %
	Total	4,963	100%

Based upon 286 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PC6B: Other specify (OS)-anyone you have not already mentioned lived in your household in last 12 months #2

Value	Label	Unweighted Frequency	%
1	Friend	1	0.0 %
2	Sister	4	0.1 %
3	Brother	0	0.0 %
4	Spouse	1	0.0 %
5	Nephew	0	0.0 %
6	In-laws	7	0.1 %
7	Roommate	0	0.0 %
8	Parents	0	0.0 %
9	Niece	0	0.0 %
10	Other: non family member	3	0.1 %
11	Other: family member	3	0.1 %
12	Children	4	0.1 %
13	Boyfriend/girlfriend/domestic partner/fiance	1	0.0 %
14	Grandchildren	0	0.0 %
15	Other	1	0.0 %
	Missing Data		
99	Inapp	4938	99.5 %

Value	Label	Unweighted Frequency	%
	Total	4,963	100%

Based upon 25 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PC6C: Other specify (OS)-anyone you have not already mentioned lived in your household in last 12 months #3

Value	Label	Unweighted Frequency	%
1	Friend	0	0.0 %
2	Sister	2	0.0 %
3	Brother	0	0.0 %
4	Spouse	0	0.0 %
5	Nephew	0	0.0 %
6	In-laws	0	0.0 %
7	Roommate	0	0.0 %
8	Parents	0	0.0 %
9	Niece	0	0.0 %
10	Other: non family member	0	0.0 %
11	Other: family member	1	0.0 %
12	Children	2	0.0 %
13	Boyfriend/girlfriend/domestic partner/fiance	0	0.0 %
14	Grandchildren	0	0.0 %
15	Other	0	0.0 %
	Missing Data		
99	Inapp	4958	99.9 %
	Total	4,963	100%

Based upon 5 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PCDTA1: Other specify (OS)-condition disability/mental problem #1

Value	Label	Unweighted Frequency	%
1110	Adreneo Lucro Dystrophy (ALD)	1	0.0 %
1111	Agent Orange	1	0.0 %
1112	Alcoholism	0	0.0 %
1114	Aneurysm	1	0.0 %
1115	Angelman's Syndrome	1	0.0 %
1119	Attention Deficit Hyperactivity Disorder (ADHD)	6	0.1 %
1122	Blood pressure	1	0.0 %
1123	Brain disorder	1	0.0 %
1125	Brain injury/brain injured	1	0.0 %
1127	Cirrhosis	1	0.0 %
1128	Cri du Chat	1	0.0 %
1129	Depression	2	0.0 %
1130	Developmental Disability (DD)	2	0.0 %
1131	Diabetes	5	0.1 %
1132	Digestive problems	1	0.0 %
1133	Drug abuse	2	0.0 %
1135	Executive Function Problem	0	0.0 %
1136	Fetal Alcohol Syndrome	1	0.0 %
1137	Fibromyalgia	1	0.0 %
1139	Hearing impaired	8	0.2 %
1140	Heart attack	0	0.0 %
1141	Heart problem generic	0	0.0 %
1142	Heart surgery	1	0.0 %
1144	Hyperactivity	0	0.0 %
1145	Learning disability	21	0.4 %
1146	Lupus	1	0.0 %
1147	Mental disability	0	0.0 %
1148	Mental handicap	1	0.0 %
1149	Mental health problem	1	0.0 %
1151	Migraine	1	0.0 %
1152	Multiple Sclerosis	4	0.1 %
1153	Neurofibromtosis	1	0.0 %
1154	Obsessive Compulsive Disorder (OCD)	0	0.0 %
1155	Oppositional Defiant Disorder	1	0.0 %
1156	Other neurological problem	4	0.1 %
1160	Physical disability/condition	5	0.1 %
1165	Seizure Disorder	1	0.0 %
1168	Slow in school/slow learner slow	0	0.0 %
1170	Substance Abuse	1	0.0 %

Value	Label	Unweighted Frequency	%
1172	Tic Disorder/Tourette Syndrome	3	0.1 %
1173	Vision impaired	3	0.1 %
1174	WAGR Syndrome	1	0.0 %
1196	Other	6	0.1 %
	Missing Data		
9999	Inapp	4870	98.1 %
	Total	4,963	100%

Based upon 93 valid cases out of 4,963 total cases.

- Minimum: 1110.00
- Maximum: 1196.00

Location: 123-126 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

B1PCDTB1: Other specify (OS)-condition disability/mental problem #2

Value	Label	Unweighted Frequency	%
1110	Adreneo Lucro Dystrophy (ALD)	0	0.0 %
1111	Agent Orange	0	0.0 %
1112	Alcoholism	1	0.0 %
1114	Aneurysm	0	0.0 %
1115	Angelman's Syndrome	0	0.0 %
1119	Attention Deficit Hyperactivity Disorder (ADHD)	0	0.0 %
1122	Blood pressure	0	0.0 %
1123	Brain disorder	0	0.0 %
1125	Brain injury/brain injured	0	0.0 %
1127	Cirrhosis	0	0.0 %
1128	Cri du Chat	0	0.0 %
1129	Depression	0	0.0 %
1130	Developmental Disability (DD)	0	0.0 %
1131	Diabetes	1	0.0 %
1132	Digestive problems	1	0.0 %
1133	Drug abuse	0	0.0 %
1135	Executive Function Problem	1	0.0 %
1136	Fetal Alcohol Syndrome	0	0.0 %
1137	Fibromyalgia	0	0.0 %
1139	Hearing impaired	0	0.0 %
1140	Heart attack	1	0.0 %
1141	Heart problem generic	0	0.0 %

Value	Label	Unweighted Frequency	%
1142	Heart surgery	0	0.0 %
1144	Hyperactivity	0	0.0 %
1145	Learning disability	1	0.0 %
1146	Lupus	1	0.0 %
1147	Mental disability	1	0.0 %
1148	Mental handicap	0	0.0 %
1149	Mental health problem	1	0.0 %
1151	Migraine	0	0.0 %
1152	Multiple Sclerosis	0	0.0 %
1153	Neurofibromtosis	0	0.0 %
1154	Obsessive Compulsive Disorder (OCD)	1	0.0 %
1155	Oppositional Defiant Disorder	1	0.0 %
1156	Other neurological problem	1	0.0 %
1160	Physical disability/condition	0	0.0 %
1165	Seizure Disorder	0	0.0 %
1168	Slow in school/slow learner slow	1	0.0 %
1170	Substance abuse	0	0.0 %
1172	Tic Disorder/Tourette Syndrome	0	0.0 %
1173	Vision impaired	1	0.0 %
1174	WAGR Syndrome	0	0.0 %
1196	Other	1	0.0 %
	Missing Data		
9999	Inapp	4948	99.7 %
	Total	4,963	100%

Based upon 15 valid cases out of 4,963 total cases.

- Minimum: 1112.00
- Maximum: 1196.00

Location: 127-130 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 9997 , 9998 , 9999

B1PCDTC1: Other specify (OS)-condition disability/mental problem #3

Value	Label	Unweighted Frequency	%
1110	Adreneo Lucro Dystrophy (ALD)	0	0.0 %
1111	Agent Orange	0	0.0 %
1112	Alcoholism	0	0.0 %
1114	Aneurysm	0	0.0 %
1115	Angelman's Syndrome	0	0.0 %

Value	Label	Unweighted Frequency	%
1119	Attention Deficit Hyperactivity Disorder (ADHD)	0	0.0 %
1122	Blood pressure	0	0.0 %
1123	Brain disorder	0	0.0 %
1125	Brain injury/brain injured	0	0.0 %
1127	Cirrhosis	0	0.0 %
1128	Cri du Chat	0	0.0 %
1129	Depression	0	0.0 %
1130	Developmental Disability (DD)	0	0.0 %
1131	Diabetes	0	0.0 %
1132	Digestive problems	0	0.0 %
1133	Drug abuse	0	0.0 %
1135	Executive Function Problem	0	0.0 %
1136	Fetal Alcohol Syndrome	0	0.0 %
1137	Fibromyalgia	0	0.0 %
1139	Hearing impaired	1	0.0 %
1140	Heart attack	0	0.0 %
1141	Heart problem generic	1	0.0 %
1142	Heart surgery	0	0.0 %
1144	Hyperactivity	1	0.0 %
1145	Learning disability	1	0.0 %
1146	Lupus	0	0.0 %
1147	Mental disability	0	0.0 %
1148	Mental handicap	0	0.0 %
1149	Mental health problem	0	0.0 %
1151	Migraine	0	0.0 %
1152	Multiple Sclerosis	0	0.0 %
1153	Neurofibromtosis	0	0.0 %
1154	Obsessive Compulsive Disorder (OCD)	0	0.0 %
1155	Oppositional Defiant Disorder	0	0.0 %
1156	Other neurological problem	0	0.0 %
1160	Physical disability/condition	0	0.0 %
1165	Seizure Disorder	0	0.0 %
1168	Slow in school/slow learner slow	0	0.0 %
1170	Substance abuse	0	0.0 %
1172	Tic Disorder/Tourette Syndrome	0	0.0 %
1173	Vision impaired	1	0.0 %
1174	WAGR Syndrome	0	0.0 %
1196	Other	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9999	Inapp	4957	99.9 %
	Total	4,963	100%

Based upon 6 valid cases out of 4,963 total cases.

- Minimum: 1139.00
- Maximum: 1196.00

Location: 131-134 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

B1PCDOA1: Other specify (OS)-any other condition #1

Value	Label	Unweighted Frequency	%
1112	Alcoholism	1	0.0 %
1113	Alzheimer's	1	0.0 %
1116	Anxiety or Anxiety Disorder	6	0.1 %
1117	Asthma	3	0.1 %
1118	Attention Deficit Disorder (ADD)	5	0.1 %
1119	Attention Deficit Hyperactivity Disorder (ADHD)	9	0.2 %
1120	Autism	1	0.0 %
1121	Bipolar Disorder (Manic Depressive Disorder)	6	0.1 %
1123	Brain abnormality	1	0.0 %
1126	Cerebral Palsy (CP)	1	0.0 %
1129	Depression	6	0.1 %
1130	Developmental Disability (DD)	1	0.0 %
1131	Diabetes	1	0.0 %
1133	Drug Abuse	3	0.1 %
1134	Epilepsy	1	0.0 %
1136	Fetal Alcohol Syndrome	0	0.0 %
1138	Galactosemia	1	0.0 %
1139	Hearing impaired	1	0.0 %
1141	Heart problem generic	1	0.0 %
1143	HIV	0	0.0 %
1145	Learning disability	4	0.1 %
1148	Mental handicap	1	0.0 %
1149	Mental health Problem	0	0.0 %
1150	Mental Retardation (MR)	7	0.1 %
1154	Obsessive Compulsive Disorder (OCD)	2	0.0 %
1155	Oppositional Defiant Disorder	1	0.0 %
1156	Other neurological condition	2	0.0 %

Value	Label	Unweighted Frequency	%
1157	Paranoia	2	0.0 %
1158	Perceptual impairment not specified	1	0.0 %
1159	Personality disorder	1	0.0 %
1160	Physical disability/condition	0	0.0 %
1161	Posttraumatic Stress Disorders (PTSD)	1	0.0 %
1162	Psychotic Disorder Psychosis	0	0.0 %
1163	Schizophrenia/Schizoaffective/Schizophreniform Disorder	1	0.0 %
1164	Scoliosis	1	0.0 %
1165	Seizure disorder	4	0.1 %
1166	Sleep disorder (Insomnia)	1	0.0 %
1167	Slow mentally/developmentally	0	0.0 %
1169	Speech problems	2	0.0 %
1170	Substance abuse	1	0.0 %
1171	Suicidal/suicide attempt	2	0.0 %
1172	Tic Disorder/Tourette Syndrome	1	0.0 %
1173	Vision impaired	1	0.0 %
1175	Weight problems	3	0.1 %
1196	Other	2	0.0 %
	Missing Data		
9997	Don't know	3	0.1 %
9999	Inapp	4870	98.1 %
	Total	4,963	100%

Based upon 90 valid cases out of 4,963 total cases.

- Minimum: 1112.00
- Maximum: 1196.00

Location: 135-138 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

B1PCDOB1: Other specify (OS)-any other condition #2

Value	Label	Unweighted Frequency	%
1112	Alcoholism	2	0.0 %
1113	Alzheimer's	0	0.0 %
1116	Anxiety or Anxiety Disorder	0	0.0 %
1117	Asthma	0	0.0 %
1118	Attention Deficit Disorder (ADD)	1	0.0 %
1119	Attention Deficit Hyperactivity Disorder (ADHD)	0	0.0 %
1120	Autism	1	0.0 %

Value	Label	Unweighted Frequency	%
1121	Bipolar Disorder (Manic Depressive Disorder)	2	0.0 %
1123	Brain abnormality	0	0.0 %
1126	Cerebral Palsy (CP)	0	0.0 %
1129	Depression	2	0.0 %
1130	Developmental Disability (DD)	0	0.0 %
1131	Diabetes	0	0.0 %
1133	Drug abuse	0	0.0 %
1134	Epilepsy	0	0.0 %
1136	Fetal Alcohol Syndrome	1	0.0 %
1138	Galactosemia	0	0.0 %
1139	Hearing impaired	1	0.0 %
1141	Heart problem generic	0	0.0 %
1143	HIV	1	0.0 %
1145	Learning disability	2	0.0 %
1148	Mental handicap	0	0.0 %
1149	Mental health problem	3	0.1 %
1150	Mental Retardation (MR)	3	0.1 %
1154	Obsessive Compulsive Disorder (OCD)	1	0.0 %
1155	Oppositional Defiant Disorder	1	0.0 %
1156	Other neurological condition	0	0.0 %
1157	Paranoia	0	0.0 %
1158	Perceptual impariment not specified	0	0.0 %
1159	Personality disorder	0	0.0 %
1160	Physical disability/condition	1	0.0 %
1161	Posttraumatic Stress Disorders (PTSD)	0	0.0 %
1162	Psychotic Disorder Psychosis	0	0.0 %
1163	Schizophrenia/Schizoaffective/Schizophreniform Disorder	0	0.0 %
1164	Scoliosis	1	0.0 %
1165	Seizure disorder	0	0.0 %
1166	Sleep disorder (Insomnia)	0	0.0 %
1167	Slow mentally/developmentally	0	0.0 %
1169	Speech problems	0	0.0 %
1170	Substance abuse	0	0.0 %
1171	Suicidal/suicide attempt	0	0.0 %
1172	Tic Disorder/Tourette Syndrome	1	0.0 %
1173	Vision impaired	0	0.0 %
1175	Weight problems	0	0.0 %
1196	Other	2	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9999	Inapp	4937	99.5 %
	Total	4,963	100%

Based upon 26 valid cases out of 4,963 total cases.

- Minimum: 1112.00
- Maximum: 1196.00

Location: 139-142 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

B1PCDOC1: Other specify (OS)-any other condition #3

Value	Label	Unweighted Frequency	%
1112	Alcoholism	0	0.0 %
1113	Alzheimer's	0	0.0 %
1116	Anxiety or Anxiety Disorder	0	0.0 %
1117	Asthma	0	0.0 %
1118	Attention Deficit Disorder (ADD)	0	0.0 %
1119	Attention Deficit Hyperactivity Disorder (ADHD)	0	0.0 %
1120	Autism	0	0.0 %
1121	Bipolar Disorder (Manic Depressive Disorder)	0	0.0 %
1123	Brain Abnormality	0	0.0 %
1126	Cerebral Palsy (CP)	0	0.0 %
1129	Depression	0	0.0 %
1130	Developmental Disability (DD)	0	0.0 %
1131	Diabetes	0	0.0 %
1133	Drug Abuse	0	0.0 %
1134	Epilepsy	0	0.0 %
1136	Fetal Alcohol Syndrome	0	0.0 %
1138	Galactosemia	0	0.0 %
1139	Hearing impaired	0	0.0 %
1141	Heart problem generic	0	0.0 %
1143	HIV	0	0.0 %
1145	Learning disability	0	0.0 %
1148	Mental handicap	0	0.0 %
1149	Mental health problem	0	0.0 %
1150	Mental Retardation (MR)	1	0.0 %
1154	Obsessive Compulsive Disorder (OCD)	1	0.0 %
1155	Oppositional Defiant Disorder	1	0.0 %
1156	Other neurological condition	0	0.0 %

Value	Label	Unweighted Frequency	%
1157	Paranoia	0	0.0 %
1158	Perceptual impairment not specified	0	0.0 %
1159	Personality disorder	0	0.0 %
1160	Physical disability/condition	0	0.0 %
1161	Posttraumatic Stress Disorders (PTSD)	0	0.0 %
1162	Psychotic Disorder Psychosis	1	0.0 %
1163	Schizophrenia/Schizoaffective/Schizophreniform Disorder	1	0.0 %
1164	Scoliosis	0	0.0 %
1165	Seizure disorder	0	0.0 %
1166	Sleep disorder (Insomnia)	0	0.0 %
1167	Slow Mentally/developmentally	0	0.0 %
1169	Speech Problems	0	0.0 %
1170	Substance abuse	2	0.0 %
1171	Suicidal/suicide attempt	0	0.0 %
1172	Tic Disorder/Tourette Syndrome	0	0.0 %
1173	Vision impaired	0	0.0 %
1175	Weight problems	0	0.0 %
1196	Other	0	0.0 %
	Missing Data		
9999	Inapp	4956	99.9 %
	Total	4,963	100%

Based upon 7 valid cases out of 4,963 total cases.

- Minimum: 1150.00
- Maximum: 1170.00

Location: 143-146 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

B1PCDOD1: Other specify (OS)-any other condition #4

Value	Label	Unweighted Frequency	%
1112	Alcoholism	0	0.0 %
1113	Alzheimer's	0	0.0 %
1116	Anxiety or Anxiety Disorder	0	0.0 %
1117	Asthma	0	0.0 %
1118	Attention Deficit Disorder (ADD)	0	0.0 %
1119	Attention Deficit Hyperactivity Disorder (ADHD)	0	0.0 %
1120	Autism	0	0.0 %
1121	Bipolar Disorder (Manic Depressive Disorder)	1	0.0 %

Value	Label	Unweighted Frequency	%
1123	Brain abnormality	0	0.0 %
1126	Cerebral Palsy (CP)	0	0.0 %
1129	Depression	0	0.0 %
1130	Developmental Disability (DD)	0	0.0 %
1131	Diabetes	0	0.0 %
1133	Drug abuse	0	0.0 %
1134	Epilepsy	0	0.0 %
1136	Fetal Alcohol Syndrome	0	0.0 %
1138	Galactosemia	0	0.0 %
1139	Hearing impaired	0	0.0 %
1141	Heart problem generic	0	0.0 %
1143	HIV	0	0.0 %
1145	Learning disability	0	0.0 %
1148	Mental handicap	0	0.0 %
1149	Mental health problem	0	0.0 %
1150	Mental Retardation (MR)	0	0.0 %
1154	Obsessive Compulsive Disorder (OCD)	0	0.0 %
1155	Oppositional Defiant Disorder	0	0.0 %
1156	Other neurological condition	0	0.0 %
1157	Paranoia	0	0.0 %
1158	Perceptual impariment not specified	0	0.0 %
1159	Personality disorder	0	0.0 %
1160	Physical disability/condition	0	0.0 %
1161	Posttraumatic Stress Disorders (PTSD)	0	0.0 %
1162	Psychotic Disorder Psychosis	0	0.0 %
1163	Schizophrenia/Schizoaffective/Schizophreniform Disorder	0	0.0 %
1164	Scoliosis	0	0.0 %
1165	Seizure Disorder	0	0.0 %
1166	Sleep disorder (Insomnia)	0	0.0 %
1167	Slow mentally/developmentally	0	0.0 %
1169	Speech problems	0	0.0 %
1170	Substance abuse	0	0.0 %
1171	Suicidal/suicide attempt	0	0.0 %
1172	Tic Disorder/Tourette Syndrome	0	0.0 %
1173	Vision impaired	0	0.0 %
1175	Weight problems	0	0.0 %
1196	Other	0	0.0 %
	Missing Data		
9999	Inapp	4962	100.0 %

Value	Label	Unweighted Frequency	%
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 1121.00
- Maximum: 1121.00

Location: 147-150 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9997 , 9998 , 9999

B1PD2A: Other specify (OS)-recipient of the most personal care #1

Value	Label	Unweighted Frequency	%
1	Friend	39	0.8 %
2	Aunt	10	0.2 %
3	Children	0	0.0 %
4	Uncle	3	0.1 %
5	Stepfather	0	0.0 %
6	Boyfriend/girlfriend	0	0.0 %
7	Domestic partner	4	0.1 %
8	In-laws	19	0.4 %
9	Other: family member	2	0.0 %
10	Other: non family member	0	0.0 %
11	Other	30	0.6 %
12	Grandchildren	6	0.1 %
13	Niece/nephew	6	0.1 %
14	Cousin	6	0.1 %
15	Ex-husband	3	0.1 %
16	Parents both	7	0.1 %
	Missing Data		
99	Inapp	4828	97.3 %
	Total	4,963	100%

Based upon 135 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PD4A: Other specify (OS)-condition caused recipient to need personal care #1

Value	Label	Unweighted Frequency	%
1	Autism	2	0.0 %
2	Arthritis	11	0.2 %
3	Bipolar	7	0.1 %
4	Diabetes	15	0.3 %
5	Other cancer	75	1.5 %
6	Old age	63	1.3 %
7	Mental disease	5	0.1 %
8	Dementia/Alzheimer	32	0.6 %
9	Surgery	13	0.3 %
10	Parkinson's disease	10	0.2 %
11	Depression	16	0.3 %
12	Stroke	38	0.8 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	13	0.3 %
15	Back/spine	14	0.3 %
16	Epilepsy/seizure	2	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	3	0.1 %
18	Heart	56	1.1 %
19	Other	123	2.5 %
20	Blood/blood clot/blood pressure	7	0.1 %
21	Brain	11	0.2 %
22	Broken bone	1	0.0 %
23	Lung/asthma	15	0.3 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	34	0.7 %
26	Brain cancer	2	0.0 %
27	Kidney	4	0.1 %
28	Foot/ankle	12	0.2 %
29	Social network problem	12	0.2 %
	Missing Data		
97	Don't know	5	0.1 %
98	Refused/missing	18	0.4 %
99	Inapp	4344	87.5 %
	Total	4,963	100%

Based upon 596 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 29.00

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

B1PD4B: Other specify (OS)-condition caused recipient to need personal care #2

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	8	0.2 %
3	Bipolar	3	0.1 %
4	Diabetes	11	0.2 %
5	Other cancer	6	0.1 %
6	Old age	10	0.2 %
7	Mental disease	1	0.0 %
8	Dementia/Alzheimer	7	0.1 %
9	Surgery	2	0.0 %
10	Parkinson's disease	1	0.0 %
11	Depression	1	0.0 %
12	Stroke	13	0.3 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	1	0.0 %
15	Back/spine	4	0.1 %
16	Epilepsy/seizure	1	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	1	0.0 %
18	Heart	10	0.2 %
19	Other	71	1.4 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	2	0.0 %
22	Broken bone	1	0.0 %
23	Lung/asthma	9	0.2 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	6	0.1 %
26	Brain cancer	0	0.0 %
27	Kidney	2	0.0 %
28	Foot/ankle	1	0.0 %
29	Social network problem	2	0.0 %
	Missing Data		
98	Refused/missing	3	0.1 %
99	Inapp	4786	96.4 %
	Total	4,963	100%

Based upon 174 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 29.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PD4C: Other specify (OS)-condition caused recipient to need personal care #3

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	1	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	6	0.1 %
5	Other cancer	1	0.0 %
6	Old age	4	0.1 %
7	Mental disease	0	0.0 %
8	Dementia/Alzheimer	1	0.0 %
9	Surgery	1	0.0 %
10	Parkinson's disease	2	0.0 %
11	Depression	0	0.0 %
12	Stroke	0	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	0	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	3	0.1 %
19	Other	31	0.6 %
20	Blood/blood clot/blood pressure	1	0.0 %
21	Brain	0	0.0 %
22	Broken bone	0	0.0 %
23	Lung/asthma	3	0.1 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	3	0.1 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
28	Foot/ankle	0	0.0 %
29	Social network problem	1	0.0 %
	Missing Data		
99	Inapp	4905	98.8 %
	Total	4,963	100%

Based upon 58 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 29.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PD4D: Other specify (OS)-condition caused recipient to need personal care #4

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	0	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	0	0.0 %
5	Other cancer	0	0.0 %
6	Old age	1	0.0 %
7	Mental disease	0	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	0	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	0	0.0 %
12	Stroke	6	0.1 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	0	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	3	0.1 %
19	Other	8	0.2 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	0	0.0 %
22	Broken bone	0	0.0 %
23	Lung/asthma	2	0.0 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	0	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
28	Foot/ankle	0	0.0 %
29	Social network problem	0	0.0 %
	Missing Data		
99	Inapp	4943	99.6 %

Value	Label	Unweighted Frequency	%
	Total	4,963	100%

Based upon 20 valid cases out of 4,963 total cases.

- Minimum: 6.00
- Maximum: 23.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PD4E: Other specify (OS)-condition caused recipient to need personal care #5

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	0	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	0	0.0 %
5	Other cancer	0	0.0 %
6	Old age	0	0.0 %
7	Mental disease	0	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	0	0.0 %
10	Parkinson's disease	1	0.0 %
11	Depression	0	0.0 %
12	Stroke	0	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	0	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	1	0.0 %
19	Other	3	0.1 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	0	0.0 %
22	Broken bone	0	0.0 %
23	Lung/asthma	1	0.0 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	0	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
28	Foot/ankle	0	0.0 %

Value	Label	Unweighted Frequency	%
29	Social network problem	0	0.0 %
	Missing Data		
99	Inapp	4957	99.9 %
	Total	4,963	100%

Based upon 6 valid cases out of 4,963 total cases.

- Minimum: 10.00
- Maximum: 23.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PD4F: Other specify (OS)-condition caused recipient to need personal care #6

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	0	0.0 %
3	Bipolar	1	0.0 %
4	Diabetes	0	0.0 %
5	Other cancer	0	0.0 %
6	Old age	0	0.0 %
7	Mental disease	0	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	0	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	0	0.0 %
12	Stroke	0	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	0	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	0	0.0 %
19	Other	0	0.0 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	0	0.0 %
22	Broken bone	0	0.0 %
23	Lung/asthma	0	0.0 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	0	0.0 %

Value	Label	Unweighted Frequency	%
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
28	Foot/ankle	0	0.0 %
29	Social network problem	0	0.0 %
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PD8AA: Other specify (OS)-the reason for no longer helping recipient

Value	Label	Unweighted Frequency	%
1	Condition improved	3	0.1 %
2	No longer live together	5	0.1 %
3	Problem in relationship with recipient	0	0.0 %
4	Other	6	0.1 %
5	Someone else is helping	8	0.2 %
6	Caregiver choice	3	0.1 %
	Missing Data		
9	Inapp	4938	99.5 %
	Total	4,963	100%

Based upon 25 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 165-165 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

B1PE1GOS: Other institutional setting

Value	Label	Unweighted Frequency	%
110	Campus housing (not dorm)	1	0.0 %
111	Dormitory	1	0.0 %
112	Jail	1	0.0 %

Value	Label	Unweighted Frequency	%
113	Nursing home	2	0.0 %
114	Assisted living	2	0.0 %
115	Retirement community	2	0.0 %
116	Temporary home for visually impaired	2	0.0 %
117	Rehabilitation for alcohol use	1	0.0 %
118	Rehabilitation not specified	4	0.1 %
119	Fire station	1	0.0 %
120	Motels	1	0.0 %
121	Catholic retreat house	1	0.0 %
196	Other	1	0.0 %
	Missing Data		
999	Inapp	4943	99.6 %
	Total	4,963	100%

Based upon 20 valid cases out of 4,963 total cases.

- Minimum: 110.00
- Maximum: 196.00

Location: 166-168 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

B1PE1A7A: Other specify (OS)-Institution setting where participant has lived last 5 years

Value	Label	Unweighted Frequency	%
1	Hospital/rehab center	7	0.1 %
2	Jail/halfway house	1	0.0 %
3	Barrack/armed forces housing	0	0.0 %
4	Educational institution	2	0.0 %
5	Other	4	0.1 %
6	Assisted-living facility	6	0.1 %
	Missing Data		
9	Inapp	4943	99.6 %
	Total	4,963	100%

Based upon 20 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 169-169 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

B1PF1A: Other specify (OS)-other Spanish origin #1

Value	Label	Unweighted Frequency	%
1	Dominican	1	0.0 %
2	Columbian	2	0.0 %
3	Hispanic	11	0.2 %
4	Spanish	33	0.7 %
5	Portuguese	4	0.1 %
6	El Salvador	3	0.1 %
7	Brazilian	1	0.0 %
8	Ecuadorian	0	0.0 %
9	Latino	0	0.0 %
10	South American	0	0.0 %
11	Central American	0	0.0 %
12	Other	12	0.2 %
13	Mixed racial origins	0	0.0 %
14	Mexico	2	0.0 %
	Missing Data		
99	Inapp	4894	98.6 %
	Total	4,963	100%

Based upon 69 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF1B: Other specify (OS)-other Spanish origin #2

Value	Label	Unweighted Frequency	%
1	Dominican	0	0.0 %
2	Columbian	0	0.0 %
3	Hispanic	0	0.0 %
4	Spanish	3	0.1 %
5	Portuguese	2	0.0 %
6	El Salvador	0	0.0 %
7	Brazilian	0	0.0 %
8	Ecuadorian	0	0.0 %
9	Latino	0	0.0 %
10	South American	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Central American	0	0.0 %
12	Other	3	0.1 %
13	Mixed racial origins	0	0.0 %
14	Mexico	1	0.0 %
	Missing Data		
99	Inapp	4954	99.8 %
	Total	4,963	100%

Based upon 9 valid cases out of 4,963 total cases.

- Minimum: 4.00
- Maximum: 14.00

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF1C: Other specify (OS)-other Spanish origin #3

Value	Label	Unweighted Frequency	%
1	Dominican	0	0.0 %
2	Columbian	0	0.0 %
3	Hispanic	0	0.0 %
4	Spanish	1	0.0 %
5	Portuguese	0	0.0 %
6	El Salvador	0	0.0 %
7	Brazilian	0	0.0 %
8	Ecuadorian	0	0.0 %
9	Latino	0	0.0 %
10	South American	0	0.0 %
11	Central American	0	0.0 %
12	Other	1	0.0 %
13	Mixed racial origins	0	0.0 %
14	Mexico	0	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 4.00
- Maximum: 12.00

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF1D: Other specify (OS)-other Spanish origin #4

Value	Label	Unweighted Frequency	%
1	Dominican	0	0.0 %
2	Columbian	0	0.0 %
3	Hispanic	0	0.0 %
4	Spanish	1	0.0 %
5	Portuguese	0	0.0 %
6	El Salvador	0	0.0 %
7	Brazilian	0	0.0 %
8	Ecuadorian	0	0.0 %
9	Latino	0	0.0 %
10	South American	0	0.0 %
11	Central American	0	0.0 %
12	Other	0	0.0 %
13	Mixed racial origins	0	0.0 %
14	Mexico	0	0.0 %
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF2AA: Other specify (OS)-other main ethnic background or origins #1

Value	Label	Unweighted Frequency	%
1	Denmark	64	1.3 %
2	American/United States	39	0.8 %
3	African American	31	0.6 %
4	Caucasian	30	0.6 %
5	Netherland	147	3.0 %
6	Great Britain	6	0.1 %
7	Native American	43	0.9 %
8	Scandinavian	18	0.4 %
9	European	37	0.7 %

Value	Label	Unweighted Frequency	%
10	Switzerland	17	0.3 %
11	Finland	18	0.4 %
12	Asian	8	0.2 %
13	Other	116	2.3 %
14	Ukraine	6	0.1 %
15	Not specified	0	0.0 %
16	Germany	3	0.1 %
17	Lithuania	27	0.5 %
18	Jewish	35	0.7 %
19	Wales	66	1.3 %
20	Belgium	13	0.3 %
21	Austria	20	0.4 %
22	French Canadian	6	0.1 %
23	Hungary	0	0.0 %
24	Ireland	19	0.4 %
25	Pacific Islander	2	0.0 %
26	Slovakia	10	0.2 %
27	Middle Eastern	8	0.2 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	6	0.1 %
31	France	3	0.1 %
32	England	5	0.1 %
33	Romania	9	0.2 %
	Missing Data		
98	Refused/missing	1	0.0 %
99	Inapp	4150	83.6 %
	Total	4,963	100%

Based upon 812 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 33.00

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF2BA: Other specify (OS)-other main ethnic background or origins #2

Value	Label	Unweighted Frequency	%
1	Denmark	3	0.1 %

Value	Label	Unweighted Frequency	%
2	American/United States	6	0.1 %
3	African American	1	0.0 %
4	Caucasian	3	0.1 %
5	Netherland	0	0.0 %
6	Great Britain	4	0.1 %
7	Native American	3	0.1 %
8	Scandinavian	1	0.0 %
9	European	5	0.1 %
10	Switzerland	3	0.1 %
11	Finland	0	0.0 %
12	Asian	4	0.1 %
13	Other	11	0.2 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	3	0.1 %
17	Lithuania	0	0.0 %
18	Jewish	2	0.0 %
19	Wales	2	0.0 %
20	Belgium	1	0.0 %
21	Austria	1	0.0 %
22	French Canadian	1	0.0 %
23	Hungary	0	0.0 %
24	Ireland	3	0.1 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	15	0.3 %
31	France	0	0.0 %
32	England	4	0.1 %
33	Romania	1	0.0 %
	Missing Data		
99	Inapp	4886	98.4 %
	Total	4,963	100%

Based upon 77 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 33.00

Location: 180-181 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF2CA: Other specify (OS)-other main ethnic background or origins #3

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	1	0.0 %
3	African American	0	0.0 %
4	Caucasian	1	0.0 %
5	Netherland	0	0.0 %
6	Great Britain	0	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	0	0.0 %
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	3	0.1 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %
18	Jewish	1	0.0 %
19	Wales	1	0.0 %
20	Belgium	0	0.0 %
21	Austria	0	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	1	0.0 %
32	England	6	0.1 %
33	Romania	0	0.0 %
	Missing Data		
99	Inapp	4949	99.7 %

Value	Label	Unweighted Frequency	%
	Total	4,963	100%

Based upon 14 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 32.00

Location: 182-183 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF2CB: Other specify (OS)-other main ethnic background or origins #4

Value	Label	Unweighted Frequency	%
1	Denmark	0	0.0 %
2	American/United States	0	0.0 %
3	African American	0	0.0 %
4	Caucasian	0	0.0 %
5	Netherlands	1	0.0 %
6	Great Britain	0	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	0	0.0 %
10	Switzerland	0	0.0 %
11	Finland	0	0.0 %
12	Asian	0	0.0 %
13	Other	2	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	0	0.0 %
18	Jewish	0	0.0 %
19	Wales	0	0.0 %
20	Belgium	0	0.0 %
21	Austria	1	0.0 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	0	0.0 %
27	Middle Eastern	0	0.0 %
28	Spain	0	0.0 %

Value	Label	Unweighted Frequency	%
29	Bermuda	0	0.0 %
30	Scotland	0	0.0 %
31	France	2	0.0 %
32	England	0	0.0 %
33	Romania	0	0.0 %
	Missing Data		
99	Inapp	4957	99.9 %
	Total	4,963	100%

Based upon 6 valid cases out of 4,963 total cases.

- Minimum: 5.00
- Maximum: 31.00

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF3A: Other specify (OS)-other which best describes background or origins #1

Value	Label	Unweighted Frequency	%
1	All equally together	81	1.6 %
2	England	5	0.1 %
3	Jewish	4	0.1 %
4	American	15	0.3 %
5	Scandinavian	0	0.0 %
6	White	2	0.0 %
7	Swiss	0	0.0 %
8	Ireland	2	0.0 %
9	French Canadian	0	0.0 %
10	African American	0	0.0 %
11	European	20	0.4 %
12	Other	25	0.5 %
	Missing Data		
99	Inapp	4809	96.9 %
	Total	4,963	100%

Based upon 154 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF7AA: Other specify (OS)-other main racial origins #1

Value	Label	Unweighted Frequency	%
1	White	17	0.3 %
2	Black/African American	2	0.0 %
3	Native American or Alaska Native	6	0.1 %
4	Asian	14	0.3 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	53	1.1 %
7	Hispanic/Latino	55	1.1 %
8	Mixed race	4	0.1 %
	Missing Data		
97	Don't know	2	0.0 %
98	Refused/missing	1	0.0 %
99	Inapp	4809	96.9 %
	Total	4,963	100%

Based upon 151 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF7BA: Other specify (OS)-other main racial origins #2

Value	Label	Unweighted Frequency	%
1	White	1	0.0 %
2	Black/African American	2	0.0 %
3	Native American or Alaska Native	5	0.1 %
4	Asian	2	0.0 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	14	0.3 %
7	Hispanic/Latino	11	0.2 %
8	Mixed race	0	0.0 %
	Missing Data		
99	Inapp	4928	99.3 %
	Total	4,963	100%

Based upon 35 valid cases out of 4,963 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF7CA: Other specify (OS)-other main racial origins #3

Value	Label	Unweighted Frequency	%
1	White	1	0.0 %
2	Black/African American	0	0.0 %
3	Native American or Alaska Native	4	0.1 %
4	Asian	2	0.0 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	7	0.1 %
7	Hispanic/Latino	0	0.0 %
8	Mixed race	0	0.0 %
	Missing Data		
99	Inapp	4949	99.7 %
	Total	4,963	100%

Based upon 14 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 192-193 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF7DA: Other specify (OS)-other main racial origins #4

Value	Label	Unweighted Frequency	%
1	White	0	0.0 %
2	Black/African American	0	0.0 %
3	Native American or Alaska Native	0	0.0 %
4	Asian	0	0.0 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	2	0.0 %
7	Hispanic/Latino	2	0.0 %
8	Mixed race	0	0.0 %
	Missing Data		
99	Inapp	4959	99.9 %
	Total	4,963	100%

Based upon 4 valid cases out of 4,963 total cases.

- Minimum: 6.00
- Maximum: 7.00

Location: 194-195 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF8AA: Other specify (OS)-other which best describes racial background #1

Value	Label	Unweighted Frequency	%
1	White	0	0.0 %
2	Black/African American	0	0.0 %
3	Native American or Alaska Native	0	0.0 %
4	Asian	0	0.0 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	2	0.0 %
7	Hispanic/Latino	0	0.0 %
8	Mixed race	4	0.1 %
	Missing Data		
99	Inapp	4957	99.9 %
	Total	4,963	100%

Based upon 6 valid cases out of 4,963 total cases.

- Minimum: 6.00
- Maximum: 8.00

Location: 196-197 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF12BA: Other specify (OS)-country of citizenship #1

Value	Label	Unweighted Frequency	%
1	Canada	9	0.2 %
2	Argentina	1	0.0 %
3	India	0	0.0 %
4	China	0	0.0 %
5	Mexico	1	0.0 %
6	Jamaica	1	0.0 %
7	Japan	1	0.0 %
8	El Salvador	0	0.0 %
9	United Kingdom	4	0.1 %
10	Have no citizenship	0	0.0 %
11	Other	9	0.2 %
12	Liberia	1	0.0 %

Value	Label	Unweighted Frequency	%
13	United States	0	0.0 %
14	Malaysia	1	0.0 %
15	Russia	1	0.0 %
16	Philippines	2	0.0 %
17	Ireland	1	0.0 %
18	Germany	1	0.0 %
19	Brazil	1	0.0 %
20	Bolivia	0	0.0 %
21	Nigeria	0	0.0 %
22	Kenya	0	0.0 %
23	Mauritania	0	0.0 %
	Missing Data		
99	Inapp	4929	99.3 %
	Total	4,963	100%

Based upon 34 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 198-199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1PF12BB: Other specify (OS)-country of citizenship #2

Value	Label	Unweighted Frequency	%
1	Canada	0	0.0 %
2	Argentina	0	0.0 %
3	India	0	0.0 %
4	China	0	0.0 %
5	Mexico	0	0.0 %
6	Jamaica	0	0.0 %
7	Japan	0	0.0 %
8	El Salvador	0	0.0 %
9	United Kingdom	1	0.0 %
10	Have no citizenship	0	0.0 %
11	Other	0	0.0 %
12	Liberia	0	0.0 %
13	United States	0	0.0 %
14	Malaysia	0	0.0 %
15	Russia	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Philippines	0	0.0 %
17	Ireland	0	0.0 %
18	Germany	1	0.0 %
19	Brazil	0	0.0 %
20	Bolivia	0	0.0 %
21	Nigeria	0	0.0 %
22	Kenya	0	0.0 %
23	Mauritania	0	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 9.00
- Maximum: 18.00

Location: 200-201 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA14HA: Other specify (OS)-vitamin, mineral, or herbal supplements you take regularly #1

Value	Label	Unweighted Frequency	%
1	Magnesium	26	0.5 %
2	Folic acid	25	0.5 %
3	Vitamin D	11	0.2 %
4	Melatonin	7	0.1 %
5	Potassium	16	0.3 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	335	6.7 %
8	Niacin	7	0.1 %
9	Probiotic	1	0.0 %
10	Vitamin B/B-12/B complex	79	1.6 %
11	CoQ10	26	0.5 %
12	Other	196	3.9 %
13	Zinc	19	0.4 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	5	0.1 %
16	Biotin	2	0.0 %
17	Lutein	12	0.2 %
18	Other vitamin	2	0.0 %

Value	Label	Unweighted Frequency	%
19	Beta-carotene	7	0.1 %
20	Garlic	2	0.0 %
21	Lecithin	9	0.2 %
22	Ginseng	15	0.3 %
23	Chromium	10	0.2 %
24	Selenium	9	0.2 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	10	0.2 %
28	Lysine	0	0.0 %
29	Vitamin A	3	0.1 %
30	Multi-vitamin	34	0.7 %
31	Calcium	17	0.3 %
	Missing Data		
97	Don't know	4	0.1 %
99	Inapp	4074	82.1 %
	Total	4,963	100%

Based upon 885 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 31.00

Location: 202-203 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA14HB: Other specify (OS)-vitamin, mineral, or herbal supplements you take regularly #2

Value	Label	Unweighted Frequency	%
1	Magnesium	4	0.1 %
2	Folic acid	22	0.4 %
3	Vitamin D	9	0.2 %
4	Melatonin	2	0.0 %
5	Potassium	13	0.3 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	27	0.5 %
8	Niacin	3	0.1 %
9	Probiotic	1	0.0 %
10	Vitamin B/B-12/B complex	66	1.3 %
11	CoQ10	17	0.3 %
12	Other	55	1.1 %

Value	Label	Unweighted Frequency	%
13	Zinc	15	0.3 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	1	0.0 %
17	Lutein	1	0.0 %
18	Other vitamin	3	0.1 %
19	Beta-carotene	1	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	3	0.1 %
24	Selenium	8	0.2 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	2	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	4	0.1 %
30	Multi-vitamin	0	0.0 %
31	Calcium	4	0.1 %
	Missing Data		
99	Inapp	4702	94.7 %
	Total	4,963	100%

Based upon 261 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 31.00

Location: 204-205 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA14HC: Other specify (OS)-vitamin, mineral, or herbal supplements you take regularly #3

Value	Label	Unweighted Frequency	%
1	Magnesium	3	0.1 %
2	Folic acid	9	0.2 %
3	Vitamin D	1	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	3	0.1 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	11	0.2 %

Value	Label	Unweighted Frequency	%
8	Niacin	2	0.0 %
9	Probiotic	1	0.0 %
10	Vitamin B/B-12/B complex	27	0.5 %
11	CoQ10	7	0.1 %
12	Other	14	0.3 %
13	Zinc	5	0.1 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	1	0.0 %
16	Biotin	1	0.0 %
17	Lutein	0	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-carotene	3	0.1 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	1	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	4	0.1 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	4870	98.1 %
	Total	4,963	100%

Based upon 93 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 29.00

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA14HD: Other specify (OS)-vitamin, mineral, or herbal supplements you take regularly #4

Value	Label	Unweighted Frequency	%
1	Magnesium	3	0.1 %
2	Folic acid	3	0.1 %

Value	Label	Unweighted Frequency	%
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	7	0.1 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	12	0.2 %
11	CoQ10	2	0.0 %
12	Other	11	0.2 %
13	Zinc	1	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	2	0.0 %
17	Lutein	0	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	3	0.1 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	1	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	4918	99.1 %
	Total	4,963	100%

Based upon 45 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 30.00

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA14HE: Other specify (OS)-vitamin, mineral, or herbal supplements you take regularly #5

Value	Label	Unweighted Frequency	%
1	Magnesium	1	0.0 %
2	Folic acid	1	0.0 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	1	0.0 %
8	Niacin	0	0.0 %
9	Probiotic	1	0.0 %
10	Vitamin B/B-12/B complex	14	0.3 %
11	CoQ10	0	0.0 %
12	Other	3	0.1 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	1	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	2	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	1	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	4938	99.5 %
	Total	4,963	100%

Based upon 25 valid cases out of 4,963 total cases.

- Minimum: 1.00

- Maximum: 29.00

Location: 210-211 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA14HF: Other specify (OS)-vitamin, mineral, or herbal supplements you take regularly #6

Value	Label	Unweighted Frequency	%
1	Magnesium	1	0.0 %
2	Folic acid	0	0.0 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	2	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	0	0.0 %
8	Niacin	1	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	1	0.0 %
11	CoQ10	0	0.0 %
12	Other	3	0.1 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	2	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	4953	99.8 %

Value	Label	Unweighted Frequency	%
	Total	4,963	100%

Based upon 10 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 24.00

Location: 212-213 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA14HG: Other specify (OS)-vitamin, mineral, or herbal supplements you take regularly #7

Value	Label	Unweighted Frequency	%
1	Magnesium	3	0.1 %
2	Folic acid	0	0.0 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	0	0.0 %
8	Niacin	1	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	0	0.0 %
11	CoQ10	0	0.0 %
12	Other	1	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %

Value	Label	Unweighted Frequency	%
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	4958	99.9 %
	Total	4,963	100%

Based upon 5 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 214-215 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA14HH: Other specify (OS)-vitamin, mineral, or herbal supplements you take regularly #8

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %
2	Folic acid	0	0.0 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	0	0.0 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	0	0.0 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
18	Other vitamin	0	0.0 %
19	Beta-carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %

Value	Label	Unweighted Frequency	%
24	Selenium	4	0.1 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	1	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	4958	99.9 %
	Total	4,963	100%

Based upon 5 valid cases out of 4,963 total cases.

- Minimum: 24.00
- Maximum: 29.00

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA14HI: Other specify (OS)-vitamin, mineral, or herbal supplements you take regularly #9

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %
2	Folic acid	0	0.0 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	0	0.0 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	0	0.0 %
11	CoQ10	0	0.0 %
12	Other	2	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	0	0.0 %
18	Other vitamin	0	0.0 %

Value	Label	Unweighted Frequency	%
19	Beta-carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	1	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	Inapp	4960	99.9 %
	Total	4,963	100%

Based upon 3 valid cases out of 4,963 total cases.

- Minimum: 12.00
- Maximum: 29.00

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA21FA: Other specify (OS)-location where pain primarily located #1

Value	Label	Unweighted Frequency	%
1	Chest	0	0.0 %
2	Abdomen	0	0.0 %
3	Ankle	1	0.0 %
4	Spine	0	0.0 %
5	Other	0	0.0 %
6	Ribs	0	0.0 %
7	Wrist	0	0.0 %
8	Toe	0	0.0 %
9	Leg	0	0.0 %
10	Pelvis	0	0.0 %
11	Jaw	0	0.0 %
12	Rectum	0	0.0 %
13	Lungs	0	0.0 %

Value	Label	Unweighted Frequency	%
14	Joint	5	0.1 %
15	Groin	0	0.0 %
16	Tail bone	0	0.0 %
17	Bone spur	0	0.0 %
18	Shoulder	6	0.1 %
19	Finger	0	0.0 %
20	Teeth	0	0.0 %
21	Hip	1	0.0 %
22	Stomach	0	0.0 %
23	Eye	0	0.0 %
24	Intestine	0	0.0 %
25	Ear	0	0.0 %
26	Kidney	0	0.0 %
27	Face	0	0.0 %
	Missing Data		
99	Inapp	4950	99.7 %
	Total	4,963	100%

Based upon 13 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 21.00

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA21FB: Other specify (OS)-location where pain primarily located #2

Value	Label	Unweighted Frequency	%
1	Chest	0	0.0 %
2	Abdomen	0	0.0 %
3	Ankle	0	0.0 %
4	Spine	0	0.0 %
5	Other	0	0.0 %
6	Ribs	0	0.0 %
7	Wrist	0	0.0 %
8	Toe	0	0.0 %
9	Leg	0	0.0 %
10	Pelvis	0	0.0 %
11	Jaw	0	0.0 %
12	Rectum	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Lungs	0	0.0 %
14	Joint	3	0.1 %
15	Groin	0	0.0 %
16	Tail bone	0	0.0 %
17	Bone spur	0	0.0 %
18	Shoulder	0	0.0 %
19	Finger	0	0.0 %
20	Teeth	0	0.0 %
21	Hip	2	0.0 %
22	Stomach	0	0.0 %
23	Eye	0	0.0 %
24	Intestine	0	0.0 %
25	Ear	0	0.0 %
26	Kidney	0	0.0 %
27	Face	0	0.0 %
	Missing Data		
99	Inapp	4958	99.9 %
	Total	4,963	100%

Based upon 5 valid cases out of 4,963 total cases.

- Minimum: 14.00
- Maximum: 21.00

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA23A: Open-Ended (OE)-diagnosis given by physician or other health care professional about pain #1

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	41	0.8 %
2	Migraine/headache	13	0.3 %
3	Back/spine/disc/scoliosis/rib	135	2.7 %
4	Carpal tunnel syndrome	11	0.2 %
5	Bone spur	9	0.2 %
6	Injury from accident	48	1.0 %
7	Other	356	7.2 %
8	Not diagnosed	0	0.0 %
9	Hip problem/sciatica	21	0.4 %
10	Other muscle problem	22	0.4 %

Value	Label	Unweighted Frequency	%
11	Other knee problem	25	0.5 %
12	Plantar fasciitis/foot/ankle problem	6	0.1 %
13	Arthritis	335	6.7 %
14	Other joint problem/gout	13	0.3 %
15	Neck/shoulder problem	22	0.4 %
16	Nerve problem	20	0.4 %
17	Cervical problem	0	0.0 %
18	Tendonitis	21	0.4 %
	Missing Data		
97	Don't know	6	0.1 %
99	Inapp	3859	77.8 %
	Total	4,963	100%

Based upon 1,098 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA23B: Open-Ended (OE)-diagnosis given by physician or other health care professional about pain #2

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	8	0.2 %
3	Back/spine/disc/scoliosis/rib	17	0.3 %
4	Carpal tunnel syndrome	1	0.0 %
5	Bone spur	3	0.1 %
6	Injury from accident	9	0.2 %
7	Other	20	0.4 %
8	Not diagnosed	0	0.0 %
9	Hip problem/sciatica	10	0.2 %
10	Other muscle problem	5	0.1 %
11	Other knee problem	1	0.0 %
12	Plantar fasciitis/foot/ankle problem	0	0.0 %
13	Arthritis	76	1.5 %
14	Other joint problem/gout	7	0.1 %
15	Neck/shoulder problem	0	0.0 %
16	Nerve problem	15	0.3 %

Value	Label	Unweighted Frequency	%
17	Cervical problem	0	0.0 %
18	Tendonitis	4	0.1 %
	Missing Data		
97	Don't know	2	0.0 %
99	Inapp	4785	96.4 %
	Total	4,963	100%

Based upon 176 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 18.00

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA23C: Open-Ended (OE)-diagnosis given by physician or other health care professional about pain #3

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	3	0.1 %
3	Back/spine/disc/scoliosis/rib	0	0.0 %
4	Carpal tunnel syndrome	0	0.0 %
5	Bone spur	1	0.0 %
6	Injury from accident	2	0.0 %
7	Other	7	0.1 %
8	Not diagnosed	0	0.0 %
9	Hip problem/sciatica	4	0.1 %
10	Other muscle problem	3	0.1 %
11	Other knee problem	0	0.0 %
12	Plantar fasciitis/foot/ankle problem	0	0.0 %
13	Arthritis	3	0.1 %
14	Other joint problem/gout	3	0.1 %
15	Neck/shoulder problem	0	0.0 %
16	Nerve problem	5	0.1 %
17	Cervical problem	0	0.0 %
18	Tendonitis	0	0.0 %
	Missing Data		
99	Inapp	4932	99.4 %
	Total	4,963	100%

Based upon 31 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA23D: Open-Ended (OE)-diagnosis given by physician or other health care professional about pain #4

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/scoliosis/rib	1	0.0 %
4	Carpal tunnel syndrome	0	0.0 %
5	Bone spur	1	0.0 %
6	Injury from accident	0	0.0 %
7	Other	1	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/sciatica	0	0.0 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	0	0.0 %
12	Plantar fasciitis/foot/ankle problem	0	0.0 %
13	Arthritis	0	0.0 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	0	0.0 %
16	Nerve problem	0	0.0 %
17	Cervical problem	0	0.0 %
18	Tendonitis	0	0.0 %
	Missing Data		
99	Inapp	4960	99.9 %
	Total	4,963	100%

Based upon 3 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA23E: Open-Ended (OE)-diagnosis given by physician or other health care professional about pain #5

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	1	0.0 %
3	Back/spine/disc/scoliosis/rib	0	0.0 %
4	Carpal tunnel syndrome	0	0.0 %
5	Bone spur	0	0.0 %
6	Injury from accident	0	0.0 %
7	Other	0	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/sciatica	0	0.0 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	0	0.0 %
12	Plantar fasciitis/foot/ankle problem	0	0.0 %
13	Arthritis	0	0.0 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	0	0.0 %
16	Nerve problem	1	0.0 %
17	Cervical problem	0	0.0 %
18	Tendonitis	0	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA43CA: Other specify (OS)-reason for losing 10 pounds or more during the past 12 months #1

Value	Label	Unweighted Frequency	%
1	Child birth	16	0.3 %
2	Stress	0	0.0 %
3	Workout	6	0.1 %
4	Depression	12	0.2 %
5	Other	39	0.8 %
6	Stressful life event	5	0.1 %
7	Gastric bypass	6	0.1 %

Value	Label	Unweighted Frequency	%
8	Work/job	7	0.1 %
9	Surgery/disease	20	0.4 %
10	Medication	8	0.2 %
11	Changed eating habit	21	0.4 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %
15	Death	14	0.3 %
16	Caregiving to others	9	0.2 %
17	Smoking	4	0.1 %
	Missing Data		
97	Don't know	1	0.0 %
99	Inapp	4795	96.6 %
	Total	4,963	100%

Based upon 167 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA43CB: Other specify (OS)-reason for losing 10 pounds or more during the past 12 months #2

Value	Label	Unweighted Frequency	%
1	Child birth	0	0.0 %
2	Stress	0	0.0 %
3	Workout	1	0.0 %
4	Depression	2	0.0 %
5	Other	1	0.0 %
6	Stressful life event	0	0.0 %
7	Gastric bypass	0	0.0 %
8	Work/job	1	0.0 %
9	Surgery/disease	2	0.0 %
10	Medication	0	0.0 %
11	Changed eating habit	2	0.0 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Death	0	0.0 %
16	Caregiving to others	1	0.0 %
17	Smoking	0	0.0 %
	Missing Data		
99	Inapp	4953	99.8 %
	Total	4,963	100%

Based upon 10 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 16.00

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA43CC: Other specify (OS)-reason for losing 10 pounds or more during the past 12 months #3

Value	Label	Unweighted Frequency	%
1	Child birth	0	0.0 %
2	Stress	0	0.0 %
3	Workout	0	0.0 %
4	Depression	0	0.0 %
5	Other	0	0.0 %
6	Stressful life event	0	0.0 %
7	Gastric bypass	0	0.0 %
8	Work/job	1	0.0 %
9	Surgery/disease	0	0.0 %
10	Medication	0	0.0 %
11	Changed eating habit	0	0.0 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %
15	Death	0	0.0 %
16	Caregiving to others	1	0.0 %
17	Smoking	0	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 8.00
- Maximum: 16.00

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA50FA: Other specify (OS)-healthcare professional to see for health care #1

Value	Label	Unweighted Frequency	%
1	Psychiatrist	23	0.5 %
2	Neurologist	40	0.8 %
3	Dentist	9	0.2 %
4	Ophthalmologist	23	0.5 %
5	Cardiologist	101	2.0 %
6	Endocrinologist	16	0.3 %
7	Dermatologist	41	0.8 %
8	Other	85	1.7 %
9	Oncologist	42	0.8 %
10	Orthopedist	31	0.6 %
11	Rheumatologist	20	0.4 %
12	Pain doctor	7	0.1 %
13	Surgeon	16	0.3 %
14	Podiatrist	18	0.4 %
15	Nurse	14	0.3 %
16	Nephrologist	0	0.0 %
17	Otolaryngologist	12	0.2 %
18	General doctor	0	0.0 %
19	Urologist	45	0.9 %
20	Physical therapist	19	0.4 %
21	Gastroenterologist	12	0.2 %
22	Allergist	10	0.2 %
23	Psychologist	0	0.0 %
24	Pulmonologist	12	0.2 %
25	Veteran's hospital	24	0.5 %
	Missing Data		
99	Inapp	4343	87.5 %
	Total	4,963	100%

Based upon 620 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 25.00

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

B1SA50FB: Other specify (OS)-healthcare professional to see for health care #2

Value	Label	Unweighted Frequency	%
1	Psychiatrist	4	0.1 %
2	Neurologist	0	0.0 %
3	Dentist	15	0.3 %
4	Ophthalmologist	19	0.4 %
5	Cardiologist	20	0.4 %
6	Endocrinologist	4	0.1 %
7	Dermatologist	10	0.2 %
8	Other	8	0.2 %
9	Oncologist	1	0.0 %
10	Orthopedist	12	0.2 %
11	Rheumatologist	7	0.1 %
12	Pain doctor	0	0.0 %
13	Surgeon	5	0.1 %
14	Podiatrist	1	0.0 %
15	Nurse	2	0.0 %
16	Nephrologist	0	0.0 %
17	Otolaryngologist	6	0.1 %
18	General doctor	0	0.0 %
19	Urologist	3	0.1 %
20	Physical therapist	2	0.0 %
21	Gastroenterologist	5	0.1 %
22	Allergist	1	0.0 %
23	Psychologist	0	0.0 %
24	Pulmonologist	2	0.0 %
25	Veteran's hospital	0	0.0 %
	Missing Data		
99	Inapp	4836	97.4 %
	Total	4,963	100%

Based upon 127 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 24.00

Location: 242-243 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

B1SA50FC: Other specify (OS)-healthcare professional to see for health care #3

Value	Label	Unweighted Frequency	%
1	Psychiatrist	0	0.0 %
2	Neurologist	0	0.0 %
3	Dentist	9	0.2 %
4	Ophthalmologist	4	0.1 %
5	Cardiologist	8	0.2 %
6	Endocrinologist	0	0.0 %
7	Dermatologist	3	0.1 %
8	Other	1	0.0 %
9	Oncologist	1	0.0 %
10	Orthopedist	1	0.0 %
11	Rheumatologist	2	0.0 %
12	Pain doctor	0	0.0 %
13	Surgeon	1	0.0 %
14	Podiatrist	1	0.0 %
15	Nurse	0	0.0 %
16	Nephrologist	0	0.0 %
17	Otolaryngologist	0	0.0 %
18	General doctor	0	0.0 %
19	Urologist	1	0.0 %
20	Physical therapist	0	0.0 %
21	Gastroenterologist	0	0.0 %
22	Allergist	0	0.0 %
23	Psychologist	0	0.0 %
24	Pulmonologist	0	0.0 %
25	Veteran's hospital	0	0.0 %
	Missing Data		
99	Inapp	4931	99.4 %
	Total	4,963	100%

Based upon 32 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 19.00

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA50FD: Other specify (OS)-healthcare professional to see for health care #4

Value	Label	Unweighted Frequency	%
1	Psychiatrist	0	0.0 %
2	Neurologist	0	0.0 %
3	Dentist	0	0.0 %
4	Ophthalmologist	3	0.1 %
5	Cardiologist	1	0.0 %
6	Endocrinologist	0	0.0 %
7	Dermatologist	3	0.1 %
8	Other	0	0.0 %
9	Oncologist	0	0.0 %
10	Orthopedist	1	0.0 %
11	Rheumatologist	1	0.0 %
12	Pain doctor	0	0.0 %
13	Surgeon	0	0.0 %
14	Podiatrist	0	0.0 %
15	Nurse	0	0.0 %
16	Nephrologist	0	0.0 %
17	Otolaryngologist	0	0.0 %
18	General doctor	0	0.0 %
19	Urologist	0	0.0 %
20	Physical therapist	0	0.0 %
21	Gastroenterologist	0	0.0 %
22	Allergist	0	0.0 %
23	Psychologist	0	0.0 %
24	Pulmonologist	0	0.0 %
25	Veteran's hospital	0	0.0 %
	Missing Data		
99	Inapp	4954	99.8 %
	Total	4,963	100%

Based upon 9 valid cases out of 4,963 total cases.

- Minimum: 4.00
- Maximum: 11.00

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA50FE: Other specify (OS)-healthcare professional to see for health care #5

Value	Label	Unweighted Frequency	%
1	Psychiatrist	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Neurologist	1	0.0 %
3	Dentist	0	0.0 %
4	Ophthalmologist	1	0.0 %
5	Cardiologist	0	0.0 %
6	Endocrinologist	0	0.0 %
7	Dermatologist	0	0.0 %
8	Other	0	0.0 %
9	Oncologist	0	0.0 %
10	Orthopedist	0	0.0 %
11	Rheumatologist	0	0.0 %
12	Pain doctor	0	0.0 %
13	Surgeon	0	0.0 %
14	Podiatrist	0	0.0 %
15	Nurse	0	0.0 %
16	Nephrologist	0	0.0 %
17	Otolaryngologist	0	0.0 %
18	General doctor	0	0.0 %
19	Urologist	0	0.0 %
20	Physical therapist	0	0.0 %
21	Gastroenterologist	0	0.0 %
22	Allergist	0	0.0 %
23	Psychologist	0	0.0 %
24	Pulmonologist	0	0.0 %
25	Veteran's hospital	0	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA50GA: Other specify (OS)-nontraditional health practitioner for health care #1

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Massage therapist	18	0.4 %

Value	Label	Unweighted Frequency	%
3	Acupuncturist	16	0.3 %
4	Naturopathic doctor	5	0.1 %
5	Homeopathic doctor	8	0.2 %
6	Herbalist	2	0.0 %
7	Osteopathic doctor	0	0.0 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	0	0.0 %
13	Other	37	0.7 %
14	Oncologist	0	0.0 %
15	Cardiologist	0	0.0 %
16	Counselor	8	0.2 %
17	Physical therapist	4	0.1 %
18	Alternative	9	0.2 %
	Missing Data		
99	Inapp	4856	97.8 %
	Total	4,963	100%

Based upon 107 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 18.00

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA50GB: Other specify (OS)-nontraditional health practitioner for health care #2

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Massage therapist	0	0.0 %
3	Acupuncturist	3	0.1 %
4	Naturopathic doctor	1	0.0 %
5	Homeopathic doctor	0	0.0 %
6	Herbalist	2	0.0 %
7	Osteopathic doctor	0	0.0 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	0	0.0 %
13	Other	1	0.0 %
14	Oncologist	0	0.0 %
15	Cardiologist	0	0.0 %
16	Counselor	2	0.0 %
17	Physical therapist	0	0.0 %
18	Alternative	0	0.0 %
	Missing Data		
99	Inapp	4954	99.8 %
	Total	4,963	100%

Based upon 9 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 16.00

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA50GC: Other specify (OS)-nontraditional health practitioner for health care #3

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Massage therapist	0	0.0 %
3	Acupuncturist	0	0.0 %
4	Naturopathic doctor	1	0.0 %
5	Homeopathic doctor	0	0.0 %
6	Herbalist	0	0.0 %
7	Osteopathic doctor	0	0.0 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	0	0.0 %
13	Other	0	0.0 %
14	Oncologist	0	0.0 %
15	Cardiologist	0	0.0 %
16	Counselor	0	0.0 %
17	Physical therapist	0	0.0 %
18	Alternative	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA51A: Other specify (OS)-nontraditional health practitioner go most often and no one in particular go most often #1

Value	Label	Unweighted Frequency	%
1	Other	47	0.9 %
2	Don't/rarely go to doctor	0	0.0 %
3	Massage	0	0.0 %
4	Naturopathy	0	0.0 %
5	Veteran's hospital	14	0.3 %
6	Alternative	8	0.2 %
7	Cannot afford	0	0.0 %
8	No insurance	0	0.0 %
9	Whoever available	0	0.0 %
10	Acupuncturist	6	0.1 %
11	Don't have doctor	0	0.0 %
12	Clinic/hospital	0	0.0 %
13	Urgent care	0	0.0 %
14	Didn't need to see doctor	0	0.0 %
15	Other doctor/specialty doctor	163	3.3 %
16	Family doctor/generalist	13	0.3 %
17	Nurse/other non-doctor practitioner	6	0.1 %
18	Emergency room	0	0.0 %
19	Search myself/internet	0	0.0 %
20	All the same/don't see one more than other	0	0.0 %
21	Depends on situation	0	0.0 %
22	Physical therapist	16	0.3 %
	Missing Data		
99	Inapp	4690	94.5 %
	Total	4,963	100%

Based upon 273 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 22.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA51B: Other specify (OS)-nontraditional health practitioner go most often and no one in particular go most often #2

Value	Label	Unweighted Frequency	%
1	Other	2	0.0 %
2	Don't/rarely go to doctor	0	0.0 %
3	Massage	0	0.0 %
4	Naturopathy	0	0.0 %
5	Veteran's hospital	0	0.0 %
6	Alternative	1	0.0 %
7	Cannot afford	0	0.0 %
8	No insurance	0	0.0 %
9	Whoever available	0	0.0 %
10	Acupuncturist	0	0.0 %
11	Don't have doctor	0	0.0 %
12	Clinic/hospital	0	0.0 %
13	Urgent care	0	0.0 %
14	Didn't need to see doctor	0	0.0 %
15	Other doctor/specialty doctor	9	0.2 %
16	Family doctor/generalist	0	0.0 %
17	Nurse/other non-doctor practitioner	0	0.0 %
18	Emergency room	0	0.0 %
19	Search myself/internet	0	0.0 %
20	All the same/don't see one more than other	0	0.0 %
21	Depends on situation	0	0.0 %
22	Physical therapist	1	0.0 %
	Missing Data		
99	Inapp	4950	99.7 %
	Total	4,963	100%

Based upon 13 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 22.00

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA51C: Other specify (OS)-nontraditional health practitioner go most often and no one in particular go most often #3

Value	Label	Unweighted Frequency	%
1	Other	0	0.0 %
2	Don't/rarely go to doctor	0	0.0 %
3	Massage	0	0.0 %
4	Naturopathy	0	0.0 %
5	Veteran's hospital	0	0.0 %
6	Alternative	0	0.0 %
7	Cannot afford	0	0.0 %
8	No insurance	0	0.0 %
9	Whoever available	0	0.0 %
10	Acupuncturist	0	0.0 %
11	Don't have doctor	0	0.0 %
12	Clinic/hospital	0	0.0 %
13	Urgent care	0	0.0 %
14	Didn't need to see doctor	0	0.0 %
15	Other doctor/specialty doctor	1	0.0 %
16	Family doctor/generalist	0	0.0 %
17	Nurse/other non-doctor practitioner	0	0.0 %
18	Emergency room	0	0.0 %
19	Search myself/internet	0	0.0 %
20	All the same/don't see one more than other	0	0.0 %
21	Depends on situation	0	0.0 %
22	Physical therapist	0	0.0 %
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA55KA: Other specify (OS)-self-help, mutual help, or support group #1

Value	Label	Unweighted Frequency	%
1	Weight watchers	19	0.4 %
2	Bible study/Christian group	28	0.6 %
3	Veteran support group	0	0.0 %
4	Divorce care group	11	0.2 %
5	Marriage enrichment group	0	0.0 %
6	Codependence anonymous	0	0.0 %
7	Celebrate recovery	3	0.1 %
8	Job searching group	0	0.0 %
9	Other	57	1.1 %
10	Emotion/depression related group	8	0.2 %
11	Friendship skill/networking group	0	0.0 %
12	Group for kids	0	0.0 %
13	Personal growth group	0	0.0 %
14	Mother's group	0	0.0 %
15	Women/wife group	0	0.0 %
16	Addiction recovery group	8	0.2 %
17	Disease related group	42	0.8 %
18	Parent's group	0	0.0 %
19	LGBTQ group	4	0.1 %
	Missing Data		
99	Inapp	4783	96.4 %
	Total	4,963	100%

Based upon 180 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA55KB: Other specify (OS)-self-help, mutual help, or support group #2

Value	Label	Unweighted Frequency	%
1	Weight watchers	0	0.0 %
2	Bible study/Christian group	4	0.1 %
3	Veteran support group	0	0.0 %
4	Divorce care group	0	0.0 %
5	Marriage enrichment group	0	0.0 %
6	Codependence anonymous	0	0.0 %
7	Celebrate recovery	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Job searching group	0	0.0 %
9	Other	0	0.0 %
10	Emotion/depression related group	0	0.0 %
11	Friendship skill/networking group	0	0.0 %
12	Group for kids	0	0.0 %
13	Personal growth group	0	0.0 %
14	Mother's group	0	0.0 %
15	Women/wife group	0	0.0 %
16	Addiction recovery group	0	0.0 %
17	Disease related group	0	0.0 %
18	Parent's group	0	0.0 %
19	LGBTQ group	0	0.0 %
	Missing Data		
99	Inapp	4959	99.9 %
	Total	4,963	100%

Based upon 4 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA56SA: Other specify (OS)-nontraditional remedy or therapy #1

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	6	0.1 %
2	Essential oil	0	0.0 %
3	Prayer/church	3	0.1 %
4	Exercise or movement therapy	5	0.1 %
5	Special diet	8	0.2 %
6	Vitamins	8	0.2 %
7	Aromatherapy	2	0.0 %
8	Herbal therapy	2	0.0 %
9	Pet therapy	0	0.0 %
10	Music/television	0	0.0 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	0	0.0 %
13	Allergy treatment/NAET	0	0.0 %
14	Meditation technique	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	3	0.1 %
17	Other	28	0.6 %
18	Artwork	0	0.0 %
19	Bone related therapy	0	0.0 %
20	Marijuana	0	0.0 %
21	Positive mindset	2	0.0 %
22	Accupressure	3	0.1 %
23	Cardiac rehabilitation	2	0.0 %
24	Magnetic therapy	3	0.1 %
25	Physical therapy	2	0.0 %
26	Self made program	5	0.1 %
	Missing Data		
99	Inapp	4881	98.3 %
	Total	4,963	100%

Based upon 82 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 26.00

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SA56SB: Other specify (OS)-nontraditional remedy or therapy #2

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	0	0.0 %
2	Essential oil	0	0.0 %
3	Prayer/church	0	0.0 %
4	Exercise or movement therapy	2	0.0 %
5	Special diet	0	0.0 %
6	Vitamins	1	0.0 %
7	Aromatherapy	0	0.0 %
8	Herbal therapy	0	0.0 %
9	Pet therapy	0	0.0 %
10	Music/television	0	0.0 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	0	0.0 %
13	Allergy treatment/NAET	0	0.0 %
14	Meditation technique	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	0	0.0 %
17	Other	1	0.0 %
18	Artwork	0	0.0 %
19	Bone related therapy	0	0.0 %
20	Marijuana	0	0.0 %
21	Positive mindset	0	0.0 %
22	Accupressure	0	0.0 %
23	Cardiac rehabilitation	0	0.0 %
24	Magnetic therapy	0	0.0 %
25	Physical therapy	0	0.0 %
26	Self made program	0	0.0 %
	Missing Data		
99	Inapp	4959	99.9 %
	Total	4,963	100%

Based upon 4 valid cases out of 4,963 total cases.

- Minimum: 4.00
- Maximum: 17.00

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8A1A: Open-Ended (OE)-name of the birth control and the dosage starting with the most recent #1

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	7	0.1 %
3	IUD	3	0.1 %
4	Depo-Provera	1	0.0 %
5	Loestrin	11	0.2 %
6	Other	123	2.5 %
7	Ortho-Novum	170	3.4 %
8	Tri-Sprintec	0	0.0 %
9	Ortho Tri-Cyclen	0	0.0 %
10	Lo/Ovral	42	0.8 %
11	NuvaRing	0	0.0 %
12	Norlestrin	2	0.0 %
13	Metoprolol	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
97	Don't know	561	11.3 %
99	Inapp	4043	81.5 %
	Total	4,963	100%

Based upon 359 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8A1B: Open-Ended (OE)-name of the birth control and the dosage starting with the most recent #2

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	1	0.0 %
3	IUD	5	0.1 %
4	Depo-Provera	1	0.0 %
5	Loestrin	0	0.0 %
6	Other	31	0.6 %
7	Ortho-Novum	16	0.3 %
8	Tri-Sprintec	0	0.0 %
9	Ortho Tri-Cyclen	0	0.0 %
10	Lo/Ovral	3	0.1 %
11	NuvaRing	0	0.0 %
12	Norlestrin	0	0.0 %
13	Metoprolol	0	0.0 %
	Missing Data		
97	Don't know	1	0.0 %
99	Inapp	4905	98.8 %
	Total	4,963	100%

Based upon 57 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 10.00

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8A1C: Open-Ended (OE)-name of the birth control and the dosage starting with the most recent #3

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	0	0.0 %
3	IUD	3	0.1 %
4	Depo-Provera	0	0.0 %
5	Loestrin	0	0.0 %
6	Other	4	0.1 %
7	Ortho-Novum	1	0.0 %
8	Tri-Sprintec	0	0.0 %
9	Ortho Tri-Cyclen	0	0.0 %
10	Lo/Ovral	0	0.0 %
11	NuvaRing	0	0.0 %
12	Norlestrin	0	0.0 %
13	Metoprolol	0	0.0 %
	Missing Data		
99	Inapp	4955	99.8 %
	Total	4,963	100%

Based upon 8 valid cases out of 4,963 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8B1A: Open-Ended (OE)-name of the fertility drug and the dosage starting with the most recent #1

Value	Label	Unweighted Frequency	%
1	Clomid	40	0.8 %
2	Lupron	4	0.1 %
3	Gonal-F	0	0.0 %
4	Estradiol	0	0.0 %
5	HCG	0	0.0 %
6	Progesterone	0	0.0 %
7	Follistim	0	0.0 %
8	Other	10	0.2 %
9	Ovidrel	0	0.0 %
10	Fertinex	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Pergonal	0	0.0 %
12	Atorvastatin	0	0.0 %
13	Duloxetine	0	0.0 %
14	Metformin	0	0.0 %
15	Repronex	0	0.0 %
16	Premarin	3	0.1 %
	Missing Data		
97	Don't know	20	0.4 %
99	Inapp	4886	98.4 %
	Total	4,963	100%

Based upon 57 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8B1B: Open-Ended (OE)-name of the fertility drug and the dosage starting with the most recent #2

Value	Label	Unweighted Frequency	%
1	Clomid	2	0.0 %
2	Lupron	0	0.0 %
3	Gonal-F	0	0.0 %
4	Estradiol	0	0.0 %
5	HCG	0	0.0 %
6	Progesterone	0	0.0 %
7	Follistim	0	0.0 %
8	Other	0	0.0 %
9	Ovidrel	0	0.0 %
10	Fertinex	0	0.0 %
11	Pergonal	0	0.0 %
12	Atorvastatin	0	0.0 %
13	Duloxetine	0	0.0 %
14	Metformin	0	0.0 %
15	Repronex	2	0.0 %
16	Premarin	0	0.0 %
	Missing Data		
99	Inapp	4959	99.9 %

Value	Label	Unweighted Frequency	%
	Total	4,963	100%

Based upon 4 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8B1C: Open-Ended (OE)-name of the fertility drug and the dosage starting with the most recent #3

Value	Label	Unweighted Frequency	%
1	Clomid	0	0.0 %
2	Lupron	0	0.0 %
3	Gonal-F	0	0.0 %
4	Estradiol	0	0.0 %
5	HCG	0	0.0 %
6	Progesterone	0	0.0 %
7	Follistim	0	0.0 %
8	Other	0	0.0 %
9	Ovidrel	0	0.0 %
10	Fertinex	0	0.0 %
11	Pergonal	0	0.0 %
12	Atorvastatin	0	0.0 %
13	Duloxetine	0	0.0 %
14	Metformin	0	0.0 %
15	Repronex	1	0.0 %
16	Premarin	0	0.0 %
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8C1A: Open-Ended (OE)-name of the female hormone and the dosage starting with the most recent #1

Value	Label	Unweighted Frequency	%
1	Premarin	310	6.2 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	10	0.2 %
8	Estradiol	0	0.0 %
9	Other	128	2.6 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	75	1.5 %
13	Estrogen	70	1.4 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	43	0.9 %
17	Prempro	97	2.0 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
97	Don't know	43	0.9 %
99	Inapp	4187	84.4 %
	Total	4,963	100%

Based upon 733 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8C1B: Open-Ended (OE)-name of the female hormone and the dosage starting with the most recent #2

Value	Label	Unweighted Frequency	%
1	Premarin	10	0.2 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	20	0.4 %
8	Estradiol	0	0.0 %
9	Other	40	0.8 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	2	0.0 %
13	Estrogen	39	0.8 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	19	0.4 %
17	Prempro	19	0.4 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
99	Inapp	4814	97.0 %
	Total	4,963	100%

Based upon 149 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8C1C: Open-Ended (OE)-name of the female hormone and the dosage starting with the most recent #3

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	5	0.1 %
8	Estradiol	0	0.0 %
9	Other	13	0.3 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	0	0.0 %
13	Estrogen	1	0.0 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	4	0.1 %
17	Prempro	3	0.1 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
99	Inapp	4937	99.5 %
	Total	4,963	100%

Based upon 26 valid cases out of 4,963 total cases.

- Minimum: 7.00
- Maximum: 17.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB8C1D: Open-Ended (OE)-name of the female hormone and the dosage starting with the most recent #4

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Provera	1	0.0 %
8	Estradiol	0	0.0 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	0	0.0 %
13	Estrogen	0	0.0 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	0	0.0 %
17	Prempro	0	0.0 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB9A: Open-Ended (OE)-specialty of the doctor that prescribed the female hormones #1

Value	Label	Unweighted Frequency	%
1	Obstetrician/Gynecologist	523	10.5 %
2	Other	33	0.7 %
3	Fertility specialist	0	0.0 %
4	Generalist/family doctor/MD	172	3.5 %
5	Reproductive endocrinologist	3	0.1 %
6	Internist	63	1.3 %
	Missing Data		
7	Don't know	2	0.0 %
9	Inapp	4167	84.0 %
	Total	4,963	100%

Based upon 794 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

B1SB9B: Open-Ended (OE)-specialty of the doctor that prescribed the female hormones #2

Value	Label	Unweighted Frequency	%
1	Obstetrician/Gynecologist	24	0.5 %
2	Other	3	0.1 %
3	Fertility specialist	0	0.0 %
4	Generalist/family doctor/MD	3	0.1 %
5	Reproductive endocrinologist	0	0.0 %
6	Internist	3	0.1 %
	Missing Data		
9	Inapp	4930	99.3 %
	Total	4,963	100%

Based upon 33 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

B1SB9C: Open-Ended (OE)-specialty of the doctor that prescribed the female hormones #3

Value	Label	Unweighted Frequency	%
1	Obstetrician/Gynecologist	0	0.0 %
2	Other	1	0.0 %
3	Fertility specialist	0	0.0 %
4	Generalist/family doctor/MD	0	0.0 %
5	Reproductive endocrinologist	0	0.0 %
6	Internist	0	0.0 %
	Missing Data		
9	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 2.00

- Maximum: 2.00

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

B1SB14DA: Other specify (OS)-reason for stopping take female hormones #1

Value	Label	Unweighted Frequency	%
1	Pregnant	3	0.1 %
2	Didn't work	6	0.1 %
3	Cannot afford it	10	0.2 %
4	Mental/mood problem	0	0.0 %
5	Side effect	69	1.4 %
6	Menopausal	0	0.0 %
7	Doctor's advice	35	0.7 %
8	Weight gain	0	0.0 %
9	Breast related disease	5	0.1 %
10	Other	30	0.6 %
11	Treatment no longer needed	7	0.1 %
12	Received other treatment/surgery	6	0.1 %
13	Dislike the feel	4	0.1 %
14	Reports/publications	9	0.2 %
	Missing Data		
99	Inapp	4779	96.3 %
	Total	4,963	100%

Based upon 184 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB14DB: Other specify (OS)-reason for stopping take female hormones #2

Value	Label	Unweighted Frequency	%
1	Pregnant	0	0.0 %
2	Didn't work	0	0.0 %
3	Cannot afford it	0	0.0 %
4	Mental/mood problem	0	0.0 %
5	Side effect	1	0.0 %
6	Menopausal	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Doctor's advice	0	0.0 %
8	Weight gain	0	0.0 %
9	Breast related disease	0	0.0 %
10	Other	0	0.0 %
11	Treatment no longer needed	1	0.0 %
12	Received other treatment/surgery	0	0.0 %
13	Dislike the feel	0	0.0 %
14	Reports/publications	0	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 5.00
- Maximum: 11.00

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB17GA: Other specify (OS)-nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #1

Value	Label	Unweighted Frequency	%
1	Estroven	6	0.1 %
2	Fish oil	0	0.0 %
3	Tea	2	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	6	0.1 %
9	Vitamin E	7	0.1 %
10	Vitamin B	3	0.1 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	6	0.1 %
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %

Value	Label	Unweighted Frequency	%
18	Diphenhydramine	0	0.0 %
19	Other	26	0.5 %
20	Other nutritional or herbal supplements	0	0.0 %
21	Vitamin C	3	0.1 %
22	Calcium	6	0.1 %
23	Progesterone	5	0.1 %
24	St. John's wort	3	0.1 %
25	MSM	2	0.0 %
26	Garlic	3	0.1 %
	Missing Data		
99	Inapp	4885	98.4 %
	Total	4,963	100%

Based upon 78 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 26.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB17GB: Other specify (OS)-nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #2

Value	Label	Unweighted Frequency	%
1	Estroven	2	0.0 %
2	Fish oil	0	0.0 %
3	Tea	1	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	0	0.0 %
10	Vitamin B	2	0.0 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	1	0.0 %
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %

Value	Label	Unweighted Frequency	%
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	3	0.1 %
20	Other nutritional or herbal supplements	0	0.0 %
21	Vitamin C	3	0.1 %
22	Calcium	1	0.0 %
23	Progesterone	0	0.0 %
24	St. John's wort	0	0.0 %
25	MSM	0	0.0 %
26	Garlic	0	0.0 %
	Missing Data		
99	Inapp	4950	99.7 %
	Total	4,963	100%

Based upon 13 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 22.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB17GC: Other specify (OS)-nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #3

Value	Label	Unweighted Frequency	%
1	Estroven	2	0.0 %
2	Fish oil	0	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	0	0.0 %
10	Vitamin B	1	0.0 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	1	0.0 %
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %
15	Tryptophan	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	0	0.0 %
20	Other nutritional or herbal supplements	0	0.0 %
21	Vitamin C	1	0.0 %
22	Calcium	0	0.0 %
23	Progesterone	0	0.0 %
24	St. John's wort	0	0.0 %
25	MSM	1	0.0 %
26	Garlic	0	0.0 %
	Missing Data		
99	Inapp	4957	99.9 %
	Total	4,963	100%

Based upon 6 valid cases out of 4,963 total cases.

- Minimum: 1.00
- Maximum: 25.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB17GD: Other specify (OS)-nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #4

Value	Label	Unweighted Frequency	%
1	Estroven	0	0.0 %
2	Fish oil	0	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	1	0.0 %
10	Vitamin B	0	0.0 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	0	0.0 %
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	0	0.0 %
20	Other nutritional or herbal supplements	0	0.0 %
21	Vitamin C	1	0.0 %
22	Calcium	0	0.0 %
23	Progesterone	0	0.0 %
24	St. John's wort	0	0.0 %
25	MSM	0	0.0 %
26	Garlic	0	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 9.00
- Maximum: 21.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB17GE: Other specify (OS)-nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #5

Value	Label	Unweighted Frequency	%
1	Estroven	0	0.0 %
2	Fish oil	0	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	1	0.0 %
10	Vitamin B	0	0.0 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	0	0.0 %
13	Collagen support	0	0.0 %

Value	Label	Unweighted Frequency	%
14	Med for hot flash	0	0.0 %
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	0	0.0 %
20	Other nutritional or herbal supplements	0	0.0 %
21	Vitamin C	0	0.0 %
22	Calcium	0	0.0 %
23	Progesterone	0	0.0 %
24	St. John's wort	0	0.0 %
25	MSM	0	0.0 %
26	Garlic	0	0.0 %
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SB17GF: Other specify (OS)-nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #6

Value	Label	Unweighted Frequency	%
1	Estroven	0	0.0 %
2	Fish oil	0	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	0	0.0 %
10	Vitamin B	1	0.0 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	0	0.0 %
20	Other nutritional or herbal supplements	0	0.0 %
21	Vitamin C	0	0.0 %
22	Calcium	0	0.0 %
23	Progesterone	0	0.0 %
24	St. John's wort	0	0.0 %
25	MSM	0	0.0 %
26	Garlic	0	0.0 %
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SC2LA: Other specify (OS)-main reason without healthcare coverage #1

Value	Label	Unweighted Frequency	%
1	Don't need it	0	0.0 %
2	Self-employed	4	0.1 %
3	Lost job	0	0.0 %
4	Benefit not started yet/will begin soon	0	0.0 %
5	Cannot afford it	3	0.1 %
6	Discharged from military	0	0.0 %
7	In a share/charity program	0	0.0 %
8	Disabled	0	0.0 %
9	Lost welfare eligibiliy	0	0.0 %
10	Work part-time	0	0.0 %
11	Job does not offer it	0	0.0 %
12	Other	12	0.2 %

Value	Label	Unweighted Frequency	%
13	Covered by VA, military, gov.	6	0.1 %
14	Don't want	3	0.1 %
15	Retired	1	0.0 %
	Missing Data		
99	Inapp	4934	99.4 %
	Total	4,963	100%

Based upon 29 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 15.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SN1AA: Other specify (OS)-religious preference #1

Value	Label	Unweighted Frequency	%
1	Atheist	0	0.0 %
2	Christian	4	0.1 %
3	Satanism	0	0.0 %
4	Pagan	3	0.1 %
5	Religious science	0	0.0 %
6	Christian Scientist	3	0.1 %
7	Self-realization fellowship	0	0.0 %
8	Other	38	0.8 %
9	Full gospel	0	0.0 %
10	Jehovah's Witness	0	0.0 %
11	Anglican	0	0.0 %
12	Church of Christ	23	0.5 %
13	No religious preference	0	0.0 %
14	Hebrew Key of David	0	0.0 %
15	Non-denominational	7	0.1 %
16	Deism	0	0.0 %
17	Baptist	4	0.1 %
18	Freethought	0	0.0 %
19	Wicca	0	0.0 %
20	Shinto	0	0.0 %
21	African Methodist Episcopal	0	0.0 %
22	Coptic Orthodox Christian	0	0.0 %
23	Pastafarianism	0	0.0 %

Value	Label	Unweighted Frequency	%
24	Mormon	0	0.0 %
25	Native American Belief	5	0.1 %
26	Monotheism	0	0.0 %
27	Evangelical	0	0.0 %
28	Scientology	0	0.0 %
29	Buddhist	0	0.0 %
30	Heathenism	0	0.0 %
31	Wesleyanism	4	0.1 %
32	Foursquare church	0	0.0 %
33	Unity	7	0.1 %
34	Reformed church in America	6	0.1 %
35	Presbyterian	3	0.1 %
	Missing Data		
99	Inapp	4856	97.8 %
	Total	4,963	100%

Based upon 107 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 35.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SP3JA: Other specify (OS)-main reason for discrimination #1

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	17	0.3 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %
5	Financial status	34	0.7 %
6	Race/ethnicity/nationality	14	0.3 %
7	Gender	12	0.2 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	9	0.2 %
10	Physical/learning disability	19	0.4 %
11	Occupation	42	0.8 %
12	Social relations	0	0.0 %
13	Residence	0	0.0 %
14	Education	16	0.3 %

Value	Label	Unweighted Frequency	%
15	Have children/pregnancy	10	0.2 %
16	Jealousy/retaliation	4	0.1 %
17	Personality/taste	17	0.3 %
18	Other	156	3.1 %
19	Religion	2	0.0 %
20	Political stance	6	0.1 %
21	Attitude	0	0.0 %
22	Age	4	0.1 %
	Missing Data		
97	Don't know	7	0.1 %
99	Inapp	4594	92.6 %
	Total	4,963	100%

Based upon 362 valid cases out of 4,963 total cases.

- Minimum: 2.00
- Maximum: 22.00

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SP3JB: Other specify (OS)-main reason for discrimination #2

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	0	0.0 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %
5	Financial status	2	0.0 %
6	Race/ethnicity/nationality	0	0.0 %
7	Gender	1	0.0 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	2	0.0 %
10	Physical/learning disability	2	0.0 %
11	Occupation	0	0.0 %
12	Social relations	0	0.0 %
13	Residence	0	0.0 %
14	Education	5	0.1 %
15	Have children/pregnancy	0	0.0 %
16	Jealousy/retaliation	0	0.0 %
17	Personality/taste	1	0.0 %

Value	Label	Unweighted Frequency	%
18	Other	0	0.0 %
19	Religion	0	0.0 %
20	Political stance	0	0.0 %
21	Attitude	0	0.0 %
22	Age	2	0.0 %
	Missing Data		
99	Inapp	4948	99.7 %
	Total	4,963	100%

Based upon 15 valid cases out of 4,963 total cases.

- Minimum: 5.00
- Maximum: 22.00

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

B1SP3JC: Other specify (OS)-main reason for discrimination #3

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	0	0.0 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %
5	Financial status	0	0.0 %
6	Race/ethnicity/nationality	0	0.0 %
7	Gender	0	0.0 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	0	0.0 %
10	Physical/learning disability	1	0.0 %
11	Occupation	0	0.0 %
12	Social relations	0	0.0 %
13	Residence	0	0.0 %
14	Education	0	0.0 %
15	Have children/pregnancy	0	0.0 %
16	Jealousy/retaliation	0	0.0 %
17	Personality/taste	0	0.0 %
18	Other	0	0.0 %
19	Religion	0	0.0 %
20	Political stance	0	0.0 %
21	Attitude	0	0.0 %

Value	Label	Unweighted Frequency	%
22	Age	1	0.0 %
	Missing Data		
99	Inapp	4961	100.0 %
	Total	4,963	100%

Based upon 2 valid cases out of 4,963 total cases.

- Minimum: 10.00
- Maximum: 22.00

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

B1SP3JD: Other specify (OS)-main reason for discrimination #4

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	0	0.0 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %
5	Financial status	0	0.0 %
6	Race/ethnicity/nationality	0	0.0 %
7	Gender	0	0.0 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	0	0.0 %
10	Physical/learning disability	0	0.0 %
11	Occupation	0	0.0 %
12	Social relations	0	0.0 %
13	Residence	0	0.0 %
14	Education	0	0.0 %
15	Have children/pregnancy	0	0.0 %
16	Jealousy/retaliation	0	0.0 %
17	Personality/taste	0	0.0 %
18	Other	0	0.0 %
19	Religion	1	0.0 %
20	Political stance	0	0.0 %
21	Attitude	0	0.0 %
22	Age	0	0.0 %
	Missing Data		
99	Inapp	4962	100.0 %
	Total	4,963	100%

Based upon 1 valid cases out of 4,963 total cases.

- Minimum: 19.00
- Maximum: 19.00

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99