

ICPSR 36346

**Midlife in the United States
(MIDUS 3), 2013-2014**

Coded Text Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Midlife in the United States (MIDUS 3), 2013-2014

Carol Ryff

University of Wisconsin-Madison

David Almeida

Pennsylvania State University

John Ayanian

University of Michigan

Neil Binkley

University of Wisconsin-Madison

Deborah S. Carr

Rutgers University

Christopher Coe

University of Wisconsin-Madison

Richard Davidson

University of Wisconsin-Madison

Joseph Grzywacz

Florida State University

Arun Karlamangla

University of California-Los Angeles

Robert Krueger

University of Minnesota

Margie Lachman

Brandeis University

Gayle Love

University of Wisconsin-Madison

Marsha Mailick

University of Wisconsin-Madison

Daniel Mroczek

Northwestern University

Barry Radler

University of Wisconsin-Madison

Teresa Seeman

University of California-Los Angeles

Richard Sloan

Columbia University

Duncan Thomas

Duke University

Maxine Weinstein

Georgetown University

David Williams

Harvard University

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36346/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #36346

Midlife in the United States (MIDUS 3), 2013-2014

Data Set 3: Coded Text Data

1. **Linking Variable and Related Collections:** The variable **M2ID** is the linking variable for the three datasets in this collection. The data in this collection can also be linked to all MIDUS data sets using the variable **M2ID**, including wave 1 (ICPSR 2760) and wave 2 (ICPSR 4652).
2. **Additional Information:** For additional information on the Midlife in the United States survey, please visit the [MIDUS](#) Web site.
3. **Extent of Processing:** These data are being released in BETA version to facilitate early access to the study for research purposes. The collection has not been fully processed by ICPSR at this time; the original material provided by the principal investigator were only converted to other file types for ease of use. As the study is processed and given enhanced features by ICPSR, users will be able to access the updated versions of the study. Please report any data errors or problems to user support and we will work with you to resolve any data-related issues.

ICPSR 36346

Midlife in the United States (MIDUS 3), 2013-2014

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Coded Text Data

M2ID: MIDUS 2 ID number

Based upon 3,137 valid cases out of 3,137 total cases.

- Mean: 14601.08
- Minimum: 10001.00
- Maximum: 19193.00
- Standard Deviation: 2654.68

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

SAMPLMAJ: Major sample identification (aka Sample)

Value	Label	Unweighted Frequency	%
1	MAIN RDD	1355	43.2 %
2	SIBLING	522	16.6 %
3	TWIN	956	30.5 %
4	CITY OVERSAMPLE	304	9.7 %
13	MILWAUKEE	0	0.0 %
14	BOSTON NEW	0	0.0 %
20	MIDUS REFRESHER	0	0.0 %
21	MILWAUKEE REFRESHER	0	0.0 %
	Total	3,137	100%

Based upon 3,137 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

C1PRAGE: Respondent's age

Value	Label	Unweighted Frequency	%
39	-	1	0.0 %
42	-	3	0.1 %
43	-	28	0.9 %
44	-	39	1.2 %
45	-	55	1.8 %
46	-	45	1.4 %
47	-	50	1.6 %
48	-	56	1.8 %
49	-	67	2.1 %

Value	Label	Unweighted Frequency	%
50	-	81	2.6 %
51	-	68	2.2 %
52	-	84	2.7 %
53	-	89	2.8 %
54	-	97	3.1 %
55	-	88	2.8 %
56	-	79	2.5 %
57	-	93	3.0 %
58	-	108	3.4 %
59	-	93	3.0 %
60	-	104	3.3 %
61	-	81	2.6 %
62	-	84	2.7 %
63	-	108	3.4 %
64	-	112	3.6 %
65	-	100	3.2 %
66	-	108	3.4 %
67	-	90	2.9 %
68	-	83	2.6 %
69	-	75	2.4 %
70	-	88	2.8 %
71	-	79	2.5 %
72	-	69	2.2 %
73	-	70	2.2 %
74	-	73	2.3 %
75	-	75	2.4 %
76	-	59	1.9 %
77	-	45	1.4 %
78	-	58	1.8 %
79	-	41	1.3 %
80	-	49	1.6 %
81	-	34	1.1 %
82	-	43	1.4 %
83	-	35	1.1 %
84	-	31	1.0 %
85	-	19	0.6 %
86	-	22	0.7 %
87	-	18	0.6 %
88	-	14	0.4 %

Value	Label	Unweighted Frequency	%
89	-	19	0.6 %
90	-	15	0.5 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,137 valid cases out of 3,137 total cases.

- Mean: 63.65
- Median: 63.00
- Mode: 64.00
- Minimum: 39.00
- Maximum: 93.00
- Standard Deviation: 11.26

Location: 8-9 (width: 2; decimal: 0)

Variable Type: numeric

C1PRSEX: Respondent's sex

Value	Label	Unweighted Frequency	%
1	MALE	1393	44.4 %
2	FEMALE	1744	55.6 %
	Total	3,137	100%

Based upon 3,137 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

C1PAA1A: OE-Specific event that made them aware that the recession had begun #1

Value	Label	Unweighted Frequency	%
1	Crashed stock market	336	10.7 %
2	Increased gas price	58	1.8 %
3	Lost job/unemployed	270	8.6 %
4	Decreased income/didn't get raise	67	2.1 %
5	Increased cost of living/prices	91	2.9 %
6	Recognized through media coverage/economic indicator	201	6.4 %
7	Lack of job/hard to get a job	59	1.9 %
8	Collapsed housing market/increased foreclosure	270	8.6 %
9	Collapse of financial firm	27	0.9 %
10	Affected pension plan/insurance	89	2.8 %

Value	Label	Unweighted Frequency	%
11	Company/plant/store closed/went bankrupt	26	0.8 %
12	Other	157	5.0 %
13	Personal finance/investment/credit was affected	110	3.5 %
14	Company/business slow down & sales/construction decreased	142	4.5 %
15	Political situations/election	51	1.6 %
	Missing Data		
97	DON'T KNOW	10	0.3 %
99	INAPP	1173	37.4 %
	Total	3,137	100%

Based upon 1,954 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PAA1B: OE-Specific event that made them aware that the recession had begun #2

Value	Label	Unweighted Frequency	%
1	Crashed stock market	9	0.3 %
2	Increased gas price	5	0.2 %
3	Lost job/unemployed	4	0.1 %
4	Decreased income/didn't get raise	15	0.5 %
5	Increased cost of living/prices	0	0.0 %
6	Recognized through media coverage/economic indicator	72	2.3 %
7	Lack of job/hard to get a job	4	0.1 %
8	Collapsed housing market/increased foreclosure	73	2.3 %
9	Collapse of financial firm	8	0.3 %
10	Affected pension plan/insurance	14	0.4 %
11	Company/plant/store closed/went bankrupt	4	0.1 %
12	Other	0	0.0 %
13	Personal finance/investment/credit was affected	34	1.1 %
14	Company/business slow down & sales/construction decreased	11	0.4 %
15	Political situations/election	1	0.0 %
	Missing Data		
99	INAPP	2883	91.9 %
	Total	3,137	100%

Based upon 254 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PAA1C: OE-Specific event that made them aware that the recession had begun #3

Value	Label	Unweighted Frequency	%
1	Crashed stock market	0	0.0 %
2	Increased gas price	0	0.0 %
3	Lost job/unemployed	1	0.0 %
4	Decreased income/didn't get raise	1	0.0 %
5	Increased cost of living/prices	0	0.0 %
6	Recognized through media coverage/economic indicator	12	0.4 %
7	Lack of job/hard to get a job	0	0.0 %
8	Collapsed housing market/increased foreclosure	6	0.2 %
9	Collapse of financial firm	1	0.0 %
10	Affected pension plan/insurance	1	0.0 %
11	Company/plant/store closed/went bankrupt	0	0.0 %
12	Other	0	0.0 %
13	Personal finance/investment/credit was affected	5	0.2 %
14	Company/business slow down & sales/construction decreased	0	0.0 %
15	Political situations/election	0	0.0 %
	Missing Data		
99	INAPP	3110	99.1 %
	Total	3,137	100%

Based upon 27 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 13.00

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PAA1D: OE-Specific event that made them aware that the recession had begun #4

Value	Label	Unweighted Frequency	%
1	Crashed stock market	0	0.0 %
2	Increased gas price	1	0.0 %
3	Lost job/unemployed	0	0.0 %
4	Decreased income/didn't get raise	0	0.0 %
5	Increased cost of living/prices	1	0.0 %

Value	Label	Unweighted Frequency	%
6	Recognized through media coverage/economic indicator	0	0.0 %
7	Lack of job/hard to get a job	0	0.0 %
8	Collapsed housing market/increased foreclosure	0	0.0 %
9	Collapse of financial firm	0	0.0 %
10	Affected pension plan/insurance	1	0.0 %
11	Company/plant/store closed/went bankrupt	0	0.0 %
12	Other	0	0.0 %
13	Personal finance/investment/credit was affected	0	0.0 %
14	Company/business slow down & sales/construction decreased	0	0.0 %
15	Political situations/election	0	0.0 %
	Missing Data		
99	INAPP	3134	99.9 %
	Total	3,137	100%

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 10.00

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PAA1E: OE-Specific event that made them aware that the recession had begun #5

Value	Label	Unweighted Frequency	%
1	Crashed stock market	0	0.0 %
2	Increased gas price	0	0.0 %
3	Lost job/unemployed	1	0.0 %
4	Decreased income/didn't get raise	0	0.0 %
5	Increased cost of living/prices	0	0.0 %
6	Recognized through media coverage/economic indicator	0	0.0 %
7	Lack of job/hard to get a job	0	0.0 %
8	Collapsed housing market/increased foreclosure	0	0.0 %
9	Collapse of financial firm	0	0.0 %
10	Affected pension plan/insurance	0	0.0 %
11	Company/plant/store closed/went bankrupt	0	0.0 %
12	Other	0	0.0 %
13	Personal finance/investment/credit was affected	0	0.0 %
14	Company/business slow down & sales/construction decreased	0	0.0 %
15	Political situations/election	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PAA2LBBA: OE-What happened when lost a home due to something other than foreclosure #1

Value	Label	Unweighted Frequency	%
1	Evicted	2	0.1 %
2	Couldn't afford	10	0.3 %
3	Swindled	0	0.0 %
4	Divorced	13	0.4 %
5	Fire on house	4	0.1 %
6	Hurricane	5	0.2 %
7	Lost job	6	0.2 %
8	Abandoned house	0	0.0 %
9	Bankruptcy	6	0.2 %
10	Other	8	0.3 %
11	Sold house	20	0.6 %
12	Death	4	0.1 %
	Missing Data		
99	INAPP	3059	97.5 %
	Total	3,137	100%

Based upon 78 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PAA2LBBB: OE-What happened when lost a home due to something other than foreclosure #2

Value	Label	Unweighted Frequency	%
1	Evicted	0	0.0 %
2	Couldn't afford	1	0.0 %
3	Swindled	0	0.0 %
4	Divorced	1	0.0 %
5	Fire on house	0	0.0 %
6	Hurricane	0	0.0 %
7	Lost job	1	0.0 %
8	Abandoned house	0	0.0 %
9	Bankruptcy	0	0.0 %
10	Other	0	0.0 %
11	Sold house	0	0.0 %
12	Death	1	0.0 %
	Missing Data		
99	INAPP	3133	99.9 %
	Total	3,137	100%

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA7BJA: OS-Diagnosis for suspected or confirmed heart trouble #1

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	0	0.0 %
3	Blocked/closed artery	51	1.6 %
4	Gastroesophageal Reflux Disease (GERD)	0	0.0 %
5	High cholesterol	11	0.4 %
6	High blood pressure	0	0.0 %
7	Irregular/fast heart beat/arrhythmia	35	1.1 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	1	0.0 %
11	Palpitation	0	0.0 %
12	Valve disease	25	0.8 %
13	Mitrovalve prolapse	8	0.3 %
14	Supraventricular Tachycardia (SVT)	1	0.0 %

Value	Label	Unweighted Frequency	%
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	8	0.3 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	47	1.5 %
19	Other	88	2.8 %
20	Diabetes	3	0.1 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	0	0.0 %
24	Heart attack	8	0.3 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	0	0.0 %
27	Cardiomyopathy	8	0.3 %
28	Stroke	8	0.3 %
29	Heart murmur	0	0.0 %
30	Heart failure/Enlarged heart	0	0.0 %
	Missing Data		
99	INAPP	2835	90.4 %
	Total	3,137	100%

Based upon 302 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 28.00

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA7BJB: OS-Diagnosis for suspected or confirmed heart trouble #2

Value	Label	Unweighted Frequency	%
1	Anxiety	0	0.0 %
2	Stress	0	0.0 %
3	Blocked/closed artery	3	0.1 %
4	Gastroesophageal Reflux Disease (GERD)	1	0.0 %
5	High cholesterol	0	0.0 %
6	High blood pressure	0	0.0 %
7	Irregular/fast heart beat/arrhythmia	2	0.1 %
8	Not diagnosed yet	0	0.0 %
9	Wolff-Parkinson-White Syndrome (WPW)	0	0.0 %
10	Tachycardia	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Palpitation	0	0.0 %
12	Valve disease	0	0.0 %
13	Mitrovalve prolapse	2	0.1 %
14	Supraventricular Tachycardia (SVT)	0	0.0 %
15	Sinus tachycardia	0	0.0 %
16	Ventricle problem	1	0.0 %
17	Not specified	0	0.0 %
18	Atrial fibrillation	0	0.0 %
19	Other	1	0.0 %
20	Diabetes	0	0.0 %
21	Blood platelet	0	0.0 %
22	Weakend heart	0	0.0 %
23	Congenital heart disease	1	0.0 %
24	Heart attack	0	0.0 %
25	Cyst on brain	0	0.0 %
26	Rheumatic fever	0	0.0 %
27	Cardiomyopathy	0	0.0 %
28	Stroke	0	0.0 %
29	Heart murmur	0	0.0 %
30	Heart failure/Enlarged heart	0	0.0 %
	Missing Data		
99	INAPP	3126	99.6 %
	Total	3,137	100%

Based upon 11 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 23.00

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA22A: OS-Location of pain or discomfort #1

Value	Label	Unweighted Frequency	%
1	Left chest	9	0.3 %
2	Right chest	6	0.2 %
3	Back	5	0.2 %
4	Center chest	4	0.1 %
5	Whole chest	7	0.2 %
6	Left arm	1	0.0 %

Value	Label	Unweighted Frequency	%
7	Right arm	3	0.1 %
8	Jaw	3	0.1 %
9	Lung	9	0.3 %
10	Neck	1	0.0 %
11	Stomach	1	0.0 %
12	Other	9	0.3 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	INAPP	3079	98.2 %
	Total	3,137	100%

Based upon 58 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA22B: OS-Location of pain or discomfort #2

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %
2	Right chest	2	0.1 %
3	Back	2	0.1 %
4	Center chest	3	0.1 %
5	Whole chest	1	0.0 %
6	Left arm	4	0.1 %
7	Right arm	1	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	3	0.1 %
11	Stomach	1	0.0 %
12	Other	0	0.0 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	INAPP	3120	99.5 %
	Total	3,137	100%

Based upon 17 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 11.00

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA22C: OS-Location of pain or discomfort #3

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %
2	Right chest	0	0.0 %
3	Back	1	0.0 %
4	Center chest	2	0.1 %
5	Whole chest	0	0.0 %
6	Left arm	2	0.1 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	0	0.0 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	INAPP	3132	99.8 %
	Total	3,137	100%

Based upon 5 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 6.00

Location: 33-34 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

C1PA22D: OS-Location of pain or discomfort #4

Value	Label	Unweighted Frequency	%
1	Left chest	0	0.0 %
2	Right chest	0	0.0 %
3	Back	0	0.0 %
4	Center chest	0	0.0 %
5	Whole chest	0	0.0 %
6	Left arm	0	0.0 %
7	Right arm	0	0.0 %
8	Jaw	0	0.0 %
9	Lung	0	0.0 %
10	Neck	2	0.1 %
11	Stomach	0	0.0 %
12	Other	0	0.0 %
13	Both sides of chest	0	0.0 %
14	Upper chest	0	0.0 %
15	Below chest	0	0.0 %
16	Legs	0	0.0 %
17	One or both arms	0	0.0 %
	Missing Data		
99	INAPP	3135	99.9 %
	Total	3,137	100%

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 35-36 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , 98 , 99

C1PA23CJA: OS-What doctor said it was about a severe pain across the front of chest #1

Value	Label	Unweighted Frequency	%
1	Heart	18	0.6 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	10	0.3 %
4	Gas	0	0.0 %
5	Acid reflux	7	0.2 %

Value	Label	Unweighted Frequency	%
6	Stress/anxiety	20	0.6 %
7	Indigestion	5	0.2 %
8	Hernia	4	0.1 %
9	Ulcer	0	0.0 %
10	Esophageal	9	0.3 %
11	Other	19	0.6 %
12	Heart burn	0	0.0 %
13	Muscle	11	0.4 %
14	Cartilage	0	0.0 %
15	Lung/asthma	3	0.1 %
16	Not diagnosed yet/unknown	11	0.4 %
17	Nothing to be concerned	0	0.0 %
18	Pancreas	0	0.0 %
19	Exercise routine/activity	0	0.0 %
20	Stomach	0	0.0 %
21	Artery	0	0.0 %
22	Nerve	0	0.0 %
	Missing Data		
99	INAPP	3020	96.3 %
	Total	3,137	100%

Based upon 117 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA23CJB: OS-What doctor said it was about a severe pain across the front of chest #2

Value	Label	Unweighted Frequency	%
1	Heart	0	0.0 %
2	Panic attack	0	0.0 %
3	Gall bladder/gallstone	1	0.0 %
4	Gas	0	0.0 %
5	Acid reflux	2	0.1 %
6	Stress/anxiety	1	0.0 %
7	Indigestion	0	0.0 %
8	Hernia	0	0.0 %
9	Ulcer	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Esophageal	0	0.0 %
11	Other	0	0.0 %
12	Heart burn	0	0.0 %
13	Muscle	0	0.0 %
14	Cartilage	0	0.0 %
15	Lung/asthma	0	0.0 %
16	Not diagnosed yet/unknown	0	0.0 %
17	Nothing to be concerned	0	0.0 %
18	Pancreas	0	0.0 %
19	Exercise routine/activity	0	0.0 %
20	Stomach	0	0.0 %
21	Artery	0	0.0 %
22	Nerve	0	0.0 %
	Missing Data		
99	INAPP	3133	99.9 %
	Total	3,137	100%

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 6.00

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA24EFA: OS-Treatment/therapy for high blood pressure #1

Value	Label	Unweighted Frequency	%
1	Lose weight	8	0.3 %
2	Exercise	9	0.3 %
3	Low sodium/sugar	7	0.2 %
4	Other	8	0.3 %
5	Medication	29	0.9 %
6	Supplement	12	0.4 %
7	Healthy diet	0	0.0 %
8	Regularly monitor	1	0.0 %
9	Rest	1	0.0 %
10	Release stress	3	0.1 %
11	Physical therapy	1	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %

Value	Label	Unweighted Frequency	%
14	Lifestyle change	0	0.0 %
	Missing Data		
99	INAPP	3058	97.5 %
	Total	3,137	100%

Based upon 79 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA24EFB: OS-Treatment/therapy for high blood pressure #2

Value	Label	Unweighted Frequency	%
1	Lose weight	1	0.0 %
2	Exercise	0	0.0 %
3	Low sodium/sugar	0	0.0 %
4	Other	0	0.0 %
5	Medication	0	0.0 %
6	Supplement	0	0.0 %
7	Healthy diet	0	0.0 %
8	Regularly monitor	0	0.0 %
9	Rest	1	0.0 %
10	Release stress	0	0.0 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	1	0.0 %
	Missing Data		
99	INAPP	3134	99.9 %
	Total	3,137	100%

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA24EFC: OS-Treatment/therapy for high blood pressure #3

Value	Label	Unweighted Frequency	%
1	Lose weight	0	0.0 %
2	Exercise	0	0.0 %
3	Low sodium/sugar	0	0.0 %
4	Other	0	0.0 %
5	Medication	0	0.0 %
6	Supplement	0	0.0 %
7	Healthy diet	0	0.0 %
8	Regularly monitor	0	0.0 %
9	Rest	0	0.0 %
10	Release stress	1	0.0 %
11	Physical therapy	0	0.0 %
12	Massage/spa	0	0.0 %
13	Portion control	0	0.0 %
14	Lifestyle change	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA28JA: OS-Type of cancer respondent has had #1

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	4	0.1 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	37	1.2 %
119	Uterine	5	0.2 %
120	Bone	3	0.1 %
121	Spine/Back	0	0.0 %

Value	Label	Unweighted Frequency	%
122	Blood	6	0.2 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	3	0.1 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	11	0.4 %
139	Bladder	12	0.4 %
140	Pancreas	0	0.0 %
141	Thyroid	24	0.8 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	8	0.3 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999	INAPP	2989	95.3 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 148 valid cases out of 3,137 total cases.

- Minimum: 115.00
- Maximum: 166.00

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA28JB: OS-Type of cancer respondent has had #2

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/Back	0	0.0 %
122	Blood	1	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %

Value	Label	Unweighted Frequency	%
135	Liver	0	0.0 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	1	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 122.00
- Maximum: 141.00

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA29AIA: OS-Type of treatment/therapy currently using for cancer #1

Value	Label	Unweighted Frequency	%
1	Medication	48	1.5 %
2	Sunscreen	11	0.4 %
3	Supplement	0	0.0 %
4	Nutrition	0	0.0 %
5	Other	12	0.4 %
6	Removal	2	0.1 %
7	Doctor	0	0.0 %
8	Burning	0	0.0 %
9	Creams	0	0.0 %
	Missing Data		
99	INAPP	3064	97.7 %
	Total	3,137	100%

Based upon 73 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA29AIB: OS-Type of treatment/therapy currently using for cancer #2

Value	Label	Unweighted Frequency	%
1	Medication	1	0.0 %
2	Sunscreen	0	0.0 %
3	Supplement	0	0.0 %
4	Nutrition	0	0.0 %
5	Other	0	0.0 %
6	Removal	0	0.0 %
7	Doctor	0	0.0 %
8	Burning	0	0.0 %
9	Creams	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PA31JA: OS-Type of cancer mother has had #1

Value	Label	Unweighted Frequency	%
110	Breast	7	0.2 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	5	0.2 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	7	0.2 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	18	0.6 %
121	Spine/Back	0	0.0 %
122	Blood	4	0.1 %
123	Myeloma	6	0.2 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	21	0.7 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	28	0.9 %
134	Intestine	6	0.2 %
135	Liver	22	0.7 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	25	0.8 %
139	Bladder	11	0.4 %
140	Pancreas	30	1.0 %
141	Thyroid	11	0.4 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %

Value	Label	Unweighted Frequency	%
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	12	0.4 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
997	DON'T KNOW	11	0.4 %
999	INAPP	2871	91.5 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 255 valid cases out of 3,137 total cases.

- Minimum: 110.00
- Maximum: 164.00

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA31JB: OS-Type of cancer mother has had #2

Value	Label	Unweighted Frequency	%
110	Breast	2	0.1 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	1	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %

Value	Label	Unweighted Frequency	%
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/Back	0	0.0 %
122	Blood	2	0.1 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	4	0.1 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	3	0.1 %
134	Intestine	0	0.0 %
135	Liver	2	0.1 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	1	0.0 %
140	Pancreas	1	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %

Value	Label	Unweighted Frequency	%
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3121	99.5 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 16 valid cases out of 3,137 total cases.

- Minimum: 110.00
- Maximum: 140.00

Location: 60-62 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA31JC: OS-Type of cancer mother has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	1	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/Back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	1	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %

Value	Label	Unweighted Frequency	%
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 113.00
- Maximum: 126.00

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA32JA: OS-Type of cancer father has had #1

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	6	0.2 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	22	0.7 %
121	Spine/Back	0	0.0 %
122	Blood	7	0.2 %
123	Myeloma	9	0.3 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	24	0.8 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	18	0.6 %
133	Stomach	26	0.8 %
134	Intestine	0	0.0 %
135	Liver	26	0.8 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	17	0.5 %
139	Bladder	36	1.1 %
140	Pancreas	33	1.1 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %

Value	Label	Unweighted Frequency	%
147	Testicular	8	0.3 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	22	0.7 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
997	DON'T KNOW	17	0.5 %
999	INAPP	2820	89.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 300 valid cases out of 3,137 total cases.

- Minimum: 113.00
- Maximum: 164.00

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA32JB: OS-Type of cancer father has had #2

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	6	0.2 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %

Value	Label	Unweighted Frequency	%
120	Bone	2	0.1 %
121	Spine/Back	0	0.0 %
122	Blood	4	0.1 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	1	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	5	0.2 %
133	Stomach	5	0.2 %
134	Intestine	0	0.0 %
135	Liver	3	0.1 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	1	0.0 %
140	Pancreas	3	0.1 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %

Value	Label	Unweighted Frequency	%
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3105	99.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 32 valid cases out of 3,137 total cases.

- Minimum: 113.00
- Maximum: 164.00

Location: 69-71 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA32JC: OS-Type of cancer father has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/Back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %

Value	Label	Unweighted Frequency	%
133	Stomach	2	0.1 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3134	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 133.00
- Maximum: 164.00

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA33JA: OS-Type of cancer brother has had #1

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	7	0.2 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	11	0.4 %
121	Spine/Back	0	0.0 %
122	Blood	8	0.3 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	10	0.3 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	9	0.3 %
133	Stomach	10	0.3 %
134	Intestine	0	0.0 %
135	Liver	13	0.4 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	17	0.5 %
139	Bladder	13	0.4 %
140	Pancreas	16	0.5 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %

Value	Label	Unweighted Frequency	%
147	Testicular	6	0.2 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	21	0.7 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
997	DON'T KNOW	3	0.1 %
999	INAPP	2967	94.6 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 167 valid cases out of 3,137 total cases.

- Minimum: 115.00
- Maximum: 166.00

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA33JB: OS-Type of cancer brother has had #2

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	1	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %

Value	Label	Unweighted Frequency	%
120	Bone	0	0.0 %
121	Spine/Back	0	0.0 %
122	Blood	1	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	1	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	1	0.0 %
133	Stomach	2	0.1 %
134	Intestine	0	0.0 %
135	Liver	1	0.0 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	2	0.1 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	2	0.1 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %

Value	Label	Unweighted Frequency	%
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3124	99.6 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13 valid cases out of 3,137 total cases.

- Minimum: 115.00
- Maximum: 165.00

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA33JC: OS-Type of cancer brother has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/Back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %

Value	Label	Unweighted Frequency	%
133	Stomach	1	0.0 %
134	Intestine	0	0.0 %
135	Liver	1	0.0 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 133.00
- Maximum: 135.00

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA34JA: OS-Type of cancer sister has had #1

Value	Label	Unweighted Frequency	%
110	Breast	5	0.2 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	2	0.1 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	8	0.3 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	6	0.2 %
119	Uterine	0	0.0 %
120	Bone	14	0.4 %
121	Spine/Back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	16	0.5 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	7	0.2 %
134	Intestine	0	0.0 %
135	Liver	10	0.3 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	5	0.2 %
139	Bladder	10	0.3 %
140	Pancreas	19	0.6 %
141	Thyroid	13	0.4 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %

Value	Label	Unweighted Frequency	%
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
997	DON'T KNOW	5	0.2 %
999	INAPP	2975	94.8 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 157 valid cases out of 3,137 total cases.

- Minimum: 110.00
- Maximum: 166.00

Location: 84-86 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA34JB: OS-Type of cancer sister has had #2

Value	Label	Unweighted Frequency	%
110	Breast	1	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	1	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %

Value	Label	Unweighted Frequency	%
120	Bone	1	0.0 %
121	Spine/Back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	2	0.1 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	1	0.0 %
134	Intestine	0	0.0 %
135	Liver	2	0.1 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	1	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %

Value	Label	Unweighted Frequency	%
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3128	99.7 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9 valid cases out of 3,137 total cases.

- Minimum: 110.00
- Maximum: 141.00

Location: 87-89 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA34JC: OS-Type of cancer sister has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	2	0.1 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/Back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %

Value	Label	Unweighted Frequency	%
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 113.00
- Maximum: 113.00

Location: 90-92 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA35JA: OS-Type of cancer child has had #1

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	4	0.1 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	1	0.0 %
119	Uterine	0	0.0 %
120	Bone	2	0.1 %
121	Spine/Back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	9	0.3 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	3	0.1 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	2	0.1 %
139	Bladder	4	0.1 %
140	Pancreas	0	0.0 %
141	Thyroid	1	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %

Value	Label	Unweighted Frequency	%
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3097	98.7 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 40 valid cases out of 3,137 total cases.

- Minimum: 115.00
- Maximum: 164.00

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA35JB: OS-Type of cancer child has had #2

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	1	0.0 %

Value	Label	Unweighted Frequency	%
121	Spine/Back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	2	0.1 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %
134	Intestine	0	0.0 %
135	Liver	0	0.0 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999	INAPP	3134	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 120.00
- Maximum: 126.00

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PA35JC: OS-Type of cancer child has had #3

Value	Label	Unweighted Frequency	%
110	Breast	0	0.0 %
111	Cervical	0	0.0 %
112	Colon/Rectal	0	0.0 %
113	Lungs	0	0.0 %
114	Leukemia	0	0.0 %
115	Lymph Nodes	0	0.0 %
116	Ovarian	0	0.0 %
117	Prostate	0	0.0 %
118	Skin	0	0.0 %
119	Uterine	0	0.0 %
120	Bone	0	0.0 %
121	Spine/Back	0	0.0 %
122	Blood	0	0.0 %
123	Myeloma	0	0.0 %
124	Heart	0	0.0 %
125	Muscles	0	0.0 %
126	Brain/Head	0	0.0 %
127	Eye	0	0.0 %
128	Ear	0	0.0 %
129	Nervous System	0	0.0 %
130	Sinuses	0	0.0 %
131	Mouth	0	0.0 %
132	Esophagus	0	0.0 %
133	Stomach	0	0.0 %

Value	Label	Unweighted Frequency	%
134	Intestine	0	0.0 %
135	Liver	1	0.0 %
136	Gall Bladder	0	0.0 %
137	Appendix	0	0.0 %
138	Kidney	0	0.0 %
139	Bladder	0	0.0 %
140	Pancreas	0	0.0 %
141	Thyroid	0	0.0 %
142	Adrenal Glands	0	0.0 %
143	Parotid Glands	0	0.0 %
144	Pituitary Gland	0	0.0 %
145	Thymus	0	0.0 %
146	Female Reproductive System	0	0.0 %
147	Testicular	0	0.0 %
148	Penis	0	0.0 %
149	Spleen	0	0.0 %
150	Face	0	0.0 %
151	Nose	0	0.0 %
152	Neck	0	0.0 %
153	Throat	0	0.0 %
154	Larynx	0	0.0 %
155	Tonsils	0	0.0 %
156	Shoulder	0	0.0 %
157	Finger	0	0.0 %
158	Hip	0	0.0 %
159	Leg	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 135.00
- Maximum: 135.00

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PB2A11A: OS-Respondent's employment situation before the recession

Value	Label	Unweighted Frequency	%
1	Disabled	15	0.5 %
2	Was working	7	0.2 %
3	Health problem	2	0.1 %
4	Homemaker	0	0.0 %
5	Volunteer	6	0.2 %
6	Military	0	0.0 %
7	Caregiving for family/friend	7	0.2 %
8	Missionary work	0	0.0 %
9	Live on insurance benefit	0	0.0 %
10	Unemployed	3	0.1 %
11	Not working: Other reasons	1	0.0 %
12	Part-time job	2	0.1 %
13	Self-employed	3	0.1 %
14	Other	7	0.2 %
	Missing Data		
99	INAPP	3084	98.3 %
	Total	3,137	100%

Based upon 53 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB2BBGA: OS-Reason for respondent's first unemployment since the recession began #1

Value	Label	Unweighted Frequency	%
1	Health problem/accident	16	0.5 %
2	Disabled	5	0.2 %
3	Resigned/voluntary leave	3	0.1 %
4	Had a baby/child care/married/homemaker	7	0.2 %
5	Temporary or seasonal job/contract or project ended	6	0.2 %
6	Lack of work/no work available	11	0.4 %
7	Lost job/laid off/foced to quit	11	0.4 %
8	Graduated from school	0	0.0 %
9	Moved/relocated	10	0.3 %
10	Other	24	0.8 %
11	Was not working/hadn't been working	3	0.1 %
12	Company or business moved/slow down/closed	12	0.4 %

Value	Label	Unweighted Frequency	%
13	Caregiving for family	0	0.0 %
14	Self-employed	0	0.0 %
15	Job/position was eliminated	7	0.2 %
16	Had problem at job	6	0.2 %
17	Weather condition	0	0.0 %
	Missing Data		
99	INAPP	3016	96.1 %
	Total	3,137	100%

Based upon 121 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99)

C1PB2BBGB: OS-Reason for respondent's first unemployment since the recession began #2

Value	Label	Unweighted Frequency	%
1	Health problem/accident	3	0.1 %
2	Disabled	0	0.0 %
3	Resigned/voluntary leave	1	0.0 %
4	Had a baby/child care/married/homemaker	0	0.0 %
5	Temporary or seasonal job/contract or project ended	0	0.0 %
6	Lack of work/no work available	0	0.0 %
7	Lost job/laid off/foced to quit	2	0.1 %
8	Graduated from school	0	0.0 %
9	Moved/relocated	1	0.0 %
10	Other	0	0.0 %
11	Was not working/hadn't been working	0	0.0 %
12	Company or business moved/slow down/closed	0	0.0 %
13	Caregiving for family	0	0.0 %
14	Self-employed	0	0.0 %
15	Job/position was eliminated	0	0.0 %
16	Had problem at job	0	0.0 %
17	Weather condition	0	0.0 %
	Missing Data		
99	INAPP	3130	99.8 %
	Total	3,137	100%

Based upon 7 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB3KA: OS-Respondent's current employment situation #1

Value	Label	Unweighted Frequency	%
1	Disabled	26	0.8 %
2	Caregiving for family	8	0.3 %
3	Volunteer	5	0.2 %
4	Homemaker	0	0.0 %
5	Health problem	7	0.2 %
6	Live on insurance benefit	0	0.0 %
7	Laid off	0	0.0 %
8	Working	7	0.2 %
9	Self-employed	7	0.2 %
10	Part-time work	13	0.4 %
11	Apprenticeship	0	0.0 %
12	Not specified	0	0.0 %
13	Unpaid internship	0	0.0 %
14	Temporary or seasonal work	0	0.0 %
15	Other	13	0.4 %
16	Looking for work	0	0.0 %
17	Retired	0	0.0 %
18	Sick leave	0	0.0 %
19	Social security	0	0.0 %
	Missing Data		
99	INAPP	3051	97.3 %
	Total	3,137	100%

Based upon 86 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB3KB: OS-Respondent's current employment situation #2

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Caregiving for family	0	0.0 %
3	Volunteer	0	0.0 %
4	Homemaker	0	0.0 %
5	Health problem	2	0.1 %
6	Live on insurance benefit	0	0.0 %
7	Laid off	0	0.0 %
8	Working	0	0.0 %
9	Self-employed	0	0.0 %
10	Part-time work	0	0.0 %
11	Apprenticeship	0	0.0 %
12	Not specified	0	0.0 %
13	Unpaid internship	0	0.0 %
14	Temporary or seasonal work	0	0.0 %
15	Other	0	0.0 %
16	Looking for work	0	0.0 %
17	Retired	0	0.0 %
18	Sick leave	0	0.0 %
19	Social security	0	0.0 %
	Missing Data		
99	INAPP	3135	99.9 %
	Total	3,137	100%

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB5GA: OS-Reason for respondent's unemployment #1

Value	Label	Unweighted Frequency	%
1	Disabled	24	0.8 %
2	Had a baby/child care/married/homemaker	18	0.6 %
3	Health problem/accident	62	2.0 %
4	Other	35	1.1 %
5	Schooling	0	0.0 %
6	Moved	11	0.4 %
7	Imprisoned	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Temporary job/seasonal job/contract ended	17	0.5 %
9	Laid off	13	0.4 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	10	0.3 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	18	0.6 %
14	Resigned/chose to quit	15	0.5 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %
	Missing Data		
99	INAPP	2914	92.9 %
	Total	3,137	100%

Based upon 223 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB5GB: OS-Reason for respondent's unemployment #2

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	1	0.0 %
3	Health problem/accident	5	0.2 %
4	Other	0	0.0 %
5	Schooling	0	0.0 %
6	Moved	2	0.1 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	2	0.1 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	2	0.1 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
99	INAPP	3125	99.6 %
	Total	3,137	100%

Based upon 12 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 13.00

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB5AB1A: OE-What respondent is doing to find a job #1

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	12	0.4 %
2	Networking	26	0.8 %
3	Internet/online/other media: Not specified	35	1.1 %
4	Interviewing	2	0.1 %
5	Schooling	0	0.0 %
6	Other	10	0.3 %
7	Already has a job	0	0.0 %
	Missing Data		
99	INAPP	3052	97.3 %
	Total	3,137	100%

Based upon 85 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB5AB1B: OE-What respondent is doing to find a job #2

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	15	0.5 %
2	Networking	0	0.0 %
3	Internet/online/other media: Not specified	21	0.7 %
4	Interviewing	3	0.1 %
5	Schooling	0	0.0 %
6	Other	0	0.0 %
7	Already has a job	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3098	98.8 %
	Total	3,137	100%

Based upon 39 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB5AB1C: OE-What respondent is doing to find a job #3

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	9	0.3 %
2	Networking	0	0.0 %
3	Internet/online/other media: Not specified	0	0.0 %
4	Interviewing	0	0.0 %
5	Schooling	0	0.0 %
6	Other	0	0.0 %
7	Already has a job	0	0.0 %
	Missing Data		
99	INAPP	3128	99.7 %
	Total	3,137	100%

Based upon 9 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB33AKA: OS-Spouse/partner's employment situation before the recession

Value	Label	Unweighted Frequency	%
1	Disabled	5	0.2 %
2	Imprisoned	0	0.0 %
3	Schooling	0	0.0 %
4	Volunteer	2	0.1 %
5	Looking for job	0	0.0 %
6	Health problem	3	0.1 %

Value	Label	Unweighted Frequency	%
7	Staying abroad	0	0.0 %
8	Other	7	0.2 %
9	Military	0	0.0 %
10	Laid off	1	0.0 %
11	Seasonal work	2	0.1 %
12	Working	3	0.1 %
13	Caregiving for family/friend	2	0.1 %
14	Self employed	4	0.1 %
15	Part-time job	2	0.1 %
	Missing Data		
97	DON'T KNOW	1	0.0 %
99	INAPP	3105	99.0 %
	Total	3,137	100%

Based upon 31 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB33BBGA: OS-Reason for spouse/partner's first unemployment since the recession began #1

Value	Label	Unweighted Frequency	%
1	Company or business moved/slow down/closed	11	0.4 %
2	Disabled	3	0.1 %
3	Health problem/accident	15	0.5 %
4	Temporary or seasonal job/contract or project ended	10	0.3 %
5	Other	12	0.4 %
6	Moved	3	0.1 %
7	Job/position was eliminated	2	0.1 %
8	Schooling	0	0.0 %
9	Self-employed	3	0.1 %
10	Was not working/hadn't been working	3	0.1 %
11	Lack of work/no work available	7	0.2 %
12	Had a job/was working	0	0.0 %
13	Graduating from school	0	0.0 %
14	Looking for a job	0	0.0 %
15	Laid off	5	0.2 %

Value	Label	Unweighted Frequency	%
16	Caregiving for family/friend	1	0.0 %
	Missing Data		
99	INAPP	3062	97.6 %
	Total	3,137	100%

Based upon 75 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB33BBGB: OS-Reason for spouse/partner's first unemployment since the recession began #2

Value	Label	Unweighted Frequency	%
1	Company or business moved/slow down/closed	0	0.0 %
2	Disabled	0	0.0 %
3	Health problem/accident	2	0.1 %
4	Temporary or seasonal job/contract or project ended	0	0.0 %
5	Other	0	0.0 %
6	Moved	0	0.0 %
7	Job/position was eliminated	0	0.0 %
8	Schooling	0	0.0 %
9	Self-employed	1	0.0 %
10	Was not working/hadn't been working	0	0.0 %
11	Lack of work/no work available	1	0.0 %
12	Had a job/was working	0	0.0 %
13	Graduating from school	0	0.0 %
14	Looking for a job	0	0.0 %
15	Laid off	1	0.0 %
16	Caregiving for family/friend	0	0.0 %
	Missing Data		
99	INAPP	3132	99.8 %
	Total	3,137	100%

Based upon 5 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 15.00

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB34KA: OS-Spouse/partner's current employment situation #1

Value	Label	Unweighted Frequency	%
1	Disabled	10	0.3 %
2	Health problem	3	0.1 %
3	Volunteer/unpaid job	4	0.1 %
4	Part-time job	9	0.3 %
5	Maternity leave	0	0.0 %
6	Not working	3	0.1 %
7	Working	6	0.2 %
8	About to start working	0	0.0 %
9	Caregiving for family/friend	2	0.1 %
10	Live on insurance benefit	2	0.1 %
11	Homemaker	2	0.1 %
12	Self-employed	2	0.1 %
13	Other	0	0.0 %
	Missing Data		
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3093	98.6 %
	Total	3,137	100%

Based upon 43 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB34KB: OS-Spouse/partner's current employment situation #2

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Health problem	0	0.0 %
3	Volunteer/unpaid job	2	0.1 %
4	Part-time job	0	0.0 %
5	Maternity leave	0	0.0 %
6	Not working	0	0.0 %
7	Working	1	0.0 %
8	About to start working	0	0.0 %
9	Caregiving for family/friend	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Live on insurance benefit	0	0.0 %
11	Homemaker	0	0.0 %
12	Self-employed	0	0.0 %
13	Other	0	0.0 %
	Missing Data		
99	INAPP	3134	99.9 %
	Total	3,137	100%

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB36GA: OS-Reason for respondent's unemployment #1

Value	Label	Unweighted Frequency	%
1	Disabled	16	0.5 %
2	Had a baby/child care/married/homemaker	39	1.2 %
3	Health problem/accident	46	1.5 %
4	Other	10	0.3 %
5	Schooling	0	0.0 %
6	Moved	5	0.2 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	8	0.3 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	8	0.3 %
14	Resigned/chose to quit	8	0.3 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %
	Missing Data		
97	DON'T KNOW	1	0.0 %
99	INAPP	2996	95.5 %
	Total	3,137	100%

Based upon 140 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB36GB: OS-Reason for respondent's unemployment #2

Value	Label	Unweighted Frequency	%
1	Disabled	0	0.0 %
2	Had a baby/child care/married/homemaker	0	0.0 %
3	Health problem/accident	11	0.4 %
4	Other	1	0.0 %
5	Schooling	0	0.0 %
6	Moved	0	0.0 %
7	Imprisoned	0	0.0 %
8	Temporary job/seasonal job/contract ended	0	0.0 %
9	Laid off	0	0.0 %
10	No work/lack of work	0	0.0 %
11	Caregiving for family	0	0.0 %
12	Graduated from school/semester ended	0	0.0 %
13	Company moved/closed	0	0.0 %
14	Resigned/chose to quit	0	0.0 %
15	Didn't like working condition	0	0.0 %
16	Retired	0	0.0 %
	Missing Data		
99	INAPP	3125	99.6 %
	Total	3,137	100%

Based upon 12 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 4.00

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB36A1A: OE-What spouse/partner is doing to find a job #1

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	5	0.2 %
2	Already has a job	0	0.0 %
3	Networking	20	0.6 %
4	Internet, online, other media: Ambiguous response	11	0.4 %

Value	Label	Unweighted Frequency	%
5	Interviewing	1	0.0 %
6	Schooling	1	0.0 %
7	Other	3	0.1 %
	Missing Data		
97	DON'T KNOW	1	0.0 %
99	INAPP	3095	98.7 %
	Total	3,137	100%

Based upon 41 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB36A1B: OE-What spouse/partner is doing to find a job #2

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	3	0.1 %
2	Already has a job	0	0.0 %
3	Networking	0	0.0 %
4	Internet, online, other media: Ambiguous response	9	0.3 %
5	Interviewing	1	0.0 %
6	Schooling	1	0.0 %
7	Other	0	0.0 %
	Missing Data		
99	INAPP	3123	99.6 %
	Total	3,137	100%

Based upon 14 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PB36A1C: OE-What spouse/partner is doing to find a job #3

Value	Label	Unweighted Frequency	%
1	Searching/applying for job	1	0.0 %
2	Already has a job	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Networking	0	0.0 %
4	Internet, online, other media: Ambiguous response	2	0.1 %
5	Interviewing	0	0.0 %
6	Schooling	0	0.0 %
7	Other	0	0.0 %
	Missing Data		
99	INAPP	3134	99.9 %
	Total	3,137	100%

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99)

C1PC6A: OS-Anyone you have not already mentioned lived in your household in last 12 months #1

Value	Label	Unweighted Frequency	%
1	Friend	14	0.4 %
2	Sister	11	0.4 %
3	Brother	0	0.0 %
4	Spouse	7	0.2 %
5	Nephew	11	0.4 %
6	In-laws	31	1.0 %
7	Roommate	0	0.0 %
8	Parents	17	0.5 %
9	Niece	0	0.0 %
10	Other: Non family member	16	0.5 %
11	Other: Family member	12	0.4 %
12	Children	31	1.0 %
13	Boyfriend/girlfriend/domestic partner/fiance	0	0.0 %
14	Grandchildren	35	1.1 %
15	Other	45	1.4 %
	Missing Data		
99	INAPP	2907	92.7 %
	Total	3,137	100%

Based upon 230 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PC6B: OS-Anyone you have not already mentioned lived in your household in last 12 months #2

Value	Label	Unweighted Frequency	%
1	Friend	3	0.1 %
2	Sister	0	0.0 %
3	Brother	0	0.0 %
4	Spouse	1	0.0 %
5	Nephew	0	0.0 %
6	In-laws	3	0.1 %
7	Roommate	0	0.0 %
8	Parents	1	0.0 %
9	Niece	0	0.0 %
10	Other: Non family member	0	0.0 %
11	Other: Family member	1	0.0 %
12	Children	8	0.3 %
13	Boyfriend/girlfriend/domestic partner/fiance	0	0.0 %
14	Grandchildren	9	0.3 %
15	Other	0	0.0 %
	Missing Data		
99	INAPP	3111	99.2 %
	Total	3,137	100%

Based upon 26 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PC6C: OS-Anyone you have not already mentioned lived in your household in last 12 months #3

Value	Label	Unweighted Frequency	%
1	Friend	0	0.0 %
2	Sister	0	0.0 %
3	Brother	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Spouse	0	0.0 %
5	Nephew	0	0.0 %
6	In-laws	0	0.0 %
7	Roommate	0	0.0 %
8	Parents	0	0.0 %
9	Niece	0	0.0 %
10	Other: Non family member	0	0.0 %
11	Other: Family member	0	0.0 %
12	Children	2	0.1 %
13	Boyfriend/girlfriend/domestic partner/fiance	0	0.0 %
14	Grandchildren	3	0.1 %
15	Other	0	0.0 %
	Missing Data		
99	INAPP	3132	99.8 %
	Total	3,137	100%

Based upon 5 valid cases out of 3,137 total cases.

- Minimum: 12.00
- Maximum: 14.00

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PCDTA1: OS-Condition disability/mental problem 1: Child #1

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	1	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	1	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %

Value	Label	Unweighted Frequency	%
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	5	0.2 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	3	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	1	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3076	98.1 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 61 valid cases out of 3,137 total cases.

- Minimum: 102.00
- Maximum: 996.00

Location: 148-150 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTA2: OS-Condition disability/mental problem 1: Child #2

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	1	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	1	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	7	0.2 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	3	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	1	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	3	0.1 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
998	REFUSED	1	0.0 %
999	INAPP	3073	98.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 63 valid cases out of 3,137 total cases.

- Minimum: 107.00
- Maximum: 996.00

Location: 151-153 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTA3: OS-Condition disability/mental problem 1: Child #3

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	1	0.0 %

Value	Label	Unweighted Frequency	%
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	8	0.3 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	2	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3106	99.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 31 valid cases out of 3,137 total cases.

- Minimum: 102.00
- Maximum: 996.00

Location: 154-156 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTA4: OS-Condition disability/mental problem 1: Child #4

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %

Value	Label	Unweighted Frequency	%
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	2	0.1 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	1	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3122	99.5 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 15 valid cases out of 3,137 total cases.

- Minimum: 224.00
- Maximum: 996.00

Location: 157-159 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTA5: OS-Condition disability/mental problem 1: Child #5

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	2	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3125	99.6 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12 valid cases out of 3,137 total cases.

- Minimum: 224.00
- Maximum: 996.00

Location: 160-162 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTA6: OS-Condition disability/mental problem 1: Child #6

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 769.00
- Maximum: 996.00

Location: 163-165 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTA7: OS-Condition disability/mental problem 1: Child #7

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 166-168 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTA8: OS-Condition disability/mental problem 1: Child #8

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 169-171 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTA9: OS-Condition disability/mental problem 1: Child #9

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 172-174 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTA11: OS-Condition disability/mental problem 1: Child #11

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 175-177 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTB1: OS-Condition disability/mental problem 2: Child #1

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3134	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 650.00
- Maximum: 996.00

Location: 178-180 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTB2: OS-Condition disability/mental problem 2: Child #2

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 653.00
- Maximum: 653.00

Location: 181-183 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTB3: OS-Condition disability/mental problem 2: Child #3

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 184-186 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTB4: OS-Condition disability/mental problem 2: Child #4

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	1	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 645.00
- Maximum: 996.00

Location: 187-189 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDTC2: OS-Condition disability/mental problem 3: Child #2

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 190-192 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOA1: OS-Any other condition 1: Child #1

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	1	0.0 %
102	Autism	2	0.1 %
103	Cerebral palsy (CP)	1	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	1	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	2	0.1 %
223	Attention deficit hyperactivity disorder (ADHD)	1	0.0 %
224	Handicapped	2	0.1 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	3	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	2	0.1 %
433	Brain damage	1	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	3	0.1 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	3	0.1 %
646	Alzheimer's	1	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3089	98.5 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 48 valid cases out of 3,137 total cases.

- Minimum: 101.00
- Maximum: 996.00

Location: 193-195 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOA2: OS-Any other condition 1: Child #2

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	3	0.1 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	2	0.1 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	1	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3104	98.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 33 valid cases out of 3,137 total cases.

- Minimum: 223.00
- Maximum: 996.00

Location: 196-198 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOA3: OS-Any other condition 1: Child #3

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	1	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	1	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	1	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	1	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3125	99.6 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12 valid cases out of 3,137 total cases.

- Minimum: 222.00
- Maximum: 996.00

Location: 199-201 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOA4: OS-Any other condition 1: Child #4

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	2	0.1 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3130	99.8 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7 valid cases out of 3,137 total cases.

- Minimum: 226.00
- Maximum: 996.00

Location: 202-204 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOA5: OS-Any other condition 1: Child #5

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 205-207 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOA6: OS-Any other condition 1: Child #6

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 208-210 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOA7: OS-Any other condition 1: Child #7

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 211-213 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOA8: OS-Any other condition 1: Child #8

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	1	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 104.00
- Maximum: 104.00

Location: 214-216 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOA9: OS-Any other condition 1: Child #9

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	1	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 113.00
- Maximum: 113.00

Location: 217-219 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOB1: OS-Any other condition 2: Child #1

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	1	0.0 %
331	Epilepsy	1	0.0 %
332	Seizure disorder	1	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3131	99.8 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6 valid cases out of 3,137 total cases.

- Minimum: 230.00
- Maximum: 996.00

Location: 220-222 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOB2: OS-Any other condition 2: Child #2

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	1	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3133	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 105.00
- Maximum: 650.00

Location: 223-225 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOB3: OS-Any other condition 2: Child #3

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 655.00
- Maximum: 996.00

Location: 226-228 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOB4: OS-Any other condition 2: Child #4

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3133	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 656.00
- Maximum: 996.00

Location: 229-231 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOB9: OS-Any other condition 2: Child #9

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 653.00
- Maximum: 653.00

Location: 232-234 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOC1: OS-Any other condition 3: Child #1

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	1	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3135	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 113.00
- Maximum: 655.00

Location: 235-237 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOC2: OS-Any other condition 3: Child #2

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	1	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3134	99.9 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 224.00
- Maximum: 660.00

Location: 238-240 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOD2: OS-Any other condition 4: Child #2

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	1	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %

Value	Label	Unweighted Frequency	%
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 226.00
- Maximum: 226.00

Location: 241-243 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOE2: OS-Any other condition 5: Child #2

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %

Value	Label	Unweighted Frequency	%
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	0	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %

Value	Label	Unweighted Frequency	%
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 996.00
- Maximum: 996.00

Location: 244-246 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PCDOF2: OS-Any other condition 6: Child #2

Value	Label	Unweighted Frequency	%
101	Asperger's syndrome	0	0.0 %
102	Autism	0	0.0 %
103	Cerebral palsy (CP)	0	0.0 %
104	Cognitive disability	0	0.0 %
105	Developmental disability (DD)	0	0.0 %
106	Down syndrome	0	0.0 %
107	Fetal alcohol syndrome	0	0.0 %
108	Fragile X syndrome	0	0.0 %
109	Hydrocephalus	0	0.0 %
110	Intellectual disability	0	0.0 %
111	Intellectual impairment	0	0.0 %
112	Mental handicap	0	0.0 %
113	Mental retardation (MR)	0	0.0 %
114	Mental disability	0	0.0 %
115	Mental impairment	0	0.0 %
116	Microcephaly	0	0.0 %

Value	Label	Unweighted Frequency	%
117	Muscular dystrophy	0	0.0 %
118	Pervasive developmental disorder (PDD-NOS)	0	0.0 %
119	Prader-willi syndrome	0	0.0 %
120	Retardation	0	0.0 %
121	Spina bifida	0	0.0 %
178	Retts disorder	0	0.0 %
222	Attention deficit disorder (ADD)	0	0.0 %
223	Attention deficit hyperactivity disorder (ADHD)	0	0.0 %
224	Handicapped	1	0.0 %
225	Hyperactivity	0	0.0 %
226	Learning disability/problems (LD)	0	0.0 %
227	Mental problems	0	0.0 %
228	Slow in school/slow learner/slow	0	0.0 %
229	Special education/special ed	0	0.0 %
230	Speech and language problems	0	0.0 %
331	Epilepsy	0	0.0 %
332	Seizure disorder	0	0.0 %
433	Brain damage	0	0.0 %
434	Brain injury/brain injured	0	0.0 %
435	Closed head injury	0	0.0 %
436	Head injury	0	0.0 %
437	Traumatic brain injury/brain injury	0	0.0 %
538	Bipolar disorder (Manic depressive disorder)	0	0.0 %
539	Cyclothymia	0	0.0 %
540	Delusional disorder	0	0.0 %
542	Schizophrenia/schizoaffective/schizophreniform disorder	0	0.0 %
543	Psychotic disorder/psychosis	0	0.0 %
586	Clinical depression	0	0.0 %
587	Major depression	0	0.0 %
588	Severe depression	0	0.0 %
644	Agoraphobia	0	0.0 %
645	Alcoholism	0	0.0 %
646	Alzheimer's	0	0.0 %
647	Anorexia or anorexia nervosa	0	0.0 %
	Missing Data		
999	INAPP	3136	100.0 %
	Total	3,137	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 224.00
- Maximum: 224.00

Location: 247-249 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 997 , 998 , 999

C1PD2A: OS-Recipient of the most personal care #1

Value	Label	Unweighted Frequency	%
1	Friend	30	1.0 %
2	Aunt	7	0.2 %
3	Children	0	0.0 %
4	Uncle	0	0.0 %
5	Stepfather	0	0.0 %
6	Boyfriend/girlfriend	2	0.1 %
7	Domestic partner	0	0.0 %
8	In-laws	14	0.4 %
9	Other: Family member	9	0.3 %
10	Other: Non family member	6	0.2 %
11	Other	8	0.3 %
12	Grandchildren	0	0.0 %
13	Niece/nephew	0	0.0 %
14	Cousin	0	0.0 %
15	Ex-husband	0	0.0 %
16	Parents both	0	0.0 %
	Missing Data		
99	INAPP	3061	97.6 %
	Total	3,137	100%

Based upon 76 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PD2B: OS-Recipient of the most personal care #2

Value	Label	Unweighted Frequency	%
1	Friend	1	0.0 %
2	Aunt	0	0.0 %
3	Children	0	0.0 %
4	Uncle	0	0.0 %
5	Stepfather	0	0.0 %
6	Boyfriend/girlfriend	0	0.0 %
7	Domestic partner	0	0.0 %
8	In-laws	0	0.0 %
9	Other: Family member	0	0.0 %
10	Other: Non family member	0	0.0 %
11	Other	0	0.0 %
12	Grandchildren	0	0.0 %
13	Niece/nephew	0	0.0 %
14	Cousin	0	0.0 %
15	Ex-husband	0	0.0 %
16	Parents both	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 252-253 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PD4A: OS-Condition caused recipient to need personal care #1

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	0	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	3	0.1 %
5	Other cancer	46	1.5 %
6	Old age	49	1.6 %
7	Mental disease	28	0.9 %
8	Dementia/Alzheimer	48	1.5 %
9	Surgery	38	1.2 %
10	Parkinson's disease	7	0.2 %

Value	Label	Unweighted Frequency	%
11	Depression	6	0.2 %
12	Stroke	32	1.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	10	0.3 %
15	Back/spine	5	0.2 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	19	0.6 %
19	Other	81	2.6 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	13	0.4 %
22	Broken bone	9	0.3 %
23	Lung/asthma	5	0.2 %
24	Disabled	11	0.4 %
25	Hip/knee replacement	15	0.5 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
28	Foot/ankle	0	0.0 %
29	Social network problem	0	0.0 %
	Missing Data		
99	INAPP	2712	86.5 %
	Total	3,137	100%

Based upon 425 valid cases out of 3,137 total cases.

- Minimum: 4.00
- Maximum: 25.00

Location: 254-255 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PD4B: OS-Condition caused recipient to need personal care #2

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	0	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	7	0.2 %
5	Other cancer	1	0.0 %
6	Old age	9	0.3 %
7	Mental disease	5	0.2 %

Value	Label	Unweighted Frequency	%
8	Dementia/Alzheimer	7	0.2 %
9	Surgery	5	0.2 %
10	Parkinson's disease	4	0.1 %
11	Depression	3	0.1 %
12	Stroke	3	0.1 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	2	0.1 %
15	Back/spine	7	0.2 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	15	0.5 %
19	Other	1	0.0 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	1	0.0 %
22	Broken bone	4	0.1 %
23	Lung/asthma	4	0.1 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	0	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
28	Foot/ankle	0	0.0 %
29	Social network problem	0	0.0 %
	Missing Data		
99	INAPP	3059	97.5 %
	Total	3,137	100%

Based upon 78 valid cases out of 3,137 total cases.

- Minimum: 4.00
- Maximum: 23.00

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PD4C: OS-Condition caused recipient to need personal care #3

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	0	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	2	0.1 %

Value	Label	Unweighted Frequency	%
5	Other cancer	0	0.0 %
6	Old age	3	0.1 %
7	Mental disease	1	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	1	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	0	0.0 %
12	Stroke	0	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	1	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	3	0.1 %
19	Other	0	0.0 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	1	0.0 %
22	Broken bone	1	0.0 %
23	Lung/asthma	0	0.0 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	1	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
28	Foot/ankle	0	0.0 %
29	Social network problem	0	0.0 %
	Missing Data		
99	INAPP	3123	99.6 %
	Total	3,137	100%

Based upon 14 valid cases out of 3,137 total cases.

- Minimum: 4.00
- Maximum: 25.00

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PD4D: OS-Condition caused recipient to need personal care #4

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Arthritis	0	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	0	0.0 %
5	Other cancer	0	0.0 %
6	Old age	0	0.0 %
7	Mental disease	0	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	0	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	0	0.0 %
12	Stroke	0	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	0	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	0	0.0 %
19	Other	0	0.0 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	0	0.0 %
22	Broken bone	0	0.0 %
23	Lung/asthma	2	0.1 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	1	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
28	Foot/ankle	0	0.0 %
29	Social network problem	0	0.0 %
	Missing Data		
99	INAPP	3134	99.9 %
	Total	3,137	100%

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 23.00
- Maximum: 25.00

Location: 260-261 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PD4E: OS-Condition caused recipient to need personal care #5

Value	Label	Unweighted Frequency	%
1	Autism	0	0.0 %
2	Arthritis	0	0.0 %
3	Bipolar	0	0.0 %
4	Diabetes	0	0.0 %
5	Other cancer	0	0.0 %
6	Old age	0	0.0 %
7	Mental disease	0	0.0 %
8	Dementia/Alzheimer	0	0.0 %
9	Surgery	0	0.0 %
10	Parkinson's disease	0	0.0 %
11	Depression	0	0.0 %
12	Stroke	0	0.0 %
13	Down syndrome	0	0.0 %
14	Accident/injury/negative life event	0	0.0 %
15	Back/spine	1	0.0 %
16	Epilepsy/seizure	0	0.0 %
17	Chronic Obstructive Pulmonary Disease (COPD)	0	0.0 %
18	Heart	0	0.0 %
19	Other	0	0.0 %
20	Blood/blood clot/blood pressure	0	0.0 %
21	Brain	0	0.0 %
22	Broken bone	0	0.0 %
23	Lung/asthma	0	0.0 %
24	Disabled	0	0.0 %
25	Hip/knee replacement	0	0.0 %
26	Brain cancer	0	0.0 %
27	Kidney	0	0.0 %
28	Foot/ankle	0	0.0 %
29	Social network problem	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PD8AA: OS-The reason for no longer helping recipient

Value	Label	Unweighted Frequency	%
1	Condition improved	0	0.0 %
2	No longer live together	13	0.4 %
3	Problem in relationship with recipient	0	0.0 %
4	Other	5	0.2 %
5	Someone else is helping	4	0.1 %
6	Caregiver choice	0	0.0 %
	Missing Data		
9	INAPP	3115	99.3 %
	Total	3,137	100%

Based upon 22 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 264-264 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

C1PE1A7A: OS-Institution setting where participant has lived last 5 years

Value	Label	Unweighted Frequency	%
1	Hospital/rehab center	6	0.2 %
2	Jail/halfway house	0	0.0 %
3	Barrack/armed forces housing	0	0.0 %
4	Educational institution	0	0.0 %
5	Other	5	0.2 %
6	Assisted-living facility	4	0.1 %
	Missing Data		
9	INAPP	3122	99.5 %
	Total	3,137	100%

Based upon 15 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

C1PF1A: OS-Other Spanish origin #1

Value	Label	Unweighted Frequency	%
1	Dominican	0	0.0 %
2	Columbian	1	0.0 %
3	Hispanic	0	0.0 %
4	Spanish	15	0.5 %
5	Portuguese	2	0.1 %
6	El Salvador	0	0.0 %
7	Brazilian	2	0.1 %
8	Ecuadorian	0	0.0 %
9	Latino	10	0.3 %
10	South American	1	0.0 %
11	Central American	1	0.0 %
12	Other	9	0.3 %
13	Mixed racial origins	1	0.0 %
14	Mexico	0	0.0 %
	Missing Data		
98	REFUSED/MISSING	1	0.0 %
99	INAPP	3094	98.6 %
	Total	3,137	100%

Based upon 42 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 13.00

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PF1B: OS-Other Spanish origin #2

Value	Label	Unweighted Frequency	%
1	Dominican	0	0.0 %
2	Columbian	0	0.0 %
3	Hispanic	0	0.0 %
4	Spanish	0	0.0 %
5	Portuguese	2	0.1 %
6	El Salvador	0	0.0 %
7	Brazilian	0	0.0 %
8	Ecuadorian	0	0.0 %
9	Latino	0	0.0 %
10	South American	0	0.0 %
11	Central American	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Other	0	0.0 %
13	Mixed racial origins	0	0.0 %
14	Mexico	0	0.0 %
	Missing Data		
99	INAPP	3135	99.9 %
	Total	3,137	100%

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 268-269 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PF2AA: OS-Other main ethnic background or origins #1

Value	Label	Unweighted Frequency	%
1	Denmark	56	1.8 %
2	American/United States	27	0.9 %
3	African American	10	0.3 %
4	Caucasian	11	0.4 %
5	Netherland	45	1.4 %
6	Great Britain	11	0.4 %
7	Native American	18	0.6 %
8	Scandinavian	14	0.4 %
9	European	65	2.1 %
10	Switzerland	11	0.4 %
11	Finland	13	0.4 %
12	Asian	0	0.0 %
13	Other	64	2.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %
17	Lithuania	15	0.5 %
18	Jewish	13	0.4 %
19	Wales	58	1.8 %
20	Belgium	9	0.3 %
21	Austria	14	0.4 %
22	French Canadian	13	0.4 %
23	Hungary	0	0.0 %

Value	Label	Unweighted Frequency	%
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	6	0.2 %
27	Middle Eastern	10	0.3 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	5	0.2 %
31	France	0	0.0 %
32	England	0	0.0 %
33	Romania	0	0.0 %
	Missing Data		
99	INAPP	2649	84.4 %
	Total	3,137	100%

Based upon 488 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 30.00

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PF2BA: OS-Other main ethnic background or origins #2

Value	Label	Unweighted Frequency	%
1	Denmark	2	0.1 %
2	American/United States	0	0.0 %
3	African American	1	0.0 %
4	Caucasian	0	0.0 %
5	Netherlands	3	0.1 %
6	Great Britain	1	0.0 %
7	Native American	0	0.0 %
8	Scandinavian	0	0.0 %
9	European	2	0.1 %
10	Switzerland	1	0.0 %
11	Finland	2	0.1 %
12	Asian	0	0.0 %
13	Other	1	0.0 %
14	Ukraine	0	0.0 %
15	Not specified	0	0.0 %
16	Germany	0	0.0 %

Value	Label	Unweighted Frequency	%
17	Lithuania	1	0.0 %
18	Jewish	0	0.0 %
19	Wales	2	0.1 %
20	Belgium	0	0.0 %
21	Austria	2	0.1 %
22	French Canadian	0	0.0 %
23	Hungary	0	0.0 %
24	Ireland	0	0.0 %
25	Pacific Islander	0	0.0 %
26	Slovakia	1	0.0 %
27	Middle Eastern	1	0.0 %
28	Spain	0	0.0 %
29	Bermuda	0	0.0 %
30	Scotland	1	0.0 %
31	France	0	0.0 %
32	England	0	0.0 %
33	Romania	0	0.0 %
	Missing Data		
99	INAPP	3116	99.3 %
	Total	3,137	100%

Based upon 21 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 30.00

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PF3A: OS-Other which best describes background or origins

Value	Label	Unweighted Frequency	%
1	All equally together	63	2.0 %
2	England	0	0.0 %
3	Jewish	0	0.0 %
4	American	10	0.3 %
5	Scandinavian	6	0.2 %
6	White	0	0.0 %
7	Swiss	0	0.0 %
8	Ireland	0	0.0 %
9	French Canadian	0	0.0 %

Value	Label	Unweighted Frequency	%
10	African American	0	0.0 %
11	European	2	0.1 %
12	Other	13	0.4 %
	Missing Data		
99	INAPP	3043	97.0 %
	Total	3,137	100%

Based upon 94 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 274-275 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PF7AA: OS-Other main racial origins

Value	Label	Unweighted Frequency	%
1	White	141	4.5 %
2	Black/African American	0	0.0 %
3	Native American or Alaska Native	0	0.0 %
4	Asian	9	0.3 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	22	0.7 %
7	Hispanic/Latino	25	0.8 %
8	Mixed race	7	0.2 %
	Missing Data		
99	INAPP	2933	93.5 %
	Total	3,137	100%

Based upon 204 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 276-277 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PF8AA: OS-Other which best describes racial background

Value	Label	Unweighted Frequency	%
1	White	4	0.1 %
2	Black/African American	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Native American or Alaska Native	0	0.0 %
4	Asian	1	0.0 %
5	Native Hawaiian or Pacific Islander	0	0.0 %
6	Other	3	0.1 %
7	Hispanic/Latino	3	0.1 %
8	Mixed race	2	0.1 %
	Missing Data		
99	INAPP	3124	99.6 %
	Total	3,137	100%

Based upon 13 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 278-279 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PF12BA: OS-Country of citizenship #1

Value	Label	Unweighted Frequency	%
1	Canada	1	0.0 %
2	Argentina	0	0.0 %
3	India	0	0.0 %
4	China	0	0.0 %
5	Mexico	0	0.0 %
6	Jamaica	0	0.0 %
7	Japan	0	0.0 %
8	El Salvador	0	0.0 %
9	United Kingdom	3	0.1 %
10	Have no citizenship	0	0.0 %
11	Other	6	0.2 %
12	Liberia	0	0.0 %
13	United States	0	0.0 %
14	Malaysia	0	0.0 %
15	Russia	0	0.0 %
16	Philippines	0	0.0 %
17	Ireland	0	0.0 %
18	Germany	0	0.0 %
19	Brazil	0	0.0 %
20	Bolivia	0	0.0 %

Value	Label	Unweighted Frequency	%
21	Nigeria	0	0.0 %
22	Kenya	0	0.0 %
23	Mauritania	0	0.0 %
	Missing Data		
99	INAPP	3127	99.7 %
	Total	3,137	100%

Based upon 10 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 280-281 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1PF12BB: OS-Country of citizenship #2

Value	Label	Unweighted Frequency	%
1	Canada	0	0.0 %
2	Argentina	1	0.0 %
3	India	0	0.0 %
4	China	0	0.0 %
5	Mexico	0	0.0 %
6	Jamaica	0	0.0 %
7	Japan	0	0.0 %
8	El Salvador	0	0.0 %
9	United Kingdom	0	0.0 %
10	Have no citizenship	0	0.0 %
11	Other	0	0.0 %
12	Liberia	0	0.0 %
13	United States	0	0.0 %
14	Malaysia	0	0.0 %
15	Russia	0	0.0 %
16	Philippines	0	0.0 %
17	Ireland	0	0.0 %
18	Germany	0	0.0 %
19	Brazil	0	0.0 %
20	Bolivia	0	0.0 %
21	Nigeria	0	0.0 %
22	Kenya	0	0.0 %
23	Mauritania	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA14OA: OS-Vitamin, mineral, or herbal supplements you take regularly #1

Value	Label	Unweighted Frequency	%
1	Magnesium	63	2.0 %
2	Folic Acid	21	0.7 %
3	Vitamin D	303	9.7 %
4	Melatonin	0	0.0 %
5	Potassium	13	0.4 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	22	0.7 %
8	Niacin	11	0.4 %
9	Probiotic	12	0.4 %
10	Vitamin B/B-12/B complex	121	3.9 %
11	CoQ10	82	2.6 %
12	Other	274	8.7 %
13	Zinc	7	0.2 %
14	Cinnamon	9	0.3 %
15	Red yeast rice	0	0.0 %
16	Biotin	28	0.9 %
17	Lutein	7	0.2 %
18	Other Vitamin	28	0.9 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %

Value	Label	Unweighted Frequency	%
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	INAPP	2136	68.1 %
	Total	3,137	100%

Based upon 1,001 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99)

C1SA14OB: OS-Vitamin, mineral, or herbal supplements you take regularly #2

Value	Label	Unweighted Frequency	%
1	Magnesium	12	0.4 %
2	Folic Acid	3	0.1 %
3	Vitamin D	73	2.3 %
4	Melatonin	1	0.0 %
5	Potassium	4	0.1 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	19	0.6 %
8	Niacin	7	0.2 %
9	Probiotic	7	0.2 %
10	Vitamin B/B-12/B complex	89	2.8 %
11	CoQ10	4	0.1 %
12	Other	16	0.5 %
13	Zinc	9	0.3 %
14	Cinnamon	9	0.3 %
15	Red yeast rice	0	0.0 %
16	Biotin	9	0.3 %
17	Lutein	8	0.3 %
18	Other Vitamin	11	0.4 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %

Value	Label	Unweighted Frequency	%
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	INAPP	2856	91.0 %
	Total	3,137	100%

Based upon 281 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA14OC: OS-Vitamin, mineral, or herbal supplements you take regularly #3

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	16	0.5 %
4	Melatonin	0	0.0 %
5	Potassium	3	0.1 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	11	0.4 %
8	Niacin	3	0.1 %
9	Probiotic	4	0.1 %
10	Vitamin B/B-12/B complex	26	0.8 %
11	CoQ10	9	0.3 %
12	Other	2	0.1 %
13	Zinc	3	0.1 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %

Value	Label	Unweighted Frequency	%
17	Lutein	3	0.1 %
18	Other Vitamin	3	0.1 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	INAPP	3054	97.4 %
	Total	3,137	100%

Based upon 83 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 18.00

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA14OD: OS-Vitamin, mineral, or herbal supplements you take regularly #4

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	17	0.5 %
4	Melatonin	0	0.0 %
5	Potassium	2	0.1 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	3	0.1 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	1	0.0 %
11	CoQ10	4	0.1 %

Value	Label	Unweighted Frequency	%
12	Other	0	0.0 %
13	Zinc	1	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	4	0.1 %
18	Other Vitamin	0	0.0 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	INAPP	3105	99.0 %
	Total	3,137	100%

Based upon 32 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 17.00

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA14OE: OS-Vitamin, mineral, or herbal supplements you take regularly #5

Value	Label	Unweighted Frequency	%
1	Magnesium	1	0.0 %
2	Folic Acid	0	0.0 %
3	Vitamin D	4	0.1 %
4	Melatonin	0	0.0 %
5	Potassium	1	0.0 %
6	Pre-natal vitamins	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Vitamin E	2	0.1 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	0	0.0 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	1	0.0 %
18	Other Vitamin	0	0.0 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	INAPP	3128	99.7 %
	Total	3,137	100%

Based upon 9 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA14OF: OS-Vitamin, mineral, or herbal supplements you take regularly #6

Value	Label	Unweighted Frequency	%
1	Magnesium	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Folic Acid	0	0.0 %
3	Vitamin D	0	0.0 %
4	Melatonin	0	0.0 %
5	Potassium	0	0.0 %
6	Pre-natal vitamins	0	0.0 %
7	Vitamin E	1	0.0 %
8	Niacin	0	0.0 %
9	Probiotic	0	0.0 %
10	Vitamin B/B-12/B complex	2	0.1 %
11	CoQ10	0	0.0 %
12	Other	0	0.0 %
13	Zinc	0	0.0 %
14	Cinnamon	0	0.0 %
15	Red yeast rice	0	0.0 %
16	Biotin	0	0.0 %
17	Lutein	1	0.0 %
18	Other Vitamin	0	0.0 %
19	Beta-Carotene	0	0.0 %
20	Garlic	0	0.0 %
21	Lecithin	0	0.0 %
22	Ginseng	0	0.0 %
23	Chromium	0	0.0 %
24	Selenium	0	0.0 %
25	Antioxidants	0	0.0 %
26	Mineral	0	0.0 %
27	Herb	0	0.0 %
28	Lysine	0	0.0 %
29	Vitamin A	0	0.0 %
30	Multi-vitamin	0	0.0 %
31	Calcium	0	0.0 %
	Missing Data		
99	INAPP	3133	99.9 %
	Total	3,137	100%

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 7.00
- Maximum: 17.00

Location: 294-295 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA17IA: OS-Location where pain primarily located #1

Value	Label	Unweighted Frequency	%
1	Chest	5	0.2 %
2	Abdomen	4	0.1 %
3	Ankle	5	0.2 %
4	Spine	12	0.4 %
5	Other	46	1.5 %
6	Ribs	0	0.0 %
7	Wrist	3	0.1 %
8	Toe	0	0.0 %
9	Leg	4	0.1 %
10	Pelvis	2	0.1 %
11	Jaw	0	0.0 %
12	Rectum	0	0.0 %
13	Lungs	0	0.0 %
14	Joint	16	0.5 %
15	Groin	0	0.0 %
16	Tail bone	0	0.0 %
17	Bone spur	0	0.0 %
18	Shoulder	0	0.0 %
19	Finger	5	0.2 %
20	Teeth	0	0.0 %
21	Hip	0	0.0 %
22	Stomach	6	0.2 %
23	Eye	0	0.0 %
24	Intestine	3	0.1 %
25	Ear	3	0.1 %
26	Kidney	0	0.0 %
27	Face	0	0.0 %
	Missing Data		
99	INAPP	3023	96.4 %
	Total	3,137	100%

Based upon 114 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 25.00

Location: 296-297 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA17IB: OS-Location where pain primarily located #2

Value	Label	Unweighted Frequency	%
1	Chest	0	0.0 %
2	Abdomen	0	0.0 %
3	Ankle	1	0.0 %
4	Spine	1	0.0 %
5	Other	0	0.0 %
6	Ribs	0	0.0 %
7	Wrist	0	0.0 %
8	Toe	0	0.0 %
9	Leg	0	0.0 %
10	Pelvis	1	0.0 %
11	Jaw	0	0.0 %
12	Rectum	0	0.0 %
13	Lungs	0	0.0 %
14	Joint	0	0.0 %
15	Groin	0	0.0 %
16	Tail bone	0	0.0 %
17	Bone spur	0	0.0 %
18	Shoulder	0	0.0 %
19	Finger	0	0.0 %
20	Teeth	0	0.0 %
21	Hip	0	0.0 %
22	Stomach	0	0.0 %
23	Eye	0	0.0 %
24	Intestine	0	0.0 %
25	Ear	0	0.0 %
26	Kidney	0	0.0 %
27	Face	0	0.0 %
	Missing Data		
99	INAPP	3134	99.9 %
	Total	3,137	100%

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 10.00

Location: 298-299 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA17IC: OS-Location where pain primarily located #3

Value	Label	Unweighted Frequency	%
1	Chest	0	0.0 %
2	Abdomen	0	0.0 %
3	Ankle	0	0.0 %
4	Spine	0	0.0 %
5	Other	0	0.0 %
6	Ribs	0	0.0 %
7	Wrist	0	0.0 %
8	Toe	0	0.0 %
9	Leg	0	0.0 %
10	Pelvis	0	0.0 %
11	Jaw	0	0.0 %
12	Rectum	0	0.0 %
13	Lungs	0	0.0 %
14	Joint	0	0.0 %
15	Groin	0	0.0 %
16	Tail bone	0	0.0 %
17	Bone spur	0	0.0 %
18	Shoulder	0	0.0 %
19	Finger	0	0.0 %
20	Teeth	0	0.0 %
21	Hip	0	0.0 %
22	Stomach	1	0.0 %
23	Eye	0	0.0 %
24	Intestine	0	0.0 %
25	Ear	0	0.0 %
26	Kidney	0	0.0 %
27	Face	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 22.00
- Maximum: 22.00

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA19A: OE-Diagnosis given by physician or other health care professional about pain #1

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	31	1.0 %
2	Migraine/headache	16	0.5 %
3	Back/spine/disc/Scoliosis/rib	214	6.8 %
4	Carpal Tunnel Syndrome	1	0.0 %
5	Bone spur	7	0.2 %
6	Injury from accident	20	0.6 %
7	Other	112	3.6 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	51	1.6 %
10	Other muscle problem	33	1.1 %
11	Other knee problem	49	1.6 %
12	Plantar Fasciitis/foot/ankle problem	33	1.1 %
13	Arthritis	184	5.9 %
14	Other joint problem/gout	32	1.0 %
15	Neck/shoulder problem	17	0.5 %
16	Nerve problem	39	1.2 %
17	Cervical problem	1	0.0 %
18	Tendonitis	0	0.0 %
	Missing Data		
99	INAPP	2297	73.2 %
	Total	3,137	100%

Based upon 840 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA19B: OE-Diagnosis given by physician or other health care professional about pain #2

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	2	0.1 %
2	Migraine/headache	4	0.1 %
3	Back/spine/disc/Scoliosis/rib	30	1.0 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	4	0.1 %
6	Injury from accident	2	0.1 %

Value	Label	Unweighted Frequency	%
7	Other	1	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	1	0.0 %
10	Other muscle problem	3	0.1 %
11	Other knee problem	35	1.1 %
12	Plantar Fasciitis/foot/ankle problem	12	0.4 %
13	Arthritis	107	3.4 %
14	Other joint problem/gout	10	0.3 %
15	Neck/shoulder problem	32	1.0 %
16	Nerve problem	27	0.9 %
17	Cervical problem	0	0.0 %
18	Tendonitis	0	0.0 %
	Missing Data		
99	INAPP	2867	91.4 %
	Total	3,137	100%

Based upon 270 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 304-305 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA19C: OE-Diagnosis given by physician or other health care professional about pain #3

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	2	0.1 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	4	0.1 %
6	Injury from accident	2	0.1 %
7	Other	0	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	3	0.1 %
10	Other muscle problem	2	0.1 %
11	Other knee problem	11	0.4 %
12	Plantar Fasciitis/foot/ankle problem	4	0.1 %
13	Arthritis	32	1.0 %
14	Other joint problem/gout	2	0.1 %

Value	Label	Unweighted Frequency	%
15	Neck/shoulder problem	18	0.6 %
16	Nerve problem	8	0.3 %
17	Cervical problem	0	0.0 %
18	Tendonitis	0	0.0 %
	Missing Data		
99	INAPP	3049	97.2 %
	Total	3,137	100%

Based upon 88 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 16.00

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA19D: OE-Diagnosis given by physician or other health care professional about pain #4

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	0	0.0 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	2	0.1 %
6	Injury from accident	2	0.1 %
7	Other	0	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	2	0.1 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	0	0.0 %
12	Plantar Fasciitis/foot/ankle problem	2	0.1 %
13	Arthritis	1	0.0 %
14	Other joint problem/gout	3	0.1 %
15	Neck/shoulder problem	9	0.3 %
16	Nerve problem	0	0.0 %
17	Cervical problem	0	0.0 %
18	Tendonitis	0	0.0 %
	Missing Data		
99	INAPP	3116	99.3 %
	Total	3,137	100%

Based upon 21 valid cases out of 3,137 total cases.

- Minimum: 5.00
- Maximum: 15.00

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA19E: OE-Diagnosis given by physician or other health care professional about pain #5

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	1	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	0	0.0 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	0	0.0 %
6	Injury from accident	0	0.0 %
7	Other	0	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	0	0.0 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	0	0.0 %
12	Plantar Fasciitis/foot/ankle problem	1	0.0 %
13	Arthritis	0	0.0 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	3	0.1 %
16	Nerve problem	0	0.0 %
17	Cervical problem	0	0.0 %
18	Tendonitis	0	0.0 %
	Missing Data		
99	INAPP	3132	99.8 %
	Total	3,137	100%

Based upon 5 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA19F: OE-Diagnosis given by physician or other health care professional about pain #6

Value	Label	Unweighted Frequency	%
1	Fibromyalgia	0	0.0 %
2	Migraine/headache	0	0.0 %
3	Back/spine/disc/Scoliosis/rib	0	0.0 %
4	Carpal Tunnel Syndrome	0	0.0 %
5	Bone spur	0	0.0 %
6	Injury from accident	0	0.0 %
7	Other	0	0.0 %
8	Not diagnosed	0	0.0 %
9	Hip problem/Sciatica	0	0.0 %
10	Other muscle problem	0	0.0 %
11	Other knee problem	0	0.0 %
12	Plantar Fasciitis/foot/ankle problem	0	0.0 %
13	Arthritis	0	0.0 %
14	Other joint problem/gout	0	0.0 %
15	Neck/shoulder problem	1	0.0 %
16	Nerve problem	0	0.0 %
17	Cervical problem	0	0.0 %
18	Tendonitis	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA39ACA: OS-Reason for losing 10 pounds or more during the past 12 months #1

Value	Label	Unweighted Frequency	%
1	Child birth	0	0.0 %
2	Stress	14	0.4 %
3	Workout	5	0.2 %
4	Depression	4	0.1 %
5	Other	38	1.2 %
6	Stressful life event	10	0.3 %
7	Gastric bypass	1	0.0 %
8	Work/job	8	0.3 %

Value	Label	Unweighted Frequency	%
9	Surgery/disease	49	1.6 %
10	Medication	13	0.4 %
11	Changed eating habit	19	0.6 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	7	0.2 %
15	Death	6	0.2 %
16	Caregiving to others	0	0.0 %
17	Smoking	0	0.0 %
	Missing Data		
99	INAPP	2963	94.5 %
	Total	3,137	100%

Based upon 174 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 15.00

Location: 314-315 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA39ACB: OS-Reason for losing 10 pounds or more during the past 12 months #2

Value	Label	Unweighted Frequency	%
1	Child birth	0	0.0 %
2	Stress	0	0.0 %
3	Workout	0	0.0 %
4	Depression	1	0.0 %
5	Other	0	0.0 %
6	Stressful life event	0	0.0 %
7	Gastric bypass	0	0.0 %
8	Work/job	2	0.1 %
9	Surgery/disease	2	0.1 %
10	Medication	0	0.0 %
11	Changed eating habit	2	0.1 %
12	Eat special product	0	0.0 %
13	Weight fluctuation	0	0.0 %
14	Improved health condition	0	0.0 %
15	Death	1	0.0 %
16	Caregiving to others	0	0.0 %
17	Smoking	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3129	99.7 %
	Total	3,137	100%

Based upon 8 valid cases out of 3,137 total cases.

- Minimum: 4.00
- Maximum: 15.00

Location: 316-317 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA44GA: OS-Place when sick or need advice about health #1

Value	Label	Unweighted Frequency	%
1	Chiropractor	11	0.4 %
2	Acupuncturist	6	0.2 %
3	Family doctor/specialty doctor	10	0.3 %
4	Military hospital	11	0.4 %
5	University health center	0	0.0 %
6	Web MD/Internet	25	0.8 %
7	Veteran's hospital	56	1.8 %
8	Drug store/pharmacy	4	0.1 %
9	Family/friend who is a doctor/nurse	15	0.5 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	8	0.3 %
12	Obstetrician/gynecologist	0	0.0 %
13	Urgent care center	0	0.0 %
14	Free clinic/family health center	5	0.2 %
15	Myself	0	0.0 %
16	Wellness center/kinesiologist	0	0.0 %
17	Other	37	1.2 %
18	Clinic/health center	23	0.7 %
19	Nutritionist/healthy food store	0	0.0 %
20	Nurse/other non-doctor practitioner	0	0.0 %
	Missing Data		
99	INAPP	2926	93.3 %
	Total	3,137	100%

Based upon 211 valid cases out of 3,137 total cases.

- Minimum: 1.00

- Maximum: 18.00

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA44GB: OS-Place when sick or need advice about health #2

Value	Label	Unweighted Frequency	%
1	Chiropractor	1	0.0 %
2	Acupuncturist	0	0.0 %
3	Family doctor/specialty doctor	0	0.0 %
4	Military hospital	0	0.0 %
5	University health center	0	0.0 %
6	Web MD/Internet	0	0.0 %
7	Veteran's hospital	0	0.0 %
8	Drug store/pharmacy	0	0.0 %
9	Family/friend who is a doctor/nurse	0	0.0 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	1	0.0 %
12	Obstetrician/gynecologist	0	0.0 %
13	Urgent care center	0	0.0 %
14	Free clinic/family health center	0	0.0 %
15	Myself	0	0.0 %
16	Wellness center/kinesiologist	0	0.0 %
17	Other	0	0.0 %
18	Clinic/health center	1	0.0 %
19	Nutritionist/healthy food store	0	0.0 %
20	Nurse/other non-doctor practitioner	0	0.0 %
	Missing Data		
99	INAPP	3134	99.9 %
	Total	3,137	100%

Based on 3 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 320-321 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA45A: OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #1

Value	Label	Unweighted Frequency	%
1	Family doctor/specialty doctor	8	0.3 %
2	Chiropractor	6	0.2 %
3	Acupuncturist	0	0.0 %
4	Web MD/Internet	14	0.4 %
5	University health center	0	0.0 %
6	Military hospital	8	0.3 %
7	Drug store	3	0.1 %
8	Veteran's hospital	45	1.4 %
9	Family who is a doctor/nurse	6	0.2 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	5	0.2 %
12	Free clinic/family health center	5	0.2 %
13	Nurse/other non-doctor practitioner	0	0.0 %
14	Wellness center/kinesiologist	0	0.0 %
15	Urgent care center	0	0.0 %
16	Other	26	0.8 %
17	Clinic/health center	9	0.3 %
18	Myself	0	0.0 %
	Missing Data		
99	INAPP	3002	95.7 %
	Total	3,137	100%

Based upon 135 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA45B: OS-Of those places you selected to go when you are sick or need advice about health, which place do you go most often #2

Value	Label	Unweighted Frequency	%
1	Family doctor/specialty doctor	0	0.0 %
2	Chiropractor	1	0.0 %
3	Acupuncturist	0	0.0 %
4	Web MD/Internet	1	0.0 %
5	University health center	0	0.0 %
6	Military hospital	0	0.0 %
7	Drug store	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Veteran's hospital	0	0.0 %
9	Family who is a doctor/nurse	0	0.0 %
10	Holistic doctor	0	0.0 %
11	Naturopathic doctor	1	0.0 %
12	Free clinic/family health center	0	0.0 %
13	Nurse/other non-doctor practitioner	0	0.0 %
14	Wellness center/kinesiologist	0	0.0 %
15	Urgent care center	0	0.0 %
16	Other	0	0.0 %
17	Clinic/health center	0	0.0 %
18	Myself	0	0.0 %
	Missing Data		
99	INAPP	3134	99.9 %
	Total	3,137	100%

Based on 3 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 11.00

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA46GA: OS-Nontraditional health practitioner for health care #1

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Massage therapist	8	0.3 %
3	Acupuncturist	19	0.6 %
4	Naturopathic doctor	13	0.4 %
5	Homeopathic doctor	11	0.4 %
6	Herbalist	2	0.1 %
7	Osteopathic doctor	0	0.0 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	5	0.2 %
11	Nurse/other non-doctor practitioner	4	0.1 %
12	Family doctor/specialty doctor	21	0.7 %
13	Other	24	0.8 %
14	Oncologist	0	0.0 %
15	Cardiologist	6	0.2 %

Value	Label	Unweighted Frequency	%
16	Counselor	0	0.0 %
17	Physical therapist	0	0.0 %
18	Alternative	1	0.0 %
	Missing Data		
99	INAPP	3023	96.4 %
	Total	3,137	100%

Based upon 114 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 18.00

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA46GB: OS-Nontraditional health practitioner for health care #2

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Massage therapist	1	0.0 %
3	Acupuncturist	5	0.2 %
4	Naturopathic doctor	0	0.0 %
5	Homeopathic doctor	0	0.0 %
6	Herbalist	2	0.1 %
7	Osteopathic doctor	0	0.0 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	0	0.0 %
13	Other	0	0.0 %
14	Oncologist	0	0.0 %
15	Cardiologist	0	0.0 %
16	Counselor	0	0.0 %
17	Physical therapist	0	0.0 %
18	Alternative	0	0.0 %
	Missing Data		
99	INAPP	3129	99.7 %
	Total	3,137	100%

Based upon 8 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 6.00

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA46GC: OS-Nontraditional health practitioner for health care #3

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Massage therapist	0	0.0 %
3	Acupuncturist	1	0.0 %
4	Naturopathic doctor	0	0.0 %
5	Homeopathic doctor	0	0.0 %
6	Herbalist	0	0.0 %
7	Osteopathic doctor	0	0.0 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	0	0.0 %
13	Other	0	0.0 %
14	Oncologist	0	0.0 %
15	Cardiologist	0	0.0 %
16	Counselor	0	0.0 %
17	Physical therapist	0	0.0 %
18	Alternative	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA46GD: OS-Nontraditional health practitioner for health care #4

Value	Label	Unweighted Frequency	%
1	Chiropractor	0	0.0 %
2	Massage therapist	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Acupuncturist	0	0.0 %
4	Naturopathic doctor	1	0.0 %
5	Homeopathic doctor	0	0.0 %
6	Herbalist	0	0.0 %
7	Osteopathic doctor	0	0.0 %
8	Kinesiologist	0	0.0 %
9	Holistic doctor	0	0.0 %
10	Veteran's hospital	0	0.0 %
11	Nurse/other non-doctor practitioner	0	0.0 %
12	Family doctor/specialty doctor	0	0.0 %
13	Other	0	0.0 %
14	Oncologist	0	0.0 %
15	Cardiologist	0	0.0 %
16	Counselor	0	0.0 %
17	Physical therapist	0	0.0 %
18	Alternative	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA46HA: OS-Explain about the situation that you have no one in particular for health care #1

Value	Label	Unweighted Frequency	%
1	No insurance	5	0.2 %
2	Don't/rarely go to doctor	10	0.3 %
3	Don't have doctor	1	0.0 %
4	Didn't need to see doctor	0	0.0 %
5	Emergency room	0	0.0 %
6	Cannot afford	0	0.0 %
7	Treat/search myself	2	0.1 %
8	Whoever available/cheapest	4	0.1 %
9	Military clinic	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Clinic	10	0.3 %
11	Depends on situation	0	0.0 %
12	Urgent care center	2	0.1 %
13	Other	14	0.4 %
14	Other doctor/specialty doctor	20	0.6 %
15	Veteran's hospital	10	0.3 %
	Missing Data		
99	INAPP	3059	97.5 %
	Total	3,137	100%

Based upon 78 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA46HB: OS-Explain about the situation that you have no one in particular for health care #2

Value	Label	Unweighted Frequency	%
1	No insurance	1	0.0 %
2	Don't/rarely go to doctor	0	0.0 %
3	Don't have doctor	0	0.0 %
4	Didn't need to see doctor	0	0.0 %
5	Emergency room	0	0.0 %
6	Cannot afford	0	0.0 %
7	Treat/search myself	0	0.0 %
8	Whoever available/cheapest	0	0.0 %
9	Military clinic	0	0.0 %
10	Clinic	0	0.0 %
11	Depends on situation	0	0.0 %
12	Urgent care center	0	0.0 %
13	Other	0	0.0 %
14	Other doctor/specialty doctor	0	0.0 %
15	Veteran's hospital	1	0.0 %
	Missing Data		
99	INAPP	3135	99.9 %
	Total	3,137	100%

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA47A: OS-Nontraditional health practitioner go most often and no one in particular go most often #1

Value	Label	Unweighted Frequency	%
1	Other	20	0.6 %
2	Don't/rarely go to doctor	10	0.3 %
3	Massage	6	0.2 %
4	Naturopathy	2	0.1 %
5	Veteran's hospital	9	0.3 %
6	Alternative	2	0.1 %
7	Cannot afford	0	0.0 %
8	No insurance	0	0.0 %
9	Whoever available	2	0.1 %
10	Acupuncturist	10	0.3 %
11	Don't have doctor	5	0.2 %
12	Clinic/hospital	13	0.4 %
13	Urgent care	2	0.1 %
14	Didn't need to see doctor	0	0.0 %
15	Other doctor/specialty doctor	23	0.7 %
16	Family doctor/generalist	0	0.0 %
17	Nurse/other non-doctor practitioner	0	0.0 %
18	Emergency room	1	0.0 %
19	Search myself/internet	2	0.1 %
20	All the same/don't see one more than other	0	0.0 %
21	Depends on situation	0	0.0 %
22	Physical therapist	0	0.0 %
	Missing Data		
99	INAPP	3030	96.6 %
	Total	3,137	100%

Based upon 107 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA47B: OS-Nontraditional health practitioner go most often and no one in particular go most often #2

Value	Label	Unweighted Frequency	%
1	Other	0	0.0 %
2	Don't/rarely go to doctor	0	0.0 %
3	Massage	0	0.0 %
4	Naturopathy	0	0.0 %
5	Veteran's hospital	0	0.0 %
6	Alternative	0	0.0 %
7	Cannot afford	0	0.0 %
8	No insurance	0	0.0 %
9	Whoever available	0	0.0 %
10	Acupuncturist	0	0.0 %
11	Don't have doctor	0	0.0 %
12	Clinic/hospital	0	0.0 %
13	Urgent care	0	0.0 %
14	Didn't need to see doctor	0	0.0 %
15	Other doctor/specialty doctor	0	0.0 %
16	Family doctor/generalist	0	0.0 %
17	Nurse/other non-doctor practitioner	0	0.0 %
18	Emergency room	1	0.0 %
19	Search myself/internet	0	0.0 %
20	All the same/don't see one more than other	0	0.0 %
21	Depends on situation	0	0.0 %
22	Physical therapist	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based on 1 valid cases out of 3,137 total cases.

- Minimum: 18.00
- Maximum: 18.00

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA51KA: OS-Self-help, mutual help, or support group #1

Value	Label	Unweighted Frequency	%
1	Weight watchers	11	0.4 %
2	Bible study/Christian group	34	1.1 %
3	Veteran support group	0	0.0 %
4	Divorce care group	7	0.2 %
5	Marriage enrichment group	0	0.0 %
6	Codependence anonymous	7	0.2 %
7	Celebrate recovery	4	0.1 %
8	Job searching group	0	0.0 %
9	Other	34	1.1 %
10	Emotion/depression related group	12	0.4 %
11	Friendship skill/networking group	0	0.0 %
12	Group for kids	0	0.0 %
13	Personal growth group	1	0.0 %
14	Mother's group	3	0.1 %
15	Women/wife group	6	0.2 %
16	Addiction recovery group	5	0.2 %
17	Disease related group	31	1.0 %
18	Parent's group	0	0.0 %
19	LGBTQ group	1	0.0 %
	Missing Data		
99	INAPP	2981	95.0 %
	Total	3,137	100%

Based upon 156 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 19.00

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA51KB: OS-Self-help, mutual help, or support group #2

Value	Label	Unweighted Frequency	%
1	Weight watchers	0	0.0 %
2	Bible study/Christian group	3	0.1 %
3	Veteran support group	0	0.0 %
4	Divorce care group	0	0.0 %
5	Marriage enrichment group	0	0.0 %
6	Codependence anonymous	0	0.0 %
7	Celebrate recovery	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Job searching group	0	0.0 %
9	Other	1	0.0 %
10	Emotion/depression related group	0	0.0 %
11	Friendship skill/networking group	0	0.0 %
12	Group for kids	0	0.0 %
13	Personal growth group	0	0.0 %
14	Mother's group	0	0.0 %
15	Women/wife group	0	0.0 %
16	Addiction recovery group	1	0.0 %
17	Disease related group	0	0.0 %
18	Parent's group	0	0.0 %
19	LGBTQ group	0	0.0 %
	Missing Data		
99	INAPP	3132	99.8 %
	Total	3,137	100%

Based upon 5 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 344-345 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA52SA: OS-Nontraditional remedy or therapy #1

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	4	0.1 %
2	Essential oil	3	0.1 %
3	Prayer/church	3	0.1 %
4	Exercise or movement therapy	9	0.3 %
5	Special diet	8	0.3 %
6	Vitamins	2	0.1 %
7	Aromatherapy	0	0.0 %
8	Herbal therapy	3	0.1 %
9	Pet therapy	0	0.0 %
10	Music/television	2	0.1 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	3	0.1 %
13	Allergy treatment/NAET	0	0.0 %
14	Meditation technique	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	0	0.0 %
17	Other	23	0.7 %
18	Artwork	1	0.0 %
19	Bone related therapy	2	0.1 %
20	Marijuana	0	0.0 %
21	Positive mindset	1	0.0 %
22	Accupressure	0	0.0 %
23	Cardiac rehabilitation	0	0.0 %
24	Magnetic therapy	0	0.0 %
25	Physical therapy	1	0.0 %
26	Self made program	0	0.0 %
	Missing Data		
99	INAPP	3072	97.9 %
	Total	3,137	100%

Based upon 65 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 25.00

Location: 346-347 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SA52SB: OS-Nontraditional remedy or therapy #2

Value	Label	Unweighted Frequency	%
1	Spiritual practice/Reiki	0	0.0 %
2	Essential oil	0	0.0 %
3	Prayer/church	0	0.0 %
4	Exercise or movement therapy	1	0.0 %
5	Special diet	0	0.0 %
6	Vitamins	0	0.0 %
7	Aromatherapy	0	0.0 %
8	Herbal therapy	2	0.1 %
9	Pet therapy	0	0.0 %
10	Music/television	0	0.0 %
11	Laser treatment for skin	0	0.0 %
12	Muscle related therapy	0	0.0 %
13	Allergy treatment/NAET	0	0.0 %
14	Meditation technique	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Colon therapy	0	0.0 %
16	Craniosacral therapy	0	0.0 %
17	Other	0	0.0 %
18	Artwork	0	0.0 %
19	Bone related therapy	0	0.0 %
20	Marijuana	0	0.0 %
21	Positive mindset	0	0.0 %
22	Accupressure	1	0.0 %
23	Cardiac rehabilitation	0	0.0 %
24	Magnetic therapy	0	0.0 %
25	Physical therapy	0	0.0 %
26	Self made program	0	0.0 %
	Missing Data		
99	INAPP	3133	99.9 %
	Total	3,137	100%

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 4.00
- Maximum: 22.00

Location: 348-349 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8A1A: OE-Name of the birth control and the dosage starting with the most recent #1

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	0	0.0 %
3	IUD	19	0.6 %
4	Depo-Provera	10	0.3 %
5	Loestrin	1	0.0 %
6	Other	76	2.4 %
7	Ortho-Novum	43	1.4 %
8	Tri-Sprintec	0	0.0 %
9	Ortho Tri-Cyclen	0	0.0 %
10	Lo/Ovral	12	0.4 %
11	NuvaRing	0	0.0 %
12	Norlestrin	0	0.0 %
13	Metoprolol	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
97	DON'T KNOW	540	17.2 %
99	INAPP	2436	77.7 %
	Total	3,137	100%

Based upon 161 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 10.00

Location: 350-351 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8A1B: OE-Name of the birth control and the dosage starting with the most recent #2

Value	Label	Unweighted Frequency	%
1	Yaz	0	0.0 %
2	Yasmin	0	0.0 %
3	IUD	0	0.0 %
4	Depo-Provera	1	0.0 %
5	Loestrin	0	0.0 %
6	Other	0	0.0 %
7	Ortho-Novum	1	0.0 %
8	Tri-Sprintec	0	0.0 %
9	Ortho Tri-Cyclen	0	0.0 %
10	Lo/Ovral	1	0.0 %
11	NuvaRing	0	0.0 %
12	Norlestrin	0	0.0 %
13	Metoprolol	0	0.0 %
	Missing Data		
97	DON'T KNOW	5	0.2 %
99	INAPP	3129	99.7 %
	Total	3,137	100%

Based upon 3 valid cases out of 3,137 total cases.

- Minimum: 4.00
- Maximum: 10.00

Location: 352-353 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8B1A: OE-Name of the fertility drug and the dosage starting with the most recent #1

Value	Label	Unweighted Frequency	%
1	Clomid	23	0.7 %
2	Lupron	1	0.0 %
3	Gonal-F	0	0.0 %
4	Estradiol	1	0.0 %
5	HCG	3	0.1 %
6	Progesterone	2	0.1 %
7	Follistim	0	0.0 %
8	Other	12	0.4 %
9	Ovidrel	0	0.0 %
10	Fertinex	0	0.0 %
11	Pergonal	1	0.0 %
12	Atorvastatin	0	0.0 %
13	Duloxetine	0	0.0 %
14	Metformin	0	0.0 %
15	Repronex	0	0.0 %
16	Premarin	0	0.0 %
	Missing Data		
97	DON'T KNOW	15	0.5 %
99	INAPP	3079	98.2 %
	Total	3,137	100%

Based upon 43 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 354-355 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8B1B: OE-Name of the fertility drug and the dosage starting with the most recent #2

Value	Label	Unweighted Frequency	%
1	Clomid	3	0.1 %
2	Lupron	0	0.0 %
3	Gonal-F	0	0.0 %
4	Estradiol	1	0.0 %
5	HCG	0	0.0 %
6	Progesterone	1	0.0 %
7	Follistim	0	0.0 %
8	Other	1	0.0 %
9	Ovidrel	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Fertinex	0	0.0 %
11	Pergonal	1	0.0 %
12	Atorvastatin	0	0.0 %
13	Duloxetine	0	0.0 %
14	Metformin	0	0.0 %
15	Repronex	0	0.0 %
16	Premarin	0	0.0 %
	Missing Data		
99	INAPP	3130	99.8 %
	Total	3,137	100%

Based upon 7 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8B1C: OE-Name of the fertility drug and the dosage starting with the most recent #3

Value	Label	Unweighted Frequency	%
1	Clomid	1	0.0 %
2	Lupron	1	0.0 %
3	Gonal-F	0	0.0 %
4	Estradiol	0	0.0 %
5	HCG	0	0.0 %
6	Progesterone	0	0.0 %
7	Follistim	0	0.0 %
8	Other	0	0.0 %
9	Ovidrel	0	0.0 %
10	Fertinex	0	0.0 %
11	Pergonal	0	0.0 %
12	Atorvastatin	0	0.0 %
13	Duloxetine	0	0.0 %
14	Metformin	0	0.0 %
15	Repronex	0	0.0 %
16	Premarin	0	0.0 %
	Missing Data		
99	INAPP	3135	99.9 %
	Total	3,137	100%

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8C1A: OE-Name of the female hormone and the dosage starting with the most recent #1

Value	Label	Unweighted Frequency	%
1	Premarin	110	3.5 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	1	0.0 %
5	Progesterone cream	2	0.1 %
6	Estrace cream	1	0.0 %
7	Provera	0	0.0 %
8	Estradiol	31	1.0 %
9	Other	103	3.3 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	34	1.1 %
13	Estrogen	83	2.6 %
14	Progesterone oil injection	1	0.0 %
15	Other cream	0	0.0 %
16	Estrace	11	0.4 %
17	Prempro	31	1.0 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
97	DON'T KNOW	73	2.3 %
99	INAPP	2656	84.7 %
	Total	3,137	100%

Based upon 408 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8C1B: OE-Name of the female hormone and the dosage starting with the most recent #2

Value	Label	Unweighted Frequency	%
1	Premarin	6	0.2 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	0	0.0 %
8	Estradiol	7	0.2 %
9	Other	3	0.1 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	2	0.1 %
13	Estrogen	19	0.6 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	3	0.1 %
17	Prempro	4	0.1 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
99	INAPP	3093	98.6 %
	Total	3,137	100%

Based upon 44 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 17.00

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8C1C: OE-Name of the female hormone and the dosage starting with the most recent #3

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	0	0.0 %
8	Estradiol	1	0.0 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	1	0.0 %
13	Estrogen	0	0.0 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	1	0.0 %
17	Prempro	1	0.0 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
99	INAPP	3133	99.9 %
	Total	3,137	100%

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 8.00
- Maximum: 17.00

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

C1SB8C1D: OE-Name of the female hormone and the dosage starting with the most recent #4

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Estrace cream	0	0.0 %
7	Provera	0	0.0 %
8	Estradiol	1	0.0 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	0	0.0 %
13	Estrogen	0	0.0 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	0	0.0 %
17	Prempro	0	0.0 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8C1E: OE-Name of the female hormone and the dosage starting with the most recent #5

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	0	0.0 %
8	Estradiol	0	0.0 %
9	Other	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	1	0.0 %
13	Estrogen	0	0.0 %
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	0	0.0 %
17	Prempro	0	0.0 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB8C1F: OE-Name of the female hormone and the dosage starting with the most recent #6

Value	Label	Unweighted Frequency	%
1	Premarin	0	0.0 %
2	Lupron	0	0.0 %
3	Testosterone	0	0.0 %
4	Estrogen patch	0	0.0 %
5	Progesterone cream	0	0.0 %
6	Estrace cream	0	0.0 %
7	Provera	0	0.0 %
8	Estradiol	0	0.0 %
9	Other	0	0.0 %
10	Enjuvia	0	0.0 %
11	Progestin	0	0.0 %
12	Progesterone	0	0.0 %
13	Estrogen	1	0.0 %

Value	Label	Unweighted Frequency	%
14	Progesterone oil injection	0	0.0 %
15	Other cream	0	0.0 %
16	Estrace	0	0.0 %
17	Prempro	0	0.0 %
18	Tamoxifen	0	0.0 %
19	Lovastatin	0	0.0 %
20	Amitriptyline	0	0.0 %
21	Topiramate	0	0.0 %
22	Propranolol	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 13.00
- Maximum: 13.00

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB10A: OE-Specialty of the doctor that prescribed the female hormones #1

Value	Label	Unweighted Frequency	%
1	Obstetrician/Gynecologist	335	10.7 %
2	Other	29	0.9 %
3	Fertility specialist	0	0.0 %
4	Generalist/family doctor/MD	89	2.8 %
5	Reproductive endocrinologist	0	0.0 %
6	Internist	36	1.1 %
	Missing Data		
7	DON'T KNOW	1	0.0 %
9	INAPP	2647	84.4 %
	Total	3,137	100%

Based upon 489 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 372-372 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

C1SB10B: OE-Specialty of the doctor that prescribed the female hormones #2

Value	Label	Unweighted Frequency	%
1	Obstetrician/Gynecologist	20	0.6 %
2	Other	0	0.0 %
3	Fertility specialist	1	0.0 %
4	Generalist/family doctor/MD	0	0.0 %
5	Reproductive endocrinologist	0	0.0 %
6	Internist	0	0.0 %
	Missing Data		
9	INAPP	3116	99.3 %
	Total	3,137	100%

Based upon 21 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 373-373 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , 8 , 9

C1SB12GA: OS-Reason for beginning take hormones #1

Value	Label	Unweighted Frequency	%
1	Depression/moodiness	7	0.2 %
2	To get/keep pregnancy	0	0.0 %
3	Hysterectomy	27	0.9 %
4	For birth control	3	0.1 %
5	Infertility	0	0.0 %
6	Headache	0	0.0 %
7	Low/imbalanced hormones	10	0.3 %
8	To avoid menopausal symptoms	15	0.5 %
9	Weight gain	0	0.0 %
10	Low energy	0	0.0 %
11	Heavy menstrual	3	0.1 %
12	Problems with pregnancy	0	0.0 %
13	Preventive purpose	4	0.1 %
14	Due to surgery/disease	20	0.6 %
15	Lack of sexual desire	0	0.0 %
16	Other	19	0.6 %
17	MD recommended	6	0.2 %
18	Insomnia	5	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3018	96.2 %
	Total	3,137	100%

Based upon 119 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 18.00

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB12GB: OS-Reason for beginning take hormones #2

Value	Label	Unweighted Frequency	%
1	Depression/moodiness	0	0.0 %
2	To get/keep pregnancy	0	0.0 %
3	Hysterectomy	0	0.0 %
4	For birth control	0	0.0 %
5	Infertility	0	0.0 %
6	Headache	0	0.0 %
7	Low/imbalanced hormones	0	0.0 %
8	To avoid menopausal symptoms	1	0.0 %
9	Weight gain	0	0.0 %
10	Low energy	0	0.0 %
11	Heavy menstrual	0	0.0 %
12	Problems with pregnancy	0	0.0 %
13	Preventive purpose	1	0.0 %
14	Due to surgery/disease	2	0.1 %
15	Lack of sexual desire	0	0.0 %
16	Other	0	0.0 %
17	MD recommended	0	0.0 %
18	Insomnia	0	0.0 %
	Missing Data		
99	INAPP	3133	99.9 %
	Total	3,137	100%

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 8.00
- Maximum: 14.00

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB16DA: OS-Reason for stopping take female hormones #1

Value	Label	Unweighted Frequency	%
1	Pregnant	0	0.0 %
2	Didn't work	8	0.3 %
3	Cannot afford it	4	0.1 %
4	Mental/mood problem	0	0.0 %
5	Side effect	22	0.7 %
6	Menopausal	0	0.0 %
7	Doctor's advice	35	1.1 %
8	Weight gain	0	0.0 %
9	Breast related disease	18	0.6 %
10	Other	20	0.6 %
11	Treatment no longer needed	5	0.2 %
12	Received other treatment/surgery	5	0.2 %
13	Dislike the feel	0	0.0 %
14	Reports/publications	1	0.0 %
	Missing Data		
99	INAPP	3019	96.2 %
	Total	3,137	100%

Based upon 118 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 14.00

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB16DB: OS-Reason for stopping take female hormones #2

Value	Label	Unweighted Frequency	%
1	Pregnant	0	0.0 %
2	Didn't work	0	0.0 %
3	Cannot afford it	0	0.0 %
4	Mental/mood problem	0	0.0 %
5	Side effect	1	0.0 %
6	Menopausal	0	0.0 %
7	Doctor's advice	0	0.0 %
8	Weight gain	0	0.0 %
9	Breast related disease	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Other	0	0.0 %
11	Treatment no longer needed	0	0.0 %
12	Received other treatment/surgery	0	0.0 %
13	Dislike the feel	0	0.0 %
14	Reports/publications	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , 98 , 99

C1SB20GA: OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #1

Value	Label	Unweighted Frequency	%
1	Estroven	3	0.1 %
2	Fish oil	2	0.1 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	1	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	1	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	2	0.1 %
10	Vitamin B	1	0.0 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	2	0.1 %
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	15	0.5 %
20	Other nutritional or herbal supplements	6	0.2 %

Value	Label	Unweighted Frequency	%
21	Vitamin C	0	0.0 %
22	Calcium	0	0.0 %
23	Progesterone	0	0.0 %
24	St. John's-wort	0	0.0 %
25	MSM	0	0.0 %
26	Garlic	0	0.0 %
	Missing Data		
99	INAPP	3104	98.9 %
	Total	3,137	100%

Based upon 33 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 20.00

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB20GB: OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #2

Value	Label	Unweighted Frequency	%
1	Estroven	0	0.0 %
2	Fish oil	1	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	0	0.0 %
10	Vitamin B	0	0.0 %
11	Vitamin D	2	0.1 %
12	Multi vitamin	0	0.0 %
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %
19	Other	0	0.0 %

Value	Label	Unweighted Frequency	%
20	Other nutritional or herbal supplements	1	0.0 %
21	Vitamin C	0	0.0 %
22	Calcium	0	0.0 %
23	Progesterone	0	0.0 %
24	St. John's-wort	0	0.0 %
25	MSM	0	0.0 %
26	Garlic	0	0.0 %
	Missing Data		
99	INAPP	3133	99.9 %
	Total	3,137	100%

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 20.00

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SB20GC: OS-Nutritional or herbal supplements have regularly taken over the past month for menopausal symptoms #3

Value	Label	Unweighted Frequency	%
1	Estroven	0	0.0 %
2	Fish oil	0	0.0 %
3	Tea	0	0.0 %
4	Juice	0	0.0 %
5	DHEA	0	0.0 %
6	Hormone cream	0	0.0 %
7	Biotin	0	0.0 %
8	Primrose oil	0	0.0 %
9	Vitamin E	0	0.0 %
10	Vitamin B	0	0.0 %
11	Vitamin D	0	0.0 %
12	Multi vitamin	1	0.0 %
13	Collagen support	0	0.0 %
14	Med for hot flash	0	0.0 %
15	Tryptophan	0	0.0 %
16	Chasteberry	0	0.0 %
17	Maca	0	0.0 %
18	Diphenhydramine	0	0.0 %

Value	Label	Unweighted Frequency	%
19	Other	0	0.0 %
20	Other nutritional or herbal supplements	0	0.0 %
21	Vitamin C	0	0.0 %
22	Calcium	0	0.0 %
23	Progesterone	0	0.0 %
24	St. John's-wort	0	0.0 %
25	MSM	0	0.0 %
26	Garlic	0	0.0 %
	Missing Data		
99	INAPP	3136	100.0 %
	Total	3,137	100%

Based upon 1 valid cases out of 3,137 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SC2LA: OS-Main reason without healthcare coverage

Value	Label	Unweighted Frequency	%
1	Don't need it	1	0.0 %
2	Self-employed	5	0.2 %
3	Lost job	4	0.1 %
4	Benefit not started yet/will begin soon	2	0.1 %
5	Cannot afford it	2	0.1 %
6	Discharged from military	8	0.3 %
7	In a share/charity program	1	0.0 %
8	Disabled	2	0.1 %
9	Lost welfare eligibiliy	2	0.1 %
10	Work part-time	0	0.0 %
11	Job does not offer it	1	0.0 %
12	Other	3	0.1 %
13	Covered by VA, military, gov.	3	0.1 %
14	Don't want	1	0.0 %
15	Retired	0	0.0 %
	Missing Data		
99	INAPP	3102	98.9 %
	Total	3,137	100%

Based upon 35 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SG35A: OE-What were those borrowed funds used for #1

Value	Label	Unweighted Frequency	%
1	Pay bills	40	1.3 %
2	Home purchase	22	0.7 %
3	Pay debt	9	0.3 %
4	Living expenses	8	0.3 %
5	Car purchase	12	0.4 %
6	Tuition	5	0.2 %
7	Pay loans	8	0.3 %
8	Pay credit card	5	0.2 %
9	Other	21	0.7 %
10	Personal needs	0	0.0 %
11	Vacation	4	0.1 %
12	Help/support family/friend	9	0.3 %
13	Car repair	1	0.0 %
14	Business investment	4	0.1 %
15	Medical expenses	6	0.2 %
16	Home improvement/repairs	9	0.3 %
	Missing Data		
99	INAPP	2974	94.8 %
	Total	3,137	100%

Based upon 163 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SG35B: OE-What were those borrowed funds used for #2

Value	Label	Unweighted Frequency	%
1	Pay bills	0	0.0 %
2	Home purchase	2	0.1 %

Value	Label	Unweighted Frequency	%
3	Pay debt	5	0.2 %
4	Living expenses	2	0.1 %
5	Car purchase	0	0.0 %
6	Tuition	0	0.0 %
7	Pay loans	2	0.1 %
8	Pay credit card	3	0.1 %
9	Other	0	0.0 %
10	Personal needs	0	0.0 %
11	Vacation	0	0.0 %
12	Help/support family/friend	0	0.0 %
13	Car repair	2	0.1 %
14	Business investment	0	0.0 %
15	Medical expenses	2	0.1 %
16	Home improvement/repairs	1	0.0 %
	Missing Data		
99	INAPP	3118	99.4 %
	Total	3,137	100%

Based upon 19 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SG35C: OE-What were those borrowed funds used for #3

Value	Label	Unweighted Frequency	%
1	Pay bills	0	0.0 %
2	Home purchase	0	0.0 %
3	Pay debt	1	0.0 %
4	Living expenses	0	0.0 %
5	Car purchase	0	0.0 %
6	Tuition	0	0.0 %
7	Pay loans	1	0.0 %
8	Pay credit card	0	0.0 %
9	Other	0	0.0 %
10	Personal needs	0	0.0 %
11	Vacation	0	0.0 %
12	Help/support family/friend	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Car repair	0	0.0 %
14	Business investment	0	0.0 %
15	Medical expenses	0	0.0 %
16	Home improvement/repairs	0	0.0 %
	Missing Data		
99	INAPP	3135	99.9 %
	Total	3,137	100%

Based upon 2 valid cases out of 3,137 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SG37DA: OS-Spouse/partner's other type of retirement account #1

Value	Label	Unweighted Frequency	%
1	401K/403B/retirement account	73	2.3 %
2	Real estate	53	1.7 %
3	Mutual fund/money market	104	3.3 %
4	None	0	0.0 %
5	Pension/annuity/insurance	101	3.2 %
6	Savings/checking account	25	0.8 %
7	Other	50	1.6 %
	Missing Data		
99	INAPP	2731	87.1 %
	Total	3,137	100%

Based upon 406 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SG37DB: OS-Spouse/partner's other type of retirement account #2

Value	Label	Unweighted Frequency	%
1	401K/403B/retirement account	2	0.1 %
2	Real estate	2	0.1 %

Value	Label	Unweighted Frequency	%
3	Mutual fund/money market	6	0.2 %
4	None	0	0.0 %
5	Pension/annuity/insurance	0	0.0 %
6	Savings/checking account	0	0.0 %
7	Other	0	0.0 %
	Missing Data		
99	INAPP	3127	99.7 %
	Total	3,137	100%

Based upon 10 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SG40A: OS-Primary residence

Value	Label	Unweighted Frequency	%
1	Farm	7	0.2 %
2	Duplex	16	0.5 %
3	Town house	21	0.7 %
4	Live with family members	7	0.2 %
5	Manufactured	7	0.2 %
6	Housing	5	0.2 %
7	Other	41	1.3 %
	Missing Data		
99	INAPP	3033	96.7 %
	Total	3,137	100%

Based upon 104 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SG48EA: OS-Types of non-retirement assets #1

Value	Label	Unweighted Frequency	%
1	Car	24	0.8 %

Value	Label	Unweighted Frequency	%
2	Mutual fund/money market	43	1.4 %
3	None	0	0.0 %
4	Savings/checking account	24	0.8 %
5	IRA/retirement account	14	0.4 %
6	House	17	0.5 %
7	Business	4	0.1 %
8	Metals/jewel	8	0.3 %
9	Equipment	0	0.0 %
10	Insurance/annuity	40	1.3 %
11	Boat	0	0.0 %
12	Collectables/antiques/liquid	7	0.2 %
13	Household item	0	0.0 %
14	Other	27	0.9 %
15	Personal property	0	0.0 %
	Missing Data		
99	INAPP	2929	93.4 %
	Total	3,137	100%

Based upon 208 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SG48EB: OS-Types of non-retirement assets #2

Value	Label	Unweighted Frequency	%
1	Car	1	0.0 %
2	Mutual fund/money market	2	0.1 %
3	None	0	0.0 %
4	Savings/checking account	2	0.1 %
5	IRA/retirement account	0	0.0 %
6	House	0	0.0 %
7	Business	0	0.0 %
8	Metals/jewel	3	0.1 %
9	Equipment	0	0.0 %
10	Insurance/annuity	0	0.0 %
11	Boat	0	0.0 %
12	Collectables/antiques/liquid	4	0.1 %

Value	Label	Unweighted Frequency	%
13	Household item	0	0.0 %
14	Other	0	0.0 %
15	Personal property	0	0.0 %
	Missing Data		
99	INAPP	3125	99.6 %
	Total	3,137	100%

Based upon 12 valid cases out of 3,137 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SI7A: OE-Which state would you most like to live in for the next 10 years

Value	Label	Unweighted Frequency	%
1	Germany	0	0.0 %
2	Armenia	0	0.0 %
3	Brazil	0	0.0 %
4	Canada	2	0.1 %
5	Cuba	0	0.0 %
6	Belize	0	0.0 %
7	Other	0	0.0 %
8	France	1	0.0 %
9	Jamaica	0	0.0 %
10	US	1	0.0 %
11	Costa Rica	1	0.0 %
12	Spain	1	0.0 %
13	Mexico	2	0.1 %
14	Puerto Rico	1	0.0 %
	Missing Data		
97	DON'T KNOW	1	0.0 %
99	INAPP	3127	99.7 %
	Total	3,137	100%

Based upon 9 valid cases out of 3,137 total cases.

- Minimum: 4.00
- Maximum: 14.00

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

C1SN1AA: OS-Religious preference #1

Value	Label	Unweighted Frequency	%
1	Atheist	0	0.0 %
2	Christian	17	0.5 %
3	Satanism	0	0.0 %
4	Pagan	0	0.0 %
5	Religious science	0	0.0 %
6	Christian Scientist	2	0.1 %
7	Self-realization fellowship	1	0.0 %
8	Other	53	1.7 %
9	Full gospel	0	0.0 %
10	Jehovah's Witness	1	0.0 %
11	Anglican	0	0.0 %
12	Church of Christ	20	0.6 %
13	No religious preference	4	0.1 %
14	Hebrew Key of David	0	0.0 %
15	Non-denominational	9	0.3 %
16	Deism	0	0.0 %
17	Baptist	10	0.3 %
18	Freethought	1	0.0 %
19	Wicca	4	0.1 %
20	Shinto	0	0.0 %
21	African Methodist Episcopal	0	0.0 %
22	Coptic Orthodox Christian	1	0.0 %
23	Pastafarianism	0	0.0 %
24	Mormon	0	0.0 %
25	Native American Belief	3	0.1 %
26	Monotheism	0	0.0 %
27	Evangelical	0	0.0 %
28	Scientology	0	0.0 %
29	Buddhist	0	0.0 %
30	Heathenism	0	0.0 %
31	Wesleyanism	2	0.1 %
32	Foursquare church	1	0.0 %
33	Unity	0	0.0 %
34	Reformed church in america	0	0.0 %
35	Presbyterian	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
99	INAPP	3007	95.9 %
	Total	3,137	100%

Based upon 130 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 35.00

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SN1BA: OS-Religious preference #2

Value	Label	Unweighted Frequency	%
1	Atheist	0	0.0 %
2	Christian	3	0.1 %
3	Satanism	0	0.0 %
4	Pagan	0	0.0 %
5	Religious science	0	0.0 %
6	Christian Scientist	0	0.0 %
7	Self-realization fellowship	0	0.0 %
8	Other	0	0.0 %
9	Full gospel	0	0.0 %
10	Jehovah's Witness	0	0.0 %
11	Anglican	0	0.0 %
12	Church of Christ	1	0.0 %
13	No religious preference	0	0.0 %
14	Hebrew Key of David	0	0.0 %
15	Non-denominational	0	0.0 %
16	Deism	0	0.0 %
17	Baptist	0	0.0 %
18	Freethought	0	0.0 %
19	Wicca	0	0.0 %
20	Shinto	0	0.0 %
21	African Methodist Episcopal	0	0.0 %
22	Coptic Orthodox Christian	0	0.0 %
23	Pastafarianism	0	0.0 %
24	Mormon	0	0.0 %
25	Native American Belief	0	0.0 %
26	Monotheism	0	0.0 %
27	Evangelical	0	0.0 %

Value	Label	Unweighted Frequency	%
28	Scientology	0	0.0 %
29	Buddhist	0	0.0 %
30	Heathenism	0	0.0 %
31	Wesleyanism	0	0.0 %
32	Foursquare church	0	0.0 %
33	Unity	0	0.0 %
34	Reformed church in america	0	0.0 %
35	Presbyterian	0	0.0 %
	Missing Data		
99	INAPP	3133	99.9 %
	Total	3,137	100%

Based upon 4 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 12.00

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SP4MA: OS-Main reason for discrimination #1

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	17	0.5 %
3	Didn't like me	6	0.2 %
4	Language	3	0.1 %
5	Financial status	5	0.2 %
6	Race/ethnicity/nationality	10	0.3 %
7	Gender	0	0.0 %
8	Disease/mental illness/depression	7	0.2 %
9	Marital status	6	0.2 %
10	Physical/learning disability	4	0.1 %
11	Occupation	6	0.2 %
12	Social relations	3	0.1 %
13	Residence	0	0.0 %
14	Education	1	0.0 %
15	Have children/pregnancy	5	0.2 %
16	Jealousy/retaliation	3	0.1 %
17	Personality/taste	8	0.3 %
18	Other	39	1.2 %

Value	Label	Unweighted Frequency	%
19	Religion	0	0.0 %
20	Political stance	3	0.1 %
21	Attitude	0	0.0 %
22	Age	0	0.0 %
	Missing Data		
99	INAPP	3011	96.0 %
	Total	3,137	100%

Based upon 126 valid cases out of 3,137 total cases.

- Minimum: 2.00
- Maximum: 20.00

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99

C1SP4MB: OS-Main reason for discrimination #2

Value	Label	Unweighted Frequency	%
1	Affirmative action	0	0.0 %
2	Appearance	0	0.0 %
3	Didn't like me	0	0.0 %
4	Language	0	0.0 %
5	Financial status	0	0.0 %
6	Race/ethnicity/nationality	1	0.0 %
7	Gender	0	0.0 %
8	Disease/mental illness/depression	0	0.0 %
9	Marital status	4	0.1 %
10	Physical/learning disability	0	0.0 %
11	Occupation	0	0.0 %
12	Social relations	0	0.0 %
13	Residence	0	0.0 %
14	Education	0	0.0 %
15	Have children/pregnancy	0	0.0 %
16	Jealousy/retaliation	0	0.0 %
17	Personality/taste	0	0.0 %
18	Other	0	0.0 %
19	Religion	0	0.0 %
20	Political stance	1	0.0 %
21	Attitude	0	0.0 %
22	Age	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
99	INAPP	3131	99.8 %
	Total	3,137	100%

Based upon 6 valid cases out of 3,137 total cases.

- Minimum: 6.00
- Maximum: 20.00

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , 98 , 99