


Capstone Project - 2 Sentiment Analysis: Predicting Sentiment Of COVID-19 Tweets.



Content

- 1. Introduction.
- 2. Exploratory Data Analysis.
- 3. Data Preprocessing.
- 4. Vectorization.
- 5. Classification.
- 6. Evaluation.
- 7. Challenges.
- 8. Conclusion.
- 9. Q&A






Problem Statement

The challenge is to build a CLASSIFICATION MODEL to predict the sentiment of COVID-19 tweets. The tweets have been pulled from Twitter and manual tagging has been done then.

We are given the following information:

- 1. Location
- 2. Tweet At
- 3. Original Tweet
- 4. Sentiment





Introduction

- Sentiment Analysis is the process of computationally identifying and categorizing opinions expressed in a piece of text, especially in order to determine whether the writer's attitude towards a particular topic is positive, negative, or neutral.
- COVID-19 originally known as Coronavirus Disease of 2019, has been declared as a pandemic by World Health Organization (WHO) on 11th March 2020.
- The study analyzes various types of tweets gathered during the pandemic times hence can be useful in policy making to safeguard the countries by demystifying the pertinent facts and information.



Let's Guess Some Tweets: Negative, Neutral Or Positive?

- "Still <u>shocked</u> by the number of #Toronto supermarket employees working without some sort of mask. We all know by now, employees can be asymptomatic while spreading #coronavirus".
- "Was at Supermarket today. Didn't buy toilet paper".
- "Due to the Covid-19 situation, we have <u>increased</u> demand for all food products. The wait time may be longer for all online orders, particularly beef share and freezer packs. We <u>thank you</u> for your patience during this time".



Data Summary


- The original dataset has 6 columns and 41157 rows.
- In order to analyse various sentiments, We require just two columns named Original Tweet and Sentiment.
- There are four types of sentiments- Extremely Negative,
 Negative, Neutral, Positive and Extremely Positive.

df	f.head()				↑ ↓ ⊕ 目 ‡	₺ 🛚 :
	UserName	ScreenName	Location	TweetAt	OriginalTweet	Sentiment
0	3799	48751	London	16-03- 2020	@MeNyrbie @Phil_Gahan @Chrisitv https://t.co/iFz9FAn2Pa and https://t.co/xX6ghGFzCC and https://t.co/l2NlzdxNo8	Neutral
1	3800	48752	UK	16-03- 2020	advice Talk to your neighbours family to exchange phone numbers create contact list with phone numbers of neighbours schools employer chemist GP set up online shopping accounts if poss adequate su	PHSIIIVE



Exploratory Data Analysis


- The columns such as "UserName" and "ScreenName" does not give any meaningful insights for our analysis.
- All tweets data collected from the months of March and April 2020.
- Bar plot shows us the number of unique values in each column.






Exploratory Data Analysis: Location

- There are 20.87%(8567)
 null values in various
 places of location
 column.
- Most of the tweets came from London followed by U.S.








EDA On "Original Tweet" Column.

- There are some words like 'coronavirus','grocery store', having the maximum frequency in our dataset.
- There are various #hashtags in tweets column.But they are almost same in all sentiments.









EDA On Sentiment Column.

- Most of the peoples are having positive sentiments about various issues shows us their optimism during pandemic times.
- Very few people are having extremely negatives thoughts about Covid-19.





Dimensionality reduction using PCA.



We used PCA to reduce the features into two dimensions.





Data Preprocessing

- The preprocessing of the text data is an essential step as it makes the raw text ready for mining.
- The objective of this step is to clean noise those are less relevant to find the sentiment of tweets such as punctuation, special characters, numbers, and terms which don't carry much weightage in context to the text.



Text Processing on Tweet

wewe



Soraya Auer @Soyalnk · 25 Mar 2020

Hi @BoConceptUK - are you raising your desk prices on purpose?? a desk for £899 is now £999, £1049 or higher - if so, this is considered profiteering and illegal #coronavirus #CoronavirusLockdown

User

HashTags

Punctuations



Removing Tweeter Handle(@user)

As mentioned earlier, the tweets contain lots of twitter handles (@user). We will remove all these twitter handles from the data as they don't convey much information.

'hi - are you raising your desk prices on purpose?? a desk for â£899 is now â£999, â£10 own https://t.co/xwpwhwcg5x'



Removing Hashtags(#)

We have analyzed that most of the tweets are like #coronavirus #covid-19 and this tweets are almost present in all the sentiments. So there is no use of keeping these hashtags in text. It will make the data noisy and which will affect accuracy of model.

Before-

- if so, this is considered profiteering and illegal #coronavirus #coronaviruslockd

After-

r - if so, this is considered profiteering and illegal https://t.co/xwpwhwcg5x'



Removing links(https:/http:)

We are having twitter links in the data which are not useful for our Model. It will make our data noisy.

Before -

```
r - if so, this is considered profiteering and illegal https://t.co/xwpwhwcg5x'
```

After -

```
- if so, this is considered profiteering and illegal'
```



Removing Punctuations, Numbers, and Special Characters

As discussed, punctuations, numbers and special characters do not help much. It is better to remove them from the text just as we removed the twitter handles, links and hashtags.

Before-

a desk for â£899 is now â£999, â£1049 or higher - if so, this is considered profiteering and illegal'

After-

a desk for is now or higher if so this is considered profiteering and illegal'



Removing Stopwords

Stop words are those words in natural language that have a very little meaning, such as "is", "an", "the", etc.To remove stop words from a sentence, you can divide your text into words and then remove the word if it exits in the list of stop words provided by NLTK.

Before - a desk for is now or higher if so this is considered profiteering and illegal'

After - 'raising desk prices purpose desk higher considered profiteering illegal'



Stemming

- Stemming is a rule-based process of stripping the suffixes ("ing",
 "ly", "es", "ed", "s" etc) from a word.
- For example "play", "player", "played", "plays" and "playing" are the different variations of the word "play".
- Before -

'raising desk prices purpose desk higher considered profiteering illegal'

After -

'rais desk price purpos desk higher consid profit illeg'



Lemmatization

- Lemmatization is a more powerful operation, and it takes into consideration morphological analysis of the words. It returns the lemma which is the base form of all its inflectional forms.
- Before 'raising desk prices purpose desk higher considered profiteering illegal'
 - After 'raise desk price purpose desk high consider profiteer illegal'



Tokenization

- In tokenization we convert group of sentence into token. It is also called text segmentation or lexical analysis. It is basically splitting data into small chunk of words.
- Tokenization in python can be done by python <u>NLTK</u> library's word_tokenize() function.



Vectorization

- We chose Count Vectorizer as our Vectorizer with minimum document frequency =10.
- It will create a sparse matrix of all words and the number of times they are present in a document.



Classification

Models Used:

- 1. Naive Bayes
- 2. Logistic Regression
- 3. Random Forest
- 4. XGBoost
- 5. Support Vector Machines
- 6. CatBoost
- 7. Stochastic Gradient Descent



Why Naive Bayes?

- Good accuracy for classification if the feature independence condition holds.
- Space and time effective.
- Can handle high dimensional data pretty well.
- A good baseline model.


Multi class classification accuracy:

training accuracy Score : 0.6931511009870919
Validation accuracy Score : 0.47947035957240036




Feature Log Probabilities

Neutral




Positive






Feature Log Probabilities

Extremely Negative



Positive





What's the problem?

 Misclassifying samples to the similar groups because of same likelihood of words to be classified in a particular class.

Solution:

Binary Classification.

Binary Classification accuracy:

training accuracy Score : 0.8585573272589218
Validation accuracy Score : 0.791666666666666



Logistic Regression

Why Logistic Regression?

- Unlike Naive Bayes it makes no assumption about the feature independence.
- Logistic Regression with L1 regularization is well known for feature reduction.
- Fast to train.

Binary Classification Accuracy:

Training accuracy Score : 0.937798025816249
Validation accuracy Score : 0.8594509232264335



Random Forest

Why Random Forest?

- Random Forest takes random samples and features to make train the model.
- Time taking, but Decision tree like model with less chance to overfit.


Binary Classification accuracy:

Training accuracy Score : 0.9985725132877753
Validation accuracy Score : 0.8299319727891157



Random Forest

Feature Importance





XGBoost

Why XGB?

- Can be used with different objective functions.
- Handling missing values.
- Built in cross validation.

Binary Accuracy Score:

Training accuracy Score : 0.7434776006074412
Validation accuracy Score : 0.7395529640427599



Support Vector Machines

Why Support Vector Classifier?

- It is well known to handle high dimensional data.
- It allows misclassification as well with soft margins.

Binary Classification accuracy:

Training accuracy Score : 0.9569020501138952
Validation accuracy Score : 0.8456025267249757



CatBoost

Why Support Vector Classifier?

- It is good in handling sophisticated categorical features.
- Uses symmetric trees, which result in a Fast Inference.

For multiple classes:

```
Training accuracy Score : 0.6703720577069097
Validation accuracy Score : 0.6203838678328474
```

For binary classes:

```
Training accuracy Score : 0.8840091116173121
Validation accuracy Score : 0.8521622934888241
```



Stochastic Gradient Descent

Why SGD?

- It is neural network based.
- It converges comparatively faster for large datasets.
- It fits one sample at a time.
- Computationally Fast.

Binary Classification Accuracy:

Training accuracy Score : 0.9350949126803341
Validation accuracy Score : 0.8624878522837707



Evaluation

Multi-class Classification	<u>on</u>
Model	Test accuracy
CatBoost	62.0%
Logistic Regression	61.8%
Support Vector Machines	60.7%
Stochastic Gradient Descent	57.3%
Random Forest	56.0%
XGBoost	48.7%
Naive Bayes	47.9%

	Binary Classification					
	Model	Test accuracy				
4	Stochastic Gradient Descent	86.2%				
	Logistic Regression	85.9%				
	CatBoost	85.2%				
	Support Vector Machines	84.6%				
	Random Forest	82.9%				
	Naive Bayes	79.2%				
	XGBoost	74.0%				





Evaluation (contd.)

accuracy

macro avg

weighted avg

			- 11	Ca	(26) 015 035
		precision	recall	f1-score	suppor
Extremely	Negative	0.54	0.70	0.61	84
Extremely	Positive	0.56	0.76	0.65	974
	Negative	0.53	0.58	0.56	181
	Neutral	0.81	0.60	0.69	205
	Positive	0.64	0.58	0.61	2544

0.62

0.64

0.65

0.62

0.62

0.62

0.62

8232

8232

8232

		VIZTO COMPANIO 2750	11	£a.	CURRENCY CONTRA
		precision	recall	f1-score	support
	0	0.78	0.84	0.81	2882
	1	0.91	0.88	0.89	5350
accuracy				0.86	8232
macro a	vg	0.85	0.86	0.85	8232
weighted a	vg	0.87	0.86	0.86	8232



Challenges

- Locations being too many/unformatted/irrelevant
- Sarcastic tweets
- Advertisements tagged as positive
- Computation time/crashes



Conclusion

- For multiclass classification, the best model for this dataset would be CatBoost
- For binary classification, the best model for this dataset would be Stochastic Gradient Descent

To end it on a lighter note, a few funny tweets we came across:

I used to spin toilet paper like I was spinning the wheel on Wheel of Fortune! Now when I use it I look like I'm cracking a safe!

People posting and sharing photos of of half to completely empty shelves calling those people "dumb" or "idiots."

All while shopping at the grocery store.

I just want a COVID-19 online shopping sale . F*** your concerns . Give me the promo codes

The #coronavirus can now give you diarrhea. Toiletpaper hoarding is now officially worth it

If it wasn't for social distancing, I'd have hugged the grocery store worker. We found toilet paper at #Marianos!!



Q & A